Office	Blate of Tiew Tiles		Form C-103 of	
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	T. French Dr., Hobbs, NM 88240 t II – (575) 748-1283 First St., Artesia, NM 88210 OIL CONSERVATION DIVISION		Revised July 18, 2013 WELL API NO.	
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178			5. Indicate Type of Lease	
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 875	505	STATE X FEE 5. State Oil & Gas Lease No. 18333	
		G BACK TO A	Lease Name or Unit Agreement Name HIDEOUT 22115 24-13 STATE COM	
PROPOSALS.) 1. Type of Well: Oil Well X Gas Well Other			8. Well Number 2H	
2. Name of Operator BTA OIL PRODUCERS, LLC		9	O. OGRID Number 260297	
3. Address of Operator 104 S. PECOS; MIDLAND, TX. 79	701		0. Pool name or Wildcat NC-025 G-09 S173615C; UPPER	
4. Well Location		1		
<u> </u>	from the NORTH line and 1335 for			
Section 24 Township	17S Range 35E NMPM 11. Elevation (Show whether DR,	County I RKB, RT, GR, etc.)	DEA	
	3903 GR			
12. Check Ap	ppropriate Box to Indicate Na	ture of Notice, Re	eport or Other Data	
TEMPORARILY ABANDON	ENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPL	SUBSE REMEDIAL WORK COMMENCE DRILL CASING/CEMENT J		
CLOSED-LOOP SYSTEM		OTHER.		
	ted operations. (Clearly state all peck). SEE RULE 19.15.7.14 NMAC.		ive pertinent dates, including estimated date letions: Attach wellbore diagram of	
SEE ATTACHED.				
I hereby certify that the information ab	pove is true and complete to the bes	st of my knowledge a	nd belief.	
SIGNATURE_Xaty Reddell	TITLE: REGULATORY ANAL	YST	DATE 11/06/2024	
Type or print name KATY REDDEL For State Use Only	L E-mail address: krede	dell@btaoil.com	PHONE: 432-682-3753	
APPROVED BY:Conditions of Approval (if any):	TITLE		DATE	

API: 30-025-51386 API: 30-025-51386 BYUD DATE: 81/5/2023 BYUD DATE: 81/5/2023 CASING DATA BY 15/2023 CASING DATA SURFACE INT. LINER TAPERED PRODUCTION PRODUCTION DRILLED HOLE DATE 8/15/2023 8/25/2023 9/1/2023 10/6/2023 10/6/2023 10/9/2	WELL NAME: HIDEOUT 22115 24-13 STATE					
API: 30-025-51386 SPUD DATE: 8/15/2023 DATE: TREACHED: 10/06/2023 RIG RELEASE DATE: 10/10/2023 CASING DATA SURFACE INT. LINER CASING DATA SURFACE INT. LINER TAPERED PRODUCTION DRILLED HOLE DATE 8/15/2023 8/25/2023 9/1/2023 10/6						
SPUD DATE: 8/15/2023						
DATE TD REACHED: 10/06/2023 RIG RELEASE DATE: 10/10/2023						
CASING DATA SURFACE INT. LINER TAPERED PRODUCTION						
CASING DATA SURFACE INT. LINER TAPERED PRODUCTION PRODUCTION DRILLED HOLE DATE 8/15/2023 8/25/2023 9/1/2023 10/6/2023 10/6/2023 CASING SETTING DATE 8/18/2023 8/27/2023 9/4/2023 10/9/2023 10/9/2023 HOLE SIZE 17 1/2 12 1/4 8 3/4 6 3/4 6 3/4 HOLE DEPTH 1,935 4,429 10,920 19,318 19,318 CASING SETTING DEPTH 1,935 4,429 10,920 0-10713 10712-19307 LINER TOP - BOTTOM 4142 - 10920 0-10713 10712-19307 CASING WEIGHT/ GRADE 54.5# J-55 STC 40# J-55 LTC 29.7#P-110 20/P-110 ICY 18#TXP-BTC NUMBER OF JOINTS 46 100 155 198 251 SINGLE STAGE CEMENT LEAD SACKS 1205 1060 225 1145 CEMENT CLASS LEAD C C Prolite H STAGE 1 LEAD CEMENT SKS S S CEMENT CLASS STAGE 1 TAIL STAGE 1 TAIL CEMENT SKS <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
DRILLED HOLE DATE 8/15/2023 8/25/2023 9/1/2023 10/6/2023	RIG RELEASE DATE: 10/10/2023					
DRILLED HOLE DATE 8/15/2023 8/25/2023 9/1/2023 10/6/2023					TADEDED	TADEDED
CASING SETTING DATE 8/18/2023 8/27/2023 9/4/2023 10/9/2023 10/9/2023 HOLE SIZE 17 1/2 12 1/4 8 3/4 6 3/4 6 3/4 HOLE DEPTH 1,935 4,429 10,920 19,318 19,318 CASING/LINER SIZE 13 3/8 9 5/8 7 5/8 5 1/2 5 CASING SETTING DEPTH 1,935 4,429 10,920 0-10713 10712-19307 LINER TOP - BOTTOM 4142 - 10920 4142 - 10920 4142 - 10920 4142 - 10920 CASING WEIGHT/ GRADE 54.5# J-55 STC 40# J-55 LTC 29.7#P-110 20#P-110 ICY 18#TXP-BTC NUMBER OF JOINTS 46 100 155 198 251 SINGLE STAGE CEMENT LEAD SACKS 1205 1060 225 1145 CEMENT CLASS LEAD C C Prolite H SINGLE STAGE CEMENT TAIL SACKS 340 200 110 1005 STAGE 1 LEAD CEMENT SKS CEMENT CLASS STAGE CEMENT CLASS STAGE 2 TAIL STAGE 1 TAIL CEMENT SKS STAGE 2 TAIL CEMEN	CASING DATA			· ·	PRODUCTION	PRODUCTION
HOLE SIZE 17 1/2 12 1/4 8 3/4 6 3/4 6 3/4 HOLE DEPTH 1,935 4,429 10,920 19,318 19,318 CASING/LINER SIZE 13 3/8 9 5/8 7 5/8 5 1/2 5 CASING SETTING DEPTH 1,935 4,429 10,920 0-10713 10712-19307 LINER TOP - BOTTOM 4142 - 10920 CASING WEIGHT/ GRADE 54,5# J-55 STC 40# J-55 LTC 29,7#P-110 20#P-110 ICY 18#TXP-BTC NUMBER OF JOINTS 46 100 155 198 251 SINGLE STAGE CEMENT LEAD SACKS 1205 1060 225 1145 CEMENT CLASS LEAD C C Prolite H SINGLE STAGE CEMENT TAIL SACKS 340 200 110 1005 CEMENT CLASS TAIL C C C H H STAGE 1 LEAD CEMENT SKS CEMENT CLASS LEAD STAGE 1 TAIL CEMENT SKS CEMENT CLASS STAGE 1 TAIL STAGE 2 LEAD CEMENT SKS CEMENT CLASS STAGE 2 LEAD STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 LEAD STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 LEAD STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 TAIL CEMENT CLASS STAGE 2 TAIL CEMENT YIELD LEAD 1.9 1.9 2.97 1.5 CEMENT YIELD TAIL 1.33 1.36 1.18 1.28 STAGE 1 TAIL CEMENT YIELD TAIL		8/15/2023	8/25/2023	9/1/2023	10/6/2023	10/6/2023
HOLE DEPTH		8/18/2023	8/27/2023	9/4/2023	10/9/2023	10/9/2023
CASING/LINER SIZE 13 3/8 9 5/8 7 5/8 5 1/2 5 CASING SETTING DEPTH 1,935 4,429 10,920 0-10713 10712-19307 LINER TOP - BOTTOM 4142 - 10920 4142 - 10920 4142 - 10920 4142 - 10920 CASING WEIGHT/ GRADE 54.5# J-55 STC 40# J-55 LTC 29.7#P-110 20#P-110 ICY 18#TXP-BTC NUMBER OF JOINTS 46 100 155 198 251 SINGLE STAGE CEMENT LEAD SACKS 1205 1060 225 1145 CEMENT CLASS LEAD C C Prolite H SINGLE STAGE CEMENT TAIL SACKS 340 200 110 1005 CEMENT CLASS TAIL C C H H H DV TOOL STAGE 1 LEAD CEMENT SKS CEMENT CLASS LEAD STAGE 1 TAIL CEMENT SKS CEMENT CLASS STAGE 1 TAIL STAGE 2 LEAD CEMENT SKS STAGE 1 LEAD CEMENT SKS STAGE 1 LEAD CEMENT SIELD TAIL STAGE 1 LEAD CEMENT SIELD TAIL STAGE 1 TAIL CEMENT SIELD TAIL STAGE 1 TAIL C	HOLE SIZE	17 1/2	12 1/4	8 3/4	6 3/4	6 3/4
CASING SETTING DEPTH 1,935 4,429 10,920 0-10713 10712-19307 LINER TOP - BOTTOM 4142 - 10920 4142 - 10920 4142 - 10920 18#TXP-BTC CASING WEIGHTY GRADE 54.5# J-55 STC 40# J-55 LTC 29,7#P-110 20#P-110 ICY 18#TXP-BTC NUMBER OF JOINTS 46 100 155 198 251 SINGLE STAGE CEMENT LEAD SACKS 1205 1060 225 1145 CEMENT CLASS LEAD C C Prolite H SINGLE STAGE CEMENT TAIL SACKS 340 200 110 1005 CEMENT CLASS TAIL C C H H DV TOOL DV TOOL <td>HOLE DEPTH</td> <td>1,935</td> <td>4,429</td> <td>10,920</td> <td>19,318</td> <td>19,318</td>	HOLE DEPTH	1,935	4,429	10,920	19,318	19,318
LINER TOP - BOTTOM	CASING/LINER SIZE	13 3/8	9 5/8	7 5/8	5 1/2	5
CASING WEIGHT/ GRADE 54.5# J-55 STC 40# J-55 LTC 29.7#P-110 20#P-110 ICY 18#TXP-BTC NUMBER OF JOINTS 46 100 155 198 251 SINGLE STAGE CEMENT LEAD SACKS 1205 1060 225 1145 CEMENT CLASS LEAD C C Prolite H SINGLE STAGE CEMENT TAIL SACKS 340 200 110 1005 CEMENT CLASS TAIL C C H H DV TOOL STAGE 1 LEAD CEMENT SKS STAGE 1 TAIL CEMENT SKS STAGE 1 TAIL CEMENT SKS CEMENT CLASS STAGE 1 TAIL STAGE 2 LEAD CEMENT SKS STAGE 2 LEAD CEMENT SKS STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 LEAD 1.9 1.9 2.97 1.5 CEMENT YIELD LEAD 1.9 1.9 2.97 1.5 CEMENT YIELD TAIL 1.33 1.36 1.18 1.28 STAGE 1 TAIL CEMENT YIELD TAIL	CASING SETTING DEPTH	1,935	4,429	10,920	0-10713	10712-19307
NUMBER OF JOINTS	LINER TOP - BOTTOM			4142 - 10920		
SINGLE STAGE CEMENT LEAD SACKS 1205 1060 225 1145	CASING WEIGHT/ GRADE	54.5# J-55 STC	40# J-55 LTC	29.7#P-110	20#P-110 ICY	18#TXP-BTC
CEMENT CLASS LEAD C C Prolite H SINGLE STAGE CEMENT TAIL SACKS 340 200 110 1005 CEMENT CLASS TAIL C C H H DV TOOL STAGE 1 LEAD CEMENT SKS CEMENT CLASS LEAD STAGE 1 TAIL CEMENT SKS CEMENT CLASS STAGE 1 TAIL STAGE 2 LEAD CEMENT SKS STAGE 2 LEAD CEMENT SKS STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 LEAD STAGE 2 TAIL CEMENT SKS STAGE 2 TAIL CEMENT SKS STAGE 2 TAIL CEMENT SKS CEMENT YIELD LEAD 1.9 1.9 2.97 1.5 CEMENT YIELD TAIL 1.33 1.36 1.18 1.28 STAGE 1 TAIL CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL	NUMBER OF JOINTS	46	100	155	198	251
SINGLE STAGE CEMENT TAIL SACKS 340 200 110 1005 CEMENT CLASS TAIL C C H H DV TOOL STAGE 1 LEAD CEMENT SKS STAGE 1 TAIL CEMENT SKS STAGE 2 LEAD CEMENT SKS STAGE 2 TAIL CEMENT SKS STAGE 3 TAIL CEMENT SKS STAGE 4 TAIL CEMENT SKS STAGE 5 TAIL CEMENT SKS STAGE 6 TAIL CEMENT SKS STAGE 1 TAIL CEMENT SKS STAGE 1 TAIL CEMENT SITE STAGE 1 TAIL CEMENT SITE STAGE 1 TAIL CEMENT SITE STAGE 1 TAIL CEMENT SITE STAGE 1 TAIL CEMENT SITE STAGE 1 TAIL CEMENT SITE STAGE 2 LEAD CEMENT SITE STAGE 3 LEAD CEMENT SITE STAGE 3 LEAD CEMENT SITE STAGE 3 LEAD CEMENT SITE STAGE 3 LEAD CEMENT SITE STAGE 3 LEAD CEMENT SITE STAGE 3 LEAD CEMENT SITE STAGE 3 LEAD CEMENT SITE STAGE 3 LEAD CEMENT SITE STAGE 4 LEAD CEMENT SITE STAGE 5 LEAD CEMENT SITE STAGE 5 LEAD CEMENT SITE STAGE 5 LEAD CEMENT SITE STAGE 5 LEAD CEMENT SITE STAGE 5 LEAD CEMENT SITE STAGE 5 LEAD CEMENT SITE STAGE 5 LEAD CEMENT SITE	SINGLE STAGE CEMENT LEAD SACKS	1205	1060	225	1145	
CEMENT CLASS TAIL C C H H DV TOOL STAGE 1 LEAD CEMENT SKS STAGE 1 LEAD CEMENT SKS STAGE 1 TAIL CEMENT SKS CEMENT CLASS STAGE 1 TAIL STAGE 2 LEAD CEMENT SKS STAGE 2 LEAD CEMENT SKS CEMENT CLASS STAGE 2 LEAD STAGE 2 TAIL CEMENT SKS STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 TAIL STAGE 1 LEAD CEMENT SILL 1.9 1.9 2.97 1.5 CEMENT YIELD TAIL 1.33 1.36 1.18 1.28 STAGE 1 TAIL CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL	CEMENT CLASS LEAD	C	С	Prolite	Н	
DV TOOL STAGE 1 LEAD CEMENT SKS CEMENT CLASS LEAD STAGE 1 TAIL CEMENT SKS CEMENT CLASS STAGE 1 TAIL STAGE 2 LEAD CEMENT SKS CEMENT CLASS STAGE 2 LEAD STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 TAIL CEMENT CLASS STAGE 1 TAIL STAGE 1 TAIL CEMENT SKS CEMENT YIELD LEAD 1.9 1.9 1.9 2.97 1.5 CEMENT YIELD TAIL STAGE 1 LEAD CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL	SINGLE STAGE CEMENT TAIL SACKS	340	200	110	1005	
STAGE 1 LEAD CEMENT SKS CEMENT CLASS LEAD STAGE 1 TAIL CEMENT SKS CEMENT CLASS STAGE 1 TAIL STAGE 2 LEAD CEMENT SKS CEMENT CLASS STAGE 2 LEAD STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 TAIL CEMENT CLASS STAGE 2 TAIL CEMENT YIELD LEAD 1.9 1.9 1.9 2.97 1.5 CEMENT YIELD TAIL STAGE 1 LEAD CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL	CEMENT CLASS TAIL	C	С	Н	Н	
CEMENT CLASS LEAD STAGE 1 TAIL CEMENT SKS CEMENT CLASS STAGE 1 TAIL STAGE 2 LEAD CEMENT SKS CEMENT CLASS STAGE 2 LEAD STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 TAIL CEMENT CLASS STAGE 2 TAIL CEMENT YIELD LEAD 1.9 1.9 1.9 2.97 1.5 CEMENT YIELD TAIL STAGE 1 LEAD CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL	DV TOOL					
STAGE 1 TAIL CEMENT SKS CEMENT CLASS STAGE 1 TAIL STAGE 2 LEAD CEMENT SKS CEMENT CLASS STAGE 2 LEAD STAGE 2 TAIL CEMENT SKS STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 TAIL CEMENT YIELD LEAD CEMENT YIELD TAIL 1.9 STAGE 1 LEAD CEMENT YIELD TAIL 1.33 STAGE 1 TAIL CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL	STAGE 1 LEAD CEMENT SKS					
CEMENT CLASS STAGE 1 TAIL STAGE 2 LEAD CEMENT SKS CEMENT CLASS STAGE 2 LEAD STAGE 2 TAIL CEMENT SKS STAGE 2 TAIL CEMENT SKS STAGE 2 TAIL CEMENT CLASS STAGE 2 TAIL 1.9 CEMENT YIELD LEAD 1.9 CEMENT YIELD TAIL 1.33 STAGE 1 LEAD CEMENT YIELD TAIL 1.36 STAGE 1 TAIL CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL	CEMENT CLASS LEAD					
STAGE 2 LEAD CEMENT SKS CEMENT CLASS STAGE 2 LEAD STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 TAIL CEMENT CLASS STAGE 2 TAIL 2.97 CEMENT YIELD LEAD 1.9 CEMENT YIELD TAIL 1.33 STAGE 1 LEAD CEMENT YIELD TAIL 1.36 STAGE 1 TAIL CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL	STAGE 1 TAIL CEMENT SKS					
STAGE 2 LEAD CEMENT SKS CEMENT CLASS STAGE 2 LEAD STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 TAIL CEMENT CLASS STAGE 2 TAIL 2.97 CEMENT YIELD LEAD 1.9 CEMENT YIELD TAIL 1.33 STAGE 1 LEAD CEMENT YIELD TAIL 1.36 STAGE 1 TAIL CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL	CEMENT CLASS STAGE 1 TAIL					
STAGE 2 TAIL CEMENT SKS CEMENT CLASS STAGE 2 TAIL CEMENT YIELD LEAD 1.9 1.9 2.97 1.5 CEMENT YIELD TAIL 1.33 1.36 1.18 1.28 STAGE 1 LEAD CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL	STAGE 2 LEAD CEMENT SKS					
CEMENT CLASS STAGE 2 TAIL 1.9 1.9 2.97 1.5 CEMENT YIELD TAIL 1.33 1.36 1.18 1.28 STAGE 1 LEAD CEMENT YIELD TAIL 5TAGE 1 TAIL CEMENT YIELD TAIL 5TAGE 2 LEAD CEMENT YIELD TAIL 5TAGE 2 LEAD CEMENT YIELD TAIL	CEMENT CLASS STAGE 2 LEAD					
CEMENT YIELD LEAD 1.9 1.9 2.97 1.5 CEMENT YIELD TAIL 1.33 1.36 1.18 1.28 STAGE 1 LEAD CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL	STAGE 2 TAIL CEMENT SKS					
CEMENT YIELD TAIL 1.33 1.36 1.18 1.28 STAGE 1 LEAD CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL	CEMENT CLASS STAGE 2 TAIL					
STAGE 1 LEAD CEMENT YIELD TAIL STAGE 1 TAIL CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL	CEMENT YIELD LEAD	1.9	1.9	2.97	1.5	
STAGE 1 TAIL CEMENT YIELD TAIL STAGE 2 LEAD CEMENT YIELD TAIL	CEMENT YIELD TAIL	1.33	1.36	1.18	1.28	
STAGE 2 LEAD CEMENT YIELD TAIL	STAGE 1 LEAD CEMENT YIELD TAIL					
	STAGE 1 TAIL CEMENT YIELD TAIL					
STAGE 2 TAIL CEMENT YIELD TAIL	STAGE 2 LEAD CEMENT YIELD TAIL					
	STAGE 2 TAIL CEMENT YIELD TAIL					
TOC surface Surface 4138 2575	TOC	surface	Surface	4138	2575	
TOTAL SKS TO SURFACE 532 310 0 0	TOTAL SKS TO SURFACE	532	310	0	0	
SACKS TO SURFACE STAGE 2						
TOC DETERMINATION Circulated Circulated calculated Calculated	TOC DETERMINATION	Circulated	Circulated	calculated	Calculated	
NUMBER OF SACKS TO SURFACE 532 532 0 0	NUMBER OF SACKS TO SURFACE	532	532	0	0	
PRESSURE TEST DATE AND LENGTH OF 8/18/2023 30 8/27/2023 30 9/4/2023 30 10-26-23; 30	PRESSURE TEST DATE AND LENGTH OF		8/27/2023 30	9/4/2023 30	10-26-23; 30	
TEST MINUTES MINUTES mins	TEST	MINUTES	MINUTES	MINUTES	mins	
PSI 1,000 1,500 1,500 9500	PSI	1,000	1,500	1,500	9500	
PASSED Y/N Y Y yes	PASSED Y/N	Y	Y	Y	yes	

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 400039

CONDITIONS

Operator:	OGRID:
BTA OIL PRODUCERS, LLC	260297
104 S Pecos	Action Number:
Midland, TX 79701	400039
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	10/22/2025