

Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-6116

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☒ Other		WELL API NO. 30-045-29614 5. Indicate Type of Lease STATE ☐ FEE ☒ 6. State Oil & Gas Lease No.
2. Name of Operator Hilcorp Energy Company		7. Lease Name or Unit Agreement Name Allison Unit
3. Address of Operator 382 Road 3100, Aztec, NM 87410		8. Well Number 24A
4. Well Location Unit Letter <u>P</u> : <u>1145'</u> feet from the <u>South</u> line and <u>1305</u> feet from the <u>East</u> line Section <u>07</u> Township <u>32N</u> Range <u>06W</u> NMPM County <u>San Juan</u>		9. OGRID Number 372171
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6520' GR		10. Pool name or Wildcat Blanco Mesaverde/Basin Dakota

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ CLOSED-LOOP SYSTEM ☐ OTHER: ☒ DK TA	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: ☐
---	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Hilcorp Energy Company requests to TA the existing DK formation using the attached procedure with a current and proposed wellbore diagram. The well will be returned to production as a MV Standalone.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Operations/Regulatory Tech Sr. DATE 10/16/2025

Type or print name Amanda Walker E-mail address: mwalker@hilcorp.com PHONE: 346-237-2177

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):



HILCORP ENERGY COMPANY
ALLISON 24A
SET CIBP SUNDRY
API: 3004529614

JOB PROCEDURES		
☒	NMOCD	Contact OCD and BLM (where applicable) 24 hrs prior to MIRU or running MITs. Record and document all casing pressures <u>daily</u> , including BH, IC (if present) and PC. Comply with all NMOCD, BLM (where applicable), and HEC safety and environmental regulations.
☒	BLM	
1. Hold pre-job safety meeting. MIRU service rig and associated equipment. NU and test BOP per HEC, State, and Federal guidelines. 2. TOOH with 2-3/8" tubing. 3. Set a 4-1/2" plug at 7,865' for water isolation to decrease current water production from the Dakota. 4. Run and land production tubing at 6,000'. RDMO service rig and associated equipment. Return well to production.		



HILCORP ENERGY COMPANY

ALLISON 24A

SET CIBP SUNDRY

ALLISON 24A - CURRENT WELLBORE SCHEMATIC




Hilcorp Energy Company

Current Schematic - Version 1

Well Name: **ALLISON UNIT #24A**

API / UWI: 3004529614	Surface Legal Location 007-032N-006W-P	Field Name BASIN DAKOTA (PRODRAED G #0088)	Route 0508	State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 6,520.00	Original KB/RT Elevation (ft) 6,534.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 14.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)

Original Hole, 30045296140000 [Vertical]



WellViewAdmin@hilcorp.com

Page 1/1

Report Printed: 10/16/2025



HILCORP ENERGY COMPANY ALLISON 24A SET CIBP SUNDRY

ALLISON 24A - PROPOSED WELLBORE SCHEMATIC




Proposed Schematic

Well Name: **ALLISON UNIT #24A**

API / UWI 3004529614	Surface Legal Location 007-032N-006W-P	Field Name BASIN DAKOTA (PRORATED G #0088	Route 0508	State/Province NEW MEXICO	Well Configuration Type Vertical
Ground Elevation (ft) 6,520.00	Original KB/RT Elevation (ft) 6,534.00	Tubing Hanger Elevation (ft)	RKB to GL (ft) 14.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)

Original Hole, 30045296140000 [Vertical]



WellViewAdmin@hilcorp.com

Page 1/1

Report Printed: 10/16/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 516163

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 516163
	Action Type: [C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
andrew.fordyce	Prior to further recompletion or well bore plugging, the temporary plugged formation shall be permanently plugged.	10/22/2025