

Well Name: SAND DUNES 34	Well Location: T23S / R31E / SEC 34 / SWSE / 32.2545461 / -103.7634826	County or Parish/State: EDDY / NM
Well Number: 8	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM43744	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001527548	Operator: OXY USA INCORPORATED	

Subsequent Report

Sundry ID: 2871225

Type of Submission: Subsequent Report Type of Action: Plug and Abandonment

Date Sundry Submitted: 09/03/2025 Time Sundry Submitted: 09:57

Date Operation Actually Began: 08/18/2025

Actual Procedure: THE FINAL WELLBORE AND PA JOB NOTES ARE ATTACHED. CUT AND CAP WAS COMPLETE ON 8/30/2025.

SR Attachments

Actual Procedure

SDUNES34_008_PA_SR_SUB_9.3.2025_20250903095656.pdf

Well Name: SAND DUNES 34	Well Location: T23S / R31E / SEC 34 / SWSE / 32.2545461 / -103.7634826	County or Parish/State: EDDY / NM
Well Number: 8	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM43744	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001527548	Operator: OXY USA INCORPORATED	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: STEPHEN JANACEK	Signed on: SEP 03, 2025 09:57 AM
Name: OXY USA INCORPORATED	
Title: Regulatory Engineer	
Street Address: 5 Greenway Plaza, Suite 110	
City: Houston	State: TX
Phone: (713) 497-2417	
Email address: stephen_janacek@oxy.com	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JAMES A AMOS	BLM POC Title: Acting Assistant Field Manager
BLM POC Phone: 5752345927	BLM POC Email Address: JAMOS@BLM.GOV
Disposition: Accepted	Disposition Date: 09/22/2025
Signature: James A Amos	

Form 3160-5
(October 2024)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0220
Expires: October 31, 2027

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well
☐ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

3a. Address 3b. Phone No. (include area code)

4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No.

9. API Well No.

10. Field and Pool or Exploratory Area

11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off	
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity	
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other	
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon		
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)

Title

Signature

Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SWSE / 330 FSL / 1980 FEL / TWSP: 23S / RANGE: 31E / SECTION: 34 / LAT: 32.2545461 / LONG: -103.7634826 (TVD: 0 feet, MD: 0 feet)

BHL: SWSE / 330 FSL / 1980 FEL / TWSP: 23S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)

SAND DUNES 34 FEDERAL 008

30-015-27548-0000

Eddy

String 1
 OD 13.625 in 54.5#
 TD 803 ft
 TOC 0 ft- Circ
 17.5 Hole Drilled

DV Tool
 Top 3874 ft

SPOT 120 SX CMT 1370' TO SURFACE.
 VERIFIED TO SURFACE.

SET CIBP AT 4316'. CBL SHOW CMT
 FROM 4230' TO SURFACE. SPOT 300 SX
 CMT 4316'-1277'. TAG AT 1370'.

String 2
 OD 8.625 in 24#/32#
 TD 4190 ft
 TOC 0 ft- Circ
 11" Holed Drilled

Perfs
 4366'-4380'

DV Tool
 Top 5994 ft

SET CIBP AT 6414'. SPOT 60 SX CMT
 6414'-5808'. TAG AT 5794'.

Perfs
 6464'-6480'

Perfs
 7980'-8008'

SET CIBP AT 7930'. SPOT 25 SX CMT
 7930'-7710'. TAG AT 7643'.

String 3
 OD 5.5 in 15.5#/17#
 TD 8310 ft
~~TOC 4100 ft - CBL~~
 7.875" Hole Drilled
 PBD 8268 ft

Perfs
 8082 ft
 8142 ft

SAND DUNES 34 FEDERAL #008**30-015-27548****PA JOB NOTES**

Start Date	Remarks
8/18/2025	Crew drove to Sand Dunes 34 Federal 007
8/18/2025	Held jsa safety meeting with crew over moving and rigging up equipment
8/18/2025	Moved Key-6081 and cement equipment from Sand Dunes 34 Federal 007 to Sand Dunes 34 Federal 008
8/18/2025	Spotted in and rigged up Key-6081 and cement equipment
8/18/2025	Set COFO
8/18/2025	100 psi on csg, 100 psi on tbg
8/18/2025	Lunch
8/18/2025	Bled off pressure, Pressure tested tbg to 800 psi, Held good
8/18/2025	Layed down polished rod and stuffing box
8/18/2025	Ru workfloor, Unseat pump, Installed rod stripper, Ru rod tongs
8/18/2025	Pooh laying down 123 1" fiberglass rods, 125 7/8" steel rods, 6 1-1/2" k-bars and rod pump
8/18/2025	Sion
8/18/2025	Crew drove home
8/19/2025	Crew drove to location
8/19/2025	Held jsa safety meeting with crew over bop nipple up and pulling tubing
8/19/2025	Rig inspection, Set COFO
8/19/2025	0 psi on tbg, 0 psi on csg
8/19/2025	Pumped 55 bbls of bw down csg and 20 bbls down tbg
8/19/2025	Function tested BOP, (good)
8/19/2025	Nippled down wellhead
8/19/2025	Nippled up bop, Rigged up workfloor and tubing tongs
8/19/2025	Released 5-1/2" TAC
8/19/2025	Pooh w 146 2-7/8" tbg to derrick, (Noticed collars were brittle on jt 147 and below)
8/19/2025	Lunch
8/19/2025	Pooh laying down 90 2-7/8" tbg, (Collars were brittle), 4'x2-7/8" maker sub, 2 2-7/8" tbg, 5-1/2" TAC, 6 2-7/8" tbg, 2-7/8" seat nipple, 3-1/2" slotted mud anchor and bull plug
8/19/2025	Rih w 5-1/2" CIBP, 4'x2-7/8" perf sub, and 146 2-7/8" tbg from derrick
8/19/2025	Rih picking up 101 2-7/8" tbg
8/19/2025	Set 5-1/2" CIBP @7930'
8/19/2025	Sion
8/19/2025	Crew drove home
8/20/2025	Crew drove to location

8/20/2025	Held jsa safety meeting with crew over bop nipple up and pulling tubing
8/20/2025	Rig inspection, Set COFO
8/20/2025	0 psi on tbgr, 0 psi on csg
8/20/2025	Circulated well w 140 bbls of 10# gelled plug mud, Pressure tested csg to 500 psi but did not hold
8/20/2025	EOT @7930', Mixed and pumped 25 sxs class h cement (15.6# 1.18 yield covering 220'), Displaced w 43 bbls of gelled bw, TOC @7710'
8/20/2025	Pooh w 50 2-7/8" tbgr, Layed down 7 2-7/8" tbgr
8/20/2025	WOC
8/20/2025	Rih w 48 2-7/8" tbgr, Tagged TOC @7643', (Good tag)
8/20/2025	Pooh laying down 41 2-7/8" tbgr
8/20/2025	Pooh w 296 2-7/8" tbgr, 4'x2-7/8" perf sub and 5-1/2" setting tool
8/20/2025	Sion
8/20/2025	Crew drove home
8/21/2025	Crew drove to location
8/21/2025	Held jsa safety meeting with crew over running tubing
8/21/2025	Rig inspection, Set COFO
8/21/2025	0 psi on tbgr, 0 psi on csg
8/21/2025	Rih w 5-1/2" CIBP, 4'x2-7/8" perf sub and 196 2-7/8" tbgr
8/21/2025	Picked up 1 2-7/8" tbgr, Set 5-1/2" CIBP @6414'
8/21/2025	Circulated well w 115 bbls of gelled bw
8/21/2025	EOT @6414', Mixed and pumped 60 sxs class c cmt (14.8# 1.32 yield) and displaced w 34 bbls of gelled bw to 5808'
8/21/2025	Pooh w 50 2-7/8" tbgr, Pooh laying down 19 2-7/8" tbgr
8/21/2025	WOC
8/21/2025	Rih w 50 2-7/8" tbgr, Tagged TOC @5794', Roberta Thompson w/ BLM on location to witness tag
8/21/2025	Pooh laying down 47 2-7/8" tbgr
8/21/2025	Sion
8/21/2025	Crew drove home
8/22/2025	Crew drove to location
8/22/2025	Held jsa safety meeting with crew over pulling tubing
8/22/2025	Rig inspection, Set COFO
8/22/2025	0 psi on tbgr, 0 psi on csg
8/22/2025	Pooh w 122 2-7/8" tbgr 4'x2-7/8" perf sub and 5-1/2" setting tool
8/22/2025	Rih w 5-1/2" CIBP, 4'x2-7/8" perf sub and 123 2-7/8" tbgr
8/22/2025	Set 5-1/2" CIBP @4316'
8/22/2025	Lunch
8/22/2025	Circulated well w 110 bbls of 10# gelled bw
8/22/2025	Pressure tested csg to 600 psi and held good for 30 min
8/22/2025	Pooh w 122 2-7/8" tbgr
8/22/2025	Sion
8/22/2025	Crew drove home

8/23/2025	Crew drove to location
8/23/2025	Held jsa safety meeting with crew over wireline operations and running tubing
8/23/2025	Rig inspection, Set COFO
8/23/2025	0 psi on csg
8/23/2025	Rigged up RTX wireline, Rih and ran CBL from 4316' to surface, Pooh and rdwl, (CBL shows cement from 4230' to surface)
8/23/2025	Rih w 122 2-7/8" tbg
8/23/2025	Crew performed bop closing drill
8/23/2025	Sion
8/23/2025	Crew drove home
8/25/2025	Crew drove to location
8/25/2025	Held jsa safety meeting with crew over picking up tbg
8/25/2025	Rig inspection, Set COFO
8/25/2025	0 psi on csg
8/25/2025	Rih picking up 10 2-7/8" tbg
8/25/2025	EOT @4316', Mixed and pumped 300 sxs class c cmt (14.8# 1.32 yield) and displaced w 7 bbls of gelled bw, TOC @1277'
8/25/2025	Pooh laying down 88 2-7/8" tbg, Pooh w 44 2-7/8" tbg to derrick
8/25/2025	WOC
8/25/2025	Rih w 42 2-7/8" tbg, Tagged TOC @1370', (Good Tag)
8/25/2025	EOT @1370', Mixed and pumped 120 sxs class c cmt (14.8# 1.32 yield) from 1370' to surface
8/25/2025	Pooh laying down 42 2-7/8" tbg
8/25/2025	Rd workfloor, Nd bop
8/25/2025	Filled all casings w cement, Nu capflange
8/25/2025	Sion
8/25/2025	Crew drove home
8/26/2025	Crew drove to location
8/26/2025	Held jsa safety meeting with crew over rigging down pulling unit and cement equipment
8/26/2025	Rig inspection, Set COFO
8/26/2025	Verified cement to surface
8/26/2025	Rigged down pulling unit and cement equipment
8/30/2025	CUT AND CAP WHD

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 509772

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 509772
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/23/2025