

Well Name	Well Number	US Well Number	Lease Number	Case Number	Operator
BIG EDDY UNIT	105H	3001546938	NMLC063667	NMNM68294T	XTO PERMIAN
BIG EDDY UNIT	103H	3001548159	NMLC063667	NMNM68294T	XTO PERMIAN
BIG EDDY UNIT	103H	3001546935	NMLC063667	NMNM68294T	XTO PERMIAN
BIG EDDY UNIT	104H	3001546937	NMLC063667	NMNM68294T	XTO PERMIAN

Notice of Intent

Sundry ID: 2879241

Type of Submission: Notice of Intent

Date Sundry Submitted: 10/17/2025

Date proposed operation will begin: 10/17/2025

Type of Action: APD Change

Time Sundry Submitted: 02:17

Procedure Description: XTO Permian Operating LLC respectfully requests to make the following changes for record cleanup: Dedicated acres: f/ 320 t/640 Attached: Updated As drilled C102

NOI Attachments

Procedure Description

- 2017081256_XTO_BIG_EDDY_UNIT_30E_SKYWALKER_105H_AS_DRILLED_FINAL_ORIGINALY_SIGNE D_5_18_2022_UPDATED_NEW_FORM_8_27_2025__1__20251017141656.pdf
- 2017081255_XTO_BIG_EDDY_UNIT_30E_SKYWALKER_104H_AS DRILL__UPDATED__8_27_2025__1__20251017141616.pdf
- 2017081342_XTO_BIG_EDDY_UNIT_30E_SKYWALKER_103H_AS_DRILLED__UPDATED__8_27_2025__1__20251017141528.pdf
- 2019030745_XTO_BIG_EDDY_UNIT_30E_QUI_GON_103H_AS DRILL__UPDATED_8_27_2025__1__20251017141449.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LACEY GRANILLO

Signed on: OCT 17, 2025 02:17 PM

Name: XTO PERMIAN OPERATING LLC

Title: Regulatory Analyst

Street Address: 6401 HOLIDAY HILL ROAD

City: MIDLAND**State:** TX

Phone: (432) 894-0057

Email address: LACEY.GRANILLO@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City:**State:****Zip:**

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MARIAH HUGHES

BLM POC Title: Land Law Examiner

BLM POC Phone: 5752345972

BLM POC Email Address: MHUGHES@BLM.GOV

Disposition: Approved

Disposition Date: 10/20/2025

Signature: CODY LAYTON ASSISTANT FIELD
MANAGER

Form 3160-5 (October 2024)	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	FORM APPROVED OMB No. 1004-0220 Expires: October 31, 2027
SUNDRY NOTICES AND REPORTS ON WELLS <i>Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.</i>		5. Lease Serial No. MULTIPLE
		6. If Indian, Allottee or Tribe Name MULTIPLE

SUBMIT IN TRIPLICATE - Other instructions on page 2		7. If Unit of CA/Agreement, Name and/or No. MULTIPLE
1. Type of Well ☐ Oil Well ☐ Gas Well ☐ Other		8. Well Name and No. MULTIPLE
2. Name of Operator XTO PERMIAN OPERATING LLC		9. API Well No. MULTIPLE
3a. Address 6401 HOLIDAY HILL ROAD BLDG 5, MIDLAND,	3b. Phone No. (include area code) (432) 683-2277	10. Field and Pool or Exploratory Area MULTIPLE
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) MULTIPLE		11. Country or Parish, State MULTIPLE

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other
	☒ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

XTO Permian Operating LLC respectfully requests to make the following changes for record cleanup:

Dedicated acres: f/ 320 t/640

Attached: Updated As drilled C102

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) LACEY GRANILLO / Ph: (432) 894-0057	Title Regulatory Analyst
Signature (Electronic Submission)	Date 10/17/2025

THE SPACE FOR FEDERAL OR STATE OFFICE USE		
Approved by MARIAH HUGHES / Ph: (575) 234-5972 / Approved	Title Land Law Examiner	Date 10/20/2025
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office CARLSBAD	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Batch Well Data

BIG EDDY UNIT 30E QUI-GON 103H, US Well Number: 3001548159, Case Number: NMNM68294T, Lease Number: NMLC063667,
Operator:XTO PERMIAN OPERATING LLC

BIG EDDY UNIT 30E SKYWALKER 103H, US Well Number: 3001546935, Case Number: NMNM68294T, Lease Number: NMLC063667,
Operator:XTO PERMIAN OPERATING LLC

BIG EDDY UNIT 30E SKYWALKER 104H, US Well Number: 3001546937, Case Number: NMNM68294T, Lease Number: NMLC063667,
Operator:XTO PERMIAN OPERATING LLC

BIG EDDY UNIT 30E SKYWALKER 105H, US Well Number: 3001546938, Case Number: NMNM68294T, Lease Number: NMLC063667,
Operator:XTO PERMIAN OPERATING LLC

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION		Revised July 9, 2024	
			Submittal Type:	☐ Initial Submittal
				☒ Amended Report
		☒ As Drilled		

WELL LOCATION INFORMATION			
API Number 30-015-46938	Pool Code 97650	Pool Name WC WILLIAMS SINK; BONE SPRING	
Property Code 325955	Property Name BIG EDDY UNIT 30E SKYWALKER		Well Number 105H
ORGID No. 373075	Operator Name XTO PERMIAN OPERATING, LLC.		Ground Level Elevation 3,448'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	

Surface Location									
UL M	Section 14	Township 20 S	Range 31 E	Lot	Ft. from N/S 1,065' FSL	Ft. from E/W 650' FWL	Latitude 32.568984	Longitude -103.846343	County EDDY

Bottom Hole Location									
UL H	Section 24	Township 20 S	Range 31 E	Lot	Ft. from N/S 2,441' FNL	Ft. from E/W 11' FEL	Latitude 32.559429	Longitude -103.814196	County EDDY

Dedicated Acres 640	Infill or Defining Well INFILL	Defining Well API 30-015-46937	Overlapping Spacing Unit (Y/N) N	Consolidation Code U
Order Numbers. PLC 652-0			Well setbacks are under Common Ownership: ☒ Yes ☐ No	

Kick Off Point (KOP)									
UL H	Section 22	Township 20 S	Range 31 E	Lot	Ft. from N/S 1,966' FNL	Ft. from E/W 487' FEL	Latitude 32.560642	Longitude -103.850028	County EDDY

First Take Point (FTP)									
UL E	Section 23	Township 20 S	Range 31 E	Lot	Ft. from N/S 2,442' FNL	Ft. from E/W 234' FWL	Latitude 32.559337	Longitude -103.847689	County EDDY

Last Take Point (LTP)									
UL H	Section 24	Township 20 S	Range 31 E	Lot	Ft. from N/S 2,438' FNL	Ft. from E/W 130' FEL	Latitude 32.559437	Longitude -103.814582	County EDDY

Unitized Area or Area of Uniform Interest NMNM1054677880	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3,448'
---	--	--------------------------------


OPERATOR CERTIFICATIONS I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling form the division. Lacey Granillo10/17/25	SURVEYOR CERTIFICATIONS I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. I, TIM C. PAPPAS, NEW MEXICO PROFESSIONAL SURVEYOR NO. 21209, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO, AND THAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.  27 August 2025 TIM C. PAPPAS REGISTERED PROFESSIONAL LAND SURVEYOR STATE OF NEW MEXICO NO. 21209 	
Signature Lacey Granillo	Signature and Seal of Professional Surveyor	
Printed Name lacey.granillo@exxonmobil.com	Certificate Number TIM C. PAPPAS 21209	Date of Survey ORIGINALLY 05-18-2022 UPDATED 8-27-2025
Email Address		

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or a larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is the closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



SHL (NAD83 NME)	LTP (NAD83 NME)	SHL (NAD27 NME)	LTP (NAD27 NME)
Y = 571,070.1	Y = 567,643.2	Y = 571,008.3	Y = 567,581.4
X = 691,359.9	X = 701,161.1	X = 650,180.6	X = 659,981.6
LAT. = 32.568984 °N	LAT. = 32.559437 °N	LAT. = 32.568863 °N	LAT. = 32.559316 °N
LONG. = 103.846343 °W	LONG. = 103.814582 °W	LONG. = 103.845840 °W	LONG. = 103.814081 °W
KOP (NAD83 NME)	BHL (NAD83 NME)	KOP (NAD27 NME)	BHL (NAD27 NME)
Y = 568,030.3	Y = 567,640.9	Y = 567,968.5	Y = 567,579.1
X = 690,238.2	X = 701,280.1	X = 649,058.8	X = 660,100.6
LAT. = 32.560642 °N	LAT. = 32.559429 °N	LAT. = 32.560522 °N	LAT. = 32.559308 °N
LONG. = 103.850028 °W	LONG. = 103.814196 °W	LONG. = 103.849526 °W	LONG. = 103.813695 °W
FTP (NAD83 NME)		FTP (NAD27 NME)	
Y = 567,558.9		Y = 567,497.1	
X = 690,961.2		X = 649,781.8	
LAT. = 32.559337 °N		LAT. = 32.559217 °N	
LONG. = 103.847689 °W		LONG. = 103.847187 °W	
CORNER COORDINATES (NAD83 NME)		CORNER COORDINATES (NAD27 NME)	
A - Y = 567,354.4 N	X = 690,728.6 E	A - Y = 567,292.6 N	X = 649,549.2 E
B - Y = 567,376.6 N	X = 693,370.0 E	B - Y = 567,314.8 N	X = 652,190.5 E
C - Y = 567,398.6 N	X = 696,001.4 E	C - Y = 567,336.8 N	X = 654,821.9 E
D - Y = 567,415.5 N	X = 698,649.6 E	D - Y = 567,353.7 N	X = 657,470.1 E
E - Y = 567,432.4 N	X = 701,292.5 E	E - Y = 567,370.6 N	X = 660,113.0 E
F - Y = 568,676.5 N	X = 690,721.9 E	F - Y = 568,614.7 N	X = 649,542.5 E
G - Y = 568,700.8 N	X = 693,365.1 E	G - Y = 568,639.0 N	X = 652,185.7 E
H - Y = 568,723.3 N	X = 695,993.5 E	H - Y = 568,661.5 N	X = 654,814.1 E
I - Y = 568,740.7 N	X = 698,643.9 E	I - Y = 568,678.9 N	X = 657,464.4 E
J - Y = 568,756.9 N	X = 701,286.1 E	J - Y = 568,695.1 N	X = 660,106.6 E

LEGEND	
---	SECTION LINE
---	WELLBORE
---	NEW MEXICO MINERAL LEASE LINE
---	330' BUFFER
---	DEDICATED ACREAGE

PPP#1 (NAD83 NME)	PPP#2 (NAD83 NME)	PPP#3 (NAD83 NME)
Y = 570,000.8	Y = 569,473.2	Y = 567,610.4
X = 690,935.7	X = 690,717.8	X = 690,727.3
LAT. = 32.566050 °N	LAT. = 32.564602 °N	LAT. = 32.559482 °N
LONG. = 103.847735 °W	LONG. = 103.848450 °W	LONG. = 103.848447 °W
PPP#4 (NAD83 NME)	PPP#5 (NAD83 NME)	PPP#6 (NAD83 NME)
Y = 567,585.1	Y = 567,607.7	Y = 567,607.2
X = 692,048.3	X = 693,369.1	X = 698,648.8
LAT. = 32.559396 °N	LAT. = 32.559441 °N	LAT. = 32.559371 °N
LONG. = 103.844160 °W	LONG. = 103.839873 °W	LONG. = 103.822737 °W
PPP#1 (NAD27 NME)	PPP#2 (NAD27 NME)	PPP#3 (NAD27 NME)
Y = 569,939.0	Y = 569,411.4	Y = 567,548.6
X = 649,756.4	X = 649,538.4	X = 649,547.9
LAT. = 32.565929 °N	LAT. = 32.564482 °N	LAT. = 32.559361 °N
LONG. = 103.847233 °W	LONG. = 103.847948 °W	LONG. = 103.847945 °W
PPP#4 (NAD27 NME)	PPP#5 (NAD27 NME)	PPP#6 (NAD27 NME)
Y = 567,523.3	Y = 567,545.9	Y = 567,545.4
X = 650,868.9	X = 652,189.7	X = 657,469.3
LAT. = 32.559275 °N	LAT. = 32.559321 °N	LAT. = 32.559251 °N
LONG. = 103.843658 °W	LONG. = 103.839371 °W	LONG. = 103.822235 °W



2205 Walnut Street - Columbus, TX 76834
Ph: 817.349.9800 - Fax: 979.732.5271
TBPE Firm 17957 | TBPLS Firm 10000100
www.fscinc.net
© COPYRIGHT 2025 - ALL RIGHTS RESERVED

DATE:	8-27-2025	PROJECT NO:	2017081256
DRAWN BY:	LM	SCALE:	1" = 2,000'
CHECKED BY:	WL	SHEET:	2 OF 2
FIELD CREW:	IR	REVISION:	NO

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION		Revised July 9, 2024	
			Submittal Type:	☐ Initial Submittal
				☒ Amended Report
			☒ As Drilled	

WELL LOCATION INFORMATION							
API Number 30-015-46937		Pool Code 97650		Pool Name WC WILLIAMS SINK; BONE SPRING			
Property Code 325955		Property Name BIG EDDY UNIT 30E SKYWALKER			Well Number 104H		
ORGID No. 373075		Operator Name XTO PERMIAN OPERATING, LLC.			Ground Level Elevation 3,448'		
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal				Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal			

Surface Location									
UL M	Section 14	Township 20 S	Range 31 E	Lot	Ft. from N/S 1,065' FSL	Ft. from E/W 620' FWL	Latitude 32.568983	Longitude -103.846440	County EDDY

Bottom Hole Location									
UL H	Section 24	Township 20 S	Range 31 E	Lot	Ft. from N/S 1,534' FNL	Ft. from E/W 6' FEL	Latitude 32.561920	Longitude -103.814177	County EDDY

Dedicated Acres 640	Infill or Defining Well DEFINING	Defining Well API	Overlapping Spacing Unit (Y/N) N	Consolidation Code U
Order Numbers. PLC 652-0			Well setbacks are under Common Ownership: ☒ Yes ☐ No	

Kick Off Point (KOP)									
UL A	Section 22	Township 20 S	Range 31 E	Lot	Ft. from N/S 1,148' FNL	Ft. from E/W 539' FEL	Latitude 32.562890	Longitude -103.850200	County EDDY

First Take Point (FTP)									
UL E	Section 23	Township 20 S	Range 31 E	Lot	Ft. from N/S 1,560' FNL	Ft. from E/W 238' FWL	Latitude 32.561763	Longitude -103.847676	County EDDY

Last Take Point (LTP)									
UL H	Section 24	Township 20 S	Range 31 E	Lot	Ft. from N/S 1,533' FNL	Ft. from E/W 132' FEL	Latitude 32.561922	Longitude -103.814586	County EDDY

Unitized Area or Area of Uniform Interest NMNM1054677880	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3,448'
---	--	--------------------------------


OPERATOR CERTIFICATIONS <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling form the division.</i> Lacey Granillo 10/17/25		SURVEYOR CERTIFICATIONS <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> I, TIM C. PAPPAS, NEW MEXICO PROFESSIONAL SURVEYOR NO. 21209, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO, AND THAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. 27 August 2025 TIM C. PAPPAS REGISTERED PROFESSIONAL LAND SURVEYOR STATE OF NEW MEXICO NO. 21209	
Signature Date Lacey Granillo		Signature and Seal of Professional Surveyor	
Printed Name lacey.granillo@exxonmobil.com Email Address		Certificate Number TIM C. PAPPAS 21209	Date of Survey ORIGINALLY 05-18-2022 UPDATED 8-27-2025

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or a larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is the closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



SHL (NAD83 NME)		LTP (NAD83 NME)		SHL (NAD27 NME)		LTP (NAD27 NME)		LEGEND	
Y =	571,069.8	Y =	568,547.4	Y =	571,008.0	Y =	568,485.6	--- SECTION LINE --- WELLBORE --- NEW MEXICO MINERAL --- LEASE LINE --- 330' BUFFER --- DEDICATED ACREAGE	
X =	691,329.9	X =	701,155.6	X =	650,150.6	X =	659,976.1		
LAT. =	32.568983 °N	LAT. =	32.561922 °N	LAT. =	32.568863 °N	LAT. =	32.561802 °N		
LONG. =	103.846440 °W	LONG. =	103.814586 °W	LONG. =	103.845938 °W	LONG. =	103.814085 °W		
KOP (NAD83 NME)		BHL (NAD83 NME)		KOP (NAD27 NME)		BHL (NAD27 NME)			
Y =	568,848.0	Y =	568,547.0	Y =	568,786.2	Y =	568,485.2		
X =	690,181.7	X =	701,281.5	X =	649,002.3	X =	660,102.0		
LAT. =	32.562890 °N	LAT. =	32.561920 °N	LAT. =	32.562770 °N	LAT. =	32.561799 °N		
LONG. =	103.850200 °W	LONG. =	103.814177 °W	LONG. =	103.849698 °W	LONG. =	103.813676 °W		
FTP (NAD83 NME)				FTP (NAD27 NME)					
Y =	568,441.3			Y =	568,379.5				
X =	690,961.0			X =	649,781.6				
LAT. =	32.561763 °N			LAT. =	32.561642 °N				
LONG. =	103.847676 °W			LONG. =	103.847174 °W				
CORNER COORDINATES (NAD83 NME)				CORNER COORDINATES (NAD27 NME)					
A - Y =	567,354.4 N	X =	690,728.6 E	A - Y =	567,292.6 N	X =	649,549.2 E		
B - Y =	567,376.6 N	X =	693,370.0 E	B - Y =	567,314.8 N	X =	652,190.5 E		
C - Y =	567,398.6 N	X =	696,001.4 E	C - Y =	567,336.8 N	X =	654,821.9 E		
D - Y =	567,415.5 N	X =	698,649.6 E	D - Y =	567,353.7 N	X =	657,470.1 E		
E - Y =	567,432.4 N	X =	701,292.5 E	E - Y =	567,370.6 N	X =	660,113.0 E		
F - Y =	568,676.5 N	X =	690,721.9 E	F - Y =	568,614.7 N	X =	649,542.5 E		
G - Y =	568,700.8 N	X =	693,365.1 E	G - Y =	568,639.0 N	X =	652,185.7 E		
H - Y =	568,723.3 N	X =	695,993.5 E	H - Y =	568,661.5 N	X =	654,814.1 E		
I - Y =	568,740.7 N	X =	698,643.9 E	I - Y =	568,678.9 N	X =	657,464.4 E		
J - Y =	568,756.9 N	X =	701,286.1 E	J - Y =	568,695.1 N	X =	660,106.6 E		
PPP #1 (NAD83 NME)		PPP #4 (NAD83 NME)		PPP #1 (NAD27 NME)		PPP #4 (NAD27 NME)			
Y =	569,999.6	Y =	568,475.6	Y =	569,937.8	Y =	568,413.8		
X =	690,814.7	X =	692,044.4	X =	649,635.4	X =	650,865.0		
LAT. =	32.566048 °N	LAT. =	32.561843 °N	LAT. =	32.565928 °N	LAT. =	32.561723 °N		
LONG. =	103.848128 °W	LONG. =	103.844159 °W	LONG. =	103.847626 °W	LONG. =	103.843658 °W		
PPP #2 (NAD83 NME)		PPP #5 (NAD83 NME)		PPP #2 (NAD27 NME)		PPP #5 (NAD27 NME)			
Y =	569,851.1	Y =	568,477.2	Y =	569,789.3	Y =	568,415.4		
X =	690,715.9	X =	693,365.9	X =	649,536.5	X =	652,186.5		
LAT. =	32.565641 °N	LAT. =	32.561831 °N	LAT. =	32.565521 °N	LAT. =	32.561711 °N		
LONG. =	103.848451 °W	LONG. =	103.839870 °W	LONG. =	103.847949 °W	LONG. =	103.839368 °W		
PPP #3 (NAD83 NME)		PPP #6 (NAD83 NME)		PPP #3 (NAD27 NME)		PPP #6 (NAD27 NME)			
Y =	598,449.9	Y =	568,544.6	Y =	598,387.6	Y =	568,482.8		
X =	690,723.0	X =	698,644.7	X =	649,544.8	X =	657,465.3		
LAT. =	32.561789 °N	LAT. =	32.561948 °N	LAT. =	32.644130 °N	LAT. =	32.561827 °N		
LONG. =	103.848449 °W	LONG. =	103.822735 °W	LONG. =	103.847498 °W	LONG. =	103.822234 °W		

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024	
		Submittal Type:	☐ Initial Submittal
			☒ Amended Report
		☒ As Drilled	

WELL LOCATION INFORMATION			
API Number 30-015-46935	Pool Code 97650	Pool Name WC WILLIAMS SINK; BONE SPRING	
Property Code 325955	Property Name BIG EDDY UNIT 30E SKYWALKER	Well Number 103H	
ORGID No. 373075	Operator Name XTO PERMIAN OPERATING, LLC.	Ground Level Elevation 3,448'	
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal	

Surface Location									
UL M	Section 14	Township 20 S	Range 31 E	Lot	Ft. from N/S 1,140' FSL	Ft. from E/W 620' FWL	Latitude 32.569189	Longitude -103.846441	County EDDY

Bottom Hole Location									
UL P	Section 13	Township 20 S	Range 31 E	Lot	Ft. from N/S 244' FSL	Ft. from E/W 6' FEL	Latitude 32.566808	Longitude -103.814179	County EDDY

Dedicated Acres 640	Infill or Defining Well INFILL	Defining Well API 30-015-46244	Overlapping Spacing Unit (Y/N) N	Consolidation Code U
Order Numbers. PLC 652-0			Well setbacks are under Common Ownership: ☒ Yes ☐ No	

Kick Off Point (KOP)									
UL P	Section 15	Township 20 S	Range 31 E	Lot	Ft. from N/S 251' FSL	Ft. from E/W 355' FEL	Latitude 32.566735	Longitude -103.849606	County EDDY

First Take Point (FTP)									
UL M	Section 14	Township 20 S	Range 31 E	Lot	Ft. from N/S 227' FSL	Ft. from E/W 415' FWL	Latitude 32.566676	Longitude -103.847105	County EDDY

Last Take Point (LTP)									
UL P	Section 13	Township 20 S	Range 31 E	Lot	Ft. from N/S 241' FSL	Ft. from E/W 160' FEL	Latitude 32.566801	Longitude -103.814679	County EDDY

Unitized Area or Area of Uniform Interest NMNM1054677880	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3,448'
---	--	--------------------------------


OPERATOR CERTIFICATIONS <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling form the division.</i> Lacey Granillo10/17/25	SURVEYOR CERTIFICATIONS <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> I, TIM C. PAPPAS, NEW MEXICO PROFESSIONAL SURVEYOR NO. 21209, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO, AND THAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. 27 August 2025 TIM C. PAPPAS REGISTERED PROFESSIONAL LAND SURVEYOR STATE OF NEW MEXICO NO. 21209 	
Signature Lacey Granillo	Signature and Seal of Professional Surveyor	
Printed Name lacey.granillo@exxonmobil.com	Certificate Number TIM C. PAPPAS 21209	Date of Survey ORIGINALLY 6-9-2022 UPDATED 8-27-2025
Email Address		

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or a larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is the closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



LEGEND

- SECTION LINE
- WELLBORE
- NEW MEXICO MINERAL LEASE LINE
- 330' BUFFER
- DEDICATED ACREAGE

SHL (NAD83 NME) Y = 571,144.8 X = 691,329.1 LAT. = 32.569189 °N LONG. = 103.846441 °W	LTP (NAD83 NME) Y = 570,322.0 X = 701,118.1 LAT. = 32.566801 °N LONG. = 103.814679 °W	SHL (NAD27 NME) Y = 571,083.0 X = 650,149.8 LAT. = 32.569069 °N LONG. = 103.845939 °W	LTP (NAD27 NME) Y = 570,260.2 X = 659,938.7 LAT. = 32.566680 °N LONG. = 103.814178 °W
KOP (NAD83 NME) Y = 570,247.6 X = 690,358.4 LAT. = 32.566735 °N LONG. = 103.849606 °W	BHL (NAD83 NME) Y = 570,325.6 X = 701,272.1 LAT. = 32.566808 °N LONG. = 103.814179 °W	KOP (NAD27 NME) Y = 570,185.8 X = 649,179.1 LAT. = 32.566615 °N LONG. = 103.849103 °W	BHL (NAD27 NME) Y = 570,263.7 X = 660,092.7 LAT. = 32.566688 °N LONG. = 103.813678 °W
FTP (NAD83 NME) Y = 570,229.4 X = 691,128.9 LAT. = 32.566676 °N LONG. = 103.847105 °W		FTP (NAD27 NME) Y = 570,167.6 X = 649,949.6 LAT. = 32.566555 °N LONG. = 103.846603 °W	
CORNER COORDINATES (NAD83 NME)		CORNER COORDINATES (NAD27 NME)	
A - Y = 569,998.6 N ,	X = 690,715.2 E	A - Y = 569,936.8 N ,	X = 649,535.8 E
B - Y = 570,025.1 N ,	X = 693,360.2 E	B - Y = 569,963.3 N ,	X = 652,180.8 E
C - Y = 570,048.0 N ,	X = 695,985.6 E	C - Y = 569,986.2 N ,	X = 654,806.2 E
D - Y = 570,065.9 N ,	X = 698,638.1 E	D - Y = 570,004.1 N ,	X = 657,458.8 E
E - Y = 570,081.5 N ,	X = 701,279.6 E	E - Y = 570,019.6 N ,	X = 660,100.1 E
F - Y = 571,324.9 N ,	X = 690,708.2 E	F - Y = 571,263.1 N ,	X = 649,528.9 E
G - Y = 571,346.8 N ,	X = 693,353.7 E	G - Y = 571,285.0 N ,	X = 652,174.4 E
H - Y = 571,366.9 N ,	X = 695,978.6 E	H - Y = 571,305.0 N ,	X = 654,799.3 E
I - Y = 571,385.2 N ,	X = 698,630.3 E	I - Y = 571,323.4 N ,	X = 657,451.0 E
J - Y = 571,402.4 N ,	X = 701,274.1 E	J - Y = 571,340.6 N ,	X = 660,094.7 E
PPP #1 (NAD83 NME) Y = 570,242.6 X = 694,671.8 LAT. = 32.566667 °N LONG. = 103.835605 °W	PPP #2 (NAD83 NME) Y = 570,261.4 X = 695,984.5 LAT. = 32.566702 °N LONG. = 103.831343 °W	PPP #1 (NAD27 NME) Y = 570,180.8 X = 653,492.4 LAT. = 32.566547 °N LONG. = 103.835103 °W	PPP #2 (NAD27 NME) Y = 570,199.6 X = 654,805.1 LAT. = 32.566581 °N LONG. = 103.830842 °W



2205 Walnut Street - Columbus, Tx. 78934
Ph: 979.732.3114 - Fax: 979.732.5271
TBPE Firm 17957 | TBPLS Firm 10000100
www.fscinc.net
© COPYRIGHT 2025 - ALL RIGHTS RESERVED

DATE: 08/27/2025
DRAWN BY: WL
CHECKED BY: LM
FIELD CREW: IR
PROJECT NO: 2017081342
SCALE: 1" = 2,000'
SHEET: 2 OF 2
REVISION: NO

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION		Revised July 9, 2024	
			Submittal Type:	☐ Initial Submittal
				☒ Amended Report
			☒ As Drilled	

WELL LOCATION INFORMATION					
API Number 30-015-48159		Pool Code 97650		Pool Name WC WILLIAMS SINK; BONE SPRING	
Property Code 330654		Property Name BIG EDDY UNIT 30E QUI GON			Well Number 103H
ORGID No. 373075		Operator Name XTO PERMIAN OPERATING, LLC.			Ground Level Elevation 3,448'
Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal			Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal		

Surface Location									
UL M	Section 14	Township 20 S	Range 31 E	Lot	Ft. from N/S 1,140' FSL	Ft. from E/W 650' FWL	Latitude 32.569190	Longitude -103.846344	County EDDY

Bottom Hole Location									
UL A	Section 24	Township 20 S	Range 31 E	Lot	Ft. from N/S 655' FNL	Ft. from E/W 27' FEL	Latitude 32.564336	Longitude -103.814245	County EDDY

Dedicated Acres 640	Infill or Defining Well INFILL	Defining Well API 30-015-46937	Overlapping Spacing Unit (Y/N) N	Consolidation Code U
Order Numbers. PLC 652-0			Well setbacks are under Common Ownership: ☒ Yes ☐ No	

Kick Off Point (KOP)									
UL A	Section 22	Township 20 S	Range 31 E	Lot	Ft. from N/S 338' FNL	Ft. from E/W 508' FEL	Latitude 32.565117	Longitude -103.850098	County EDDY

First Take Point (FTP)									
UL D	Section 23	Township 20 S	Range 31 E	Lot	Ft. from N/S 634' FNL	Ft. from E/W 204' FWL	Latitude 32.564308	Longitude -103.847788	County EDDY

Last Take Point (LTP)									
UL A	Section 24	Township 20 S	Range 31 E	Lot	Ft. from N/S 656' FNL	Ft. from E/W 154' FEL	Latitude 32.564335	Longitude -103.814657	County EDDY

Unitized Area or Area of Uniform Interest NMNM1054677880	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3,448'
---	--	--------------------------------


OPERATOR CERTIFICATIONS <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling form the division.</i> Lacey Granillo 10/17/25		SURVEYOR CERTIFICATIONS <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i> I, TIM C. PAPPAS, NEW MEXICO PROFESSIONAL SURVEYOR NO. 21209, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO, AND THAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. 27 August 2025 TIM C. PAPPAS REGISTERED PROFESSIONAL LAND SURVEYOR STATE OF NEW MEXICO NO. 21209	
Signature Date Lacey Granillo		Signature and Seal of Professional Surveyor	
Printed Name lacey.granillo@exxonmobil.com		Certificate Number TIM C. PAPPAS 21209	Date of Survey ORIGINALLY 05-27-2021 UPDATED 8-27-2025
Email Address			


Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or a larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is the closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



SHL (NAD83 NME)		LTP (NAD83 NME)		SHL (NAD27 NME)		LTP (NAD27 NME)		LEGEND	
Y =	571,145.1	Y =	569,424.9	Y =	571,083.3	Y =	569,363.1		
X =	691,359.1	X =	701,129.2	X =	650,179.8	X =	659,949.8		
LAT. =	32.569190 °N	LAT. =	32.564335 °N	LAT. =	32.569069 °N	LAT. =	32.564214 °N		
LONG. =	103.846344 °W	LONG. =	103.814657 °W	LONG. =	103.845842 °W	LONG. =	103.814156 °W		
KOP (NAD83 NME)		BHL (NAD83 NME)		KOP (NAD27 NME)		BHL (NAD27 NME)			
Y =	569,658.1	Y =	569,426.1	Y =	569,596.3	Y =	569,364.3		
X =	690,209.3	X =	701,256.2	X =	649,029.9	X =	660,076.8		
LAT. =	32.565117 °N	LAT. =	32.564336 °N	LAT. =	32.564996 °N	LAT. =	32.564216 °N		
LONG. =	103.850098 °W	LONG. =	103.814245 °W	LONG. =	103.849596 °W	LONG. =	103.813744 °W		
FTP (NAD83 NME)				FTP (NAD27 NME)					
Y =	569,367.1			Y =	569,305.3				
X =	690,922.3			X =	649,742.9				
LAT. =	32.564308 °N			LAT. =	32.564188 °N				
LONG. =	103.847788 °W			LONG. =	103.847286 °W				
CORNER COORDINATES (NAD83 NME)				CORNER COORDINATES (NAD27 NME)					
A - Y =	569,998.6 N	X =	690,715.2 E	A - Y =	569,936.8 N	X =	649,535.8 E		
B - Y =	570,025.1 N	X =	693,360.2 E	B - Y =	569,963.3 N	X =	652,180.8 E		
C - Y =	570,048.0 N	X =	695,985.6 E	C - Y =	569,986.2 N	X =	654,806.2 E		
D - Y =	570,065.9 N	X =	698,638.1 E	D - Y =	570,004.1 N	X =	657,458.8 E		
E - Y =	570,081.5 N	X =	701,279.6 E	E - Y =	570,019.6 N	X =	660,100.1 E		
F - Y =	568,676.5 N	X =	690,721.9 E	F - Y =	568,614.7 N	X =	649,542.5 E		
G - Y =	568,700.8 N	X =	693,365.1 E	G - Y =	568,639.0 N	X =	652,185.7 E		
H - Y =	568,723.3 N	X =	695,993.5 E	H - Y =	568,661.5 N	X =	654,814.1 E		
I - Y =	568,740.7 N	X =	698,643.9 E	I - Y =	568,678.9 N	X =	657,464.4 E		
J - Y =	568,756.9 N	X =	701,286.1 E	J - Y =	568,695.1 N	X =	660,106.6 E		
PPP #1 (NAD83 NME)		PPP #4 (NAD83 NME)		PPP #1 (NAD27 NME)		PPP #4 (NAD27 NME)			
Y =	569,997.5	Y =	569,374.5	Y =	569,935.7	Y =	569,312.7		
X =	690,469.4	X =	693,362.6	X =	649,290.1	X =	652,183.2		
LAT. =	32.566047 °N	LAT. =	32.564297 °N	LAT. =	32.565926 °N	LAT. =	32.564177 °N		
LONG. =	103.849249 °W	LONG. =	103.839867 °W	LONG. =	103.848747 °W	LONG. =	103.839365 °W		
PPP #2 (NAD83 NME)		PPP #5 (NAD83 NME)		PPP #2 (NAD27 NME)		PPP #5 (NAD27 NME)			
Y =	569,378.9	Y =	569,390.6	Y =	569,317.1	Y =	569,328.8		
X =	690,718.3	X =	698,641.1	X =	649,538.9	X =	657,461.7		
LAT. =	32.564343 °N	LAT. =	32.564273 °N	LAT. =	32.564223 °N	LAT. =	32.564153 °N		
LONG. =	103.848450 °W	LONG. =	103.822734 °W	LONG. =	103.847948 °W	LONG. =	103.822232 °W		
PPP #3 (NAD83 NME)		PPP #6 (NAD83 NME)		PPP #3 (NAD27 NME)		PPP #6 (NAD27 NME)			
Y =	569,360.0	Y =	569,381.0	Y =	569,298.2	Y =	569,319.2		
X =	692,040.5	X =	699,962.0	X =	650,861.1	X =	658,782.6		
LAT. =	32.564274 °N	LAT. =	32.564230 °N	LAT. =	32.564154 °N	LAT. =	32.564109 °N		
LONG. =	103.844159 °W	LONG. =	103.818446 °W	LONG. =	103.843657 °W	LONG. =	103.817945 °W		



2205 Walnut Street - Columbus, TX 78934
Ph: 979.732.3114 - Fax: 979.732.5271
TBPE Firm 17957 | TBPLS Firm 10000100
www.fscinc.net
© COPYRIGHT 2025 - ALL RIGHTS RESERVED

DATE: 08-27-2025 PROJECT NO: 2019030745
DRAWN BY: WL SCALE: 1" = 2,000'
CHECKED BY: LM SHEET: 2 OF 2
FIELD CREW: IR REVISION: NO

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 518205

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 518205
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
ward.rikala	Work was performed without OCD approval.	11/4/2025