

Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-6116

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		WELL API NO. 30-015-01282
2. Name of Operator Mack Energy Corporation		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
3. Address of Operator P.O. Box 960 Artesia, NM 88211-0960		6. State Oil & Gas Lease No. OG-4763
4. Well Location Unit Letter H : 1980 feet from the South line and 660 feet from the East line Section 35 Township 16S Range 28E NMPM County Eddy		7. Lease Name or Unit Agreement Name Low State
		8. Well Number 001
		9. OGRID Number 013837
		10. Pool name or Wildcat Red Lake Queen Grayburg
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Delilah Flores TITLE Regulatory Technician I DATE 11/4/2025

Type or print name Delilah Flores E-mail address: delilah@mec.com PHONE: 575-748-1288
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Mack Energy Corporation

Lowe State #001

API: 30-015-01282

Lowe State #001 Subsequent Report

10/20/2025 – 10/31/2025

MIRU. RU well service unit, rig RD horse head pull 5/8 rods. ND well head TOOH w/6 jts. SDFN.

TOOH RU wireline run GR/JB to 1530' set CBIP @1530' load well & run CBL from 1530' to surface. TIH circulated well w/ MLF spot 25 sx class C cmt from 1530' to 1280', WOC. SDFN.

TIH plug 1 from 1530' to 1280' tag 1270'. TOOH w/ 5.5 packer set packer, RU pump get injection rate 2.5 bbls per minute. Spoke w/ NMOCD representative

(loren), approved to squeeze 163 sx class C. Spot 163 sx class C, from 775' to 500' WOC TIH to 800', did not tag. Spoke to NMOCD wait for answers for tomorrow. SDFN.

Spoke to NMOCD Loren for orders approved to spot 20 sx class C from 825' to 600' WOC TIH tag @ 580'. RU wireline perf @ 590' RU pump and get injection rate 2 bbld a minute spoke to NMOCD for orders, approved to squeeze 20 sx class C to the perfs and 55 sx from 590' to surface RD pump. SDFN

Rig down.

Cut off WH, stall dry hole marker.

S

SW

W

150

180

210

240

270


● 32°52'52"N, 104°8'26"W

API 30-015-01282 / EDDY ARTESIA,
LOWEST #001
SELLERS & FULTON OIL LLC
51300 RED LAKE QUEEN -
GRAYBURG - SA / H-35-16S-28E
1980 FNL & 660 FEL / PLUE 10/31/25

31 Oct 2025, 17:17:32

MACK ENERGY CORPORATION
LOWE STATE #001
30-015-01282

5.5" TOC @ 0' MD
8.625" TOC @ 0' MD



Casing #1
8.625" 40#
452' MD

PERF 590' 55 SXS CLASS C TO SURFACE

20 SXS CLASS C 825'-580'

SPOT 25 SXS CLASS C 1530'-1270'

CIBP 1530'

Casing #2
5.5" 14#
1,671' MD

11/4/2025

Wellbore Diagram by WellboreBuilder.com

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 526590

CONDITIONS

Operator: MACK ENERGY CORP P.O. Box 960 Artesia, NM 882110960	OGRID: 13837
	Action Number: 526590
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	11/14/2025