

## U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report 1 of 9
11/19/2025

Well Name: J C GORDON A Well Location: T27N / R10W / SEC 22 / County or Parish/State: SAN

NWNW / 36.56519 / -107.8877 JUAN / NM

Well Number: 1 Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMSF077952 Unit or CA Name: Unit or CA Number:

US Well Number: 3004506423 Operator: HILCORP ENERGY

**COMPANY** 

# **Subsequent Report**

**Sundry ID: 2882529** 

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 11/13/2025 Time Sundry Submitted: 05:40

**Date Operation Actually Began:** 11/07/2025

Actual Procedure: Hilcorp Energy Company has plugged and abandoned the subject well on 11/12/2025 per the

attached daily report.

## **SR Attachments**

## **Actual Procedure**

J\_C\_GORDON\_A\_1\_SR\_P\_A\_BLM\_Submitted\_20251113053933.pdf

Released to Imaging: 11/19/2025 9:27:29 AM

Well Location: T27N / R10W / SEC 22 / County or Parish/State: SAN

NWNW / 36.56519 / -107.8877

Allottee or Tribe Name:

JUAN / NM

Well Number: 1

Type of Well: CONVENTIONAL GAS

WELL

Lease Number: NMSF077952 **Unit or CA Name: Unit or CA Number:** 

**US Well Number: 3004506423 Operator: HILCORP ENERGY** 

COMPANY

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

**Operator Electronic Signature: PRISCILLA SHORTY** Signed on: NOV 13, 2025 05:40 AM

Name: HILCORP ENERGY COMPANY

Title: Regulatory Technician

Street Address: 382 ROAD 3100

City: AZTEC State: NM

**Phone:** (505) 324-5188

Email address: PSHORTY@HILCORP.COM

## **Field**

**Representative Name:** 

Street Address:

City: Zip:

Phone:

**Email address:** 

# **BLM Point of Contact**

**BLM POC Name:** KENNETH G RENNICK **BLM POC Title:** Petroleum Engineer

**BLM POC Phone:** 5055647742 BLM POC Email Address: krennick@blm.gov

**Disposition:** Accepted **Disposition Date:** 11/19/2025

Signature: Kenneth Rennick

11/7/2025 - RIG MOVE P&A EQUIP. LOTO. SPOT EQUIP. (TIGHT LOCATION) RU RIG & PUMPING EQUIP. CK PSI; TBG-0#, CSG-13#, INTER-0#, BH-0#. BDW 1 MINS. WORK RODS FREE. LD 76 3/4" RODS, 1 PUMP. FT BOP. ND WH. STRIP ON BOP. LD 60 JTS OF 2 1/16". JSA. RU DRAKE WL. RIH GR TO 1920'. LD GR. RIH 3.5" CIBP. ATTEMPT MULTIPLE RUNS (UNABLE TO SET CIBP) (WIRELINE ISSUE) RD WL. SIW, SDFN.

11/10/2025 - CK PSI; TBG-0#, INTER-0#, CSG-10#, BH-0#, BDW 1 MIN. RU DRAKE WL. RIH W/ 3.5" CIBP. SET @ 1910'. RD WL. TALLY, RABBIT & PU 1.5" WS. RIH W/ TS. TAG CIBP. EST CRC W/ 15 BBLS FW. PUMP 20 TOTAL. PSI TEST CSG TO 600#. NO TEST (LEAK OFF OF 60# IN 1 MIN). MIT WAS UNSUCCESSFUL. NMOCD AND BLM WERE NOTIFIED THAT HEC WILL MOVE FORWARD WITH THE P&A. TOOH. RU WL. RIH W/ CBL TOOL. LOG WELL FROM 1910' - SURF. RD WL. TIH W/TS TO CIBP. PLUG #1 FROM 1910' - 1628'. (282')(3.5") M&P 12 SKS CLASS G, 15.8PPG, 1.15YIELD, 2.4BLSRY, 4.3DIS, 1.4MIX. 2%CAL, LD TOC. REVERSE OUT. TOOH. SIW. WOC. TIH TAG TOC @ 1700'. (BLM REP APPROVED TAG) LD TBG TO PLUG #2. TOOH. SIW, SDFN. LUCAS MASON, BLM, ON LOCATION.

11/11/2025 - CK PSI; TBG-0#, INTER-0#, CSG-0#, BH-0#, BDW 0 MIN. RU DRAKE WL. RIH W/ TG & PERF @ 1500'. NO RATE EST. RD WL. TIH W/ TS TO 1550'. PLUG #2 FROM 1550' -1268'. (282')(3.5") M&P 12 SKS CLASS G, 15.8PPG, 1.15YIELD, 2.4BLSRY, 4.3DIS, 1.4MIX. 2%CAL, LD TOC. REVERSE OUT. TOOH. SIW. WOC. TIH TAG TOC @ 1306' (BLM REP APPROVED TAG) LD TBG TO PLUG #3. RU DRAKE WL. RIH W/ TG & PERF @ 1112'. EST A RATE OF 2.0 BPM @ 700#. RD WL. TIH W/ TS TO 711'. PLUG #3 FROM 1112' - 785' M&P 118 SKS CLASS G CEMENT, 15.8PPG, 1.15YIELD, 24.1BLSRY, 14MIX. 3.0DIS. HESITATE SOUEEZE TOC TO EST 785'. SIW. WOC. SDFN. LUCAS MASON, BLM, ON LOCATION.

11/12/2025 - CK PSI; TBG-0#, INTER-0#, CSG-0#, BH-0#, BDW 0 MIN. TIH TAG TOC @ 750' (BLM APPROVED TAG) LD ALL TBG. RU DRAKE WL. RIH W/TG & PERF @ 161'. EST CIRC FROM INTER CSG (5.5"). PUMP & CIRC 30 BBLS. RD WL. PUP TO 161'. PLUG #4 FROM 161'-0' M&P 84 SKS. 9 INSIDE/750UTSIDE. CLASS G, 15.8PPG, 1.15YIELD, 17.2BLSRY, 10MIX. 2%CAL CIRC CMT TO SURF. LD ALL TBG. WOC. RD RF & TBG EQUIP. ND BOP, NU WH. DIG OUT WH. MONITOR & BUBBLE TEST INTER CSG & BH. TEST OK. CUT & REMOVE WH. FIND TOC @ 25'. WELD & INSTALL DHM @ 36.56573 N / 107.88840 W. TOP OFF DHM & CELLAR W/ 26 SKS OF CLASS G. 15.8PPG, 1.15YIELD. RD P&A EQUIP. CLEAN & SECURE LOC. MOL. LUCAS MASON, BLM, ON LOCATION.

WELL WAS PLUGGED AND ABANDONED ON 11/12/2025.

Released to Imaging: 11/19/2025 9:27:29 AM



/ UWI 04506423 und Elevation (ft)	Surface Legal Location T27N-R10W-S22 Original KB/RT Elevation (ft)	Field Name San Juan Area 07  Tubing Hanger Elevation (ft)	Route 0710 RKB to GL (ft)	State/Province NEW MEXICO  KB-Casing Flange Distance (ft)	Well Configuration Type Vertical  KB-Tubing Hanger Distance (ff	
09.00 bing Strings	6,118.00	Tabing Hanger Elevation (it)	9.00	The Cataling Findings Distance (II)	The Facility Flainger Distance (II	
Date 2/2005 00:00	Set Depth (ftKB) 1,950.17	String Max Nominal OD (in) 2 1/16	String Min Nominal ID (in) 1.75	Weight/Length (lb/ft) 3.25	Original Spud Date 5/12/1951 00:00	
		Original Hole, JC G	ORDON A #1 [Ve	rtical]		
MD TVD	Vertical schematic (actual)					
8.9 — 110.9 — 1115.2 — 161.1 — 750.0 — 763.1 — 785.1 —	— OJO ALAMO (OJO ALAM — KIRTLAND (KIRTLAND (fii — FRUITLAND (FRUITLAND  PI 2.99 in, CIBP or CICR,	(final))		161.00; 2025-11-12 00:02 SKS. 9 INSIDE/ 75OUTSID 17.2BLSRY, 10MIX. CIRC & Surface Casing Cement, C 111.00; 1951-05-13; 60sx PLUG #4a: Surf Csg Shoe, 161.00; 2025-11-12; PLUG INSIDE/ 75OUTSIDE. CLA 17.2BLSRY, 10MIX. CIRC & PLUG #4b: Surf Csg Shoe, 161.00; 2025-11-12 00:01 SKS. 9 INSIDE/ 75OUTSID. 17.2BLSRY, 10MIX. CIRC & 1; Surface, 111.00ftKB; 9: 111.00 ftKB 161-161ftKB on 11/12/20 11-12 PLUG #3c: KRD Top, OJO -1,112.00; 2025-11-11 00 M&P 118 SKS CLASS G C 24.1BLSRY, 14MIX. 3.0DIS 785'. PLUG #3a: KRD Top, OJO 763.00-1,112.00; 2025-11 785' M&P 118 SKS CLASS 24.1BLSRY, 14MIX. 3.0DIS 785'. PLUG #3b: KRD Top, OJO 785.00-1,112.00; 2025-11 785' M&P 118 SKS CLASS 24.1BLSRY, 14MIX. 3.0DIS 785'. Production Casing Cemer 2,003.00; 1974-11-25; 25' eff. 1112-1112ftKB on 11/11/ -11-11 PLUG #2: FRD Top, Plug, 1,550.00; 2025-11-11; PLU (3.5") M&P 12 SKS CLASS 4,3DIS, 1,4MIX. 2%CAL. 1500-1500ftKB on 11/11/ -11-11 PLUG #1: PC Perfs, PC To 1,910.00; 2025-11-10; PLU (3.5") M&P 12 SKS CLASS 1,4MIX. 2%CAL. 1700-1500ftKB on 11/11/ -11-11 PLUG #1: PC Perfs, PC To 1,910.00; 2025-11-10; PLU (3.5") M&P 12 SKS CLASS 1,4MIX. 2%CAL. 1700-1500ftKB on 11/11/ -11-11 PLUG #1: PC Perfs, PC To 1,910.00; 2025-11-10; PLU (3.5") M&P 12 SKS CLASS 1,4MIX. 2%CAL. 1700-1500ftKB on 11/11/ -11-11	Casing, 5/13/1951 00:00; 9.00- cmt; TOC @ Suface , Casing, 11/12/2025 00:00; 9.00- 5 #4 FROM 161'-0' M&P 84 SKS. 9 SS G, 15.8PPG, 1.15YIELD, CMT TO SURF. , Casing, 11/12/2025 00:01; 9.00- 1; PLUG #4 FROM 161'-0' M&P 84 DE. CLASS G, 15.8PPG, 1.15YIELD,	
- 0.800,				3; Production, 2,003.00ftk ftKB; 2,003.00 ftKB	(B; 3 1/2 in; 2.99 in; 9.30 lb/ft; 9.00	
,015.1 -						





# **Priscilla Shorty**

**From:** Rennick, Kenneth G < krennick@blm.gov> **Sent:** Monday, November 10, 2025 3:57 PM

**To:** Oscar Sanchez - (C); Joe Zimmerman; Lucero, Virgil S; Monica Ardoin; Megan Reese;

Mandi Walker; Lee Murphy; Priscilla Shorty; Tammy Jones; John LaMond; Ricardo Ramirez; Clay Padgett; Diede, Loren, EMNRD; Mason, Lucas E; Cheryl Weston

**Subject:** Re: [EXTERNAL] Hilcorp JC Gordon A #1 (30.045.06423)

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

The BLM finds no changes to the procedure appropriate.

Kenny Rennick

Get Outlook for iOS

From: Oscar Sanchez - (C) < Oscar.Sanchez@hilcorp.com>

Sent: Monday, November 10, 2025 3:15:38 PM

**To:** Rennick, Kenneth G <krennick@blm.gov>; Joe Zimmerman <Joseph.Zimmerman@hilcorp.com>; Lucero, Virgil S <vlucero@blm.gov>; Monica Ardoin <mardoin@hilcorp.com>; Megan Reese <mreese@hilcorp.com>; Mandi Walker <mwalker@hilcorp.com>; Lee Murphy@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>; Tammy Jones <tajones@hilcorp.com>; John LaMond <jlamond@hilcorp.com>; Ricardo Ramirez <Ricardo.Ramirez@hilcorp.com>; Clay Padgett <cpadgett@hilcorp.com>; Diede, Loren, EMNRD <loren.diede@emnrd.nm.gov>; Mason, Lucas E <lmason@blm.gov>; Cheryl Weston <cweston@hilcorp.com>

Subject: RE: [EXTERNAL] Hilcorp JC Gordon A #1 (30.045.06423)

Good afternoon!! Per the JC Gordon A #1 (30.045.06423) We attempted a CSG PSI TEST earlier today. CSG TEST FAILED. Operations now are to P&A Well. As per CBL from today (11/10/25). There will be no changes to current P&A procedure. If there's any questions or concerns, please contact me. Thanks!!

From: Rennick, Kenneth G < krennick@blm.gov> Sent: Monday, November 10, 2025 1:53 PM

**To:** Joe Zimmerman <joseph.zimmerman@hilcorp.com>; Cody Thomason <cthomason@dwsrigs.com>; Steven Hatch <shatch@dwsrigs.com>; Oscar Sanchez - (C) <Oscar.Sanchez@hilcorp.com>; Lucero, Virgil S <vlucero@blm.gov>; Monica Ardoin <mardoin@hilcorp.com>; Megan Reese <mreese@hilcorp.com>; Mandi Walker <mwalker@hilcorp.com>; Lee Murphy@hilcorp.com>; Priscilla Shorty <pshorty@hilcorp.com>; Tammy Jones <tajones@hilcorp.com>; John LaMond <jlamond@hilcorp.com>; Ricardo Ramirez <Ricardo.Ramirez@hilcorp.com>; Clay Padgett <cpadgett@hilcorp.com>; Diede, Loren, EMNRD <loren.diede@emnrd.nm.gov>; Mason, Lucas E <lmason@blm.gov>;

Cheryl Weston < cweston@hilcorp.com>

Subject: Re: [EXTERNAL] Hilcorp JC Gordan A #1 CBL

**CAUTION:** External sender. DO NOT open links or attachments from UNKNOWN senders.

Hello Joe,

Will there be any propose changes for the plugging JC Gordon?

Note I have limited availability for the rest of this afternoon, Tuesday, and Wednesday.

Kenny Rennick

Get <u>Outlook for iOS</u>

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 527799

## **CONDITIONS**

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	527799
	Action Type:
	[C-103] Sub. Plugging (C-103P)

## CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	11/19/2025