

Well Name: FEDERAL I	Well Location: T29N / R14W / SEC 3 / SENE / 36.75883 / -108.291547	County or Parish/State: SAN JUAN / NM
Well Number: 99	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMSF078110	Unit or CA Name:	Unit or CA Number:
US Well Number: 300452998900S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2882757

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 11/14/2025	Time Sundry Submitted: 10:49
Date Operation Actually Began: 10/02/2025	

Actual Procedure: Dugan Production plugged and abandoned the well from 10/2/2025 - 10/3/2025 per the attached procedure.

SR Attachments

Actual Procedure

- Federal_I__99_gps_and_marker_photos_w_API_20251114104814.pdf
- Federal_I_99_CBL_and_plug_BLM_OCD_comms_20251114104747.pdf
- Federal_I_99_SR_PA_formation_tops_20251114104431.pdf
- Federal_I_99_SR_PA_completed_wellbore_schematic_20251114104420.pdf
- Federal_I_99_SR_PA_work_completed_20251114104411.pdf

Well Number: 99

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMSF078110

Unit or CA Name:

Unit or CA Number:

US Well Number: 300452998900S1

Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: NOV 14, 2025 10:48 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON

State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington

State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 11/18/2025

Signature: Kenneth Rennick

Dugan Production plugged and abandoned the well from **10/2/2025 – 10/3/2025** per the following procedure:

- MI&RU Aztec Well Service Rig 450 & Spot in and RU cement equipment.
- Check pressures: Tubing 45 psi, Casing 100 psi, BH 0 psi.
- LD rods & 2-3/8" production tubing.
- PU & tally work string. Run 4½" string mill to scrape casing to 878'.
- RIH and set 4½" CICR at 832'. **Fruitland perforations at 882'-1024'.**
- Load and circulate casing clean with 15 bbls water.
- Establish injection rate at 1.5 bpm, 100 psi.
- **Pressure test casing to 650 psi for 30 minutes, good test.**
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Run CBL from 832' (TOC on backside was 38' from surface). Sent copy of CBL to BLM & NMOCD. Copy of communications attached.
- **Plug 1A (Pictured Cliffs):** Sting in CICR at 832' to establish injection rate: 1.5 bbls/min @ 250 psi. Swap to cement. Squeeze plug 1A: inside 4½" casing under CICR with 20 sks, 23 cu ft Class G neat cement to cover the PC perforations. Displaced with 3.2 bbls of water. **Plug 1A, inside 4½" casing, below retainer at 832', 20 sks, 23 cu ft, Picture Cliffs perforations. 832' -882'.**
- **Plug 1B (Pictured Cliffs-Fruitland-Kirtland-Surface):** Spot Plug 1B inside 4½" casing from CICR at 832' with 72 sks, 82.8 cu ft Class G neat cement. To cover the Picture cliffs-Fruitland-Kirtland tops & Surface. No displacement. WOC 4 hrs. RU welder. Cut wellhead off. Tagged TOC at 38' inside & 38' annulus. Good tag. **Plug 1B, inside 4½" casing, 72 sks, 82.8 cu ft Pictured Cliffs-Fruitland-Kirtland-Surface Casing shoe, 0' – 832'.**
- Fill up cellar and install dry hole marker with 28 sks, 32.2 cu ft Class G neat cement.
- RD Aztec Well Service Rig 450 & cement equipment. Clean location.
- Bill Diers with BLM witnessed the job.
- Photos of P & A Marker and GPS coordinates attached per NMOCD COA.
- **Well P & A'ed on 10/03/2025.**

Completed P & A Wellbore Schematic

Federal I # 99

30-045-29989


Fruitland Coal

1488' FNL & 1106' FEL

H-S3-T29N-R14W

San Juan County, NM

Lat: 36.7588272, Long: 108.2915497



7" 20# J-55 casing @ 127' Hole size 9-1/8"
Cemented w/ 59 Cu.ft Class B. Circ 2 bbls cement to surface

4 1/2" 10.5# J-55 casing @ 1165', Hole size 6-1/4"
Cemented w/ 60sks Lodense, tailed w/ 70 sks Class B
(Total 204 Cu.ft) Circ 7 bbls cement

Plug I A, Inside 4 1/2" casing, Cement Retainer at 832', 72 sks,
82.8 Cu.ft, Pictured Cliffs-Fruitland-Kirtland-Surface Casing
shoe, 0'-882'.

Squeeze Plug 1A, inside 4 1/2" casing, below CICR at 832', 20 sks,
23 cu ft, Picture Cliffs perforations. 882' - 1024'

Fruitland Perforated @ 882' - 1024'

PBTD at 1125', TD at 1170'

Federal I # 99
30-045-29989
Fruitland Coal
1488' FNL & 1106' FEL
H-S3-T29N-R14W
San Juan County, NM
Lat: 36.7588272, Long: 108.2915497

Formation Tops (Referenced for the P & A)

- **Kirtland - Surface**
- **Surface Casing - 127'**
- **Fruitland - 711'**
- **Perforations - 882'-1024'**
- **Pictured Cliffs - 1026'**

Tyra Feil

From: Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>
Sent: Friday, October 3, 2025 10:47 AM
To: Omar Ramirez; Aliph Reena; krennick@blm.gov; Garcia, John, EMNRD; vlucero@blm.gov; mkade@blm.gov; wdiers@blm.gov; bdears@blm.gov
Cc: Tyra Feil; Indalecio Roldan
Subject: RE: [EXTERNAL] DUGAN FEDERAL I #99 CBL

NMOCD is OK with that plan.

Thanks, Loren

Thank you,
Loren Diede
Senior Petroleum Specialist
Engineering Special Projects
Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-394-3582 OCD cell



From: Omar Ramirez <oramirez@aztecwell.com>
Sent: Friday, October 3, 2025 8:29 AM
To: Aliph.Reena@duganproduction.com; krennick@blm.gov; Diede, Loren, EMNRD <Loren.Diede@emnrd.nm.gov>; Garcia, John, EMNRD <JohnA.Garcia@emnrd.nm.gov>; vlucero@blm.gov; mkade@blm.gov; wdiers@blm.gov; bdears@blm.gov
Cc: Tyra.Feil@duganproduction.com; Indalecio Roldan <indalecio.rolدان@duganproduction.com>
Subject: [EXTERNAL] DUGAN FEDERAL I #99 CBL

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Please see CBL attached for the Federal I #99.

It appears from looking at the CBL TOC is at 38'... We request to follow original procedure and fill up with 1" poly line after cutoff.

Omar Ramirez
Rig Manager – San Juan Basin
Aztec Well Servicing Co.
P.O. Box 100

Aztec, New Mexico 87410

Cell: 505-486-1828

505-402-6753

Office: 505-334-6191

Oramirez@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution.











Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 527800

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 527800
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	11/19/2025