

Form 3160-5 (June 2019)	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021
SUNDRY NOTICES AND REPORTS ON WELLS <i>Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.</i>		5. Lease Serial No. N0G14031908
		6. If Indian, Allottee or Tribe Name EASTERN NAVAJO

SUBMIT IN TRIPLICATE - Other instructions on page 2		7. If Unit of CA/Agreement, Name and/or No. NMNM135216A
1. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other		8. Well Name and No. W LYBROOK UNIT/704H
2. Name of Operator ENDURING RESOURCES LLC		9. API Well No. 3004535728
3a. Address 200 ENERGY COURT, FARMINGTON, NM 8740	3b. Phone No. (include area code) (505) 497-8574	10. Field and Pool or Exploratory Area BASIN MANCOS/MANCOS
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 8/T23N/R8W/NMP		11. Country or Parish, State SAN JUAN/NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
☐ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☒ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☒ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

Enduring Resources performed a workover for a wellbore cleanout and tubing reconfiguration. An updated well schematic is attached.

EOT: 5,775 MD
Packer Top: 5,575 MD
GLVs: 5,529 MD
Orifice Valve: none
Job Start: 1/29/2024
Job End: 1/30/2024

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) HEATHER HUNTINGTON / Ph: (505) 636-9751	Title Permitting Technician
Signature (Electronic Submission)	Date 02/20/2024

THE SPACE FOR FEDERAL OR STATE OFFICE USE		
Approved by MATTHEW H KADE / Ph: (505) 564-7736 / Accepted	Title Petroleum Engineer	Date 02/20/2024
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office FARMINGTON	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)




Wellbore Schematic - Components and Cement

Well Name: W LYBROOK UNIT 704H

API/UWI 30-045-35728		County SAN JUAN		State/Province NEW MEXICO		Surface Legal Location T23N - R08W - Sec. 8	
Spud Date 12/31/2016	On Production Date	Abandon Date	Ground Elevation (ft) 6,823.01	Original KB Elevation (ft) 6,844.01	Total Depth (All) (ftKB) Original Hole - 11,623.0		PBTD (All) (ftKB) Original Hole - 11,564.6

Horizontal, Original Hole, 2/16/2024 9:52:10 AM



Other Strings

String Description	String Length (ft)	Set Depth (ftKB)	Run Date
--------------------	--------------------	------------------	----------

Other In Hole

Des	String	Top (ftKB)	Btm (ftKB)	Run Date
-----	--------	------------	------------	----------

Rod Strings

<des> on <dtmrun>

Rod Description	String Length (ft)	Set Depth (ftKB)	Run Date
-----------------	--------------------	------------------	----------

Jts	Item Des	OD (in)	Len (ft)	Top (ftKB)	Btm (ftKB)
-----	----------	---------	----------	------------	------------

Tubing Strings

Tubing - Production set at 5,775.2ftKB on 1/30/2024 10:00

Tubing Description	Len (ft)	Set Depth (ftKB)	Run Date	Cut/Pull Date	Depth C...
--------------------	----------	------------------	----------	---------------	------------

Jts	Item Des	OD (in)	Len (ft)	Top (ftKB)	Btm (ftKB)	Grade	Wt (lb/ft)
1	Tubing Hanger	6.366	0.80	21.0	21.8		
1	Tubing - YB	2 7/8	32.64	21.8	54.4	J-55	6.50
1	Tubing Pup	2 7/8	10.00	54.4	64.4	J-55	6.50
1	Tubing Pup	2 7/8	10.00	64.4	74.4	J-55	6.50
1	Tubing Pup	2 7/8	10.00	74.4	84.4	J-55	6.50
1	Tubing - YB	2 7/8	32.64	84.4	117.1	J-55	6.50
34	Tubing - GB	2 7/8	1,108.9	117.1	1,226.0	J-55	6.50
49	Tubing - BB	2 7/8	1,595.9	1,226.0	2,821.9	J-55	6.50
83	Tubing - YB	2 7/8	2,706.5	2,821.9	5,528.5	J-55	6.50
1	Gas Lift Mandrel - Side Pocket	3 1/2	7.55	5,528.5	5,536.1		
1	Tubing - YB	2 7/8	32.63	5,536.1	5,568.7	J-55	6.50
1	Nipple - X 2.313"	2 7/8	0.95	5,568.7	5,569.7	J-55	6.50
1	Tubing Pup	2 7/8	4.10	5,569.7	5,573.8	J-55	6.50
1	On-Off Tool	6	1.60	5,573.8	5,575.4		
1	Packer - AS-1X	6.36	7.50	5,575.4	5,582.9		
1	Cross Over	2 7/8	0.40	5,582.9	5,583.3		
5	Tubing	2 3/8	159.53	5,583.3	5,742.8	J-55	4.70
1	Nipple - XN	2 3/8	1.10	5,742.8	5,743.9		
1	Tubing	2 3/8	30.91	5,743.9	5,774.8	J-55	4.70
1	Mule Shoe	2 3/8	0.40	5,774.8	5,775.2	J-55	4.70

Casing Strings

PRODUCTION LINER #1, 11,613.9ftKB


Casing Description	OD (in)	Wt/Len (lb/ft)	String Grade	Top (ftKB)	Set Depth...	Depth C...	ID (in)
PRODUCTION LINER #1	4 1/2	11.60	P-110	5,617.0	11,613.9		4.00

Casing Components

Item Des	Jts	OD (in)	ID (in)	Wt (lb/ft)	Grade	Len (ft)
Liner Hanger	2	6.37	4.00	0.00	P-110	33.08
Casing Joints	1	4 1/2	4.00	11.60	P-110	22.90
Casing Joints	133	4 1/2	4.00	11.60	P-110	5,760.99
Casing Joints	1	4 1/2	4.00	11.60	P-110	22.41
Casing Joints	2	4 1/2	4.00	11.60	P-110	84.12
Frac Sleeve	1	4 1/2	4.00	0.00	P-110	3.78
Casing Pup Joint	1	4 1/2	4.00	11.60	P-110	20.35
Float Collar	1	4 1/2	0.50	0.00	P-110	1.90
Float Collar	1	4 1/2	0.50	0.00	P-110	1.88
Casing Joints	1	4 1/2	4.00	11.60	P-110	43.20
Float Shoe	1	4 1/2	0.00	0.00	P-110	2.29

Well Name: W LYBROOK UNIT 704H

Horizontal, Original Hole, 2/16/2024 9:52:10 AM



Casing Strings

INTERMEDIATE CASING, 5,764.0ftKB

Casing Description	OD (in)	Wt/Len (lb/ft)	String Grade	Top (ftKB)	Set Depth...	Depth C...	ID (in)
INTERMEDIATE CASING	7	23.00	J-55	21.0	5,764.0		6.37

Casing Components

Item Des	Jts	OD (in)	ID (in)	Wt (lb/ft)	Grade	Len (ft)
Casing Hanger	1	8 5/8	6.37	0.00		3.00
Casing Joints	1	7	6.37	23.00	J-55	18.45
Casing Joints	131	7	6.37	23.00	J-55	5,674.15
Float Collar	1	7	6.37	23.00	J-55	1.60
Casing Joints	1	7	6.37	23.00	J-55	44.52
Float Shoe	1	7	6.37	23.00	J-55	1.30

SURFACE CASING, 335.0ftKB

Casing Description	OD (in)	Wt/Len (lb/ft)	String Grade	Top (ftKB)	Set Depth...	Depth C...	ID (in)
SURFACE CASING	9 5/8	36.00	J-55	21.0	335.0		8.92

Casing Components

Item Des	Jts	OD (in)	ID (in)	Wt (lb/ft)	Grade	Len (ft)
Casing Joints	14	9 5/8	8.92	36.00	J-55	287.38
Float Collar	1	9 5/8	8.92	36.00	J-55	1.45
Casing Pup Joint	1	9 5/8	8.92	36.00	J-55	24.20
Float Shoe	1	9 5/8	8.92	36.00	J-55	1.00

Cement

SURFACE CASING, Casing, 12/9/2016 13:45

Description	String	Cementing Start Date	Cementing End Date
SURFACE CASING	SURFACE CASING, 335.0ftKB	12/9/2016 13:45	12/28/2016 20:50

Cement Stages

Stg #	Top (ftKB)	Btm (ftKB)	Com
1	21.0	335.0	

INTERMEDIATE CASING, Casing, 1/4/2017 07:47

Description	String	Cementing Start Date	Cementing End Date
INTERMEDIATE CASING	INTERMEDIATE CASING, 5,764.0ftKB	1/4/2017 07:47	1/4/2017 10:10

Cement Stages

Stg #	Top (ftKB)	Btm (ftKB)	Com
1	21.0	5,774.0	

PRODUCTION LINER #1, Casing, 1/8/2017 05:06

Description	String	Cementing Start Date	Cementing End Date
PRODUCTION LINER #1	PRODUCTION LINER #1, 11,613.9ftKB	1/8/2017 05:06	1/8/2017 09:00

Cement Stages

Stg #	Top (ftKB)	Btm (ftKB)	Com
1	5,637.0	11,614.0	

Wellbores

Original Hole

Wellbore Name	Parent Wellbore
Original Hole	

Wellbore Sections

Section Des	Size (in)	Act Top (ftKB)	Act Btm (ftKB)
Surface	12 1/4	21.0	337.0
Intermediate	8 3/4	337.0	5,774.0
Production	6 1/8	5,774.0	11,623.0

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 318710

CONDITIONS

Operator: ENDURING RESOURCES, LLC 6300 S Syracuse Way Centennial, CO 80111	OGRID: 372286
	Action Number: 318710
	Action Type: [C-103] Sub. Workover (C-103R)

CONDITIONS

Created By	Condition	Condition Date
andrew.fordyce	Accepted for record.	12/4/2025