Form 3160-5 (June 2019)

UNITED STATES DEPA BURE

FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021

ARTMENT OF THE INTERIOR	
AU OF LAND MANAGEMENT	5. Lease Serial

BURI	EAU OF LAND MANAGEMENT		J. Lease Serial 140.	I0G14011867		
	OTICES AND REPORTS ON W		6. If Indian, Allottee of	or Tribe Name		
	orm for proposals to drill or to Use Form 3160-3 (APD) for suc	EASTERN NAVAJO				
SUBMIT IN	TRIPLICATE - Other instructions on pag	e 2	_	ement, Name and/or No.		
1. Type of Well	, ,			EXPLORATORY UNIT/NMNM135216		
Oil Well Gas W	/ell Other		8. Well Name and No	W LYBROOK UNIT/747H		
2. Name of Operator ENDURING RE	SOURCES LLC		9. API Well No. 3004	535742		
	FARMINGTON, NM 8740 3b. Phone No.	(include area code)	10. Field and Pool or			
,	(505) 497-85		Wildcat			
4. Location of Well (Footage, Sec., T.,R SEC 12/T23N/R9W/NMP	.,M., or Survey Description)		11. Country or Parish	State		
12. CHE	CK THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE OF NO	OTICE, REPORT OR OTI	HER DATA		
TYPE OF SUBMISSION		TYPE OF A	ACTION			
Notice of Intent	Acidize Deep	en P	roduction (Start/Resume)	Water Shut-Off		
Notice of intent	Alter Casing Hydr	aulic Fracturing R	eclamation	Well Integrity		
Subsequent Report			ecomplete	✓ Other		
Final Abandonment Notice		_	emporarily Abandon Vater Disposal			
the proposal is to deepen directiona the Bond under which the work wil completion of the involved operatio completed. Final Abandonment Not is ready for final inspection.) Enduring Resources performe EOT: 5,608 MD Packer Top: None GLVs: None Orifice Valve: None Job Start: 5/29/2024 Job End: 6/3/2024	peration: Clearly state all pertinent details, i lly or recomplete horizontally, give subsurfal be perfonned or provide the Bond No. on fins. If the operation results in a multiple contices must be filed only after all requirement d a workover for a tubing reconfiguration	ace locations and measured file with BLM/BIA. Requi- appletion or recompletion in s, including reclamation, h	and true vertical depths red subsequent reports mun a new interval, a Form 3 nave been completed and	of all pertinent markers and zones. Attach ast be filed within 30 days following 160-4 must be filed once testing has been the operator has detennined that the site		
14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>) HEATHER HUNTINGTON / Ph: (505) 636-9751		Permitting Technician Title				
Signature (Electronic Submission	Date 06/19/2024					
	THE SPACE FOR FEDI	ERAL OR STATE (OFICE USE			
Approved by						
MATTHEW H KADE / Ph: (505) 56	4-7736 / Accepted	Petroleum E Title		06/20/2024 Date		
Conditions of approval, if any, are attack certify that the applicant holds legal or ewhich would entitle the applicant to con	ned. Approval of this notice does not warran equitable title to those rights in the subject leduct operations thereon.	t or Office FARMING	STON			
	B U.S.C Section 1212, make it a crime for ar		willfully to make to any do	epartment or agency of the United States		

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

0. SHL: SESE / 869 FSL / 385 FEL / TWSP: 23N / RANGE: 9W / SECTION: 12 / LAT: 36.236614 / LONG: -107.732954 (TVD: 4878 feet, MD: 14811 feet) PPP: LOT 3 / 1617 FSL / 407 FWL / TWSP: 23N / RANGE: 8W / SECTION: 7 / LAT: 36.238671 / LONG: -107.730477 (TVD: 4878 feet, MD: 14811 feet) BHL: SESW / 330 FSL / 1768 FWL / TWSP: 23N / RANGE: 8W / SECTION: 17 / LAT: 36.220688 / LONG: -107.70817 (TVD: 4878 feet, MD: 14811 feet)




WellView°

Wellbore Schematic - Components and Cement

Well Name: W LYBROOK UNIT 747H

State/Province
NEW MEXICO API/UWI County SAN JUAN Surface Legal Location 30-045-35742 SE/4, SE/4, Section 12, Twp 23N, Rng 09W, NMPM Spud Date On Production Date Abandon Date Ground Elevation (ft) 4/5/2016 6,733.01



t) Original KB Elevation (ft) 6,758.01			All) (ftKB lole - 1		18 N		PBTD (All) (ftKB)				
0,730.01	Origin	iai i	iole - I	4,0	10.0							
Other Strings												
String Description				St	tring Leng	th (ft) Set E	epth (ftKB)	R	un Date)	
Other In Hole												
Other in Hole Des			Strir	ng		Тор	(ftKB)	Btm (ftKB)	Т	Run	Date	
							(/	(,				
Rod Strings												
<des> on <dttmrun></dttmrun></des>												
Rod Description				St	tring Leng	th (ft) Set D	epth (ftKB)	R	un Date)	
						_		_	\perp			
Jts Item De	es			(OD (in)	Len (ft)		Top (ftKB)	Btm (ftKB)		
Tubing Strings												
Tubing - Production set	at 5,6							- 10 10	D	\ I	D45 O	
Tubing Description Tubing - Production			n (ft) ,582.93		5,607.9		Run Dat 6/3/20		Pull D	oate	Depth C	
				Т	<u>, </u>	Т					Wt	
Jts Item Des 1 Tubing Hanger - TC-1	Α		OD (in)	_	Len (ft) 0.80	_	op (ftKB) 25.0	Btm (ftK)	-	Grade	(lb/ft)	
15 Tubing - YB Inventory			2 7/8		5,192.9		25.8			J-55	6.50	
8			- '''	Ι,	8		20.0	0,210	.		5.50	
1 X Profile Nipple - 2.31	3"		2 7/8	t	1.20	5	5,218.8	5,220	.0	J-55	6.50	
5 Tubing - YB Inventory	'		2 7/8		162.93	5	,220.0	5,382	.9 .	J-55	6.50	
1 Cross Over - 2-7/8" x 2-3/8"		11	2 7/8		0.40	5	,382.9	5,383	.3 .	J-55		
6 Tubing - YB			2 3/8		191.32	5	,383.3			J-55	4.70	
1 XN Profile Nipple 1.79	1" no)	2 3/8		1.10	5	5,574.6	5,575	.7	J-55	4.70	
go			0.00	\perp					_		1.70	
1 Tubing - YB			2 3/8		31.80		5,575.7			J-55	4.70	
1 Mule Shoe			2 3/8		0.40	ς (,607.5	5,607	.9 .	J-55	4.70	
Casing Strings	440	40.5	41/D									
PRODUCTION LINER #1, Casing Description OD (in				Strin	ng Grade	Ton	(ftKR) S	et Depth	Der	oth C	ID (in)	
PRODUCTION 4 1/2		11.6		P-1				4,816.5			4.00	
LINER #1						0						
Casing Components Item Des		lto	I OD /	m)	ID /in	\ T	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	*) Cro	do	1.	n (ft)	
LINER HANGER		Jts 1	OD (i	1/4	ID (in	00	Wt (lb/f			Lt	en (ft) 1.00	
LINER HANGER PACKER	۱ ۶	1		1/2		00	0.0		0		31.61	
CASING JOINT(S)		9		1/2		00	11.6				395.60	
MARKER JOINT		1	4	1/2	4.	00	11.6	60 P-110	0		10.04	
CASING JOINT(S)		50	4	1/2	4.	00	11.6	60 P-110	0	2,	235.11	
MARKER JOINT		1		1/2	4.	00		60 P-110		5.37		
CASING JOINT(S)		50		1/2		00	11.6			2,162.75		
MARKER JOINT		1		1/2		00	11.6				4.84	
CASING JOINT(S)		50		1/2		00	11.6			2,197.04		
MARKER JOINT		1		1/2		00	11.6			4.82		
CASING JOINT(S)		50		1/2		00	11.6			2,226.21		
RAPID FRAC SLEEVE		1		1/2		00	0.0			12.61		
PUP JOINT LANDING COLLAR		1		1/2		00	11.6			22.54		
CASING FLOAT COLLAR		1 1		l l		0.0 0.0 0.0					1.43 0.91	
SHOE JOINT		2		1/2			11.6			89.3		
CASING FLOAT SHOE		1		1/2			0.0		1		1.25	
INTERMEDIATE CASING, 5,563.5ftKB												
Casing Description OD (in		Wt/L	en (lb/ft)					et Depth	Dep		ID (in)	
INTERMEDIATE 7		23.0		J-5		25.		,563.5			6.37	
CASING Casing Components												
Item Des		Jts	OD (i	n)	ID (in) [Wt (lb/f	t) Gra	de	Le	en (ft)	
	_	_				_		_				

8 5/8

7

7

127

Page 1/2

6.37

6.37

6.37

23.00

23.00

23.00 J-55

J-55

J-55

Report Printed: 6/10/2024

2.00


2.50

5,489.51

WellView[®]

Wellbore Schematic - Components and Cement

Well Name: W LYBROOK UNIT 747H



Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 359634

CONDITIONS

Operator:	OGRID:
ENDURING RESOURCES, LLC	372286
6300 S Syracuse Way	Action Number:
Centennial, CO 80111	359634
	Action Type:
	[C-103] Sub. Workover (C-103R)

CONDITIONS

Created By	Condition	Condition Date
andrew.fordyce	Accepted for record.	12/4/2025