

Well Name: NE LYBROOK COM	Well Location: T23N / R6W / SEC 20 / NWSW / 36.20968 / -107.49979	County or Parish/State: SANDOVAL / NM
Well Number: 206H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMSF078360	Unit or CA Name:	Unit or CA Number: NMNM132829
US Well Number: 3004321190	Well Status: Producing Oil Well	Operator: ENDURING RESOURCES LLC

Subsequent Report

Sundry ID: 2736201

Type of Submission: Subsequent Report

Type of Action: Workover Operations

Date Sundry Submitted: 06/16/2023

Time Sundry Submitted: 09:10

Date Operation Actually Began: 06/01/2023

Actual Procedure: Enduring Resources performed a workover for tubing reconfiguration. Packer was unseated only. No changes to the production tubing BHA. An updated well schematic is attached. EOT: 6,028' MD Packer: None GLVs: None Orifice Valve: none - EOT Job Start: 6/1/2023 Job End: 6/5/2023

SR Attachments

Actual Procedure

NE_Lybrook_Com_206H_Wellbore_Schematic__fka_Chaco__6_6_23_20230616091019.pdf

Well Name: NE LYBROOK COM	Well Location: T23N / R6W / SEC 20 / NWSW / 36.20968 / -107.49979	County or Parish/State: SANDOVAL / NM
Well Number: 206H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMSF078360	Unit or CA Name:	Unit or CA Number: NMNM132829
US Well Number: 3004321190	Well Status: Producing Oil Well	Operator: ENDURING RESOURCES LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: HEATHER HUNTINGTON	Signed on: JUN 16, 2023 09:10 AM
Name: ENDURING RESOURCES LLC	
Title: Permitting Technician	
Street Address: 200 Energy Court	
City: Farmington	State: NM
Phone: (505) 636-9751	
Email address: HHUNTINGTON@ENDURINGRESOURCES.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: MATTHEW H KADE	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5055647736	BLM POC Email Address: MKADE@BLM.GOV
Disposition: Accepted	Disposition Date: 06/16/2023
Signature: Matthew Kade	




Wellbore Schematic - Components and Cement

Well Name: NE LYBROOK COM 206H (fka Chaco)

API/UWI 30-043-21190		County SANDOVAL		State/Province NEW MEXICO		Surface Legal Location NE CHACO COM 206H							
Spud Date 6/6/2014		On Production Date		Abandon Date		Ground Elevation (ft) 7,038.01		Original KB Elevation (ft) 7,052.01		Total Depth (All) (ftKB) Original Hole - 11,240.0		PBTD (All) (ftKB)	

Horizontal, Original Hole, 6/14/2023 9:09:44 AM



Other Strings

String Description	String Length (ft)	Set Depth (ftKB)	Run Date
--------------------	--------------------	------------------	----------

Other In Hole

Des	String	Top (ftKB)	Btm (ftKB)	Run Date
-----	--------	------------	------------	----------

Rod Strings

<des> on <dtmrun>

Rod Description	String Length (ft)	Set Depth (ftKB)	Run Date
-----------------	--------------------	------------------	----------

Jts	Item Des	OD (in)	Len (ft)	Top (ftKB)	Btm (ftKB)
-----	----------	---------	----------	------------	------------

Tubing Strings

Tubing - Production set at 6,027.6ftKB on 6/5/2023 08:30

Tubing Description	Len (ft)	Set Depth (ftKB)	Run Date	Cut/Pull Date	Depth C...
--------------------	----------	------------------	----------	---------------	------------

Jts	Item Des	OD (in)	Len (ft)	Top (ftKB)	Btm (ftKB)	Grade	Wt (lb/ft)
1	Tubing Hanger - donut	6.4	0.80	14.5	15.3		
37	Tubing New	2 7/8	1,245.20	15.3	1,260.5	L-80	6.40
65	Tubing BB	2 7/8	2,050.78	1,260.5	3,311.3	J-55	6.40
18	Tubing BB/YB	2 7/8	578.09	3,311.3	3,889.4	J-55	6.40
56	Tubing YB	2 7/8	1,811.59	3,889.4	5,701.0	J-55	6.40
1	Profile Nipple X	3.68	1.20	5,701.0	5,702.2	L-80	
5	Tubing BB	2 7/8	159.77	5,702.2	5,861.9	J-55	6.40
1	Cross Over 2-7/8" x 2-3/8"	2 7/8	0.50	5,861.9	5,862.4	J-55	
4	Tubing YB	2 3/8	128.40	5,862.4	5,990.8	J-55	4.70
1	Profile Nipple XN	2 3/8	1.20	5,990.8	5,992.0		
1	Tubing YB	2 3/8	32.22	5,992.0	6,024.3	J-55	4.70
1	Mule Shoe	3.04	3.38	6,024.3	6,027.6		

Casing Strings

LINER - PRODUCTION, 11,216.0ftKB

Casing Description	OD (in)	Wt/Len (lb/ft)	String Grade	Top (ftKB)	Set Depth...	Depth C...	ID (in)
LINER - PRODUCTION	4 1/2	11.60	N-80	5,890.4	11,216.0		4.00

Casing Components

Item Des	Jts	OD (in)	ID (in)	Wt (lb/ft)	Grade	Len (ft)
Liner Hanger - Versa Flex	1	5	4.00		HOWCO	27.17
Howco						
Casing - Casing, Casing, in, ppf, N-80, ,	46	4 1/2	4.00	11.60	N-80	1,755.60
Casing Joints Marker	1	4 1/2	4.00	11.60	N-80	13.63
Casing Joints	45	4 1/2	4.00	11.60	N-80	1,701.09
Casing Joints Marker	1	4 1/2	4.00	11.60	N-80	14.18
Casing Joints	45	4 1/2	4.00	11.60	N-80	1,720.23
Rapid Frac Sleeve - Casing, Rapid Frac Sleeve, in, ppf, HOWCO, ,	2	5	4.00	11.60	N-80	6.76
Casing Joints Pup	1	4 1/2	4.00	11.60	N-80	8.38
Landing Collar	1	4 1/2	4.00	11.60	N-80	1.10
Float Collar	1	4 1/2	4.00	11.60	N-80	0.88
Casing - Casing, Casing, in, ppf, N-80, ,	2	4 1/2	4.00	11.60	N-80	75.36
Float Shoe	1	4 1/2	4.00	11.60	N-80	1.22

INTERMEDIATE CASING, 6,062.2ftKB


Casing Description	OD (in)	Wt/Len (lb/ft)	String Grade	Top (ftKB)	Set Depth...	Depth C...	ID (in)
INTERMEDIATE CASING	7	23.00	J-55	14.5	6,062.2		6.37

Casing Components

Item Des	Jts	OD (in)	ID (in)	Wt (lb/ft)	Grade	Len (ft)
Casing Joints	143	7	6.37	23.00	J-55	6,002.74

WellView®**Wellbore Schematic - Components and Cement****Well Name: NE LYBROOK COM 206H (fka Chaco)**

Horizontal, Original Hole, 6/14/2023 9:09:46 AM

**Casing Components**

Item Des	Jts	OD (in)	ID (in)	Wt (lb/ft)	Grade	Len (ft)
Float Collar	1	7	6.37	23.00	J-55	1.35
Casing Joints	1	7	6.37	23.00	J-55	42.15
Float Shoe	1	7	6.37	23.00	J-55	1.50

SURFACE CASING, 438.7ftKB

Casing Description	OD (in)	Wt/Len (lb/ft)	String Grade	Top (ftKB)	Set Depth...	Depth C...	ID (in)
SURFACE CASING	9 5/8	36.00	J-55	14.5	438.7		8.92

Casing Components

Item Des	Jts	OD (in)	ID (in)	Wt (lb/ft)	Grade	Len (ft)
Casing Joints	1	9 5/8	8.92	36.00	J-55	1.25
Casing Joints	12	9 5/8	8.92	36.00	J-55	388.87
Float Collar	1	9 5/8	8.92			0.90
Casing Joints	1	9 5/8	8.92	36.00	J-55	31.73
Float Shoe	1	9 5/8	8.92			1.42

Cement**SURFACE CASING, Casing, 4/22/2014 14:40**

Description	String	Cementing Start Date	Cementing End Date
SURFACE CASING	SURFACE CASING, 438.7ftKB	4/22/2014 14:40	4/22/2014 15:28

Cement Stages

Stg #	Top (ftKB)	Btm (ftKB)	Com
1	14.5	439.0	

Intermediate Casing Cement, Casing, 6/12/2014 02:00

Description	String	Cementing Start Date	Cementing End Date
Intermediate Casing Cement	INTERMEDIATE CASING, 6,062.2ftKB	6/12/2014 02:00	6/12/2014 06:00

Cement Stages

Stg #	Top (ftKB)	Btm (ftKB)	Com
1	14.5	6,062.2	

PRODUCTION LINER #1, Casing, 6/18/2014 03:20

Description	String	Cementing Start Date	Cementing End Date
PRODUCTION LINER #1	LINER - PRODUCTION, 11,216.0ftKB	6/18/2014 03:20	6/18/2014 06:53

Cement Stages

Stg #	Top (ftKB)	Btm (ftKB)	Com
1	5,890.4	11,216.0	

Wellbores**Original Hole**

Wellbore Name	Parent Wellbore
Original Hole	

Wellbore Sections

Section Des	Size (in)	Act Top (ftKB)	Act Btm (ftKB)
SURFACE		0.0	439.0
INTERMEDIATE	6 1/8	439.0	6,075.0
PRODUCTION	6 1/8	6,075.0	11,240.0

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 231799

CONDITIONS

Operator: ENDURING RESOURCES, LLC 6300 S Syracuse Way Centennial, CO 80111	OGRID: 372286
	Action Number: 231799
	Action Type: [C-103] Sub. Workover (C-103R)

CONDITIONS

Created By	Condition	Condition Date
andrew.fordyce	Accepted for record.	12/5/2025