

Well Name: BUDDHA TEMPLE COM	Well Location: T24N / R8W / SEC 30 / NENE / 36.290344 / -107.716049	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM54980	Unit or CA Name: BUDDHA TEMPLE	Unit or CA Number: NMNM94042
US Well Number: 300452923900S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2885011

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 12/03/2025	Time Sundry Submitted: 09:40
Date Operation Actually Began: 10/23/2025	

Actual Procedure: Dugan Production plugged and abandoned the well from 10/23/2025 - 10/28/2025 per the attached procedure.

SR Attachments

Actual Procedure

- Buddha_Temple_Com_90_gps_marker_photos_20251203093542.pdf
- Buddha_Temple_Com_90_SR_PA_formation_tops_20251203093521.pdf
- Buddha_Temple_Com_90_SR_PA_completed_wellbore_schematic_20251203093514.pdf
- Buddha_Temple_Com_90_SR_PA_completed_work_20251203093507.pdf

Well Name: BUDDHA TEMPLE COM	Well Location: T24N / R8W / SEC 30 / NENE / 36.290344 / -107.716049	County or Parish/State: SAN JUAN / NM
Well Number: 90	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM54980	Unit or CA Name: BUDDHA TEMPLE	Unit or CA Number: NMNM94042
US Well Number: 300452923900S1	Operator: DUGAN PRODUCTION CORPORATION	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: DEC 03, 2025 09:39 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTONState: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: FarmingtonState: NMZip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 12/05/2025

Signature: Kenneth Rennick

Dugan Production plugged and abandoned the Buddha Temple Com 90 from **10/23/2025 to 10/28/2025** according to the following procedure:

- MI & RU Aztec Well Service Rig 481. Spot in and RU cement equipment.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Pull and LD rods, and production tubing.
- PU & Tally 2-3/8" work string. Run 4½" string mill to scrape casing to 1587'.
- RIH & set 4½" cement retainer to 1570'. Fruitland perforations @ 1614'-1625'.
- Load and circulate hole clean with 30 bbls of water.
- Attempt to pressure test casing to 650 psi, test failed.
- Run CBL from 1570' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Sting in retainer, attempt to establish injection rate, pressured up to 800 psi, no injection rate.
- **Plug I, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo:** Spot inside 4½" casing above cement retainer @ 1570' w/65 sks (74.75 cu ft) Class G cement with 1% calcium chloride to cover the Pictured Cliffs, Fruitland, Kirtland, Ojo Alamo tops (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk, 1% CaCl.) Displaced with 2.8 bbls of water. WOC 4 hrs. Tagged TOC at 747'. Good tag. **Plug I, Inside 4½" casing, cement retainer at 1570', 65 sks, 74.75 cu ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo, 747'-1570'.**
- **Plug II, surface casing shoe-Surface:** Spot Plug II inside 4½" casing from 184' w/18 sks, 20.7 cu ft Class G neat cement to cover from 184' to surface. No displacement. WOC overnight. RU welder. Cut wellhead off. Tagged TOC at 16' inside & 26' annulus. Good tag. **Plug II, Inside 4½" casing, 18 sks, 20.7 cu ft, Surface Casing shoe to surface, 0-184'.**
- Fill cellar and install DHM with 18 sks, 20.7 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 481. Clean location, move.
- Jimmy Dobson with BLM witnessed the job.
- Photos of P & A marker and GPS coordinates attached per NMOCD COA.
- **Well P & A'ed on 10/28/2025.**

Completed P & A Wellbore Schematic

Buddha Temple Com # 90


30-045-29239

Basin Fruitland Coal

790' FNL & 790' FEL

A-30-T24N-R08W

San Juan County, NM



7" 23#, J-55 casing @ 120': Hole size -9-1/8"

Cemented with 80 sks, Class B cement. Circulate cement

**Plug II, Inside 4 1/2" casing, 18 sks, 20.7 Cu.ft, Surface
Casing shoe to surface, 0-184'**

Plug I, Inside 4½" casing, Cement Retainer at 1570', 65 sks, 74.75 cu ft, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo, 747'-1570'.

4½" 10.5#, J-55 casing @ 1744'. Hole size: 6¼"

Cement w/20 sks Lodense and 60 sks Class B cement. 317 cu ft
Circ 4 bbls cement

Fruitland Coal Perforated @ 1614' – 1625' w/4 spf

PBTD @ 1646', TD 1750'

Buddha Temple Com # 90

30-045-29239

Basin Fruitland Coal

790' FNL & 790' FEL

A-30-T24N-R08W

San Juan County, NM

Formation Tops (Referenced for the P & A)

- Surface Casing – 120'
- Ojo Alamo – 903'
- Kirtland – 1026'
- Fruitland – 1294'
- Perforations – 1614'-1625'
- Pictured Cliffs – 1633'









Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 532191

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 532191
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	12/8/2025