<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

Phone: (575) 393-6161 Fax: (575) 393-0720

<u>District II</u>

811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720

<u>District III</u>

1000 Rio Brazos Road, Aztec, NM 87410

Phone: (505) 334-6178 Fax: (505) 334-6170

<u>District IV</u>

1220 S. St. Francis Dr., Santa Fe, NM 87505

Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-101 Revised July 18, 2013

Energy Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr.

☐AMENDED REPORT

Santa Fe, NM 87505

			Hilcorp Ener	ne and Address gy Company ad 3100					^{2.} OGRID N 37217 ^{3.} API Nur	1 mber
Aztec, NM 87410 4. Property Code 5. Property									30-045-32	2023 6. Well No.
32	1030				5. Property Name Cox Canyon Unit					1C
	r	1	1	7. Su	rface Location	n			•	
UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S I		Feet From	E/W Line	
Е	16	32N	11W	8 Proposo	d Bottom Hol	la Lacatio		500	W	San Juan
JL - Lot P	Section 15	Township 32N	Range 12W	Lot Idn	Feet from 950	N/S I	Line	Feet From 940	E/W Line	e County San Juan
	<u> </u>			9. Po	l ol Information	n				
					ol Name I/Blanco Pictured Clid	ffs				Pool Code 71629/72359
					al Well Inforn	nation				•
	rk Type A		^{12.} Well Type G		13. Cable/Rotary		1	4. Lease Type S	15	Ground Level Elevation 6704'
	Iultiple Y		^{17.} Proposed De 2955' - 3304'		^{18.} Formation asin Fruitland Coal (Gas)	1	9. Contractor	^{20.} Spud Date	
pth to Grou	ınd water		Di	stance from nearest	fresh water well			Distance	to nearest sur	face water
Ve will be	using a clo	osed-loop s	ystem in lieu (-				I		
Type		e Size	-	Proposed Cas	Ŭ	ent Progr Setting I		Sacks of	Cement	Estimated TOC
		<u> </u>	2	Proposed Cas	Ŭ			Sacks of	Cement	Estimated TOC
		<u> </u>	2	Proposed Cas	Ŭ			Sacks of	Cement	Estimated TOC
		<u> </u>	Casing Size	Proposed Cas	eight/ft	Setting I	Depth	Sacks of	Cement	Estimated TOC
		<u> </u>	Casing Size Casi	Casing W	eight/ft ogram: Additi	Setting I	Depth	Sacks of	Cement	Estimated TOC
		<u> </u>	Casing Size Casi	Proposed Casing W	ogram: Additi	Setting I	Depth		Cement	Estimated TOC
	Hole	<u> </u>	Casing Size Casi	Casing W Casing W Proposed Blove	ogram: Additi	Setting I	nments		Cement	
Type I hereby ce	Hole	e Size	Casing Size Casi	Casing W Casing W Proposed Blove	ogram: Additi	Setting I	nments am Test Press			Manufacturer
I hereby comy knowle urther certification.	Type Type ertify that the edge and beltify that I It is NMAC [e informatio lief. nave compli	Casing Size Casing Size Casing Size	Casing W Casing W Casing W Proposed Blow Working Pressure	ogram: Additi wout Preventi e to the best	Setting I	nments am Test Press	sure		Manufacturer
Type I hereby comy knowle irther cer 15.14.9 (Emature:	Type Type ertify that the edge and beltify that I to so	e informatio lief. nave complici	Casing Size Casing Size Casing Size	Casing W Casing W Casing W Proposed Blow Working Pressure true and complete	ogram: Additi wout Preventi e to the best and/or Ap	Setting I	nments am Test Press	sure		Manufacturer
Type I hereby comy knowled in the cert 15.14.9 (Equature: Content of the cert is the cert	Type ertify that the edge and beltify that I Has NMAC [heryle]: Cherylene	e informatio lief. nave complici	Casing Size Casing Size Casing Size Casing Size	Casing W Casing W Casing W Proposed Blow Working Pressure true and complete	reight/ft ogram: Additi wout Preventi e to the best and/or Ap	Setting I	nments am Test Pres	Sure		Manufacturer /ISION
I hereby comy knowled urther ceres. 15.14.9 (Egnature: Conted name lle: Operation	Type Type Type Type Type Type Type Cherylee Cherylee Cherylee Type	e Size e informatio lief. nave compli j, if applica Ne Weston	Casing Size Casing Size Casing Size	Casing W Casing W Casing W Proposed Blow Working Pressure true and complete	reight/ft ogram: Additi wout Preventi e to the best and/or Ap	Setting I	nments am Test Pres	Sure	TION DIV	Manufacturer /ISION



HILCORP ENERGY COMPANY


Cox Canyon Unit 1C FRUITLAND COAL RECOMPLETE NOI API 3004532023

JOB PROCEDURES

- 1. MIRU workover rig and associated equipment; NU and test BOP.
- 2. TOOH with tubing.
- 3. Set CIBP within 50' of the top Mesaverde perforation (4,929') for zonal isolation.
- 4. Load hole with fluid. RU WL and run CBL to verify TOC. Review results with operations engineer and regulatory agencies.
- 5. Perform MIT on casing with NMOCD witness (notify NMOCD 24+ hours before test) and submit results to regulatory group.
- 6. If frac'ing down casing: pressure test casing to frac pressure.
- 7. RU WL. Perforate the Fruitland Coal. Top perforation @ 2,955', bottom perforation @ 3,304'.
- 8. If frac'ing down frac string: RIH w/ frac string and packer.
- 9. ND BOP, NU frac stack. Pressure test frac stack to frac pressure. Pressure test frac string (if applicable) to frac pressure. RDMO.
- 10. RU stimulation crew. Frac the Fruitland Coal in one or more stages. Set plugs in between stages, if necessary.
- 11. MIRU workover rig and associated equipment; NU and test BOP.
- 12. If frac was performed down frac string: POOH w/ frac string and packer.
- 13. TIH with mill and clean out to isolation plug.
- 14. Mill out isolation plugs. Cleanout to PBTD. TOOH with cleanout assembly.
- 15. TIH and land production tubing. Flowback the well. Return well to production as a Fruitland Coal/Mesaverde producer.




HILCORP ENERGY COMPANY Cox Canyon Unit 1C FRUITLAND COAL RECOMPLETE NOI





HILCORP ENERGY COMPANY Cox Canyon Unit 1C FRUITLAND COAL RECOMPLETE NOI



Santa Fe Main Office Phone: (505) 476-3441 Fax: (55) 476-3462

General Information Phone: (505) 629-6116

Online Phone Directory Visit:

nttps://www.emnrd.nm.gov/ocd/contact-us/

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

Revised July 9, 2024
Submit Electronically
via OCD Permitting
al Submittal

	\square Initial Submittal
Submittal Type:	☐ Amended Report
- 1	☐ As Drilled

					WELL LOCA	TION INFORMATION				
API Number Pool Code				ool Code Pool Name						
				Basin Fruitland Coal (Gas)			ı			
Property Code Property Name								Well Numb	er	
321030			Cox Canyo						1C	
OGRID	No.		Operator Na						Ground Lev	el Elevation
372171			Hilcorp Ene		У				6704'	
Surface	Owner: 🛛 S	State \square Fee \square	Tribal 🗆 Fed	leral		Mineral Owner: ⊠ S	tate Fee	□ Tribal □	Federal	
					Sur	face Location				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	I	ongitude	County
E	16	032N	011W		2095 N	500 W	36.986419		108.0012131	San Juan
					Botto	m Hole Location				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	I	ongitude	County
Dedicate	ed Acres	Infill or Defir	ning Well	Defining	Well API	Overlapping Spacing	Unit (Y/N)	Consolidati	ion Code	
320.00 -	- W/2	Infill	8	30-045-27751		N U				
Order N	umbers.	•			Well setbacks are under Common Ownership: □Yes □No					
					Kick	Off Point (KOP)				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	I	ongitude	County
										·
					First T	Take Point (FTP)				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	I	ongitude	County
					Loct T	Take Point (LTP)				
T 1T	Section	T	D	T -4	Ft. from N/S	Ft. from E/W	T -4'4-1-	т.		Country
UL	Section	Township	Range	Lot	Ft. Irom N/S	Ft. Irom E/W	Latitude	1	ongitude	County
	1	1	ı	ı	ı	I	1	ı		<u> </u>
Unitized	d Area or Are	ea of Uniform I	nterest	Spacing U	Unit Type Hor	rizontal Vertical	Grou	nd Floor Ele	vation:	
				-15	J.F		6704	,		
				•			•			

OPERATOR CERTIFICATIONS

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.

Chervlene Weston

Signatur

Date 9/24/2025

Cherylene Weston, Operations/Regulatory Tech-Sr.

cweston@hilcorp.com

Email Address

Printed Name

SURVEYOR CERTIFICATIONS

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Jason C. Edwards

Signature and Seal of Professional Surveyor


Certificate Number 15269

Date of Survey 10/31/2003

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp E	nergy Compan	У	OGRID:	OGRID: 372171		12 / 01 / 2025
II. Type: 🛛 Original 🛭	☐ Amendment	due to □ 19.15.2′	7.9.D(6)(a) NMAC	C □ 19.15.27.9.D((6)(b) NMAC □ (Other.
If Other, please describe	: :					
III. Well(s): Provide the be recompleted from a s					wells proposed to	be drilled or proposed to
Well Name	API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
Cox Canyon Unit 1C	3004532023	E-16-32N-11W	2095' FNL, 500' FW	L 0 bbl/d	97 mcf/d	1 bbl/d
V. Anticipated Schedu proposed to be recomple Well Name	le: Provide the	following inform			vell or set of wells Initial F	
Cox Canyon Unit 1C	3004532023					<u>2026</u>
VII. Operational Prac Subsection A through F	tices: Attac of 19.15.27.8	h a complete des NMAC.	cription of the act	ions Operator wil	l take to comply	at to optimize gas capture. with the requirements of tices to minimize venting

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering Start Date	Available Maximum Daily Capacity of System Segment Tie-in
				-

XI. Map. Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system 🗆 w	vill □ will not have	capacity to gather	100% of the anticipated	natural gas
production volume from the well p	prior to the date of first pro	oduction.			

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or	portion,	of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by th	e new we	ell(s).

$\overline{}$	A 1 .	O 1	, 1		1 4.	•	4 41 .	ased line pres	
	Attach (Inerator	'c nlan to	manage	nraduction	in rechange	to the incre	aced line nrec	CILTO

XIV. Confidentiality: \square Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the informat	ion provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the spec	ific information
for which confidentiality is asserted and the basis for such assertion.	

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal:

☑ Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or

☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking

Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or

into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system.

Venting and Flaring Plan. □ Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including:

(a) power generation on lease;

If Operator checks this box, Operator will select one of the following:

- **(b)** power generation for grid;
- (c) compression on lease;
- (d) liquids removal on lease;
- (e) reinjection for underground storage;
- **(f)** reinjection for temporary storage;
- (g) reinjection for enhanced oil recovery;
- (h) fuel cell production; and
- (i) other alternative beneficial uses approved by the division.

Section 4 - Notices

- 1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:
- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:	Cherylene Weston
Printed Name:	Cherylene Weston
Title:	Operations/Regulatory Tech-Sr.
E-mail Address:	cweston@hilcorp.com
Date:	12/01/2025
Phone:	713-289-2615
	OIL CONSERVATION DIVISION
	(Only applicable when submitted as a standalone form)
Approved By:	
Title:	
Approval Date:	
Conditions of A	pproval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
 - o All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 530717

ACKNOWLEDGMENTS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	530717
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

ACKNOWLEDGMENTS

I hereby certify that no additives containing PFAS chemicals will be added to the completion or recompletion of this well.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 530717

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	530717
	Action Type:
	[C-101] Drilling Non-Federal/Indian (APD)

CONDITIONS

Created By	Condition	Condition Date
ward.rikala	Notify the OCD 24 hours prior to casing & cement.	12/8/2025
ward.rikala	Any conducted log must be submitted to OCD via the log submittal portal	12/8/2025
ward.rikala	Must conduct an MIT after the CIBP is set.	12/8/2025
ward.rikala	Production from this well can not be commingled until a DHC order is approved.	12/8/2025