

Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-6116

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other		WELL API NO. 30-015-57451 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> 6. State Oil & Gas Lease No.
2. Name of Operator Marathon Oil Permian LLC		7. Lease Name or Unit Agreement Name Magellan WC Fee
3. Address of Operator 600 W ILLINOISE AVE, MIDLAND, TX 79701		8. Well Number 701H
4. Well Location Unit Letter M : 969 feet from the South line and 336 feet from the West line Section 29 Township 22S Range 27E NMPM Eddy County		9. OGRID Number 372098
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3167' GR		10. Pool name or Wildcat Purple Sage; Wolfcamp (gas)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input checked="" type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: Chg to 4-string casing <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
--	--	---	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Marathon Oil Permian LLC requests a change to our approved APD for this well to reflect a change in casing design to 4-string.

Change surface from: 12.25" hole, 9.625" 40# L80 BTC set @ 1850 ft.
 Change surface to: 17.5" hole, 13.375" 54.5# J55 BTC set @ 250 ft.

Add Intermediate 1: 12.25" hole, 9.625" 40# L80 BTC set at 1850 ft.

Change Intermediate from: 8.75" hole, 7.625" 29.7# P110 W513 set @ 8400 ft.
 Change to intermediate liner: 8.75" hole, 7.625" 29.7# P110 W513 set @ 1600 ft to 8400 ft.

Production unchanged: 6.75" hole, 5.5" 23# P110 BTC/W441 set @ 18850 ft.

Revised drill plan attached.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kayla Estrada TITLE Regulatory Coordinator DATE 11/19/2025

Type or print name Kayla Estrada E-mail address: kayla.l.estrada@conocophillips.com PHONE: 432-688-6837

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Magellan WC FEE 701H

Casing and Cement

<u>String</u>	<u>Hole Size</u>	<u>Csg OD</u>	<u>PPF</u>	<u>Depth</u>	<u>Sx Cement</u>	<u>TOC</u>
Surface	17.5"	13.375	54.5#	250'	350	0'
Intermediate 1	12.25"	9.625"	40#	1850'	550	0'
Intermediate liner	8.75"	7-5/8"	29.7#	1600' - 8,400'	1300	1600'
Production	6.75"	5.5"	23#	18,850'	950	6,500'

Well Plan

Drill 17-1/2" hole to ~250' w/ fresh water spud mud. Run 13 3/8" 54.5# J55 BTC casing to TD and cement to surface in one stage.

Drill 12-1/4" hole to ~1850' w/ brine mud. Run 9-5/8" 40# L80 BTC casing to TD and cement to surface in one stage.

Drill 8-3/4" hole to ~8,400' with cut brine WBM. Run 7-5/8" 29.7# P110 W513 casing to TD and cement to liner top in one stage.

Drill 6-3/4" vertical hole, curve & lateral to 18,850' with OBM. Run 5-1/2" 23# P110 BTC/W441 casing from 0' – TD and cement to 6,500' in one stage.

Well Control

<u>Type</u>	<u>Working Pressure</u>	<u>Test Pressure</u>	<u>Manufacture</u>
Double Ram	5000 psi	3000 psi	StreamFlo

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 527886

CONDITIONS

Operator: MARATHON OIL PERMIAN LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 372098
	Action Number: 527886
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
ward.rikala	Any previous COA's not addressed within the updated COA's still apply.	12/12/2025