

Well Name: MARCUS A	Well Location: T23N / R6W / SEC 5 / NWNE / 36.258209 / -107.491013	County or Parish/State: RIO ARRIBA / NM
Well Number: 12	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMSF078362	Unit or CA Name:	Unit or CA Number:
US Well Number: 300392419300S1	Operator: EPIC ENERGY LLC	

### Subsequent Report

Sundry ID: 2887731

Type of Submission: Subsequent Report

Type of Action: Other

Date Sundry Submitted: 12/18/2025

Time Sundry Submitted: 02:07

Date Operation Actually Began: 10/01/2025

Actual Procedure: Epic Energy removed packer that was set to isolate a potential frac hit.

### SR Attachments

#### Actual Procedure

Marcus\_A\_12\_Workover\_Report\_WBD\_20251218140730.pdf

Well Number: 12

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMSF078362

Unit or CA Name:

Unit or CA Number:

US Well Number: 300392419300S1

Operator: EPIC ENERGY LLC

**Operator**

*I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a*

Operator Electronic Signature: ARLEEN SMITH

Signed on: DEC 18, 2025 02:07 PM

Name: EPIC ENERGY LLC

Title: Regulatory Specialist

Street Address: 332 RD 3100

City: AZTEC

State: NM

Phone: (505) 327-4892

Email address: ARLEEN@WALSHENG.NET

**Field**

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

**BLM Point of Contact**

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 12/22/2025

Signature: Kenneth Rennick

**WALSH** ENGINEERING & PRODUCTION CORPORATION

## WORKOVER AND COMPLETION REPORT

Operator: Epic Energy, llc Well Name: Marcus A #12 API# 30-039-24193

Date: Wednesday, October 1, 2025 Report #: 1

Field: Counsel Glp-DK; Escrito Gallup Location: UL B .5 23N 6W County: Rio Arriba State: NM

**Contractor:** DWS #24      **Supervisor:** Ted Ramos

**Daily Summary:** *MIRU: TOH w/ Tbg and packer. Rih w/ prod tbq land and swabv well*

---

### Detailed Work Summary:

Road rig from Rincon #5Y, spot in Rig, raise derrick and secure. N/D tree. P/U on tbg install 4' pump jt, land tbg. n/u bop function test. r/u floor and equip. p/u on tbg Release packer. Poh w / 2-3/8 tbg and packer. L/D packer. M/U notched collar and seat nipple. Rih with 174 jts of 2-3/8 tbg. EOT at 5594'. R/U lubricator. rih w / 1.90 guage ring to bumper spring. poh. n/d bop, N/U tree. m/u swab cups. Rih tag Fluid at 3600' went to 5000', poh run 2- rih tag fluid at 3800' went to 5000'. poh. run 3- rih tag fluid at 4000' went to S/N at 5594'. poh. rig down lubricator. Note: prod tank level at 3' 3.5", finish with 3' 11.5" secure well. debrief crew. Crew travel home.

## Well Record

TD:	5771'KB	Ran in well			
PBTD:	5729'KB				
Casing Size:	4.5", 10.5 @ 5771'				
KB		Tubing	2-3/8"	Joints	174
		Wt	4.7	Thread	EUE 8rd
Perfs:	F/ 5426' - T/ 5698'				Length
Gallup:	5426-5438- 82 spf, .378" ehd.				Length
	5559-5565- 12 spf, .378" ehd				Length
	5568-5580- 24 spf, .378 ehd				Length
	5630-5640- 20 spf, .378 ehd				Length
	5685-5698- 26 spf, .378 ehd				1.40
				Top of tbg to KB	
				Bottom of Tubing/Production String Landed at:	
				13.40	
		Rods		Size	
		Rods		Size	
		Rods		Size	
		<b>Pony Subs</b>			
		<b>Pump</b>			
		<b>Pump Shop</b>			
		<b>Misc.</b>			

Well/Facility:	Marcus A #12	Well Status:	Producing
Operator:	Epic Energy	Orig Oper:	Jack A. Cole
Lease/Op Agmt:		KB:	14'
Field:	Counselors Gallup-DK	API #:	30-039-24193
County:	Rio Arriba	GR/KB:	
State:	NM	TD:	5,771'
Spud:	11/23/1987	PBTD:	5729'
Comp. Date:	12/15/1987	WI:	1.000000
1st Prod:		NRI:	0.750000

**Wellhead Conn:**

Surface Loc: 860' FNL. 2270' FEL

Sec-Twn-Rge: Sec 5, T23N-R6W

Pumper: Theo Hampton

Foreman:

### ANCHORS TESTED

Notes: multiple swab jobs, signs of trapped pressure in annulas?

Date Drawn: Feb 3, 2025 (CM)



Casing Record						
Surface						
OD	WT/FT	GRADE	Top	Bottom	Thread	Bit Size
8 5/8"	24	J-55		234'		12 1/4"
Production						
OD	WT/FT	GRADE	Top	Bottom	Thread	Bit Size
4 1/2"	10.5	K-55		5771'		7 7/8"

Cement		
String/Stage	Cement Type and Volume	TOC/Method
Surface	Lead: 190 sks Class B 3% CC	Surface- Circulated 10 bbls cement
	Tail:	
1st Stage Production	Lead: 340 sks 50/50 POZ	Circulated Cement by Stage Collar (4129.31')
	Tail:	
2nd Stage Production	Lead: 450 sks 65-35 POZ	Circulated 30 bbls Cement
	Tail: 50 SKS Class B CC	

Perforations (Depth, SPF, EHD)	
5426-5438- 82 spf, .378" ehd.	
5559-5565- 12 spf, .378" ehd	
5568-5580- 24 spf, .378 ehd	
5630-5640- 20 spf, .378 ehd	
5685-5698- 26 spf, .378 ehd	
Stimulation Detail	
5559-5698: 39,500 gal. gelled oil	
75,000 # 20/40 Sand	
5426-5438: 36,500 gal. gelled oil	
75,000 # 20/40 sand.	

PBTD 5729'  
TD 5771'

Production Tubing Detail					
	Length	WT		Top	Bottom
2-3/8" tubing	2.38	4.70			5649.11
SN		0.70			5646'
Float Collar					5729.23
Stage Collar					4129.31

Pumping Unit:		Gear Sheave:	
API Designation:		Stroke Length:	
Samson Post SN:		Gear Ratio:	
Gear Box SN:		SPM:	
Structural Unbalance:		Horse Power:	
Power:		Volts:	
Power SN:		Amps:	
Sheave Size:		Belts:	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 537530

**CONDITIONS**

Operator:  EPIC ENERGY, L.L.C. 332 Road 3100 Aztec, NM 87410	OGRID: 372834
	Action Number: 537530
	Action Type: [C-103] Sub. Workover (C-103R)

**CONDITIONS**

Created By	Condition	Condition Date
jagarcia	None	12/29/2025