

Submit 1 Copy To Appropriate District Office  
 District I – (575) 393-6161  
 1625 N. French Dr., Hobbs, NM 88240  
 District II – (575) 748-1283  
 811 S. First St., Artesia, NM 88210  
 District III – (505) 334-6178  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV – (505) 476-3460  
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources  
 OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505

WELL API NO. <b>30-015-42770</b>
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name <b>Cotton Draw Unit</b>
8. Well Number <b>#99</b>
9. OGRID Number <b>6137</b>
10. Pool name or Wildcat <b>Seismic Monitor; Bone Spring</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3508' GR</b>

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	
2. Name of Operator <b>Devon Energy Production Company, LP</b>	
3. Address of Operator <b>333 West Sheridan Ave. Oklahoma City, Ok 73102</b>	
4. Well Location Unit Letter <b>B</b> : <b>330</b> feet from the <b>N</b> line and <b>2310</b> feet from the <b>E</b> line Section <b>36</b> Township <b>24S</b> Range <b>31E</b> NMPM County <b>Eddy</b>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3508' GR</b>	

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK  PLUG AND ABANDON   
 TEMPORARILY ABANDON  CHANGE PLANS   
 PULL OR ALTER CASING  MULTIPLE COMPL   
 DOWNHOLE COMMINGLE   
 CLOSED-LOOP SYSTEM   
 OTHER:

## SUBSEQUENT REPORT OF:

REMEDIAL WORK  ALTERING CASING   
 COMMENCE DRILLING OPNS.  P AND A   
 CASING/CEMENT JOB

OTHER: 

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

**JMR Services, LLC plugged this well for Devon Energy from 11/17/2025 to 12/1/2025.**  
**Please see attached the subsequent report.**

Spud Date: Rig Release Date: 

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kelton Woodard TITLE Plugging Agent DATE 12/10/2025

Type or print name Kelton Woodard E-mail address: kwoodard@jmrservices.com PHONE: 432-618-1050  
For State Use Only

APPROVED BY: \_\_\_\_\_ TITLE: \_\_\_\_\_ DATE: \_\_\_\_\_

Conditions of Approval (if any):

**Subsequent P&A Report**  
**Devon Energy Production Company, LP**  
**Cotton Draw Unit #99**  
**30-015-42770**

**11/17/25** MIRU. Check Pressures on Well: Tubing 0 psi, Casing 0 psi, Surface 0 psi. RIH with 5.5 and tagged @ 7475'.

**11/18/25** RIH and Tagged @ 7475'. Circulate 155 bbls 10# water.

**11/20/25** Attempt to unset retrieve packer. Retrieve packer is stuck tried to retrieve packer free. RIH with CIBP @ 8188'.

**11/21/25** Circulated 170bbl 10# MLF. Number of sacks 40. Plug (# 1) Spot (25 sxs) class (H) cement From (8188') to (7984').

**11/24/25** Run the CBL. Tag cement plug @ 7790'. Tagged TOC @ 3890'.

**11/23/25** Plug (# 2) Spot (25 sxs) class (C) cement From (6053') to (5800'). RIH and tagged TOC @ 5789'. Plug (# 3) Spot (30 sxs) class (C) cement From (4493') to (4189'). RIH and tagged TOC @ 4186'. RIH and perf'd @ 2400'. Plug (# 4) Squeezed (40sxs) class (C) cement from (2400') to (2290').

**11/26/25** RIH and tagged TOC @ 2278'. RIH and perf'd @ 1043'. Plug (# 5) Squeezed (170sxs) class (C) cement from (1043') to (580').


**12/01/25** RIH and tagged TOC @ 577'. RIH and perf'd @ 100'. EIR 2.5 bbls/min @ 0 psi. Plug (# 6) Rigged up pump and circulated (40 sxs) class (C) cement from (100) to surface. RDMO.

**12/09/25** Cutoff wellhead. Install above ground P&A marker.

Author: Shyanne @ JMR  
 Well Name: Cotton Draw Unit  
 Field/Pool: Seismic Monitor; Bone Spring  
 County: Eddy  
 State: NM  
 Spud Date: 12/26/2014

Well No. #99  
 API #: 30-015-42770  
 Location: 330' FNL & 2310' FEL  
 GL: 3508'

Description	O.D.	Grade	Weight	Depth	Hole	Cmt Sx	
Surface	13 3/8	H-40	48#	810'	17 1/2	860	0'
Intermediate	9 5/8	J-55	40#	4310'	12 1/4	1,480	0'
Production	5 1/2	N-80	17#	9403'	8 3/4	515	6003'



Plug (# 6) Rigged up pump and circulated (40 sxs) class (C) cement from (100) to surface.  
 Perfd @ 100'

Plug (# 5) Squeezed (170sxs) class (C) cement from (1043') to (580').  
 Perfd @ 1043'.

Tagged TOC @ 2278'

Plug (# 4) Squeezed (40sxs) class (C) cement from (2400') to (2290').  
 Perfd @ 2400'.

Tagged TOC @ 3890'.

Tagged TOC @ 4186'.

Plug (# 3) Spot (30 sxs) class (C) cement From (4493') to (4189'

Tagged TOC @ 5789'.

Plug (# 2) Spot (25 sxs) class (C) cement From (6053') to (5800').

Tag cement plug @ 7790'.

Plug (# 1) Spot (25 sxs) class (H) cement From (8188') to (7984').  
 Set CIBP @ 8188'.

Formation Tops	
Rustler	643'
Top of Salt	993'
Lamar	4203'
Delaware Group	4443'
Bone Spring	8383'
1st BSPG Sand	9443'
2nd BSPG Lime	9723'
2n BSPG Sand	9963'
3rd BSPG Lime	10553'
Pilot Hole TD	10700'

9:48



5G

5Gw



Search



COTTON  
DRAW UNIT 99



## ● COTTON DRAW UNIT 99

DEVON ENERGY PRODUCTION

COMPANY, LP

EDDY COUNTY, NM

24S-31E-36-NWNE (B)

30-015-42770

32.180205,-103.730435



DIRECTIONS



SHARE



UNSAVE


















Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 533922

**CONDITIONS**

Operator:  DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 533922
	Action Type: [C-103] Sub. Plugging (C-103P)

**CONDITIONS**

Created By	Condition	Condition Date
gcordero	Clean Location in accordance with 19.15.25.10 NMAC.	12/19/2025
gcordero	Submit C-103Q within one year of plugging.	12/19/2025