

Well Name: FEDERAL I	Well Location: T29N / R14W / SEC 11 / NENW / 36.746075 / -108.282539	County or Parish/State: SAN JUAN / NM
Well Number: 8	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMSF078110	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453017800S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2888885

Type of Submission: Subsequent Report

Date Sundry Submitted: 12/30/2025

Date Operation Actually Began: 10/20/2025

Type of Action: Plug and Abandonment

Time Sundry Submitted: 03:43

Actual Procedure: Dugan Production plugged and abandoned the well from 10/20/2025 to 10/21/2025 per the attached procedure.

SR Attachments

Actual Procedure

[Federal_I_8_gps_marker_photos_20251230154211.pdf](#)

[Federal_I_8_BLM_OCD_plug_comms_20251230154158.pdf](#)

[Federal_I_8_SR_PA_formation_tops_20251230154030.pdf](#)

[Federal_I_8_SR_PA_completed_wellbore_schematic_20251230154025.pdf](#)

[Federal_I_8_SR_PA_completed_work_20251230154019.pdf](#)

Well Name: FEDERAL I

Well Location: T29N / R14W / SEC 11 /
NENW / 36.746075 / -108.282539County or Parish/State: SAN
JUAN / NM

Well Number: 8

Type of Well: CONVENTIONAL GAS
WELL

Allottee or Tribe Name:

Lease Number: NMSF078110

Unit or CA Name:

Unit or CA Number:

US Well Number: 300453017800S1

Operator: DUGAN PRODUCTION
CORPORATION**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: DEC 30, 2025 03:43 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 12/30/2025


Signature: Kenneth Rennick

Dugan Production plugged and abandoned the Federal I 8 from **10/20/2025 to 10/21/2025** per the following procedure:

- MI & RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 40 psi, Casing 0 psi, BH 0 psi.
- Pull and LD rods, and production tubing.
- PU & Tally 2-3/8" work string. Run 4½" string mill to scrape casing to 1067'.
- RIH & set 4½" cement retainer to 1017'. Fruitland Sand-PC perforations @ 1067'-1074'.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Load and circulate hole clean with 15 bbls of water.
- Establish injection rate: 1.5 bbls/min at 200 psi.
- **Pressure test casing to 650 psi for 30 minutes, Good test.**
- Run CBL from 1017' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- **Plug I, Pictured Cliffs-Fruitland-Kirtland-Surface:** Sting in the cement retainer. Squeeze 20 sks, 23 cu ft Class G neat cement to cover the Pictured Cliffs below the retainer till top perforation at 1067'. Displaced with 3.9 bbls of water. Sting out. Spot inside 4½" casing above cement retainer @ 1017' w/97 sks (111.55 cu ft) Class G neat cement to cover the Pictured Cliffs, Fruitland, Kirtland tops & surface casing shoe to surface (5 gal/sk, 15.8#/gal, 1.15 cu ft/sk). No displacement. WOC 4 hrs. RU welder. Cut wellhead off. Tagged TOC at 0' inside & 18' annulus. Good tag. **Plug I, Inside 4½" casing, cement retainer at 1017', 117 sks, 134.55 cu ft, Pictured Cliffs-Fruitland-Kirtland-Surface Casing shoe, 0'-1067'.**
- Fill cellar and install DHM with 31 sks, 35.65 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Monty Gomez with BLM witnessed the job.
- Photos of P & A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 10/21/2025.**

Completed P & A Wellbore Schematic

Federal I # 8
30-045-30178
Fruitland Sands-Pictured Cliffs
790' FNL & 1530' FWL
C-S11-T29N-R14W
San Juan County, NM



7" 20# J-55 casing @ 120' Hole size 9-7/8"
Cemented w/ 59 Cu.ft Class B. Circ 3 bbls cement to surface

4 1/2" 10.5# J-55 casing @ 1178', Hole size 6-1/4"
Cemented w/ 124 Cu.ft Lodense, tailed w/ 71 Cu.ft Class B
(Total 195 Cu.ft). Circ 10 bbls cement

**Set 4 1/2" CR @ 1017'. Squeeze 20 sks, 23 Cu.ft cement to
cover the Pictured cliffs top below the retainer till top perf.**

**Plug I, Inside 4 1/2" casing, Cement Retainer at 1017', 117 sks,
134.55 Cu.ft, Pictured Cliffs-Fruitland-Kirtland-Surface
Casing shoe, 0'-1067'.**

**Fruitland Sands-PC Perforated @ 1067' – 1074'
PBTD at 1190', TD at 1142'**

Federal I # 8
30-045-30178
Fruitland Sands-Pictured Cliffs
790' FNL & 1530' FWL
C-S11-T29N-R14W
San Juan County, NM

Formation Tops (Referenced for the P & A)

- **Kirtland - Surface**
- **Surface Casing - 120'**
- **Fruitland - 738'**
- **Perforations - 1067'-1074'**
- **Pictured Cliffs - 1067'**

Tyra Feil

From: Omar Ramirez <oramirez@aztecwell.com>
Sent: Tuesday, October 21, 2025 11:44 AM
To: Dieder, Loren, EMNRD; Vermersch, Thomas, EMNRD; Durham, John, EMNRD; Smith, Clarence, EMNRD; Aliph Reena; vlucero@blm.gov; Gomez, Monty J
Cc: Tyra Feil; Indalecio Roldan; Alex Robles
Subject: Dugan Federal I #8 CBL
Attachments: dugan_federal_I_8_cbl.pdf; Federal I #8 BLM-OCD apvd NOI P&A.pdf

Please see CBL attached for the Federal I #8

It appears from looking at the CBL TOC is at around 40'... We request to follow original procedure and fill up with 1" poly line after cutoff?

Omar Ramirez
Rig Manager – San Juan Basin
Aztec Well Servicing Co.
P.O. Box 100
Aztec, New Mexico 87410
Cell: 505-486-1828
505-402-6753
Office: 505-334-6191
Oramirez@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution?









Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 539562

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 539562
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/7/2026