

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-021-20533
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name BRAVO DOME CO2 GAS UNIT
8. Well Number #301
9. OGRID Number 16696
10. Pool name or Wildcat BRAVO DOME CO2 GAS 640(96010)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/>	
2. Name of Operator OXY USA INC.	
3. Address of Operator 5 GREENWAY PLAZA, SUITE 110, HOUSTON TX	
4. Well Location Unit Letter E : 1688 feet from the NORTH line and 940 feet from the WEST line Section 30 Township 21N Range 30E NMPM County HARDING	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 5339' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> DOWNHOLE COMMINGLE <input type="checkbox"/> CLOSED-LOOP SYSTEM <input type="checkbox"/> OTHER: <input type="checkbox"/>		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input checked="" type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> OTHER: <input type="checkbox"/>	
--	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

This well is plugged. Job start: 2/5/2025. Job complete: 2/11/2025. It was cut and capped on 2/23/2025. See the attached plugging job summary details and plugged wellbore diagram for reference.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Leslie T. Reeves TITLE REGULATORY MANAGER DATE 01/07/2026

Type or print name LESLIE REEVES E-mail address: LESLIE_REEVES@OXY.COM PHONE: 713-497-2492
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
Conditions of Approval (if any): _____

BRAVO DOME CARBON DIOXIDE GAS UNIT #301

30-021-20533 PA SR JOB SUMMARY

02/05/25 MIRU. NDWH.

02/06-07/25 KILL WELL. UNSEAT PKR AND POOH WITH PKR/TUBING.

02/08/25 RIH AND ATTEMPTED TO SET CIBP @ 2600'. NO SUCCESS. POOH AND CIBP SET EARLY AT 1160'. NOTIFIED NMOCD AND CONFIRMED PATH FORWARD.

02/09/25 RIH AND TAGGED CIBP. DRILLED OUT CIBP. RIH TO TOP OF PACKER @ 2620', C/O. RIH AND SET CIBP @ 2600'.

02/10/25 RIH AND TAGGED, PUMPED 30SX CL C CMT ON TOP OF CIBP. WOC. RIH AND TAGGED TOC @ 2425'. RAN CBL F/ 2419' TO SURFACE. RIH, EOT @ 2221', PUMPED 70SX CL C CMT. WOC. Est TOC ~1803'. PULLED UP EOT @ 1191', PUMPED 30SX CL C CMT. WOC. PERF'D @ 150', EST INJ RATE.

02/11/25 RIH AND TAGGED TOC @ 998'. PULLED UP, EOT @ 161', PUMPED 40SX TO SURFACE. WOC. VERIFIED CEMENT TO SURFACE, RDMO.

CUT & CAPPED ON 2/23/2025.

API#: 30-021-20533
 Lease Name: Bravo Dome CO2 Gas unit
 Well No: 301R
 County: Harding
 Location: Sec. 30, Township: 21N, Range: 30E, Unit E
 Section Lines: 1688' FNL and 940' FWL
 RKB Elevation: 5389.2'
 DF Elevation: 5389.2'
 Ground Elevation: 5339.2'
 Date Drilled: 3/20/2012



PLUGGED WELLBORE

Perf'd @ 150'. EOT @ 161'. Pumped 40sx CI C to surface. WOC. Verified cement to surface. RD. Cut and Capped 2/23/2025.


EOT @ 1191'. Pumped 30sx CI C. WOC. Tagged TOC @ 998.

EOT @ 2221'. Pumped 70sx CI C. WOC. Est TOC ~1803'.

Set CIBP @ 2600'. Tagged. Pumped 30sx CI C on top. WOC. Tagged TOC @ 2425'. Ran CBL.

Perforations (ft)

Top Perf @ 2646'
 Bot Perf @ 2686'



Surface Casing

13 3/8 " 54.5# - - @ 1146'
 17 1/2 " Hole TOC @ Surface
 cmt'd w/ 1,085 sks

Intermediate Casing

9 5/8 " 40# - - @ 2651'
 12 1/4 " Hole TOC @ Surface
 cmt'd w/ 820 sks

Production Casing

7 " 23# - - @ 2800'
 8 3/4 " Hole TOC @ Surface
 cmt'd w/ 620 sks

Packer @ 2620'

TD @ - MD
 TD @ 2800' TVD
 PBTD @ 2754' MD

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 532543

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 532543
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/8/2026