

Well Name: OJO-HE-HE	Well Location: T27N / R13W / SEC 31 / SENE / 36.533859 / -108.254166	County or Parish/State: SAN JUAN / NM
Well Number: 1	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM0553184	Unit or CA Name:	Unit or CA Number:
US Well Number: 300452183300S1	Operator: DUGAN PRODUCTION CORPORATION	

## Subsequent Report

Sundry ID: 2889049

Type of Submission: Subsequent Report

Date Sundry Submitted: 01/02/2026

Date Operation Actually Began: 12/17/2025

Type of Action: Plug and Abandonment

Time Sundry Submitted: 03:39

**Actual Procedure:** Dugan Production plugged and abandoned the well from 12/17/2025 - 12/19/2025 per the attached procedure.

## SR Attachments

### Actual Procedure

Ojo\_He\_He\_1\_gps\_below\_ground\_marker\_photos\_20260102153627.pdf

Ojo\_He\_He\_1\_BLM\_OCD\_plug\_comms\_20260102153607.pdf

Ojo\_He\_He\_1\_SR\_PA\_formation\_tops\_20260102152412.pdf

Ojo\_He\_He\_1\_SR\_PA\_completed\_wellbore\_schematic\_20260102152407.pdf

Ojo\_He\_He\_1\_SR\_PA\_completed\_work\_20260102152359.pdf

Well Name: OJO-HE-HE

Well Location: T27N / R13W / SEC 31 /  
SENE / 36.533859 / -108.254166County or Parish/State: SAN  
JUAN / NM

Well Number: 1

Type of Well: CONVENTIONAL GAS  
WELL

Allottee or Tribe Name:

Lease Number: NMNM0553184

Unit or CA Name:

Unit or CA Number:

US Well Number: 300452183300S1

Operator: DUGAN PRODUCTION  
CORPORATION**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: JAN 02, 2026 03:39 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

**Field**

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

**BLM Point of Contact**

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 01/12/2026


Signature: Kenneth Rennick

Dugan Production plugged and abandoned the **Ojo He He #1** from **12-17-2025 to 12-19-2025** per the following procedure:

- MI&RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 68 psi, Casing 68 psi, BH N/A psi.
- Pull and LD production tubing.
- PU & tally work string run 2-7/8" string mill to scrape csg to 1232'.
- MI&RU WL. RIH w/wireline, set 2-7/8" cement retainer at 1222'. **Pictured Cliffs perforations @ 1258'-1318'.**
- Sting in retainer, establish injection rate, pumped 20 sks, 23 cu ft. class G cement to cover the Pictured Cliffs top til the last perforation at 1258'. Sting out. TOH.
- RU WL. RIH and set 2-7/8" CIBP at 1215'.
- Load and circulate hole clean with 10 bbls of water.
- Attempt to pressure test casing to 650 psi, test failed, had a leak of 1bbl/min @ 200 psi.
- Run CBL from 1215' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- **Plug I, Pictured Cliffs-Fruitland-Kirtland-Surface Casing-Surface:** Spot Plug I inside/outside 2-7/8" casing above CIBP @ 1215' to surface w/160 sks (184 cu ft - 36 sx, 41.4 cu ft inside, 124 sx, 142.6 cu ft outside) Class G neat cement to cover the Pictured Cliffs, Fruitland- Kirtland tops, surface casing shoe & surface casing. No displacement. WOC overnight. MI&RU welder, cut wellhead off, tagged TOC at 12' inside (no surface csg). **Plug I, spot inside 2-7/8" casing, cement retainer at 1222', CIBP at 1215', 160 sks, 184 cu ft, Pictured Cliffs-Fruitland-Kirtland-Surface Casing shoe to Surface, 0'-1258'.**
- Fill cellar and install dry hole marker (below grade plate) w/18 sks, 20.7 cu. ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Ashley Schneider with BLM witnessed the job.
- Photos of P & A marker and GPS coordinates attached per NMOCD COA.
- **Well P & A'ed on 12/19/2025.**

## **Completed P & A Wellbore Schematic**

Ojo He He #1  
30-045-21833  
Waw Fruitland Sand Pictured Cliffs  
1850' FNL & 1000' FEL  
H-S31-T27N-R13W  
San Juan County, NM



**5-1/2" 14#, 8r casing @ 32': Hole size - 7-7/8"**  
Cemented with 5 sks.

**Set 2-7/8" CR @ 1222'. Squeeze 20 sks, 23 Cu.ft cement to cover the Pictured Cliffs top below the retainer.**

Set CIBP at 1215'

**Plug I, Spot Inside/outside 2-7/8" casing, cement retainer at 1222', CIBP at 1215', 160 sks, 184 cu ft, Pictured Cliffs-Fruitland- Kirtland-Surface Casing shoe to Surface, 0'-1258'.**

**2-7/8" 6.4#, J-55 casing @ 1368'. Hole size: 4-3/4"**  
Cement w/ 50 sx 4% gel w/1/4# gel flake/sk. Had good circulation while cementing.

Pictured Cliffs Perforated @ 1258' – 1318'

PBTD @ 1368', TD 1375'

**Ojo He He #1**

30-045-21833

Waw Fruitland Sand Pictured Cliffs

1850' FNL & 1000' FEL

H-S31-T27N-R13W

San Juan County, NM

**Formation Tops (Referenced for the P & A)**

- **Kirtland - 88'**
- **Fruitland - 957'**
- **Perforations - 1258'-1318'**
- **Pictured Cliffs - 1319'**

## Tyra Feil

---

**From:** Omar Ramirez <oramirez@aztecwell.com>  
**Sent:** Thursday, December 18, 2025 1:33 PM  
**To:** anschneider@blm.gov; dhallib@blm.gov; Aliph Reena; Andrew Fordyce; Clarence Smith; Garcia, John, EMNRD; john durham; krennick@blm.gov; Loren Diede; Thomas Vermersch; vlucero@blm.gov  
**Cc:** Alex Robles; Indalecio Roldan; Tyra Feil  
**Subject:** CBL and Revised proposal - Dugan Production - Ojo He-He #1  
**Attachments:** DUGAN OJO-HE-HE #1 CBL.pdf; Ojo He He #1 BLM-OCD apvd NOI P&A.pdf

**Follow Up Flag:** Follow up  
**Flag Status:** Completed

### **Dugan Production Corp. OJO HE-HE #1 API #30-045-21833**

From the CBL... TOC appears to be at aproxx. 20': There is a hole in the casing that is taking fluid as we pump & after digging the ground we discovered that there is not a BH casing for at least 12'.

- We request to pump cement from top of CIBP to Surface casing valves & Squeeze an extra 50sx through the hole... WOC then confirm tag before Cut-off.

Omar Ramirez  
Rig Manager – San Juan Basin  
Aztec Well Servicing Co.  
P.O. Box 100  
Aztec, New Mexico 87410  
Cell: 505-486-1828  
505-402-6753  
Office: 505-334-6191  
[Oramirez@aztecwell.com](mailto:Oramirez@aztecwell.com)



CAUTION: This email originated from outside your organization. Exercise caution.





Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 542131

**CONDITIONS**

Operator:  DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID:  6515
	Action Number:  542131
	Action Type: [C-103] Sub. Plugging (C-103P)

**CONDITIONS**

Created By	Condition	Condition Date
loren.diede	None	1/13/2026