

Well Name: SANCHEZ OBRIEN	Well Location: T24N / R9W / SEC 6 / SESE / 36.337992 / -107.824115	County or Parish/State: SAN JUAN / NM
Well Number: 91S	Type of Well: OTHER	Allottee or Tribe Name:
Lease Number: NMNM97108	Unit or CA Name:	Unit or CA Number:
US Well Number: 300453176600S1	Operator: DUGAN PRODUCTION CORPORATION	

Subsequent Report

Sundry ID: 2889020

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 01/02/2026	Time Sundry Submitted: 11:30
Date Operation Actually Began: 11/25/2025	

Actual Procedure: Dugan Production plugged and abandoned the well from 11/25/2025 - 11/26/2025 per the attached procedure.

SR Attachments

Actual Procedure

- Sanchez_OBrien_91S_gps_marker_photos_20260102112830.pdf
- Sanchez_OBrien_91S_BLM_apvd_plug_changes_20260102112815.pdf
- Sanchez_OBrien_91S_SR_PA_formation_tops_20260102112755.pdf
- Sanchez_OBrien_91S_SR_PA_completed_wellbore_schematic_20260102112750.pdf
- Sanchez_OBrien_91S_SR_PA_completed_work_20260102112743.pdf

Well Number: 91S

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMNM97108

Unit or CA Name:

Unit or CA Number:

US Well Number: 300453176600S1

Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: JAN 02, 2026 11:29 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON

State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington

State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 01/12/2026

Signature: Kenneth Rennick

Dugan Production plugged and abandoned the Sanchez O'Brien #91S from **11-25-2025 to 11-26-2025** per the following procedure:

- MI&RU Aztec Well Service Rig 450. Spot in and RU cement equipment.
- Check pressures: Tubing 0 psi, Casing 5 psi, BH 0 psi.
- Pull and LD production rods and tubing.
- PU & tally 2-3/8" work string. Run 5½" string mill to scrape casing to 1743'.
- RIH & set 5½" cement retainer at 1712'. Fruitland coal perforations @ 1762' – 1772'.
- Load and circulate hole clean with 47 bbls of water.
- **Pressure test casing to 650 psi for 30 minutes. Good test.**
- Run CBL from 1712' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- Sting in retainer to establish injection rate: 1.5bbls/min @ 50 psi.
- **Plug I, Pictured Cliffs-Fruitland:** Sting in the cement retainer. Squeeze 20 sks, 23 cu ft Class G neat cement to cover the Pictured Cliffs below the retainer until the top perforation at 1762'. Sting out. Spot Plug I inside 5½" casing above cement retainer @ 1712' w/50 sks (57.5 cu ft) Class G neat cement to cover the Pictured Cliffs & Fruitland tops. Total 70 sks, 80.5 cu ft. Displaced with 4.9 bbls of water. WOC overnight. Tagged TOC at 1300'. Good tag. **Plug I, Inside 5½" casing, cement retainer at 1712', 70 sks, 80.5 cu ft, Pictured Cliffs-Fruitland, 1300'-1762'.**
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- **Plug II, Kirtland-Ojo Alamo-Surface casing shoe-Surface:** Spot Plug II inside 5½" casing from 813' to surface w/110 sks, 126.5 cu ft Class G cement with 1% CaCl₂ to cover from 813' to surface. No displacement. WOC 4 hrs. MI&RU welder, cut wellhead off, tagged TOC at 0' inside, 25' annulus. **Plug II, Inside 5½" casing, 110 sks, 126.5 cu ft, Kirtland-Ojo Alamo-surface casing shoe to surface, 0-813'.**
- Fill cellar and install dry hole marker with 28 sks, 32.2 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 450. Clean location, move.
- Crystal Martinez with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 11/26/2025.**

Completed P & A Wellbore Schematic

Sanchez-O'Brien # 91S


30-045-31766

Basin Fruitland Coal

790' FSL & 790' FEL

P-6-T24N-R9W

San Juan County, NM



8-5/8" 23#, J-55 casing @ 128': Hole size -12 1/4"
Cemented with 85 sks, Class B cement. Circ 4 bbls cement

Plug II, Inside 5 1/2" casing, 110 sks, 126.5 Cu. ft, Kirtland-Ojo Alamo-Surface Casing shoe to surface, 0-813'.

Set 5 1/2" CR @ 1712'. Squeeze 20 sks, 23 Cu.ft cement to cover the Pictured cliffs top below the retainer.

Plug I, Inside 5 1/2" casing, Cement Retainer at 1712', 70 sks, 80.5 Cu. ft, Pictured Cliffs-Fruitland, 1300'-1762'.

5 1/2" 15.5# casing @ 1855'. Hole size: 7"
Cement w/ 140 sks Lodense and 50 sks cement. 454 Cu.ft.
Circ 20 bbls cement

Fruitland Coal Perforated @ 1762' – 1772' w/4 spf

PBTD @ 1900', TD 1824'

Sanchez-O'Brien # 91S

30-045-31766

Basin Fruitland Coal

790' FSL & 790' FEL

P-6-T24N-R9W

San Juan County, NM

Formation Tops (Referenced for the P &A)

- Surface Casing - 128'
- Ojo Alamo - 640'
- Kirtland - 737'
- Fruitland - 1462'
- Perforations - 1762'-1772'
- Pictured Cliffs - 1775'

Tyra Feil

From: Rennick, Kenneth G <krennick@blm.gov>
Sent: Tuesday, November 25, 2025 3:29 PM
To: Alex Robles; Aliph Reena; Smith, Clarence, EMNRD; Garcia, John, EMNRD; Durham, John, EMNRD; Lucero, Virgil S; Vermersch, Thomas, EMNRD; Smith, Clarence, EMNRD; Heslop, Jason, EMNRD
Cc: Indalecio Roldan; Tyra Feil; Omar Ramirez
Subject: Re: [EXTERNAL] Dugan Sanchez O'brien #91S

BLM finds the proposal appropriate.

Check the header information on the CBL. Appears that the API is incorrect.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management
Farmington Field Office
6251 College Blvd
Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Alex Robles <arobles@aztecwell.com>
Sent: Tuesday, November 25, 2025 3:21 PM
To: Aliph Reena <aliph.reena@duganproduction.com>; Smith, Clarence, EMNRD <clarence.smith@emnrd.nm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; Durham, John, EMNRD <john.durham@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Vermersch, Thomas, EMNRD <thomas.vermersch@emnrd.nm.gov>; Smith, Clarence, EMNRD <clarence.smith@emnrd.nm.gov>; Heslop, Jason, EMNRD <jason.heslop@emnrd.nm.gov>
Cc: Indalecio Roldan <indalecio.roldan@duganproduction.com>; Tyra Feil <tyra.feil@duganproduction.com>; Omar Ramirez <oramirez@aztecwell.com>
Subject: [EXTERNAL] Dugan Sanchez O'brien #91S

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Dugan Prod.
Sanchez O'brien #91s
API# 300-45-31766
CBL and Original NOI attached.

Looking at the CBL, TOC appears to be around 50' from the surface.
No changes are request... will cut off and top off from surface using 1" poly.

Alex Prieto
Rig Manager – San Juan Basin
Aztec Well Servicing Co.
P.O. Box 100
Aztec, New Mexico 87410
Cell: 505-486-0042
Office: 505-334-6191
Arobles@aztecwell.com




CAUTION: This email originated from outside your organization. Exercise caution.











Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 542201

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 542201
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	1/13/2026