

Submit a Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-005-60906
5. Indicate Type of Lease STATE [X] FEE []
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name KUCHEMANN
8. Well Number #005
9. OGRID Number 269864
10. Pool name or Wildcat TWIN LAKE; SAN ANDRES (ASSOC)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [X] Gas Well [] Other []
2. Name of Operator CANYON E & P COMPANY
3. Address of Operator 251 O'Connor Ridge Blvd.Suite 265, Irving, TX 75038
4. Well Location
Unit Letter G: 2310 feet from the N line and 2310 feet from the E line
Section 30 Township 08S Range 29E NMPM Chaves
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [] PLUG AND ABANDON []
TEMPORARILY ABANDON [] CHANGE PLANS []
PULL OR ALTER CASING [] MULTIPLE COMPL []
DOWNHOLE COMMINGLE []
CLOSED-LOOP SYSTEM []
OTHER: []
SUBSEQUENT REPORT OF:
REMEDIAL WORK [] ALTERING CASING []
COMMENCE DRILLING OPNS. [] P AND A [X]
CASING/CEMENT JOB []
OTHER: []

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

NMOCD X Drake has plugged this well in accordance with the attached documents and uploaded reports.

Move on location: 2-3-26
Move off location: 2-13-26

Spud Date: []

Rig Release Date: []

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE: Ethan Wakefield

TITLE: Authorized Representative

DATE 2/16/26

Type or print name: Ethan Wakefield

E-mail address: e.wakefield@dwsrigs.com

PHONE: 405-343-7736

For State Use Only

APPROVED BY: TITLE DATE

Conditions of Approval (if any):



Completed Wellbore Diagram

CANYON E&P COMPANY
Kuchemann #005
API: 30-005-60906
Chaves County, New Mexico

Plug 4
SQ Inside/Outside - Perf @ 1058'
Pumped in 2 Stages
1124' to 721'
403 foot plug
46 sacks Type III Cement

Plug 3
SQ Inside/Outside - Perf @ 1670'
Pumped in 2 Stages
1727' to 1366'
361 foot plug
43 sacks Type III Cement

Plug 2
SQ Inside/Outside - Perf @ 2050'
Pumped in 2 Stages
2100' to 1874'
226 foot plug
31 sacks Type III Cement


Plug 1
Balanced Inside
2616' to 2508'
100 foot plug
10 sacks Type III Cement

Surface Casing
8-5/8" 20# @ 127'
OH: 11"
Cemented w/ 4 yards

Formation
Rustler - 556'
Yates - 914'
7 Rvr - 1008'
Queen - 1550'
Grayburg - 1620'
San Andres - 2040'

Production Casing
5-1/2" 14# @ 2830'
OH: 7-7/8"
0.1370 cu-ft/ft
Cemented w/ 125 sx
TOC: Unknown

Perforations
2665' to 2716'



Plug 6
SQ Inside/Outside - Perf @ 177'
248' to Surface
110 Sacks of Type III Cement
Additional 13 Sacks for Top Off

Plug 5
SQ Inside/Outside - Perf @ 606'
Pumped in 2 Stages
655' to 373'
282 foot plug
35 sacks Type III Cement

TOC: 2052'

Type III: 1.37 cu-ft/sx 14.6 ppg

Plug #	Plug Type	Perfs	CR/CIBP Depth	Outside SQ Sxs	Inside Sxs	Class/Type	Bottom	Top	Tag Depth
1	Balanced Inside				10	III	2616	2516	2508
2	SQ Inside/Outside	2050			21	III	2100	1890	1982
2	Top off				10	III	1982	1882	1874
3	SQ Inside/Outside	1670			33	III	1727	1400	1476
3	Top off				10	III	1476	1376	1366
4	SQ Inside/Outside	1058			36	III	1124	764	847
4	Top off				10	III	847	747	721
5	SQ Inside/Outside	606			25	III	655	406	504
5	Top off				10	III	504	404	373
6	SQ Inside/Outside	177		85	25	III	248	Surface	6
	Top off				13	III	6	Surface	



Figure 1: Cut Off




Figure 2: GPS



Figure 3: Marker I



Figure 4: Marker II



Figure 5: Marker III

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 554405

DEFINITIONS

Operator: J.A. Drake Well Service Inc. (OPG Vendor) 607 W. Pinon St Farmington, NM 87401	OGRID: 333581
	Action Number: 554405
	Action Type: [UF-OMA] Sub. Plugging (UF-OMA-C-103P)

DEFINITIONS

The OCD Mitigation Activity (OMA) forms are a subset of the OCD's forms exclusively designed for activities related to State of New Mexico's contracted evaluation, plugging, decommissioning, remediation, salvage and reclamation activities. Specifically, these forms are typically used where the OCD has acquired a hearing order allowing the OCD to perform mitigation activities on wells and associated facilities that no longer have an authorized or viable operator to perform the necessary work. These forms are not to be utilized for any other purpose.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 554405

QUESTIONS

Operator: J.A. Drake Well Service Inc. (OPG Vendor) 607 W. Pinon St Farmington, NM 87401	OGRID: 333581
	Action Number: 554405
	Action Type: [UF-OMA] Sub. Plugging (UF-OMA-C-103P)

QUESTIONS

Prerequisites	
[OGRID] Well Operator	[269864] CANYON E & P COMPANY
[API] Well Name and Number	[30-005-60906] KUCHEMANN #005
Well Status	Plugged (not released)

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 554405

CONDITIONS

Operator: J.A. Drake Well Service Inc. (OPG Vendor) 607 W. Pinon St Farmington, NM 87401	OGRID: 333581
	Action Number: 554405
	Action Type: [UF-OMA] Sub. Plugging (UF-OMA-C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	2/24/2026