

Santa Fe Main Office
Phone: (505) 476-3441
General Information
Phone: (505) 629-6116

State of New Mexico
Energy, Minerals and Natural Resources

Online Phone Directory Visit:
<https://www.emnrd.nm.gov/ocd/contact-us/>

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-24328
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other INJECTION		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator MORNINGSTAR OPERATING LLC		6. State Oil & Gas Lease No.
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102		7. Lease Name or Unit Agreement Name VACUUM GRAYBURG SAN ANDRES UNIT
4. Well Location Unit Letter <u>J</u> : <u>1400</u> feet from the <u>S</u> line and <u>2450</u> feet from the <u>E</u> line Section <u>02</u> Township <u>18S</u> Range <u>34E</u> NMPM County <u>LEA</u>		8. Well Number 015
		9. OGRID Number 330132
		10. Pool name or Wildcat VACUUM; GRAYBURG-SAN ANDRES
		11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4009' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

In response to Violation cBZL2536359349, MorningStar Operating requests approval for the following procedure:

- MIRU.
- Pull tubing and packer. Inspect tubing and replace any bad tubing joints. Inspect packer and redress or replace packer as necessary.
- Rerun injection packer and tubing. Set packer at previous depth of 4170'. (Note: Order R-4442-G requires packer set depth to be within Unitized Formation. 4170' is top of Unitized Formation)
- Notify NMOCD to schedule MIT and chart.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Connie Blaylock TITLE REGULATORY ANALYST DATE 02/04/2026

Type or print name CONNIE BLAYLOCK E-mail address: cblaylock@txopartners.com PHONE: 817-334-7882

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____ Conditions _____
of Approval (if any):

VGSAU #15 Wellbore Diagram

Lease:	Vacuum Grayburg San Andres Unit	
Field:	Vacuum Grayburg San Andres Unit	
Surf. Loc.:	1400' FSL, 2450' FWL	
Bot. Loc.:		
County:	Lea	St.: NM
Status:	Active Injection Well	

Well #:	15	St. Lse:	B-1189-1
API	30-025-24328		
Unit Ltr.:	J	Section:	2
TSHP/Rng:	S-18 E-34		
Directions:	Buckeye, NM		

Surface Casing

Size:	8-5/8"
Wt., Grd.:	20#
Depth:	356'
Sxs Cmt:	350
Circulate:	Yes
TOC:	Surface
Hole Size:	12 1/4"


Production Casing

Size:	4-1/2"
Wt., Grd.:	9.5#, K-55
Depth:	4,800'
Sxs Cmt:	650
Circulate:	No
TOC:	2390' CBL
Hole Size:	7 7/8"

KB:	4,018
DF:	4,017
GL:	4,009
Ini. Spud:	12/30/1972
Ini. Comp.:	1/14/1973

Tubing (8/8/2014):

128 jts 2-3/8" J55 TK15 IPC
 On/off toll w/ 1.43" F profile
 4-1/2" AS1X NP packer
 EOT @ 4170'



Packer @ 4170'

2007 - Drill metal, cmt, scale 4366'-4560'

Perfs

4395, 4531', 44', 57', 67', 74', 80', 88',
 4601', 06', 27', 36', 40', 48',
 4660', 70', 78, 82', 92', 97',
 4713', 38, 51'

PBTD: 4753'
TD: 4800'

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 550187

CONDITIONS

Operator: MorningStar Operating LLC 400 W 7th St Fort Worth, TX 76102	OGRID: 330132
	Action Number: 550187
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
pgoetze	Operator shall install the same tubing size as currently in the well (2 3/8-inch tubing).	2/26/2026