

U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

**Well Name:** ABSOLUT

**Well Location:** T23N / R6W / SEC 23 /  
NENW / 36.216072 / -107.440578

**County or Parish/State:**  
SANDOVAL / NM

**Well Number:** 1

**Type of Well:** OIL WELL

**Allottee or Tribe Name:**

**Lease Number:** NMNM17009

**Unit or CA Name:**

**Unit or CA Number:**

**US Well Number:** 300432086400S1

**Operator:** DUGAN PRODUCTION  
CORPORATION

### Subsequent Report

**Sundry ID:** 2902084

**Type of Submission:** Subsequent Report

**Type of Action:** Plug and Abandonment

**Date Sundry Submitted:** 03/25/2026

**Time Sundry Submitted:** 02:03

**Date Operation Actually Began:** 03/03/2026

**Actual Procedure:** Dugan Production plugged and abandoned the Absolut #1 from 03/03/2026 to 03/09/2026 per the attached procedure.

### SR Attachments

#### Actual Procedure

Absolut\_1\_marker\_gps\_photos\_2\_20260325140158.pdf

Absolut\_1\_marker\_gps\_20260323151257.pdf

Absolut\_1\_BLM\_OCD\_plug\_comms\_20260323151234.pdf

Absolut\_1\_SR\_PA\_formation\_tops\_20260323151212.pdf

Absolut\_1\_SR\_PA\_completed\_wellbore\_schematic\_20260323151153.pdf

Absolut\_1\_SR\_PA\_completed\_work\_20260323151146.pdf

Well Name: ABSOLUT

Well Location: T23N / R6W / SEC 23 / NENW / 36.216072 / -107.440578

County or Parish/State: SANDOVAL / NM

Well Number: 1

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM17009

Unit or CA Name:

Unit or CA Number:

US Well Number: 300432086400S1

Operator: DUGAN PRODUCTION CORPORATION

**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: MAR 25, 2026 02:02 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTON

State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

**Field**

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington

State: NM

Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

**BLM Point of Contact**

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Accepted

Disposition Date: 03/25/2026

Signature: Kenneth Rennick

Dugan Production plugged and abandoned the **Absolut 1 from 3/03/26 to 3/09/26** per the following procedure:

- MI&RU Aztec Well Service Rig 481. Spot in and RU cement equipment.
- Check pressures: Tubing 500 psi, Casing 500 psi, BH 0 psi.
- PU & tally 2-3/8" work string. Run 4½" string mill to scrape casing to 5150'.
- RIH & set 4½" cement retainer to 5137'. **Gallup perforations @ 5183'-5559'**.
- Load and circulate hole with 90 bbls of water.
- Run CBL from 5137' to surface. Sent copy of CBL to NMOCD. Copy of communications attached.
- Attempt to pressure test casing to 600 psi for 30 mins. Test failed.
- **Plug I, Gallup Perforations-Gallup top:** tag CICR at 5137' sting in, squeeze Plug I w/16 sks, 18.4 cu ft Class G neat cement to cover the Gallup top under the retainer at 5137' until top perforation at 5183'. Sting out. Spot Plug I inside 4½" casing above the CICR from 5137' w/24 sks, 27.6 cu ft Class G neat cement to cover the Gallup top. Total cement 40 sks, 46 cu ft. Displace with 18.6 bbls of water. WOC overnight. Tagged TOC at 4840'. Good tag. **Plug I, Inside 4½" casing, cement retainer at 5137', 40 sks, 46 cu ft, Gallup perforations-Gallup top, 4840' - 5183'**.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Attempt to pressure test casing to 600 psi for 30 mins. Test failed.
- **Plug II, DV Tool- Mancos:** Spot Plug II inside 4½" casing from 4600' with 22 sks (25.3 cu ft) Class G neat cement to cover the DV Tool - Mancos top. Displaced with 16.7 bbls of water. WOC 4 hrs. Tagged TOC at 4306'. Good tag. **Plug II, Inside 4½" casing, 22 sks, 25.3 cu ft, DV tool - Mancos top, 4306'- 4600'**.
- Attempt to pressure test casing to 600 psi for 30 mins. Test failed.
- **Plug III, Mesaverde- Lower Chacra- Upper Chacra:** Spot Plug III inside 4½" casing from 3575' with 70 sks (80.5 cu ft) Class G neat cement to cover the Mesaverde - Lower Chacra - Upper Chacra tops. Displaced with 10.3 bbls of water. WOC overnight. Tagged TOC at 2691'. Good tag. **Plug III, Inside 4½" casing, 70 sks, 80.5 cu ft, Mesaverde - Lower Chacra - Upper Chacra tops, 2691'-3575'**.
- Check pressures: Tubing 0 psi, Casing 0 psi, BH 0 psi.
- **Plug IV, Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo tops:** Spot Plug IV inside 4½" casing from 2071' with 60 sks, 69 Cu. ft Class G cement with 2% CaCl to cover the Pictured Cliffs-Fruitland-Kirtland-Ojo Alamo tops. Displaced with 5 bbls of water. WOC 4 hrs. Tagged TOC at 1350'. Good tag. **Plug IV, Inside 4½" casing, 60 sks, 69 cu ft, Pictured Cliff-Fruitland-Kirtland-Ojo Alamo tops, 1350'-2071'**.
- **Plug V, surface casing shoe-surface:** Spot Plug V inside 4½" casing from 270' to 0' w/26 sks, 29.9 cu ft Class G cement to cover the surface casing shoe to surface. No displacement. WOC overnight. MI welder, cut wellhead off. Tagged TOC at 1' inside, 24' annulus. **Plug V, Inside 4½" casing, 26 sks, 29.9 cu ft, surface casing shoe-surface, 0'- 270'**.
- Fill cellar and install dry hole marker with 20 sks, 23 cu ft, Class G neat cement.
- RD Aztec Well Service Rig 481. Clean location, move.
- Jimmy Dobson with BLM witnessed the job.
- Photos of P&A marker and GPS coordinates attached per NMOCD COA.
- **Well P&A'd on 3/09/2026.**



**Absolut 1**  
30-043-20674  
Counselors Gallup Dakota  
670' FNL & 1830' FWL  
C S23-T23N-R06W  
Sandoval County, NM

**Elevation ASL : 6885' GL**

**Formation Tops (Referenced for the P & A)**

- **Surface Casing - 218'**
- **Ojo Alamo - 1466'**
- **Kirtland - 1579'**
- **Fruitland - 1881'**
- **Pictured Cliffs - 2010'**
- **Lewis - 2131'**
- **Upper Chacra - 2842'**
- **Lower Chacra 3010'**
- **Mesaverde - 3525'**
- **Mancos - 4472'**
- **DV tool - 4549'**
- **Gallup - 5079'**
- **Gallup perforations from 5183'-5559'**

## Tyra Feil

---

**From:** Rennick, Kenneth G <krennick@blm.gov>  
**Sent:** Wednesday, March 4, 2026 2:13 PM  
**To:** Indalecio Roldan; Brian McCann; Aliph Reena  
**Cc:** Tyra Feil; Alex Robles; Diede, Loren, EMNRD; Lucero, Virgil S; Garcia, John, EMNRD; Dobson, Jimmie P  
**Subject:** Re: [EXTERNAL] Re: Absolut 1 CBL

The BLM finds the procedure appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management  
Farmington Field Office  
6251 College Blvd  
Farmington, NM 87402

Email: [krennick@blm.gov](mailto:krennick@blm.gov)  
Mobile & Text: 505.497.0019

---


**From:** Indalecio Roldan <Indalecio.Roldan@duganproduction.com>  
**Sent:** Wednesday, March 4, 2026 1:48 PM  
**To:** Brian McCann <bmccann@aztecwell.com>; Aliph Reena <Aliph.Reena@duganproduction.com>  
**Cc:** Tyra Feil <Tyra.Feil@duganproduction.com>; Alex Robles <aarobles@aztecwell.com>; Diede, Loren, EMNRD <loren.diede@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; Dobson, Jimmie P <jdobson@blm.gov>  
**Subject:** [EXTERNAL] Re: Absolut 1 CBL

**This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.**

Looking at the log, we request no change and that we follow the original procedure with all inside plugs.


Let us know if this is acceptable and we will proceed accordingly.

Milo.




**Milo Roldan-Tehuitzil**  
Assistant Workover Operations Supervisor  
Dugan Production Corp



 O: 505-326-4548 | D: 505-360-1674

 **DuganProduction.com**

 [indalecio.roldan@duganproduction.com](mailto:indalecio.roldan@duganproduction.com)

 1280 Troy King Rd. | Farmington, NM  
*Mailing: PO Box 420 | Farmington, NM 87499-0420*

---

**From:** Brian McCann <bmccann@aztecwell.com>  
**Sent:** Wednesday, March 4, 2026 12:38 PM  
**To:** Aliph Reena <Aliph.Reena@duganproduction.com>  
**Cc:** Tyra Feil <Tyra.Feil@duganproduction.com>; Alex Robles <arobles@aztecwell.com>; Indalecio Roldan <Indalecio.Roldan@duganproduction.com>; Diede, Loren, EMNRD <loren.diede@emnrd.nm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Garcia, John, EMNRD <johna.garcia@emnrd.nm.gov>; Jimmie P Dobson <jdobson@blm.gov>  
**Subject:** Absolut 1 CBL

CBL for Dugan Absolut 1 is attached.  
CAUTION: This email originated from outside your organization. Exercise caution.  
CAUTION: This email originated from outside your organization. Exercise caution.











Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 566800

**CONDITIONS**

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 566800
	Action Type: [C-103] Sub. Plugging (C-103P)

**CONDITIONS**

Created By	Condition	Condition Date
loren.diede	None	3/26/2026