

Well Name: GALLEGOS CANYON UNIT	Well Location: T29N / R12W / SEC 33 / SESW / 36.67845 / -108.10757	County or Parish/State: SAN JUAN / NM
Well Number: 328	Type of Well: INJECTION - ENHANCED RECOVERY	Allottee or Tribe Name: EASTERN NAVAJO
Lease Number: I149IND8486	Unit or CA Name: GCU-FRUITLAND SANDS - C	Unit or CA Number: NMNM78391I
US Well Number: 3004524735	Operator: SIMCOE LLC	

Notice of Intent

Sundry ID: 2903204

Type of Submission: Notice of Intent

Type of Action: Workover Operations

Date Sundry Submitted: 03/27/2026

Time Sundry Submitted: 02:55

Date proposed operation will begin: 03/30/2026

Procedure Description: 1. RU SL, set plug in 1.50 nipple below packer. Blow down tubing. RD SL. 2. MIRU service rig. 3. NDWH, NUBOP. 4. Release packer and POOH. 5. RIH packer w/ preset plug in tail pipe and IPC injection tubing. Set at 2678'. 6. Release on-off tool, circulate packer fluid, re-engage on-off tool. 7. NDBOP, NUWH. 8. Pressure test tubing and casing to MIT pressure. 9. RDMO service rig. 10. RU SL, pull 1.50 slickline plug. RD SL. 11. Conduct MIT w/ NNEPA witness.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

GCU_328_Proposed_WBD_20260327145443.pdf

GCU_328_Actual_WBD_20260327145434.pdf

Well Name: GALLEGOS CANYON UNIT

Well Location: T29N / R12W / SEC 33 / SESW / 36.67845 / -108.10757

County or Parish/State: SAN JUAN / NM

Well Number: 328

Type of Well: INJECTION - ENHANCED RECOVERY

Allottee or Tribe Name: EASTERN NAVAJO

Lease Number: I149IND8486

Unit or CA Name: GCU-FRUITLAND SANDS - C

Unit or CA Number: NMNM78391I

US Well Number: 3004524735

Operator: SIMCOE LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CALE REDPATH

Signed on: MAR 27, 2026 02:55 PM

Name: SIMCOE LLC

Title: Regulatory Analyst

Street Address: 1199 MAIN AVE SUITE 101

City: DURANGO **State:** CO

Phone: (970) 759-8799

Email address: CALE.REDPATH@MACHNR.COM

Field

Representative Name:

Street Address:

City: **State:** **Zip:**

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov


Disposition: Approved

Disposition Date: 03/27/2026

Signature: Kenneth Rennick

GCU 328
 SWD/FS
 API # 30-045-2473500
 Unit N Sec 33 Twn 29N Rge 12W
 San Juan County, NM

GL 5394'
 KB: 13'



TOC: Circulated to surface

Surface Casing Data

9-5/8" 32.4# @ 277'
 w/ 275 sxs
 cmt to sfc

TOC: Surface. Had good returns

Fruitland Sand Perfs

1033' - 1052'

Squeezed off
 July 2025

DV tool @ 1564'

New nickel coated 7" AS1-X packer
 at 2704' (EOT at 2716')

Baker Retrieval D pkr @ 2805'

Mesaverde Perforations

2852-3797'

Tagged fill at 3851' GL.(7/2008)

Production Casing Data

8 3/4" hole
 7" - 23#, 8rth, R4, SS, ST&C @ 4085'
 Stage 1: 600 sx
 Stage 2: 400 sx

Tubing Details
 Tubing Hanger
 2 3/8" PE1505 IPC
 Tubing 1.78" SS F nipple
 X-over
 On-Off Tool
 7" Packer
 X-over
 1.5" ID SS F nipple
 Dual disk sub
 WL re-entry guide

Mesa Verde Perfs


2852 - 58'
 2862' - 88'
 2894' - 2916'
 2924' - 32'
 2936' - 48'
 3010' - 3019'
 3114' - 26'
 3158' - 65'
 3170' - 75'
 3340' - 54'
 3487' - 96'
 3512' - 22'
 3532' - 36'
 3546' - 50'
 3604' - 26'
 3760' - 78'
 3784' - 97'
 (419 holes total)

PBTD =4055'
 4085'

Proposed

GL 5394'
KB: 13'

GCU 328
SWD/FS
API # 30-045-2473500
Unit N Sec 33 Twn 29N Rge 12W
San Juan County, NM



TOC: Circulated to surface

Surface Casing Data

9-5/8" 32.4# @ 277'
w/ 275 sxs
cmt to sfc

TOC: Surface. Had good returns

Fruitland Sand Perfs

1033' - 1052'

Squeezed off
July 2025

DV tool @ 1564'

New nickel coated 7" AS1-X packer
at 2678'

Baker Retrieva D pkr @ 2805'

Mesaverde Perforations

2852-3797'

Tagged fill at 3851' GL.(7/2008)

Production Casing Data

8 3/4" hole
7" - 23#, 8rth, R4, SS, ST&C @ 4085'
Stage 1: 600 sx
Stage 2: 400 sx

Proposed Tubing Details
Tubing Hanger
2 3/8" PE1505 IPC Tubing
1.78" SS F nipple
X-over
On-Off Tool
7" Packer
X-over
1.5" ID SS F nipple
WL Reentry guide

Mesa Verde Perfs

- 2852 - 58'
 - 2862' - 88'
 - 2894' - 2916'
 - 2924' - 32'
 - 2936' - 48'
 - 3010' - 3019'
 - 3114' - 26'
 - 3158' - 65'
 - 3170' - 75'
 - 3340' - 54'
 - 3487' - 96'
 - 3512' - 22'
 - 3532' - 36'
 - 3546' - 50'
 - 3604' - 26'
 - 3760' - 78'
 - 3784' - 97'
- (419 holes total)

PBTD =4055'
4085'

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 567660

CONDITIONS

Operator: SIMCOE LLC 1199 Main Ave., Suite 101 Durango, CO 81301	OGRID: 329736
	Action Number: 567660
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
andrew.fordyce	None	3/30/2026