



# Well Completion Print

U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

05/05/2025

|   |   |                           |                                  |
|---|---|---------------------------|----------------------------------|
| <b>Operator Name</b> OXY USA INCORPORATED | <b>Well Name</b> PRECIOUS 30-18 FEDERAL COM | <b>Well Number</b> 2H     | <b>US Well Number</b> 3001546473 |
| <b>SHL</b> NWNW Sec 31 23S 31E            | <b>County</b> EDDY                          | <b>State</b> NM           | <b>Lease Number(s)</b> NMNM21640 |
| <b>Well Type</b> OIL WELL                 | <b>Well Status</b> Drilling Well            | <b>Agreement Name</b>     | <b>Agreement Number(s)</b>       |
| <b>Allottee/Tribe Name</b>                | <b>Well Pad Name</b> PRECIOUS 30-18 FED COM | <b>Well Pad Number</b> 1H | <b>APD ID</b> 10400038568        |

## Section 1 - General

**Well Completion Report Id:** 72709

**Submission Date:** 05-16-2021

**BLM Office:** Carlsbad Field Office

**User:** JANA MENDIOLA

**Title:** Regulatory Advisor

**Federal/Indian:** FEDERAL

**Lease Number:** NMNM021640

**Lease Acres:** 323.59

**Agreement in place?:** NO

**Federal or Indian Agreement:**

**Agreement Number:**

**Agreement Name:**

**Additional Information**

**Keep this Well Completion Report confidential?:** NO

**APD Operator:** OXY USA INCORPORATED

## Section 2 - Well

**Field/Pool or Exploratory:**

**Pool Name:** WOLFCAMP

**Field Name:** Purple Sage

**Well Type:** OIL WELL

**Spud Date:** 01-24-2020

**Date Total Measured Depth Reached:** 12-04-2020

**Drill & Abandon or Ready To Produce:** READY TO PRODUCE

**Well Class:** HORIZONTAL

|   |   |                           |                                  |
|---|---|---------------------------|----------------------------------|
| <b>Operator Name</b> OXY USA INCORPORATED | <b>Well Name</b> PRECIOUS 30-18 FEDERAL COM | <b>Well Number</b> 2H     | <b>US Well Number</b> 3001546473 |
| <b>SHL</b> NWNW Sec 31 23S 31E            | <b>County</b> EDDY                          | <b>State</b> NM           | <b>Lease Number(s)</b> NMNM21640 |
| <b>Well Type</b> OIL WELL                 | <b>Well Status</b> Drilling Well            | <b>Agreement Name</b>     | <b>Agreement Number(s)</b>       |
| <b>Allottee/Tribe Name</b>                | <b>Well Pad Name</b> PRECIOUS 30-18 FED COM | <b>Well Pad Number</b> 1H | <b>APD ID</b> 10400038568        |

### Section 3 - Geologic

| Formation Name  | Lithology                          | Describe Lithology | Elevation | TVD  | MD   | Mineral Resources                      | Describe Mineral |
|-----------------|------------------------------------|--------------------|-----------|------|------|--|------------------|
| RUSTLER         | ANHYDRITE, DOLOMITE, SHALE         |                    | 3374      | 342  | 342  | USEABLE WATER                          |                  |
| SALADO          | ANHYDRITE, DOLOMITE, HALITE, SHALE |                    | 2711      | 663  | 663  | OTHER                                  | SALT             |
| CASTILE         | ANHYDRITE                          |                    | 878       | 2496 | 2496 | OTHER                                  | SALT             |
| LAMAR           | LIMESTONE, SANDSTONE, SILTSTONE    |                    | -659      | 4033 | 4033 | NATURAL GAS, OIL, OTHER                | BRINE            |
| BELL CANYON     | SANDSTONE, SILTSTONE               |                    | -696      | 4070 | 4070 | NATURAL GAS, OIL, OTHER, USEABLE WATER | BRINE            |
| CHERRY CANYON   | SANDSTONE, SILTSTONE               |                    | -1592     | 4966 | 4967 | NATURAL GAS, OIL, OTHER                | BRINE            |
| BRUSHY CANYON   | LIMESTONE, SANDSTONE, SILTSTONE    |                    | -2841     | 6215 | 6240 | NATURAL GAS, OIL, OTHER                | BRINE            |
| BONE SPRING     | LIMESTONE, SANDSTONE, SILTSTONE    |                    | -4538     | 7912 | 7961 | NATURAL GAS, OIL                       |                  |
| BONE SPRING 1ST | LIMESTONE, SANDSTONE, SILTSTONE    |                    | -5545     | 8919 | 9007 | NATURAL GAS, OIL                       |                  |
| BONE SPRING 2ND | LIMESTONE, SANDSTONE, SILTSTONE    |                    | -6218     | 9592 | 9803 | NATURAL GAS, OIL                       |                  |

### Completion and Completed

|  |   |                           |                                     |
|--|---|---------------------------|-------------------------------------|
| <b>Operator Name</b> OXY USA<br>INCORPORATED | <b>Well Name</b> PRECIOUS 30-<br>18 FEDERAL COM   | <b>Well Number</b> 2H     | <b>US Well Number</b> 3001546473    |
| <b>SHL</b> NWNW Sec 31 23S<br>31E            | <b>County</b> EDDY                                | <b>State</b> NM           | <b>Lease Number(s)</b><br>NMNM21640 |
| <b>Well Type</b> OIL WELL                    | <b>Well Status</b> Drilling Well                  | <b>Agreement Name</b>     | <b>Agreement Number(s)</b>          |
| <b>Allottee/Tribe Name</b>                   | <b>Well Pad Name</b><br>PRECIOUS 30-18 FED<br>COM | <b>Well Pad Number</b> 1H | <b>APD ID</b> 10400038568           |

**Completion Data**

| Wellbore Code | Completion Code | Interval Number | Case Number | Lease Number | Well Completion Type | Describe Well Completion Type | Completion Status | Date Completed | Date First Produced | Formation       | Interval Top (MD) | Interval Bottom (MD) | Interval Perforated? | Perforation Size | Number of Holes | Status of Interval |
|---------------|-----------------|-----------------|-------------|--------------|----------------------|-------------------------------|-------------------|----------------|---------------------|-----------------|-------------------|----------------------|----------------------|------------------|-----------------|--------------------|
| 00            | X1              | 1               | NMNM21640   | NMNM21640    | NEW                  |                               | POW               | 03-31-2021     | 04-05-2021          | BONE SPRING 2ND | 9960              | 22686                | Y                    | .37              | 1224            | OPEN               |

**Treatment Data**

| Wellbore Code | Completion Code | Interval Number | Interval Treated? | Treatment Type | Tottle Fluid (bbls) | Total Proppant (lbs) | Treatment Remarks  |
|---------------|-----------------|-----------------|-------------------|----------------|---------------------|----------------------|--|
| 00            | X1              | 1               | Y                 | FRAC           | 412411              | 2520357              | Frac in 51 stages w/ 412411BBL Produced Water w/ 25203570# sand, RD Schlumberger 03/16/21.<br><br>PRODUCTION TEST DATA: HOURS TESTED- 24 TEST DATE- 04/19/21 TEST PRODUCTION OIL- 3098 BBL TEST PRODUCTION WATER- 4667 BBL TEST PRODUCTION GAS- 4099 MCF CASING PSI- 479 PSI GOR- 1323 |

|   |   |                           |                                  |
|---|---|---------------------------|----------------------------------|
| <b>Operator Name</b> OXY USA INCORPORATED | <b>Well Name</b> PRECIOUS 30-18 FEDERAL COM | <b>Well Number</b> 2H     | <b>US Well Number</b> 3001546473 |
| <b>SHL</b> NWNW Sec 31 23S 31E            | <b>County</b> EDDY                          | <b>State</b> NM           | <b>Lease Number(s)</b> NMNM21640 |
| <b>Well Type</b> OIL WELL                 | <b>Well Status</b> Drilling Well            | <b>Agreement Name</b>     | <b>Agreement Number(s)</b>       |
| <b>Allottee/Tribe Name</b>                | <b>Well Pad Name</b> PRECIOUS 30-18 FED COM | <b>Well Pad Number</b> 1H | <b>APD ID</b> 10400038568        |

**Production Data**

| Wellbore Code | Completion Code | Interval Number | API Oil Gravity | Gas Gravity | Production Method | Describe Production | Disposition of Gas | Describe Disposition |
|---------------|-----------------|-----------------|-----------------|-------------|-------------------|---------------------|--------------------|----------------------|
| 00            | X1              | 1               |                 |             | FLows FROM WELL   |                     | SOLD               |                      |

**Test Data**

| Wellbore Code | Completion Code | Interval Number | Test Date  | Hours Tested | 24-Hour Rate Oil (bbls) | 24-Hour Rate Gas (MCF) | 24-Hour Rate Water(BWPD) | Gas-Oil Ratio (SCF/Bbl) | Choke Size | Tubing Pressure | Tubing Pressure Shut-In (psi) | Casing Pressure (psi) |
|---------------|-----------------|-----------------|------------|--------------|-------------------------|------------------------|--------------------------|-------------------------|------------|-----------------|-------------------------------|-----------------------|
| 00            | X1              | 1               | 04/18/2021 | 24           | 3098                    | 4099                   | 4667                     | 1323                    |            |                 |                               | 479                   |

**Well Location**

**Survey Type:** RECTANGULAR

**Survey Number:** 17777

**Datum:** NAD83

**Vertical Datum:** NAVD88

**Reference Datum:**

| Aliquot/Lot/Tract | Section | Range | Township | EW-Indicator | EW-Foot | NS-Indicator | NS-Foot | Plug Type | Plug MD (ft) | Plug TVD (ft) | Lease Number | Lease Type | TVD (ft) | MD (ft) | Elevation (MSL) | Longitude | Latitude | County | Meridian | State |
|-------------------|---------|-------|----------|--------------|---------|--------------|---------|-----------|--------------|---------------|--------------|------------|----------|---------|-----------------|-----------|----------|--------|----------|-------|
|                   |         |       |          |              |         |              |         |           |              |               |              |            |          |         |                 |           |          |        |          |       |

|   |   |                           |                                  |
|---|---|---------------------------|----------------------------------|
| <b>Operator Name</b> OXY USA INCORPORATED | <b>Well Name</b> PRECIOUS 30-18 FEDERAL COM | <b>Well Number</b> 2H     | <b>US Well Number</b> 3001546473 |
| <b>SHL</b> NWNW Sec 31 23S 31E            | <b>County</b> EDDY                          | <b>State</b> NM           | <b>Lease Number(s)</b> NMNM21640 |
| <b>Well Type</b> OIL WELL                 | <b>Well Status</b> Drilling Well            | <b>Agreement Name</b>     | <b>Agreement Number(s)</b>       |
| <b>Allottee/Tribe Name</b>                | <b>Well Pad Name</b> PRECIOUS 30-18 FED COM | <b>Well Pad Number</b> 1H | <b>APD ID</b> 10400038568        |

|                   | State      | Meridian             | County | Latitude   | Longitude    | Elevation (MSL) | MD (ft) | TVD (ft) | Lease Type | Lease Number | Plug TVD (ft) | Plug MD (ft) | Plug Type | NS-Foot | NS-Indicator | EW-Foot | EW-Indicator | Township | Range | Section | Aliquot/Lot/Tract |
|-------------------|------------|----------------------|--------|------------|--------------|-----------------|---------|----------|------------|--------------|---------------|--------------|-----------|---------|--------------|---------|--------------|----------|-------|---------|-------------------|
| SHL               | NEW MEXICO | NEW MEXICO PRINCIPAL | EDDY   | 32.2666069 | -103.8237482 | 3348            | N/A     | N/A      | FEDERAL    | NMNM0546732A |               |              |           | 570     | FNL          | 585     | FWL          | 23S      | 31E   | 31      | NWNW              |
| KOP Well bore 00  | NEW MEXICO | NEW MEXICO PRINCIPAL | EDDY   | 32.2672351 | -103.8235661 | -5323           | 8748    | 8671     | FEDERAL    | NMNM0546732A |               |              |           | 341     | FNL          | 641     | FWL          | 23S      | 31E   | 31      | NWNW              |
| PPP Well bore 00  | NEW MEXICO | NEW MEXICO PRINCIPAL | EDDY   | 32.2688958 | -103.8235861 | -6296           | 9960    | 9644     | FEDERAL    | NMNM21640    |               |              |           | 263     | FSL          | 635     | FWL          | 23S      | 31E   | 30      | SWSW              |
| EXIT Well bore 00 | NEW MEXICO | NEW MEXICO PRINCIPAL | EDDY   | 32.3038712 | -103.8235314 | -6285           | 22686   | 9633     | FEDERAL    | NMNM0546732  |               |              |           | 2421    | FSL          | 648     | FWL          | 23S      | 31E   | 18      | NWSW              |
| BHL Well bore 00  | NEW MEXICO | NEW MEXICO PRINCIPAL | EDDY   | 32.3044209 | -103.8235258 | -6284           | 22886   | 9632     | FEDERAL    | NMNM0546732  |               |              |           | 2621    | FSL          | 650     | FWL          | 23S      | 31E   | 18      | NWSW              |

**Casing, Liner and Tubing**

|   |   |                           |                                  |
|---|---|---------------------------|----------------------------------|
| <b>Operator Name</b> OXY USA INCORPORATED | <b>Well Name</b> PRECIOUS 30-18 FEDERAL COM | <b>Well Number</b> 2H     | <b>US Well Number</b> 3001546473 |
| <b>SHL</b> NWNW Sec 31 23S 31E            | <b>County</b> EDDY                          | <b>State</b> NM           | <b>Lease Number(s)</b> NMNM21640 |
| <b>Well Type</b> OIL WELL                 | <b>Well Status</b> Drilling Well            | <b>Agreement Name</b>     | <b>Agreement Number(s)</b>       |
| <b>Allottee/Tribe Name</b>                | <b>Well Pad Name</b> PRECIOUS 30-18 FED COM | <b>Well Pad Number</b> 1H | <b>APD ID</b> 10400038568        |

**Casing and Liner**

| Wellbore Code | Casing String Type | Hole Size | Top Setting Depth (MD) | Bottom Setting Depth (MD) | Casing Size | Wt(lbs/ft) | Casing Grade | Describe Other Casing Grade | Joint | Other Joint           | Amount Pulled (ft) |
|---------------|--------------------|-----------|------------------------|---------------------------|-------------|------------|--------------|-----------------------------|-------|-----------------------|--------------------|
| 00            | SURFACE            | 17.5      | 0                      | 437                       | 13.375      | 54.5       | J-55         |                             | BUTT  |                       |                    |
| 00            | INTERMEDIATE       | 12.25     | 0                      | 4163                      | 9.625       | 40         | HCL-80       |                             | BUTT  | SF/FJ                 |                    |
| 00            | PRODUCTION         | 8.75      | 0                      | 22864                     | 5.5         | 20         | P-110        |                             | OTHER | DQX/DQXTO RQ/TORQD QW |                    |

**Cementing**

| Wellbore Code | Casing String Type | Stage Tool Depth | Cement Lead Type | Cement Lead Qty (sks) | Cement Lead Yield (cu.ft/sks) | Cement Lead Top (MD) | Cement Tail Type | Cement Tail Qty (sks) | Cement Tail Yield (cu.ft/sks) | Cement Tail Top (MD) | Total (Lead + Tail) Cement Slurry Volume |
|---------------|--------------------|------------------|------------------|-----------------------|-------------------------------|----------------------|------------------|-----------------------|-------------------------------|----------------------|--|
| 00            | SURFACE            |                  | CI C             | 545                   | 1.36                          | 0                    |                  |                       |                               |                      | 132                                      |
| 00            | INTERMEDIATE       |                  | CI C             | 1216                  | 1.78                          | 0                    | CI C             | 167                   | 1.33                          | 0                    | 425.1                                    |
| 00            | PRODUCTION         |                  | CI H             | 2809                  | 1.37                          | 6500                 | CI H             | 1014                  | 1.82                          | 0                    | 1014.1                                   |

**Tubing**

| Wellbore Code | Tubing Size | Describe Other | Tubing Setting Depth (MD/ft) | Packer Depth (MD/ft) | Tubing Weight | Tubing Grade | Describe Other | Tubing Coupling | Describe Other |
|---------------|-------------|----------------|------------------------------|----------------------|---------------|--------------|----------------|-----------------|----------------|
| 00            |             |                |                              |                      |               |              |                |                 |                |

|   |   |                           |                                  |
|---|---|---------------------------|----------------------------------|
| <b>Operator Name</b> OXY USA INCORPORATED | <b>Well Name</b> PRECIOUS 30-18 FEDERAL COM | <b>Well Number</b> 2H     | <b>US Well Number</b> 3001546473 |
| <b>SHL</b> NWNW Sec 31 23S 31E            | <b>County</b> EDDY                          | <b>State</b> NM           | <b>Lease Number(s)</b> NMNM21640 |
| <b>Well Type</b> OIL WELL                 | <b>Well Status</b> Drilling Well            | <b>Agreement Name</b>     | <b>Agreement Number(s)</b>       |
| <b>Allottee/Tribe Name</b>                | <b>Well Pad Name</b> PRECIOUS 30-18 FED COM | <b>Well Pad Number</b> 1H | <b>APD ID</b> 10400038568        |

**Logs**

| Wellbore Code | Log Upload | Was Well Cored? | Was DST Run? | Directional Survey? | Geologic Report | Wellbore Diagram |
|---------------|------------|-----------------|--------------|---------------------|-----------------|------------------|
| 00            | YES        | NO              | NO           | YES                 | NO              | YES              |

**Operator**

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

**Name:** OXY USA INCORPORATED

**Signed By:** JANA MENDIOLA

**Title:** Regulatory Advisor

**Signed on:** 05/15/2021

**Street Address:** 1600 GEHRIG DR

**City:** MIDLAND

**State:** TX

**Zip:** 79706

**Phone:** (432)685-5936

**Email address:** Janalyn\_mendiola@oxy.com

**Field**

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Extension:**

**Email address:**

|   |   |                           |                                  |
|---|---|---------------------------|----------------------------------|
| <b>Operator Name</b> OXY USA INCORPORATED | <b>Well Name</b> PRECIOUS 30-18 FEDERAL COM | <b>Well Number</b> 2H     | <b>US Well Number</b> 3001546473 |
| <b>SHL</b> NWNW Sec 31 23S 31E            | <b>County</b> EDDY                          | <b>State</b> NM           | <b>Lease Number(s)</b> NMNM21640 |
| <b>Well Type</b> OIL WELL                 | <b>Well Status</b> Drilling Well            | <b>Agreement Name</b>     | <b>Agreement Number(s)</b>       |
| <b>Allottee/Tribe Name</b>                | <b>Well Pad Name</b> PRECIOUS 30-18 FED COM | <b>Well Pad Number</b> 1H | <b>APD ID</b> 10400038568        |

**Attachments**

Precious30\_18FedCom2H\_GammaRay\_20210515223624.pdf

Precious30\_18FedCom2H\_FinalDirectionalSvy\_20210515223653.pdf

Precious30\_18FedCom2H\_WBD\_20210515232018.pdf



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 458531

**ACKNOWLEDGMENTS**

|  |   |
|--|---|
| Operator:<br>OXY USA INC<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>16696                                     |
|  | Action Number:<br>458531                            |
|  | Action Type:<br>[C-105] Well (Re)Completion (C-105) |

**ACKNOWLEDGMENTS**

|                                     |  |
|-------------------------------------|--|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.   |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.   |
| <input checked="" type="checkbox"/> | I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. |
| <input type="checkbox"/>            | I hereby certify that no additives containing PFAS chemicals were added to the fluid used in the completion or recompletion of this well.  |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 458531

**CONDITIONS**

|  |   |
|--|---|
| Operator:<br>OXY USA INC<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>16696                                     |
|  | Action Number:<br>458531                            |
|  | Action Type:<br>[C-105] Well (Re)Completion (C-105) |

**CONDITIONS**

| Created By | Condition | Condition Date |
|------------|-----------|----------------|
| plmartinez | None      | 3/31/2026      |