C-144

2009

C 1 8 40

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Form C-141

Release Notification and Corrective Action

						OPERA	TOR		Initia	al Report		Final Report
Name of Company: Elm Ridge Exploration					Contact: Amy Mackey							
					Telephone No.: (505) 632-3476 Ext 201							
Facility Nar	ne: Bisti C	oal 21 COM	12		I	Facility Typ	e: Gas Well					
Surface Ow	ner: Federa	ıl		Mineral C)wner:				Lease N	lo.: NM 51	013	
				LOCA	ATION	OF RE	LEASE					
Unit Letter M						South Line FSL	Feet from the 790		st/West Line County FWL San Juan			
	Latitude: 36.3816000618 Longitude: -108.123098662											
	NATURE OF RELEASE											
Type of Rele	ase: Produc	ed Water					Release: Unknow	wn	Volume F	Recovered:	Unkno	wn
Source of Re	lease: Earth	Pit			-	1	lour of Occurrence	ce:	Date and	Hour of Dis	covery	: NA
Was Immedia	te Notice G	iven?				Historical If YES, To	Whom?		L			
Was militude	ile Notice G		Yes	No 🛛 Not R	equired	11 123, 10	WHOM:					
By Whom?					· ·	Date and I						
Was a Water	course Reac			1		If YES, Vo	olume Impacting	the Wate	ercourse.			
	☐ Yes ⊠ No											
If a Watercou	irse was Imp	pacted, Descr	ibe Fully.	,								
Produced Wa	Describe Cause of Problem and Remedial Action Taken.* Produced Water from gas well at the mentioned location formerly discharged into an earthen pit on location. The well has been altered to no longer drain into an earthen pit, but instead into an Above Ground Storage Tank (AST).											
Blow sand w composite sa total petroleu total chloride BTEX and 2:	Describe Area Affected and Cleanup Action Taken.* Blow sand was removed from the earthen pit, and approximately one (1) cubic yard of 'production sludge' was removed from the earthen pit. A 5-point composite sample was collected from approximately six (6) inches below the earthen pit once it was removed. The sample was analyzed in the field for total petroleum hydrocarbons (TPH) via USEPA Method 418.1, and in Envirotech's laboratory for benzene and BTEX via USEPA Method 8021 and for total chlorides via USEPA Method 4500B. The sample returned results below the 'Pit Rule' standards of 100 mg/kg TPH, 0.2 mg/kg benzene, 50 mg/kg BTEX and 250 mg/kg total chlorides, confirming that a release had not occurred. Analytical results are attached for your reference.						ne field for 021 and for e, 50 mg/kg					
regulations a public health should their or the environment.	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.											
				OIL CONSERVATION DIVISION								
Signature: Printed Name: Ms. Amy Mackey A				Approved by District Supervisor:								
Title: Admin						Approval Da	te:		Expiration Date:			
					Conditions of Approval:							
10	10 6 00							Attached				
Date: () Attach Addi	tional Shee	ts If Necess		03-032-34/6 EXI	201							

District I 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the start of the

the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

<u> </u>					
	Pit, Closed-Loop System, Below-Grade Tank, or				
Propos	sed Alternative Method Permit or Closure Plan Application				
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method					
Instructions: Please submit	Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank, or alternative request				
	quest does not relieve the operator of liability should operations result in pollution of surface water, ground water or the the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations, or ordinances				
Operator: Elm Ridge Exploration	OGRID#: 149052				
Address: P.O. Box 156; Bloomf	ield, NM 87413				
Facility or well name: Bisti Coal 21	<u>COM 2</u>				
API Number: <u>3004528010</u>	OCD Permit Number:				
U/L or Qtr/QtrA Section	21 Township 25N Range 12W County: San Juan				
Center of Proposed Design: Latitude	<u>36.3816000618</u> Longitude <u>-108.123098662</u> NAD: □1927 ⊠ 1983				
Surface Owner: ⊠ Federal ☐ State	☐ Private ☐ Tribal Trust or Indian Allotment				
2.					
<u>Pit</u> : Subsection F or G of 19.15	5.17.11 NMAC				
Temporary: Drilling Workov	ver				

String-Reinforced			•		
Liner Seams: Welded Factory Other	Volume:	bbl Dimensions: L	8' x W 8' x D 6"		
3.	· · · · · · · · · · · · · · · · · · ·	····			
Closed-loop System: Subsection H of 19.15.17.11 NMAC					
Type of Operation: P&A Drilling a new well Workover or lintent)	Orilling (Applies to acti	vities which require prior ap	oproval of a permit or notice of		
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐	Other				
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐	LLDPE HDPE	PVC Other			
Liner Seams: Welded Factory Other					
4.					
Below-grade tank: Subsection I of 19.15.17.11 NMAC					
Volume:bbl Type of fluid:					
Tank Construction material:					
Secondary containment with leak detection Visible sidewalls,	liner, 6-inch lift and aut	omatic overflow shut-off			
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Not labeled					
Liner type: Thicknessmil	Other				
5.					
Alternative Method:					
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					

☐ Lined ☑ Unlined Liner type: Thickness _____mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____

Permanent Emergency Cavitation P&A

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☑ Signed in compliance with 19.15.3.103 NMAC	`
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	☐ Yes ☐ No
Within 500 feet of a wetland.	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Wíthin a 100-year floodplain. FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
☐ Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.I Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future ser Yes (If yes, please provide the information below) No	
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	C
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justi demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock-watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurately.	rate and complete to the best of my knowledge and belief.
Name (Print):	Title:
Signature:	Date:
E-mail address:	Telephone:
20. OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure	
OCD Representative Signature:	Approval Date:
Title:	OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior The closure report is required to be submitted to the division within 60 days of section of the form until an approved closure plan has been obtained and the	n K of 19.15.17.13 NMAC to implementing any closure activities and submitting the closure report. The completion of the closure activities. Please do not complete this
	☐ Closure Completion Date: 8/10/09
22. Closure Method: Waste Excavation and Removal ☐ On-Site Closure Method ☐ Altern ☐ If different from approved plan, please explain.	native Closure Method
Closure Report Regarding Waste Removal Closure For Closed-loop System Instructions: Please indentify the facility or facilities for where the liquids, dr two facilities were utilized. Disposal Facility Name: Envirotech Landfarm #2 Disposal Facility Name: Were the closed-loop system operations and associated activities performed on a complex of the items below in the it	Disposal Facility Permit Number: NM-01-0011 Disposal Facility Permit Number: or in areas that will not be used for future service and operations?
 ⊠ Soil Backfilling and Cover Installation ⊠ Re-vegetation Application Rates and Seeding Technique 	
Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) see attached Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) see attached Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Envirotech Landfarm #2, Soil Backfilling and Cover Installation see attached Re-vegetation Application Rates and Seeding Technique pursuant to the Site Reclamation (Photo Documentation) see attached On-site Closure Location: Latitude Long) NM-01-0011
25.	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure require Name (Print): Ms. Amy Mackey	e report is true, accurate and complete to the best of my knowledge and ements and conditions specified in the approved closure plan. Title: Administrative Manager
Signature:	Date:
E-mail address <u>amackey1@elmridge.net</u>	Telephone:

Elm Ridge Exploration Bisti Coal 21 COM 2 Sec. 21, Twn 25N, Rge 12W Project No. 03056-0170




Photo 1: Bisti Coal 21 COM 2 Recontoured Area




Photo 2: Excavated Area After Backfilling and Recontouring (View 2)

	Triuras
US Airbill 8147 5304	\$= 'OZUS Sender's Topy
1 From Places price and press hard. Sender's FedEx Account Number 1519-6147-9	4a Express Package Service FedEx Priority Overnight Next bashess morting "Friday when the sales will be delivered on Monday online 2 MUTHAN Delivery to select bashess morting delivery to elect bashess morting delivery to elect bashess South Delivery to elect bashes.
Sender's James McDaniel Phone 5051 632-0615	septements was no conserved on processor Septembry December 2011 Assessment Conserved
Address 5796 HIGHWAY 64	4b Express Freight Service Fed Ex 1Day Freight* Fed Ex 2Day Freight Fed Ex 2Day Freight Fed Ex 3Day Freight Third bariess days For ownlette. **Out for Confirmation: **Out for Confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because to see the confirmation: *** It is not because the confirmation: *** It is not becaus
City FARMINGTON State NM ZIP 87401	FedEx Pak* FedEx Tube FedEx Street Pak FedEx Street Pak FedEx Other FedEx Tube FedEx Tube **Declared valors link 5500.
2 Your Internal Billing Reference 03056 and 03	SATURDAY Definery FOIL Country FOIL Countr
Recipients 1220 South St. Francis St.	As per ettectad Signer Declaration Signer Declarati
Address We cannot deliver to P.O. hazas or P.O. ZIP codes. Dept/RoodSuba/Room Address To request a package be held at a apecific FedEx location, print FedEx address here.	Payment Bill for Batter Feditis Roct, No. or Credit Card No. before.
Start Santa Fe State NM ZIP 87505	Total Packages Total Weight Total Declared Value [†]
0401655191	**Dur fieldlity is inclined to SIXXX untiless your deschare a higher vector. See basch for descale, Dy using this Airfelf you agree to the service operations on the best of the Airfelf and in the current Fields Service Obdies, deschare the min our healthy. 8 Residential Delivery Signature Options styrous require a signature, check Director Indirect.
Schedule a pickup at fedex com simplify your entering Monage your executive Access all the tools you need.	No Signature Required Petage may be left without obtaining a signature for delivery. Rev. Date 1000-Petage-2000 FedEr-PROMED DI U.S.A-SRF



July 8, 2009

Project No. 03056-0241

Mr. Brad Jones New Mexico Oil Conservation Division 1220 South St. Francis Street Santa Fe, New Mexico 87505

Phone (505) 476-3487

RE: EARTH PIT CLOSURE DOCUMENTATION

Dear Mr. Jones,

Envirotech, Inc, on the behalf of Elm Ridge Exploration, would like to submit this notification to disregard the C-141 Forms concerning the Earthen Pit Release Notifications previously submitted to your office in May of 2009. These C-141 documents were submitted with contamination assessment sampling results, and do not reflect any closure activities occurring on site. To date, closure activities have not begun on any earthen pit owned by Elm Ridge Exploration. A list of the earthen pit C-141 soil assessment documents submitted to your office are as follows:

BISTI COAL 12 001	BISTI COAL 4 001 PIT 1	JETER COM 002
BISTI COAL 16 001	BISTI COAL 4 001 PIT 2	JICARILLA APACHE I 011
BISTI COAL 16 002	BISTI COAL 4 COM 002	NORTH BISTI COAL 31 001
BISTI COAL 17 COM 001	BISTI COAL 5 COM 001	NORTH BISTI COAL 32M COM 002
BISTI COAL 18 001	BISTI COAL 5K COM 002	PETE MORROW 001
BISTI COAL 18 002	BISTI COAL 6 001	PETE MORROW 002
BISTI COAL 19 001	BISTI COAL 6 002	SAM JACKSON STATE COM 001
BISTI COAL 2 001	BISTI COAL 7 001	SHEILA HIXON 001
BISTI COAL 2 002	BISTI COAL 7 COM 002	WEST BISTI COAL 10 002
BISTI COAL 20 001	BISTI COAL 8 COM 001	WEST BISTI COAL 11 002
BISTI COAL 20 002	BISTI COAL 8L COM 002	WEST BISTI COAL 11 COM F 001
BISTI COAL 21 001	BISTI COAL 9 001	WEST BISTI COAL 12 001
BISTI COAL 21 COM 002	BISTI COAL 9 COM 002	WEST BISTI COAL 13 001
BISTI COAL 22 002	BUENA SUERTE 3 G COM 001	WEST BISTI COAL 14 COM 001
BISTI COAL 28 001	BUENA SUERTE 3 L COM 001	WEST BISTI COAL 15 001
BISTI COAL 29 001	BUENA SUERTE 32 G COM 001	WEST BISTI COAL 15 002
BISTI COAL 29 002	BUENA SUERTE 4 L COM 001	WEST BISTI COAL 22 002
BISTI COAL 30 COM 001	CARSON 10 332	WEST BISTI COAL 22 COM 001
BISTI COAL 31 001	CARSON UNIT 15 COM 323	WEST BISTI COAL 23 001
WEST BISTI COAL 25 001	CARSON UNIT 206	WEST BISTI COAL 24 001
WEST BISTI COAL 25 002Y	EAST BISTI COAL 6 001	WEST BISTI COAL 24 COM 002
CARSON UNIT 313		

We appreciate the opportunity to be of service. Should you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,

ENVIROTEE

ELM RIDGE EXPLORATION

James McDaniel
Project Scientist

medarial@environachainc.com

Amy Mackey
Administrative Manager

amackey) (Delibridge net



Home | Help | Sign In

Track & Confirm

FAQs

Track & Confirm

Search Results

Label/Receipt Number: 7007 1490 0000 5398 9282

Service(s): Certified Mail Status: Delivered

Your Item was delivered at 9:58 AM on August 6, 2009 in

FARMINGTON, NM 87401.

Track & Confirm

Enter Label/Receipt Number.

80 >)

Notification Options

Track & Confirm by email

Get current event information or updates for you:

Site Man Customer Service

Gov't Services

Copyright@ 2009 USPS. All Rights Reserved.

No FEAR Act EEO


Bisti Cow 80-2 03056 -0168

Blati Coal Q1-1 03056 0169

Bissi coal 21 com2 03056-0170

0 -st (ca) 20-2 03050-017

Bisti Cou 08-1 03056-0172





August 3, 2009

Project No. 03056-0170

Mr. Mark Kelly Bureau of Land Management 1235 La Plata Highway, Suite A Farmington, New Mexico 87401

Phone: (505) 599-8900

RE: BISTI COAL 21 COM 2 EARTH PIT CLOSURE NOTIFICATION

Dear Mr. Kelly,

Please accept this letter and attached Sundry Notice as the necessary surface owner notification for closure activities at the Bisti Coal 21 COM 2 well site, owned and operated by Elm Ridge Exploration. The Bisti Coal 21 COM 2 well site is located in Unit M, Section 21, Township 25N, Range 12W, San Juan County, New Mexico. Closure activities are scheduled to begin on August 10, 2009 and continue through August 14, 2009.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,

James McDaniel

Project Scientist

jmedaniel@envirotech-inctcom

Enclosure:

Sundry Notice

Cc:

Client File No. 03056

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR

	OMB No. 1004-0137	
	Expires: July 31, 2010	
. Lease Serial No. IM-51013		

FORM APPROVED

BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit of CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on page 2. 1. Type of Well 8. Well Name and No. Bisti Coal 21 COM 2 Oil Well Gas Well Other 2. Name of Operator Elm Ridge Exploration 9. API Well No. 3a. Address PO Box 156 10. Field and Pool or Exploratory Area 3b. Phone No. (include area code) (505) 632-3476 Bloomfield, NM 87413 11. Country or Parish, State Location of Well (Footage, Sec., T., R., M., or Survey Description) 790 FSL 790 FWL, M-21-25N-12W, Lat. 36,381600 long. -108, 123098 San Juan County, NM 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Deepen Acidize Production (Start/Resume) Water Shut-Off Notice of Intent Alter Casing Fracture Treat Reclamation Well Integrity Other Closure of an Earth Casing Repair New Construction Recomplete Subsequent Report Pit Change Plans Plug and Abandon Temporarily Abandon Convert to Injection Final Abandonment Notice Plug Back Water Disposal 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.) Elm Ridge Exploration plans to begin closure activities for an earthen pit located at the above mentioned site. All formal notifications have been made. Closure activities are scheduled to being on Monday, August 10, 2009 and last through August 14, 2009. 14. I hereby certify that the foregoing is true and correct. Name (Printed Typed) Ms. Amy Mackey Title Administrative Manager Date 08/03/2009 Signature THIS SPACE FOR FEDERAL OR STATE OFFICE USE Approved by Date

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office

entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Earthen Pit Closure Checklist

- 1) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division of December 31, 2009.

 Closure date for the earth pit located at Bisti Coal 21 COM 2 well site is August 10, 2009.
- 2) In accordance with of Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health or the environment.

 None of the earther pits to be closed by Elm Ridge Exploration are deemed an
 - None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health, or to fresh or public water.
- 3) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximately to surface water sources and distance to groundwater.

 None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health or to fresh or public water.
- 4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC. Notification was provided to Mr. Brad Jones of the NMOCD Santa Fe Office on July 15, 2009 along with a schedule of on-site activities; see attached Notification Letter.
- 5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close an earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of BGT closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this Closure activities that will take place on tribal land will have notifications sent by certified mail, return receipt requested, to the appropriate tribal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner received notice at least 24 hours prior to the beginning of closure activities.

Notification was provided to the Bureau of Land Management on August 6,

2009; see attached Sundry Notice and Return Receipt.

6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B or Basin Disposal, Permit # NM-01-0005, depending on the consistence of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.

On August 10, 2009, approximately one (1) cubic yard of production sludge was removed from the earthen pit and disposed of at Envirotech's NMOCD permitted soil remediation facility, Landfarm #2, Permit # NM-01-0011; see attached *Bill of Lading*.

7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.

All on-site equipment will be used for the continued operation of the Bisti Coal 21 COM 2 well site; see *Field Sheet* and *Site Photos*.

8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored or show other evidence of a release. All samples being collected will be analyzed for benzene, and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.

A 5-point composite sample was collected of native soil beneath the earthen pit and analyzed in the field for total petroleum hydrocarbons (TPH) via USEPA Method 418.1, and analyzed in the laboratory for benzene and BTEX via USEPA Method 8021B and for total chlorides via USEPA Method 4500B. The sample returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard, the 50 mg/kg BTEX standard and the 250 mg/kg total chloride standard, confirming that a release did NOT occur.

NAME		Benzene	BTEX	Chlorides	ТРН
Pit	Rule	0.2 mg/kg	50 mg/kg	250 mg/kg	100 mg/kg
Standard					
Earth Pit Cor	np 1'	< 0.0009 mg/kg	0.0107 mg/kg	65 mg/kg	100 mg/kg
Deep					
Background		NS	NS	25 mg/kg	NS

9) Depending on soil sample results the area will be either backfilled or the area will be excavated.

Elm Ridge Exploration Bisti Coal 21 COM 2 Earth Pit Closure 03056-0170 Closure Date: 8/10/09

- 1) If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

Completed Form C-141 is attached for your review.

ii. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one (1) foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.

Elm Ridge Exploration has backfilled the excavated area with non-waste containing earthen material, and installed a soil cover of at least one (1) foot thick of suitable material to establish vegetation at this site. The soil cover has been graded in such a way that it conforms to the grade of the natural surroundings, and will prevent ponding of water and erosion of the cover material; see Site Photos.

iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will substantially restore, recontour and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has re-seed and when it has achieved successful re-vegetation.

Elm Ridge Exploration has restored, recontoured and re-seeded the excavated area in accordance with BLM standards as outlined in the Memorandum of Understanding (MOU).

2) If soil samples exceed the regulatory standards stated above.

i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

The five (5)-point composite sample of native soil beneath the earthen pit returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard, the 50 mg/kg BTEX standard and the 250 mg/kg total chloride standard, confirming that a release did NOT occur.

Elm Ridge Exploration Bisti Coal 21 COM 2 Earth Pit Closure 03056-0170 Closure Date: 8/10/09

10) Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, revegetation rates, re-seeding techniques, and site reclamation photo documentation if applicable, along with all other information related to the onsite activities.

See attached C-144 Closure Form and attached Form C-141 Release Notification Form. Closure report has been submitted prior to October 10, 2009.



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Elm Ridge Exploration

Project #:

03056-0170

Sample No.:

1

Date Reported:

9/9/2009

Sample ID:

Earth Pit Composite @ 6"

Date Sampled:

8/10/2009

Sample Matrix:

Soil

Date Analyzed:

8/10/2009

Preservative:

Cool

Analysis Needed:

TPH-418.1

Condition:

Cool and Intact

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

100

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis

of Water and Waste, USEPA Storet No. 4551, 1978.

Comments:

Bisti Coal 21 COM 2

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Analyst

James McDaniel

Printed

Greg Crabtree

Printed



CONTINUOUS CALIBRATION EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Cal. Date:

10-Aug-09

Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
TPH	100	·	
	200	191	
	500		
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

	19	<u>/</u> _	//	_
Analyst				
James McI	Daniel			
Print Name	0	,	,	
ΛΛ	/\	Λ		

9 / 9 / 9 g

Greg Crabtree

Print Name

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Elmridge	Project #:	03056-0170
Sample ID:	5pt Comp 6"	Date Reported:	08-19-09
Laboratory Number:	51306	Date Sampled:	08-10-09
Chain of Custody:	7751	Date Received:	08-17-09
Sample Matrix:	Soil	Date Analyzed:	08-18-09
Preservative:	Cool	Date Extracted:	08-17-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	1.7	1.0
Ethylbenzene	2.0	1.0
p,m-Xylene	4.1	1.2
o-Xylene	2.9	0.9
Total BTEX	10.7	•

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
•	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Bisti Coal 21 Com 2

Analyst

Shrathen Walter



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	08-18-BT QA/QC	Date Reported:	08-19-09
Laboratory Number:	51229	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	08-18-09
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L	I-Cal RF:	C-Cal RF: Accept. Rang	%Diff. je 0 - 15%	Blank Conc	Detect. + Limit
Benzene	3.0877E+006	3.0939E+006	0.2%	ND	0.1
Toluene	2.8582E+006	2.8639E+006	0.2%	ND	0.1
Ethylbenzene	2.5015E+006	2.5065E+006	0.2%	ND	0.1
p,m-Xylene	6.4157E+006	6.4286E+006	0.2%	ND	0.1
o-Xylene	2.3802E+006	2.3850E+006	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	⊸ Sample Dι	uplicate	%Diff.	Accept Range	Detect: Limit
Benzene	2.2	2.0	9.1%	0 - 30%	0.9
Toluene	59.7	62.2	4.2%	0 - 30%	1.0
Ethylbenzen <i>e</i>	29.2	26.1	10.6%	0 - 30%	1.0
p,m-Xylene	396	384	3.0%	0 - 30%	1.2
o-Xylene	69.0	68.9	0.1%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	unt Spiked Spik	ed Sample	% Recovery	Accept Range
Benzene	2.2	50.0	51.1	97.9%	39 - 150
Toluene	59.7	50.0	107	97.9%	46 - 148
Ethylbenzene	29.2	50.0	75.9	95.8%	32 - 160
p,m-Xylene	396	100	483	97.4%	46 - 148
o-Xylene	69.0	50.0	116	97.8%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 51229, 51234, 51236, 51237, 51273 - 51277, and 51306.

Analyst



Chloride

A.c.		
Elm Ridge	Project #:	03056-0170
Background	Date Reported:	08-19-09
51307	Date Sampled:	08-10-09
Soil	Date Received:	08-17-09
Cool	Date Analyzed:	08-18-09
Intact	Chain of Custody:	7751
	Elm Ridge Background 51307 Soil Cool	Elm Ridge Project #: Background Date Reported: 51307 Date Sampled: Soil Date Received: Cool Date Analyzed:

Parameter	Concentration	(mg/Kg)

Total Chloride

25

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Bisti Coal 21 Com 2.

Analyst

Review



Chloride

Elm Ridge 03056-0170 Client: Project #: Sample ID: 5pt Comp 6" 08-19-09 Date Reported: Lab ID#: 51306 Date Sampled: 08-10-09 Sample Matrix: Soil Date Received: 08-17-09 Preservative: Cool Date Analyzed: 08-18-09 Condition: Intact Chain of Custody: 7751

Parameter Concentration (mg/Kg)

Total Chloride

65

Reference:

 $U.S.E.P.A.,\,\textbf{4500B},\,\textbf{"Methods for Chemical Analysis of Water and Wastes"},\,\textbf{1983}.$

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Bisti Coal 21 Com 2.

Analyst

Pristin m Was Ilis Review

CHAIN OF CUSTODY RECORD

7751

ElmRidge													COLO	/ D A D	A & 4 FT						
	ElmRidge Bisti Con a			21 Com 2 T. McDaniel & Son B B B B B B B B B B B B B B B B B B B									-								
Client Address.	Sampler Name:	·······································	,	701			(6	21)	6												
	B. Caut	nen	1J.L	Acham	į Ø	/	801	80	826	S											
Client Phone No.:	Client No.:		t				boc	tho	pou	letal	ioi		Ŧ		- :	ш				8	tact
	63656	-61	70				TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion		TCLP with H/P		TPH (418.1)	CHLORIDE				Sample Cool	Sample Intact
Sample No./ Sample Sam	ole Lab No.	S	ample	No./Volume of	-		H H	<u> </u>	ည	S.A.A	ation	5	도	PAH) H	일				dur	amp
Identification Date Tim		· · · · · · · · · · · · · · · · · · ·	Matrix	Containers	HgCi ₂ H	cat	1	<u>m</u>	>_	ř	ŭ	P.C.	1(Δ.	<u>T</u>	ਠ				ι Υ	Š
Background Sholp 11:1	5 51307	1	Sludge Aqueous	1-402		/										✓				X	X
Background 8/10/19 11:15 5pt comp 6" 8/10/19 10:	5751306	Soil Soil G	Sludge Aqueous	1-402		\ <u>\</u>		V								/	-,			X	X
		Soil Solid	Sludge Aqueous	, -																	
		Soil Solid	Sludge Aqueous																		
		Soil Solid	Sludge Aqueous																		
		Soil Solid	Sludge Aqueous																		
		Soil Solid	Sludge Aqueous																		
		Soil Solid	Sludge Aqueous							·											
		Soil Solid	Sludge Aqueous																		
		Soil Solid	Sludge Aqueous																		
Belinquished by: (Signature)			Date	Time	Re	ceive	d by:	(Sign	ature)				<u>. </u>					Da	te	Tir	
			8/17/09	9:00			M	1 1	_	W	10	NE	E)	1)				8/17	109	9	:Φ
Relinquished by (Signature)			×1. 1-,		Re	ceive	d by:	(Sign	ature)		- <i>الس</i> ا	7							•		
Relinquished by: (Signature)					Re	ceive	d by:	(Signa	ature)												
······································				env	/i	rc	t	e	cl	h		·						<u> </u>			



5796 US Highway 64 • Farmington, NM 87401 • 505-632-0615 • lab@envirotech-inc.com

* (* * * * * * * * * * * * * * * * * *			·		•			
PAGE NO: $\frac{1}{0}$ OF $\frac{1}{0}$	G		ONMENTA 5796 U.S	. HIGHWA	STS & ENGIN		ENVIRON	IMENTAL SPECIALIST:
DATE FINISHED:			PHO	NE: (505) 63	2-0615		LONG:	
	FIELD R	EPORT:	BGT / P	IT CLOS	SURE VE	RIFICAT	ΓΙΟΝ	
	isti Co	1 210	WELL#:	2	TEMP PIT:	PERMAN	ENT PIT:	
LEGAL ADD: UNIT: QTR/FOOTAGE: 79() =	<i>~</i> / ¬	SEC: 21	CNTY: S	TWP: 3	5N		<u> </u>	PM: NMPM
	<i>SL</i> 7'	90' FWL	CNII.			ST: NM		
EXCAVATION APPROX: DISPOSAL FACILITY:	***************************************	FT. X		FT. X	CLONI NACTILO	FT. DEEP	CUBIC YA	ARDAGE:
LAND OWNER:			API:	KEMEDIA	TION METHO	טכ: BGT / PIT י	VOLUME:	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
CONSTRUCTION MATERIA	L: Fa	th		WALLED, V	VITH LEAK D			
LOCATION APPROXIMATE	A	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FT.		FROM WELL	HEAD		
DEPTH TO GROUNDWATE								
TEMPORARY PIT - GR BENZENE ≤ 0.2 mg/kg, B7				N (8015) < 50	0 mg/kg. TPH (418.1) < 2500	mø/kø. CHI	ORIDES < 500 mg/kg
TEMPORARY PIT - GR				11 (0015) 2 50	o mg/kg, 1111 (410.1) = 2500	mg/kg, CIIL	OKIDES 2 300 mg/kg
BENZENE ≤ 0.2 mg/kg, BT				N (8015) ≤ 50	mg/kg, TPH (4	118.1) ≤ 2500	mg/kg, CHL	ORIDES ≤ 1000 mg/kg
PERMANENT PIT OR B								~ ~
BENZENE ≤ 0.2 mg/kg, B7		kg, TPH (418.1)) ≤ 100 mg/kg	g, CHLORIDE	S ≤ 250 mg/kg			
				FIEL	D 418.1 ANAL	YSIS		
	TIME	SAMPLE I.D.	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (mg/kg)
	0843	200 STD	1	5. <i>c</i>	20,	Ü	25	100
			2					
			3					
			5					
			6					
. PERIME	ETER	\	FIELD C	HLORIDES	S RESULTS		PRO	OFILE
			SAMPLE	READING	CALC.			
			ID		(mg/kg)		1	
						·	/	/
(PTA)		\smile				4		_
		_						ن
				PID RESUI	TS	× :	= Saupla	Points
FSER	~ /	/		PLE ID	RESULTS		× 10 () (10111
	/ Fy		100	STD	(ppm) 950			
[[EP][AST][]	V /		Sount	المبروكين والسابعات فالمستك	0.7	- -		<u> </u>
		r <i>n</i> s ì	· ·	'		· X-	***	40
		IN]		
LAB SAMPLES	l	NOTES:						
SAMPLE ID ANALYSIS	RESULTS	INOTES:						
BENZENE		1						
BTEX GRO & DRO		4						
CHLORIDES		j						
] WORKORDE	Ω # ˙		WHO ORDER	ED		
	<u> </u>	LWOKKOKDE	ıιπ		WITO UKDER	υ ບ		

......



Bill of Lading

MANIFEST # 34001

PHON	E: (505) 632-0615 • 57	96 U.S. HIGHWAY	64 • FARMINGT	ON, NEW M	EXICO 87	401	DATE S	2 . 09	OB#	<u> 03056-01 10</u>
LOAD	CO	MPLETE DESCR			TR	ANSPORTING COMPANY				
NO.	POINT OF ORIGIN	DESTINATION	MATERIAL	GRID	YDS	BBLS	COMPANY	TRK#	TIME	DRIVER SIGNATURE
1	Elmizidge Bisticoal	LFII	501G	G 16	1	-	4-4	178	730	Gay R
	Bisticoal 21 com 2			-	1					
i										
									·	
					<u> </u>			<u> </u>		_
RESULT	TS: 7 CHLORIDE TEST /	LANDFARM	bary				NOTES: ENT	ERED	AUG 1	8 2009
	PAINT FILTER /			<i>v</i>		64	- Balanger			
that no	the material hauled from the additional materials have be	en added."								•
NAME .	John McKinne	- y	COMPAN	Foir.	four		SIG	NATURE	Jili	ma
СОМРА	John McKinne INY CONTACT MACK	<i>-</i>	PHONE	327-	2711		DAT	E <u>S</u> -	12-0	9

y	
District I	
1625 N. French Dr., Hobbs, NM 88240	
District II	
1301 W. Grand Avenue, Artesia, NM,88210	
District III 1000 Rio Brazos Road, Aztec, NM 87410	1
1000 Rio Brazos Road, Aztec, NM 87410	,
District IV	
1220 S. Sillfinnois III., Sana Fernin 87505	0
The state of the s	Ø

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and

provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application


Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Elm Ridge Exploration OGRID #: 149052
Address: P.O. Box 156; Bloomfield, NM 87413
Facility or well name: Bisti Coal 21 COM 2
API Number: 3004528010 OCD Permit Number:
U/L or Qtr/Qtr M Section 21 Township 25N Range 12W County: San Juan
Center of Proposed Design: Latitude <u>36.381600</u> Longitude <u>-108.132077</u> NAD: □1927 ⊠ 1983
Surface Owner: X Federal X State Private Tribal Trust or Indian Allotment
2. ☑ Pit: Subsection F or G of 19.15.17.11 NMAC Ceased operation prior to June 16, 2008
Temporary: Drilling Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A
☐ Lined ☑ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
☐ String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L 10' x W 10 x D 2'
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
Liner Seams: Welded Factory Other
4.
Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume:bbl Type of fluid:
Tank Construction material:
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thicknessmil
5. Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify 4' tall hogwire fencing with pipe railing	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).0. - Topographic map; Visual inspection (certification) of the proposed site	∐ Yes ∐ No .
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - (Applies to temporary, emergency, or cavitation pits and below-grade tanks) (☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No ☐ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	☐ Yes ☐ No
Within 500 feet of a wetland.	
Within the area overlying a subsurface mine.	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
	☐ Yes ☐ No
	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13.
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
 ✓ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ✓ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ✓ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ✓ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC ✓ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Yaste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling facilities are required.		
•	osal Facility Permit Number:	
	osal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on Yes (If yes, please provide the information below) No	-	
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requi Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection G	9.15.17.13 NMAC	C
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closur provided below. Requests regarding changes to certain siting criteria may require adm considered an exception which must be submitted to the Santa Fe Environmental Bure demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidence.	inistrative approval from the appropriate dist au office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ned from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ned from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ned from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	nt watercourse or lakebed, sinkhole, or playa	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in exi - Visual inspection (certification) of the proposed site; Aerial photo; Satellite imag		☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, NM Office of the State Engineer - iWATERS database; Visual inspection (certification)	in existence at the time of initial application.	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obta	-	☐ Yes ☐ No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual insp	ection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and M	Aineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & M Society; Topographic map	ineral Resources; USGS; NM Geological	Yes No
Within a 100-year floodplain FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the followard check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Subsettier Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - because of Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsettier Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cues Soil Cover Design - based upon the appropriate requirements of Subsection H of 1	ents of 19.15.17.10 NMAC ection F of 19.15.17.13 NMAC iate requirements of 19.15.17.11 NMAC based upon the appropriate requirements of 19. 3 NMAC ents of Subsection F of 19.15.17.13 NMAC ection F of 19.15.17.13 NMAC ettings or in case on-site closure standards cann	15.17.11 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection G	9.15.17.13 NMAC	

Operator Application Certification: I hereby certify that the information submitted with this application is true, ac	curate and complete to the best of my knowledge and belief.
Name (Print): Ms. Amy Mackey	Title: Administrative Manager
Signature:	Date: 1-28-09
E-mail address: amackeyl@elmridge.net	Telephone: (505) 632-3476 Ext. 201
20. OCD Approval: Permit Application (including closure plan) Closure	Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Unit of Marie	Approval Date: 2/19/2009
OCD Representative Signature: Carl J. Marie Title: Environmental Engineer	OCD Permit Number:
21. Closure Report (required within 60 days of closure completion): Subsections: Operators are required to obtain an approved closure plan pri. The closure report is required to be submitted to the division within 60 days section of the form until an approved closure plan has been obtained and the	on K of 19.15.17.13 NMAC or to implementing any closure activities and submitting the closure report. If the completion of the closure activities. Please do not complete this
	Closure Completion Date.
22. Closure Method: Waste Excavation and Removal □ On-Site Closure Method □ Altered □ If different from approved plan, please explain.	rnative Closure Method Waste Removal (Closed-loop systems only)
23. Closure Report Regarding Waste Removal Closure For Closed-loop Syste Instructions: Please indentify the facility or facilities for where the liquids, of two facilities were utilized.	
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed or Yes (If yes, please demonstrate compliance to the items below) No	or in areas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and open Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	rations:
Closure Report Attachment Checklist: Instructions: Each of the following mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	e)
On-site Closure Location: LatitudeLor	gitude NAD:
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure requi	rements and conditions specified in the approved closure plan.
Name (Print):	Title:
Signature:	Date:
E-mail address:	Telephone:



EARTHEN PIT CLOSURE PLAN

SITE NAME:

BISTI COAL 21 COM 2 UNIT LETTER M, SECTION 21, TOWNSHIP 25N, RANGE 12W SAN JUAN COUNTY, NEW MEXICO LATITUDE 36.381600 LONGITUDE -108.132077

SUBMITTED TO:

MR. WAYNE PRICE
NEW MEXICO OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DRIVE
SANTA FE, NEW MEXICO 87505
(505) 476-3490

SUBMITTED BY:

MS. AMY MACKEY
ELM RIDGE EXPLORATION
P.O. BOX 156
BLOOMFIELD, NEW MEXICO 87413
(505) 632-3476 EXT. 201

JANUARY 2009

EARTHEN PIT CLOSURE PLAN ELM RIDGE EXPLORATION BISTI COAL 21 COM 2 SAN JUAN COUNTY, NEW MEXICO

TABLE OF CONTENTS

INTRODUCTION	1
SCOPE OF CLOSURE ACTIVITIES	1
<u>REPORTING</u>	3

INTRODUCTION

Elm Ridge Exploration would like to submit a closure plan for the earthen pit at the Bisti Coal 21 COM 2 well site located in the SW ¼ SW ¼ of Section 21, Township 25N, Range 12W, San Juan County, New Mexico. This closure plan has been prepared in conformance with the closure requirements of 19.15.17.13 NMAC.

SCOPE OF CLOSURE ACTIVITIES

The purpose of this closure plan is to provide the details of activities involved in the closure of the permanent unlined pit at the Bisti Coal 21 COM 2 well site. The following scope of closure activities has been designed to meet this objective:

- 1) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division of December 31, 2009.
- 2) In accordance with of Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health, or the environment.
- 3) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximity to surface water sources and distance to groundwater.
- 4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC.
- 5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close an earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of BGT closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this requirement. Closure activities that will take place on tribal land will have notifications sent by certified mail, return receipt requested, to the appropriate tribal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner received notice at least 24 hours prior to the beginning of

closure activities.

- 6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids, and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B or Basin Disposal, Permit # NM-01-0005, depending on the consistence of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.
- 7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.
- 8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored, or show other evidence of a release. All samples being collected will be analyzed for benzene, and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
- 9) Depending on soil sample results the area will be either backfilled or the area will be excavated.
 - a. If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.
 - ii. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.
 - iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a

contractor acting on behalf of Elm Ridge Exploration, will substantially restore, re-contour, and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has re-seed and when it has achieved successful re-vegetation. For re-vegetation methods, please see attached re-vegetation plan.

b. If soil samples exceed the regulatory standards stated above.

- i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.
- ii. Activities beyond this point will be in accordance with 19.15.3.116 NMAC and 19.15.11.19 NMAC.

REPORTING

Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, re-vegetation rates, re-seeding techniques, and site reclamation photo documentation, if applicable, along with all other information related to the onsite activities.

We appreciate the opportunity to be of service. If you have any questions or require further information, please do not hesitate to contact our office at (505) 632-3476 Ext. 201.

Respectfully Submitted

Elm Ridge Exploration

Amy Mackey

Elm Ridge Exploration

Elm Ridge Exploration

Re-Seeding Techniques and Seed Mixture Ratios

These applied practices by Elm Ridge Exploration will at a minimum comply with the New Mexico Oil Conservation Divisions rule 19.15.17.13, Subsection I NMAC Elm Ridge Exploration has adopted these re-seeding application techniques, ratios and mixtures as their standard operating procedures.

- 1. The first growing season after closure of a below grade tank or pit, all areas of the well site not utilized for the production of oil and/or gas on a daily basis will be re-seeded with the specified seed mixture.
- 2. The seed mixture used will be certified with no primary or secondary noxious weeds in seed mixtures. The seed labels from each bag shall be available for inspection while seed is being sown.
- 3. The operator shall accomplish seeding by drilling on the contour whenever practical or by other division-approved methods. The operator shall obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
- 4. Hand seeding with hydro-mulch, excelsior netting or mulch with netting is required on the cut/fill slopes. Mulch will be spread at a rate of 2,000-3,000 pounds per acre.
- 5. Compacted areas determined by visual inspection will be ripped to a depth of twelve (12) inches below ground surface and disked to a depth of six (6) inches before seeding. Seeding shall be done with a disk type drill with two (2) boxes for various seed sizes. The drill rows shall be eight (8) to ten (10) inches apart. Seed shall be planted at no less than one-half (1/2) inch deep or more than one (1) inch deep. The seeder shall be followed with a drag, packer, or roller to ensure uniform coverage of the seed and adequate compaction. Drilling shall be done on the contour where possible, but not up and down the slope.
- 6. Where slopes are too steep for contour drilling a hand seeder shall be used. Seed shall be covered to the depth stated above by whatever means is practical. If the seed is unable to be covered by the means listed above, the prescribed seed mixture amount will be doubled.

- 7. Elm Ridge Exploration shall repeat seeding or planting until it successfully achieves the required vegetative cover of 70% of the native perennial vegetation cover.
- 8. Upon abandonment of a well site, if the retention of the access road is not considered necessary for the management and multiple uses of the natural resources, or by the surface owner, it will be ripped a minimum of twelve (12) inches in depth. After ripping, water bars will be installed. All ripped surfaces are to be protected from vehicular travel by construction of a dead end ditch and earthen barricade at the entrance to these ripped areas. Re-seeding of areas affected by the ditch and barriers will be re-seeded if necessary.
- 9. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will inform the division once successful re-vegetation has occurred.