

Submit To Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised June 10, 2003
		WELL API NO. 30-007-20591
		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
		State Oil & Gas Lease No.
WELL COMPLETION OR RECOMPLETION REPORT AND LOG		
1a. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> OTHER <u>Coalbed Methane</u>		7. Lease Name or Unit Agreement Name VPR B
b. Type of Completion: NEW <input checked="" type="checkbox"/> WORK <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG <input type="checkbox"/> DIFF. WELL OVER BACK RESVR. <input type="checkbox"/> OTHER		
2. Name of Operator EL PASO ENERGY RATON, L.L.C.		8. Well No. 90
3. Address of Operator PO BOX 190 RATON, NEW MEXICO 87740		9. Pool name or Wildcat Van Bremmer - Vermejo Gas
4. Well Location Unit Letter D : 1299 Feet From The North Line and 1257 Feet From The West Line Section 27 Township 30N Range 18E NMPM Colfax County		
10. Date Spudded 03/06/05	11. Date T.D. Reached 03/07/05	12. Date Compl. (Ready to Prod.) 05/24/05
13. Elevations (DF& RKB, RT, GR, etc.) 8,232'		14. Elev. Casinghead 8,232'
15. Total Depth 2,755'	16. Plug Back T.D. 2,636'	17. If Multiple Compl. How Many Zones? 0 - TD
18. Intervals Drilled By		19. Producing Interval(s), of this completion - Top, Bottom, Name 915' - 2,421' Raton - Vermejo Coals
20. Was Directional Survey Made		21. Type Electric and Other Logs Run Compensated Density Single Induction Log and Cement Bond Log
22. Was Well Cored No		23. CASING RECORD (Report all strings set in well)
CASING SIZE	WEIGHT LB./FT.	DEPTH SET
8 5/8"	23 lbs	314'
5 1/2"	15.5 lbs	2,645'
24. LINER RECORD		25. TUBING RECORD
SIZE	TOP	BOTTOM
26. Perforation record (interval, size, and number)		27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
915'- 918', 959'- 964', 1010'- 1012', 1066'- 1068', 1079'- 1084' 68 Holes 2155'- 2158' 12 Holes 2354'- 2357', 2385'- 2388', 2405'- 2410', 2419'- 2421' 52 Holes		DEPTH INTERVAL 915' - 2,421'
		AMOUNT AND KIND MATERIAL USED 127,907 lbs 16/30 brown sand
28 PRODUCTION		
Date First Production 05/24/05		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping water up 2 7/8" tubing, insert pump and 2' x 1 1/4" x 10' Pumping unit. Flowing gas up 5 1/2" casing.
Well Status (Prod. or Shut-in) Production		
Date of Test 05/24/05	Hours Tested 24 Hours	Choke Size Full 2"
Prod'n For Test Period	Oil - Bbl N/A	Gas - MCF 11
Water - Bbl. 30	Gas - Oil Ratio N/A	
Flow Tubing Press. 120 psi	Casing Pressure 8 psi	Calculated 24-Hour Rate N/A
Oil - Bbl. N/A	Gas - MCF 11	Water - Bbl. 30
Oil Gravity - API - (Corr.) N/A		
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold, used for fuel.		Test Witnessed By Lyn Essman & Tony Burks
30. List Attachments		
31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief		
Signature <u>Shirley Mitchell</u> Printed Name Shirley A. Mitchell Title Regulatory Analyst Date 07/05/05 E-mail Address shirley.mitchell@elpaso.com		

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or reopened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
F. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
F. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
3. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
F. Yates	T. Miss	T. Cliff House	T. Leadville
F. 7 Rivers	T. Devonian	T. Menefee	T. Madison
F. Queen	T. Silurian	T. Point Lookout	T. Elbert
F. Grayburg	T. Montoya	T. Mancos	T. McCracken
F. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
F. Glorieta	T. McKee	Base Greenhorn	T. Granite
F. Paddock	T. Ellenburger	T. Dakota	T Raton 0'
F. Blinebry	T. Gr. Wash	T. Morrison	T Vermejo 2,130'
F. Tubb	T. Delaware Sand	T. Todilto	T Trinidad 2,471'
F. Drinkard	T. Bone Springs	T. Entrada	T.
F. Abo	T.	T. Wingate	T.
F. Wolfcamp	T.	T. Chinle	T.
F. Penn	T.	T. Permian	T.
F. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

o. 1, from.....to.....

o. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

include data on rate of water inflow and elevation to which water rose in hole.

o. 1, from to feet.....

o. 2, from to feet.....

o. 3, from to feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology