District 1 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

ĩ....

State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

30-045-28197

Form C-141 Revised October 10, 2003

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Lease No.: NM 61271

Release Notification and Corrective Action

	OPERATOR	🛛 Initial Report	Final Report
Name of Company: Elm Ridge Exploration	Contact: Amy Mackey		
Address: PO Box 156, Bloomfield, NM 87413	Telephone No.: (505) 632-34	76 Ext 201	
Facility Name: Bisti Coal 30 COM 1	Facility Type: Gas Well		

Surface Owner: Federal

LOCATION OF RELEASE

Mineral Owner:

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
A	30	25N	12W	790	FNL	790 ·	FEL	San Juan

Latitude_<u>36.3772546333</u> Longitude <u>-108.146404428</u>

NATURE OF RELEASE

Type of Release: Produced Water	Volume of Release: Unknown	Volume Reco	overed: Unknown
Source of Release: Earth Pit	Date and Hour of Occurrence: Historical	Date and Hou	ur of Discovery: NA
Was Immediate Notice Given?	If YES, To Whom?		
🗌 Yes 🔲 No 🖾 Not Required			
By Whom?	Date and Hour		
Was a Watercourse Reached?	If YES, Volume Impacting the Wa	itercourse.	
🗌 Yes 🖾 No			
If a Watercourse was Impacted, Describe Fully.*			
Describe Cause of Problem and Remedial Action Taken.*			
Produced Water from a gas well at the mentioned location formerly disch		The well has be	een altered to no longer drain
into an earthen pit, but instead into an Above Ground Storage Tank (AST).		
Describe Area Affected and Cleanup Action Taken.*			
Blow sand was removed from the earthen pit, and approximately five (5)	yards of 'production sludge' was rem	oved from the ea	arthen pit. A five (5)-point
composite sample was collected from approximately one (1) foot below t petroleum hydrocarbons (TPH) via USEPA Method 418.1, and in Enviro			
chlorides via USEPA Method 4500B. The sample returned results below			
BTEX, but above the 250 mg/kg total chloride standard, confirming that			
this point forward with the local division of the OCD.			
I hereby certify that the information given above is true and complete to t	he best of my knowledge and underst	and that nursuan	nt to NMOCD rules and
regulations all operators are required to report and/or file certain release r			
public health or the environment. The acceptance of a C-141 report by the			
should their operations have failed to adequately investigate and remedia or the environment. In addition, NMOCD acceptance of a C-141 report of			
federal, state, or local laws and/or regulations.	loes not reneve the operator of respor	isionity for comp	phance with any other
	OIL CONSER	VATION D	IVISION
Signature:			
Printed Name: Ms. Amy Mackey	Approved by District Supervisor:		
Title: Administrative Manager	Approval Date:	Expiration Dat	te:
E-mail Address: amackey1@elmridge.net	Conditions of Approval:	l	
			Attached
Date: 6-15-10 Phone: 505-632-3476 Ext 201			

* Attach Additional Sheets If Necessary

Earthen Pit Closure Checklist

- Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division (NMOCD) of December 31, 2009.
 Closure date for the earth pit located at Bisti Coal 30 COM 1 well site is August 18, 2009.
- 2) In accordance with Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health or the environment.

None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health, or to fresh or public water.

Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximity to surface water sources and distance to groundwater.

None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health, or to fresh or public water.

4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC.

Notification was provided to Mr. Brad Jones of the NMOCD Santa Fe Office on August 4, 2009, along with a schedule of on-site activities; see attached *Notification Letter*.

5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of onsite activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close an earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of earthen pit closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this requirement. Closure activities that will take place on tribal land will have notifications sent by certified mail, return receipt requested, to the appropriate tribal office. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner will receive notice at least 24 hours prior to the beginning of closure activities. Notification was provided to the Bureau of Land Management on August 13, 2009; see attached Sundry Notice and Return Receipt.

6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B, or Basin Disposal, Permit # NM-01-0005, depending on the consistency of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.

On August 18, 2009, approximately five (5) cubic yards of production sludge was removed from the earthen pit and disposed of at Envirotech's NMOCD permitted soil remediation facility, Landfarm #2, Permit # NM-01-0011; see attached *Bill of Lading*.

7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.

All on-site equipment will be used for the continued operation of the Bisti Coal 30 COM 1 well site; see attached *Field Sheet* and *Site Photos*.

8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored or shows other evidence of a release. All samples being collected will be analyzed for benzene and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.

A five (5)-point composite sample was collected of native soil beneath the earthen pit and analyzed in the field for total petroleum hydrocarbons (TPH) via USEPA Method 418.1, and analyzed in the laboratory for benzene and BTEX via USEPA Method 8021B and for total chlorides via USEPA Method 4500B. The sample returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard and the 50 mg/kg BTEX standard, but above the 250 mg/kg total chloride standard, confirming that a release did occur. Elm Ridge Exploration will comply with Rule 29 from this point forward with the local division of the OCD.

NAME	Benzene	BTEX	Chlorides	ТРН
Pit Rule	0.2 mg/kg	50 mg/kg	250 mg/kg	100 mg/kg
Standard				
Earth Pit Comp 3'	< 0.0009 mg/kg	0.0128 mg/kg	265 mg/kg	< 5 mg/kg
Deep				
Background	NS	NS	245 mg/kg	NS

- 9) Depending on soil sample results the area will be either backfilled or the area will be excavated.
 - 1) If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

Completed Form C-141 is attached for your review.

ii. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one (1) foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.

Elm Ridge Exploration has backfilled the excavated area with nonwaste containing earthen material, and installed a soil cover of at least one (1) foot thick of suitable material to establish vegetation at this site. The soil cover has been graded in such a way that it conforms to the grade of the natural surroundings, and will prevent ponding of water and erosion of the cover material; see attached *Site Photos*.

- iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will substantially restore, recontour and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has been re-seeded and when it has achieved successful re-vegetation. Elm Ridge Exploration has restored, recontoured and re-seeded the excavated area in accordance with BLM standards as outlined in the Memorandum of Understanding (MOU).
- 2) If soil samples exceed the regulatory standards stated above:
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

The five (5)-point composite sample of native soil beneath the earthen pit returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard and the 50 mg/kg BTEX standard, but above the 250 mg/kg total chloride standard, confirming that a release did occur. Elm Ridge Exploration will comply with Rule 29 with the local division of the OCD from this point forward.

10) Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, re-vegetation rates, re-seeding techniques, and site reclamation photo documentation if applicable, along with all other information related to the onsite activities.

Elm Ridge Exploration will submit the above mentioned closure documents to the local division of the OCD.



March 8, 2010

Project No. 03056-0175

Mr. Brad Jones New Mexico Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Phone (505) 476-3487

RE: C-141 RELEASE NOTIFICATION FORM FOR THE BISTI COAL 30 COM 1 WELL SITE

Dear Mr. Jones,

Please find enclosed the modified C-141 Release Notification Form and additional supporting closure documentation for the Bisti Coal 30 COM 1 well site owned and operated by Elm Ridge Exploration. All closure activities from this point forward will comply with Rule 29 with the district office of the OCD.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted, **ENVIROTECH, INC.**

James McDaniel **Project Scientist** jmcdaniel@envirotech-inc.com

Enclosure:	Modified C-141 Release Notification Form
	Modified Closure Checklist

Cc:

Client File No. 03056

 \triangleright

			3 .		•		ł			
District 1 625 N. French	Dr., Hobbs,	NM 88240		_	State of	New Mex	ico	×	inn	Form C-14
	l Avenue, Art	esia, NM 88210		Energy	Minerals	and Natura	Il Resources	:NED (JUD ·	Revised October 10, 200
District III 000 Rio Brazo	os Road, Azte	c, NM 87410		0	il Conser	vation Di	vision	, .	Submi	t 2 Copies to appropriat rict Office in accordanc with Rule 116 on bac
District IV 220 S. St. Fran	ncis Dr., Sant	a Fe, NM 8750:	5	1.	i '	e, NM 875	· • • • • • • • • • • • • • • • • • • •	716 A	ر ن ۲۰	side of form
			Rel	ease Not	ificatio	n and Co	orrective A	ction		
Name of C	C	Im Didoo I?				OPERA		\boxtimes	Initial Repo	ort 📋 Final Repo
Address: P	O Box 156	lm Ridge Ex , Bloomfield	, NM 87			Contact: Ar Telephone	No.: (505) 632-3	476 Ext 20	1	
Facility Na	me: Bisti (Coal 30 COM	11		!	Facility Ty	be: Gas Well		,	
Surface Ov	vner: Feder	ral		Mine	ral Owner:		,	L	ease No.: NN	4 61271
Unit Letter	Section	Township	Range	LC Feet from t		N OF RE	LEASE Feet from the	East/West	Line Count	
A	30	25N	12W	790	ne Norm	FNL	790	FEL	San Ju	~
	_ I			atitude 36.	377254633	3 Longitu	l <u> </u>	428		
				-	1	OF REL				
Type of Rel			· · · · · · · · · · · · · · · · · · ·			Volume of	Release: Unknov			ed: Unknown
Source of R	elease: Larti	n Pit		*	*	Date and I Historical	Iour of Occurrenc	e: Dat	e and Hour of	f Discovery: NA
Was Immed	iate Notice		Yes] No 🛛 N	ot Required	If YES, To	Whom?			
By Whom?						Date and I				······
Was a Wate	rcourse Rea	ched?	Yes D	No	1	If YES, V	olume Impacting t	the Watercou	rse.	
If a Waterco	urse was In	pacted, Descr	ibe Fully.	: •	<u> </u>	_l				
	use of Prob	lem and Reme	dial Actio	n Taken.*						
				d location for	merly disch				vell has been a	altered to no longer drain
Produced W	ater from a).	earthen pit on loc	ation. The w		
Produced W into an earth Describe Ar	ater from a ten pit, but i	gas well at the nstead into an and Cleanup	Above G Action Ta	ound Storage	Tank (AST					· · · · · · · · · · · · · · · · · · ·
Produced W into an earth Describe Ar Blow sand v composite sa	ater from a ten pit, but i ea Affected vas removed ample was c	gas well at the nstead into an and Cleanup from the eart collected from	Above G Action Ta hen pit, an approxim	ound Storage ken.* ad approxima ately one (1)	tely five (5)	yards of *pro he earthen pit	duction sludge' w	as removed f ved. The sar	rom the earth	en pit. A five (5)-point yzed in the field for tota
Produced W into an earth Describe Ar Blow sand v composite si petroleum h chlorides via	ater from a ten pit, but i ea Affected vas removed ample was c ydrocarbons a USEPA M	gas well at the nstead into an and Cleanup d from the eart collected from s (TPH) via US lethod 4500B.	Above G Action Ta hen pit, ai approxim SEPA Me The sam	ken.* d approxima ately one (1) thod 418.1, ar blc returned n	Tank (AST tely five (5) foot below t ind in Enviro esults below	yards of 'pro he earthen pit tech's laborat the 'Pit Rule	duction sludge' w once it was remo ory for benzene au ' standards of 100	as removed f ved. The sar nd BTEX via mg/kg TPH	rom the earth nple was anal USEPA Met , 0.2 mg/kg bo	en pit. A five (5)-point yzed in the field for tota hod 8021 and for total
Produced W into an earth Describe Ar Blow sand v composite si petroleum h chlorides via and 250 mg/	ater from a en pit, but i ea Affected was removed ample was c ydrocarbons a USEPA M /kg total chl	gas well at the nstead into an and Cleanup a d from the eart collected from s (TPH) via US lethod 4500B. orides, confirm	Above G Action Ta hen pit, ai approxim SEPA Me The sam ning that a	ound Storage ken.* ad approxima ately one (1) thod 418.1, at olc returned n release had n	Tank (AST tely five (5) foot below t ad in Enviro csults below not occurred	yards of 'pro he earthen pit tech's laborat the 'Pit Rule Analytical	duction sludge' w once it was remo ory for benzene au ' standards of 100 results are attached	as removed f ved. The sar nd BTEX via mg/kg TPH d for your ref	rom the earth nple was anal USEPA Met , 0.2 mg/kg bo ference.	en pit. A five (5)-point yzed in the field for tota hod 8021 and for total enzene, 50 mg/kg BTEX
Produced W into an earth Describe Ar Blow sand v composite si petroleum h chlorides via and 250 mg/ I hereby cert regulations a	ater from a ten pit, but i ea Affected was removed ample was c ydrocarbons a USEPA M /kg total chl tify that the all operators	gas well at the nstead into an and Cleanup a d from the eart collected from s (TPH) via US lethod 4500B. orides, confirm information g s are required t	Above G Action Ta hen pit, ai approxim SEPA Me The sam ning that a iver above o geport a	ound Storage ken.* ad approxima ately one (1) thod 418.1, at ole returned n release had to is true and c ad/or file cert	Tank (AST tely five (5) foot below t in Enviro esults below to ccurred omplete to t ain release r	yards of 'pro he earthen pil tech's laborat the 'Pit Rule . Analytical he best of my notifications a	duction sludge' w once it was remo ory for benzene au ' standards of 100 results are attached ' knowledge and u nd perform correct	as removed f ved. The sar nd BTEX via mg/kg TPH d for your ref inderstand the ctive actions	rom the earth nple was anal USEPA Met , 0.2 mg/kg be ference. at pursuant to for releases w	en pit. A five (5)-point yzed in the field for tota hod 8021 and for total enzene, 50 mg/kg BTEX NMOCD rules and hich may endanger
Produced W into an earth Describe Ar Blow sand v composite si petroleum h chlorides via and 250 mg/ I hereby cer regulations a public health	ater from a ten pit, but i ea Affected vas removed ample was c ydrocarbons a USEPA M /kg total chl tify that the all operators h or the envi	gas well at the nstead into an and Cleanup a d from the eart collected from s (TPH) via US tethod 4500B. orides, confirm information g s are required t ironment. The	Above G Action Ta hen pit, ai approxim SEPA Me The sam ning that a iver above o report a seceptan	ound Storage ken.* ad approxima ately one (1) thod 418.1, ar ole returned n release had n e is true and c nd/or file cert ce of a C-141	Tank (AST tely five (5) foot below t in Enviro esults below to occurred omplete to t ain release r report by th	yards of 'pro he earthen pil tech's laborat the 'Pit Rule . Analytical he best of my notifications a e NMOCD n	duction sludge' w once it was remo ory for benzene an ' standards of 100 results are attached ' knowledge and u nd perform correct narked as "Final R	as removed f ved. The sar nd BTEX via mg/kg TPH d for your ref inderstand the ctive actions deport does n	rom the earth nple was anal USEPA Met , 0.2 mg/kg be ference. at pursuant to for releases w not relieve the	en pit. A five (5)-point yzed in the field for tota hod 8021 and for total enzene, 50 mg/kg BTEX NMOCD rules and hich may endanger operator of liability
Produced W into an earth Describe Ar Blow sand v composite si petroleum h chlorides via and 250 mg/ I hereby cert regulations a public health should their or the enviro	ater from a ten pit, but i ea Affected was removed ample was c ydrocarbons a USEPA M /kg total chl tify that the all operators h or the envi operations l onment in	gas well at the nstead into an and Cleanup d from the eart collected from s (TPH) via US tethod 4500B. orides, confirm information g s are required to ironment. The have failed to addition, NMC	Above G Action Ta hen pit, ai approxim SEPA Me The sam ning that a iver above to report a e acceptan affequatel CD acce	ound Storage ken.* ad approxima ately one (1) thod 418.1, ar ole returned n release had n e is true and c nd/or file cert ce of a C-141 y investigate a	Tank (AST tely five (5) foot below t in Enviro esults below to occurred in release r report by th and remedia	yards of 'pro he earthen pil tech's laborat the 'Pit Rule . Analytical he best of my notifications a e NMOCD n te contaminat	duction sludge' w once it was remo ory for benzene an ' standards of 100 results are attached knowledge and u nd perform correct narked as "Final R ion that pose a thr	as removed f ved. The sar nd BTEX via mg/kg TPH d for your ref inderstand the ctive actions deport does not reat to ground	rom the earth nple was anal USEPA Met , 0.2 mg/kg be ference. at pursuant to for releases w not relieve the I water, surfac	en pit. A five (5)-point yzed in the field for tota hod 8021 and for total enzene, 50 mg/kg BTEX NMOCD rules and hich may endanger
Produced W into an earth Describe Ar Blow sand v composite si petroleum h chlorides via and 250 mg/ I hereby cert regulations a public health should their or the enviro	ater from a ten pit, but i ea Affected was removed ample was c ydrocarbons a USEPA M /kg total chl tify that the all operators h or the envi operations l onment in	gas well at the nstead into an and Cleanup a d from the eart collected from s (TPH) via US tethod 4500B. orides, confirm information g s are required to ironment. The have failed to	Above G Action Ta hen pit, ai approxim SEPA Me The sam ning that a iver above to report a e acceptan affequatel CD acce	ound Storage ken.* ad approxima ately one (1) thod 418.1, ar ole returned n release had n e is true and c nd/or file cert ce of a C-141 y investigate a	Tank (AST tely five (5) foot below t in Enviro esults below to occurred in release r report by th and remedia	yards of 'pro he earthen pil tech's laborat the 'Pit Rule . Analytical he best of my notifications a e NMOCD n te contaminat	duction sludge' w once it was remo ory for benzene an ' standards of 100 results are attached knowledge and u nd perform correct narked as "Final R ion that pose a thr	as removed f ved. The sar nd BTEX via mg/kg TPH d for your ref inderstand the ctive actions eport" does not eat to ground responsibility	rom the earth nplc was anal USEPA Met , 0.2 mg/kg bo ference. at pursuant to for releases w not relieve the I water, surfac y for compliar	en pit. A five (5)-point yzed in the field for tota hod 8021 and for total enzene, 50 mg/kg BTEX NMOCD rules and hich may endanger operator of liability we water, human health nee with any other
Produced W into an earth Describe Ar Blow sand v composite si petroleum h chlorides via and 250 mg/ I hereby cert regulations a public health should their or the enviro	ater from a ten pit, but i ea Affected was removed ample was c ydrocarbons a USEPA M /kg total chl tify that the all operators h or the envi operations l onment in	gas well at the nstead into an and Cleanup d from the eart collected from s (TPH) via US tethod 4500B. orides, confirm information g s are required to ironment. The have failed to addition, NMC	Above G Action Ta hen pit, ai approxim SEPA Me The sam ning that a iver above to report a e acceptan affequatel CD acce	ound Storage ken.* ad approxima ately one (1) thod 418.1, ar ole returned n release had n e is true and c nd/or file cert ce of a C-141 y investigate a	Tank (AST tely five (5) foot below t in Enviro esults below to occurred in release r report by th and remedia	yards of 'pro he earthen pil tech's laborat the 'Pit Rule . Analytical he best of my notifications a e NMOCD n te contaminat	duction sludge' w once it was remo ory for benzene an ' standards of 100 results are attached knowledge and u nd perform correct narked as "Final R ion that pose a thr ve the operator of	as removed f ved. The sar nd BTEX via mg/kg TPH d for your ref inderstand the ctive actions eport" does not eat to ground responsibility	rom the earth nplc was anal USEPA Met , 0.2 mg/kg bo ference. at pursuant to for releases w not relieve the I water, surfac y for compliar	en pit. A five (5)-point yzed in the field for tota hod 8021 and for total enzene, 50 mg/kg BTEX NMOCD rules and hich may endanger operator of liability we water, human health nee with any other
Produced W into an earth Describe Ar Blow sand v composite si petroleum h chlorides via and 250 mg/ I hereby cert regulations a public health should their or the enviro federal, state	ater from a ten pit, but i ca Affected vas removed ample was c ydrocarbons a USEPA M /kg total chl tify that the all operators h or the envi operations l onment in s c, or local la	gas well at the nstead into an and Cleanup a d from the eart collected from s (TPH) via US lethod 4500B. orides, confirm information g are required to ironment. The have failed to addition, NMC ws and/or reg	Above G Action Ta hen pit, ai approxim SEPA Me The sam ning that a iver above to report a e acceptan affequatel CD acce	ound Storage ken.* ad approxima ately one (1) thod 418.1, ar ole returned n release had n e is true and c nd/or file cert ce of a C-141 y investigate a	Tank (AST tely five (5) foot below t in Enviro esults below to occurred in release r report by th and remedia	yards of 'pro he earthen pit tech's laborat the 'Pit Rule . Analytical he best of my totifications a e NMOCD n te contaminat loes not reliev	duction sludge' w once it was remo ory for benzene an ' standards of 100 results are attached knowledge and u nd perform correct narked as "Final R ion that pose a thr ve the operator of	as removed f ved. The sar nd BTEX via mg/kg TPH d for your ref inderstand the tive actions eaport" does n eat to ground responsibility SERVAT	rom the earth nplc was anal USEPA Met , 0.2 mg/kg bo ference. at pursuant to for releases w not relieve the I water, surfac y for compliar	en pit. A five (5)-point yzed in the field for tota hod 8021 and for total enzene, 50 mg/kg BTEX NMOCD rules and hich may endanger operator of liability we water, human health nee with any other
Produced W into an earth Describe Ar Blow sand v composite si petroleum h chlorides via and 250 mg/ I hereby cert regulations a public health should their or the enviro federal, state Signature: Printed Nam	ater from a ten pit, but i ca Affected vas removed ample was c ydrocarbons a USEPA M /kg total chl tify that the all operators h or the envi operations l onment. In c, or local la	gas well at the nstead into an and Cleanup at from the eart collected from s (TPH) via US lethod 4500B. orides, confirm information g are required to ironment. The have failed to addition, NMC ws and/or reg	Above G Action Ta hen pit, ai approxim SEPA Me The sam ning that a iver above to report a e acceptan affequatel CD acce	ound Storage ken.* ad approxima ately one (1) thod 418.1, ar ole returned n release had n e is true and c nd/or file cert ce of a C-141 y investigate a	Tank (AST tely five (5) foot below t in Enviro esults below to occurred in release r report by th and remedia	yards of 'pro he earthen pit tech's laborat the 'Pit Rule . Analytical he best of my totifications a e NMOCD n te contaminat loes not reliev	duction sludge' w once it was remo ory for benzene an ' standards of 100 results are attached whowledge and u and perform correct narked as "Final R ion that pose a thr we the operator of <u>OIL CON</u>	as removed f ved. The sar nd BTEX via mg/kg TPH d for your ref inderstand the ctive actions teport" does n eat to ground responsibility SERVAT	rom the earth nplc was anal USEPA Met , 0.2 mg/kg bo ference. at pursuant to for releases w not relieve the I water, surfac y for compliar	en pit. A five (5)-point yzed in the field for tota hod 8021 and for total enzene, 50 mg/kg BTEX NMOCD rules and hich may endanger operator of liability we water, human health nee with any other
Produced W into an earth Describe Ar Blow sand v composite si petroleum h chlorides via and 250 mg/ I hereby cert regulations a public health should their or the enviro federal, state Signature: Printed Nam	ater from a ten pit, but i ca Affected vas removed ample was c ydrocarbons a USEPA M /kg total chl tify that the all operators h or the envi operations i onment in s c, or local la	gas well at the nstead into an and Cleanup at from the eart collected from s (TPH) via US lethod 4500B. orides, confirm information g are required to ironment. The have failed to addition, NMC ws and/or reg	Above G Action Ta hen pit, ai approxim SEPA Me The sam ning that a iver above to report a e acceptan acceptan acceptan acceptan acceptan acceptan	ound Storage ken.* ad approxima ately one (1) thod 418.1, ar ole returned n release had n e is true and c nd/or file cert ce of a C-141 y investigate a	Tank (AST tely five (5) foot below t in Enviro esults below to occurred in release r report by th and remedia	yards of 'pro he earthen pit tech's laborat the 'Pit Rule . Analytical he best of my totifications a e NMOCD n te contaminat loes not reliev	duction sludge' w once it was remo ory for benzene an ' standards of 100 results are attached ' knowledge and u nd perform correct narked as "Final R ion that pose a thr ve the operator of <u>OIL CON</u> ' District Supervis	as removed f ved. The sar nd BTEX via mg/kg TPH d for your ref inderstand the ctive actions teport" does n eat to ground responsibility SERVAT	rom the earth nple was anal USEPA Met , 0.2 mg/kg be ference. at pursuant to for releases w not relieve the d water, surfac y for complian <u>ION DIVI</u>	en pit. A five (5)-point yzed in the field for total hod 8021 and for total enzene, 50 mg/kg BTEX NMOCD rules and hich may endanger operator of liability we water, human health nee with any other SION
Produced W into an earth Describe Ar Blow sand v composite si petroleum h chlorides via and 250 mg/ I hereby cert regulations a public health should their or the enviro federal, state Signature: Printed Nam	ater from a ten pit, but i ca Affected vas removed ample was c ydrocarbons a USEPA M /kg total chl tify that the all operators h or the envi operations i onment in s c, or local la	gas well at the nstead into an and Cleanup a d from the eart collected from s (TPH) via US lethod 4500B. orides, confirm information g are required to ironment. The have failed to addition, NMC ws and/or reg	Above G Action Ta hen pit, ai approxim SEPA Me The sam ning that a iver above to report a e acceptan a	ound Storage ken.* ad approxima ately one (1) thod 418.1, ar ole returned n release had n e is true and c nd/or file cert ce of a C-141 y investigate a	Tank (AST tely five (5) foot below t ind in Enviro esults below not occurred omplete to t ain release r report by th and remedia 141 report c	yards of 'pro he earthen pit tech's laborat the 'Pit Rule . Analytical he best of my totifications a e NMOCD n te contaminat loes not reliev Approved by Approval Da	duction sludge' w once it was remo ory for benzene an ' standards of 100 results are attached ' knowledge and u nd perform correct narked as "Final R ion that pose a thr ve the operator of <u>OIL CON</u> ' District Supervis	as removed f ved. The sar nd BTEX via mg/kg TPH d for your ref inderstand the ctive actions teport" does n eat to ground responsibility SERVAT	rom the earth nple was anal USEPA Met , 0.2 mg/kg be ference. at pursuant to for releases w not relieve the d water, surfac y for complian <u>ION DIVI</u>	en pit. A five (5)-point yzed in the field for tota hod 8021 and for total enzene, 50 mg/kg BTEX NMOCD rules and hich may endanger operator of liability we water, human health nee with any other
Produced W into an earth Describe Ar Blow sand v composite si petroleum h chlorides via and 250 mg/ I hereby cert regulations a public health should their or the enviro federal, state Signature: Printed Nam E-mail Addm	ater from a ten pit, but i ca Affected vas removed ample was c ydrocarbons a USEPA M /kg total chl tify that the all operators h or the envi operations l onment in s c, or local la he: Ms. Amp histrative M	gas well at the nstead into an and Cleanup a d from the eart collected from s (TPH) via US lethod 4500B. orides, confirm information g are required to ironment. The have failed to addition, NMC ws and/or reg	Above G Action Ta hen pit, ai approxim SEPA Me The sam ning that a iver above to report a e acceptan a	ound Storage ken.* ad approxima ately one (1) thod 418.1, an ole returned ru- release had n release	Tank (AST tely five (5) foot below t ind in Enviro esults below not occurred omplete to t ain release r report by th and remedia 141 report c	yards of 'pro he earthen pit tech's laborat the 'Pit Rule . Analytical he best of my totifications a e NMOCD n te contaminat loes not reliev Approved by Approval Da	duction sludge' w once it was remo ory for benzene an ' standards of 100 results are attached ' knowledge and u nd perform correct narked as "Final R ion that pose a thr ve the operator of <u>OIL CON</u> ' District Supervis	as removed f ved. The sar nd BTEX via mg/kg TPH d for your ref inderstand the ctive actions teport" does n eat to ground responsibility SERVAT	rom the earth nple was anal USEPA Met , 0.2 mg/kg be ference. at pursuant to for releases w not relieve the d water, surfac y for compliar <u>ION DIVI</u>	en pit. A five (5)-point yzed in the field for total hod 8021 and for total enzene, 50 mg/kg BTEX NMOCD rules and hich may endanger operator of liability water, human health nee with any other SION

.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

٩

3

State of New Mexico **Energy Minerals and Natural Resources** Department **Oil Conservation Division** 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
 Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank, or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations, or ordinances.
Operator: OGRID #:149052
Address: P.Q. Box 156; Bloomfield, NM 87413
Facility or well name: Bisti Coal 30 COM 1
API Number: <u>3004528797</u> OCD Permit Number:
U/L or Qtr/Qtr <u>A</u> Section <u>30</u> Township <u>25N</u> Range <u>12W</u> County: <u>San Juan</u>
Center of Proposed Design: Latitude <u>36.3772546333</u> Longitude <u>-108.146404428</u> NAD: [1927] 1983
Surface Owner: 🛛 Federal 🗌 State 🗋 Private 🗋 Tribal Trust or Indian Allotment
^{2.} ⊠ Pit: Subsection F or G of 19.15.17.11 NMAC
Temporary: Drilling Workover
$\square Permanent \square Emergency \square Cavitation \square P&A$
Lined Vullined Liner type: Thicknessmil LLDPE HDPE PVC Other
String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L 8' x W 8' x D 3'
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of
intent)
Drying Pad Above Ground Steel Tanks Haul-off Bins Other
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other
Liner Seams: Welded Factory Other
4. Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume:bbl Type of fluid:
Tank Construction material:
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Visible sidewalls and liner Visible sidewalls only Not labeled
Liner type: Thicknessmil
5.

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade-tanks)

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify_

6

7.

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other_

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.3.103 NMAC

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept	stable source
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approv	priate district
office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a	pproval.
Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dryi	ing pads or
above-grade tanks associated with a closed-loop system.	

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗋 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ☐ No ☐ NA
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	□ Yes □ No □ NA
 Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	🗌 Yes 🗌 No
Within 500 feet of a wetland.	🗌 Yes 🗌 No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗋 Yes 🗌 No
Within a 100-year floodplain.	🗌 Yes 🗌 No

11. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: 12. 12. 12. 12. 12. 12. 13. 14. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15.
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Hydrogenous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) 15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the
closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

1 1

^{16.} Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.1 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future ser Yes (If yes, please provide the information below) No	vice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	с
^{17.} Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No
 Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🗌 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map	🗋 Yes 🗌 No
 18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19 	

Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
 Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Waste Waterial Summing Fiant Stated upon the appropriate requirements of Subsection F of 19.15.17.15 MWAC
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
 Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

,	
19. Operator Application Certification:	
	cation is true, accurate and complete to the best of my knowledge and belief.
Name (Print):	
· · · · · · · · · · · · · · · · · · ·	
Signature:	Date:
E-mail address:	Telephone:
20.	Slan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:	Approval Date:
Title:	OCD Permit Number:
	closure plan prior to implementing any closure activities and submitting the closure in within 60 days of the completion of the closure activities. Please do not complete this within 60 days of the completion of the closure activities.
22.	
Closure Method: Waste Excavation and Removal On-Site Closure M If different from approved plan, please explain.	ethod 🔲 Alternative Closure Method 🔲 Waste Removal (Closed-loop systems o
<i>two facilities were utilized.</i> Disposal Facility Name: <u>Envirotech Landfarm #2</u> Disposal Facility Name:	tere the liquids, drilling fluids and drill cuttings were disposed. Use attachment if mo Disposal Facility Permit Number: Disposal Facility Permit Number: ties performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliance to the items	s below) 🗋 No
Required for impacted areas which will not be used for future Site Reclamation (Photo Documentation)	service and operations:
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Techniqu	
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Techniqu 24.	
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Techniqu 24.	to of the following items must be attached to the closure report. Please indicate, by a c See Attached le) See Attached for on-site closure) ch Landfarm #2, NM-01-0011 ise Pursuant to the BLM MOU
 Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Closure Report Attachment Checklist: Instructions: Each mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (required Disposal Facility Name and Permit Number Enviroteet Soil Backfilling and Cover Installation See Attached Re-vegetation Application Rates and Sceding Technique Site Reclamation (Photo Documentation) See Attached 	to of the following items must be attached to the closure report. Please indicate, by a c See Attached le) See Attached for on-site closure) ch Landfarm #2, NM-01-0011 ine Pursuant to the BLM MOU
 Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Closure Report Attachment Checklist: Instructions: Each mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required Disposal Facility Name and Permit Number Enviroted Soil Backfilling and Cover Installation See Attached Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) See Attached On-site Closure Location: Latitude Intereby certify that the Information are attachments submittee 	the of the following items must be attached to the closure report. Please indicate, by a constructed see Attached See Attached See Attached See Attached for on-site closure) ch Landfarm #2, NM-01-0011 see Pursuant to the BLM MOU d NAD: [1927] 1983 cd with this closure report is true, accurate and complete to the best of my knowledge ar
 Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Closure Report Attachment Checklist: Instructions: Each mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required Disposal Facility Name and Permit Number Enviroted Soil Backfilling and Cover Installation See Attached Re-vegetation Application Rates and Sceding Technique Site Reclamation (Photo Documentation) See Attached On-site Closure Location: Latitude Ibereby certify that the information and attachments submitted belief. I also certify that the closure complies with all application 	ac b of the following items must be attached to the closure report. Please indicate, by a closure set of the following items must be attached to the closure report. Please indicate, by a closure set of the set
 Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Closure Report Attachment Checklist: Instructions: Each mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required Disposal Facility Name and Permit Number Enviroted Soil Backfilling and Cover Installation See Attached Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) See Attached On-site Closure Location: Latitude I hereby certify that the information and attachments submittee belief. I also certify that the closure complies with all application Name (Print): MAMM Mackey 	ac b of the following items must be attached to the closure report. Please indicate, by a closure statement of the following items must be attached to the closure report. Please indicate, by a close Attached (a) See Attached (b) See Attached (c) See Attached (c) on-site closure) (c) Landfarm #2, NM-01-0011 (c) Longitude (c) NAD: (c) 1927 <
 Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Closure Report Attachment Checklist: Instructions: Each mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required Disposal Facility Name and Permit Number Enviroted Soil Backfilling and Cover Installation See Attached Re-vegetation Application Rates and Sceding Technique Site Reclamation (Photo Documentation) See Attached On-site Closure Location: Latitude Ibereby certify that the information and attachments submitted belief. I also certify that the closure complies with all application 	ac b of the following items must be attached to the closure report. Please indicate, by a closure set of the following items must be attached to the closure report. Please indicate, by a closure set of the set

.

1 1

Earthen Pit Closure Checklist

- Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division (NMOCD) of December 31, 2009.
 Closure date for the earth pit located at Bisti Coal 30 COM 1 well site is August 18, 2009.
- 2) In accordance with Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health or the environment.
 None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health, or to fresh or public water.
- Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximity to surface water sources and distance to groundwater.
 None of the earthen pits to be closed by Elm Ridge Exploration are deemed an imminent risk to the environment, public health, or to fresh or public water.
- 4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC.
 Notification was provided to Mr. Brad Jones of the NMOCD Santa Fe Office on August 4, 2009, along with a schedule of on-site activities; see attached Notification Letter.
- 5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of onsite activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close an earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of earthen pit closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this requirement. Closure activities that will take place on tribal land will have notifications sent by certified mail, return receipt requested, to the appropriate tribal office. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner will receive notice at least 24 hours prior to the beginning of closure activities. Notification was provided to the Bureau of Land Management on August 13, 2009; see attached Sundry Notice and Return Receipt.

6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B, or Basin Disposal, Permit # NM-01-0005, depending on the consistency of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.

On August 18, 2009, approximately five (5) cubic yards of production sludge was removed from the earthen pit and disposed of at Envirotech's NMOCD permitted soil remediation facility, Landfarm #2, Permit # NM-01-0011; see attached *Bill of Lading*.

7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.

All on-site equipment will be used for the continued operation of the Bisti Coal 30 COM 1 well site; see attached *Field Sheet* and *Site Photos*.

8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored or shows other evidence of a release. All samples being collected will be analyzed for benzene and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.

A five (5)-point composite sample was collected of native soil beneath the earthen pit and analyzed in the field for total petroleum hydrocarbons (TPH) via USEPA Method 418.1, and analyzed in the laboratory for benzene and BTEX via USEPA Method 8021B and for total chlorides via USEPA Method 4500B. The sample returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard, the 50 mg/kg BTEX standard, and the 250 mg/kg total chloride standard, confirming that a release did NOT occur.

NAME	Benzene	BTEX	Chlorides	ТРН
Pit Rule	0.2 mg/kg	50 mg/kg	250 mg/kg	100 mg/kg
Standard				
Earth Pit Comp 3'	< 0.0009 mg/kg	0.0128 mg/kg	265 mg/kg	< 5 mg/kg
Deep				
Background	NS	NS	245 mg/kg	NS

- 9) Depending on soil sample results the area will be either backfilled or the area will be excavated.
 - 1) If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

Completed Form C-141 is attached for your review.

ii. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one (1) foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.

Elm Ridge Exploration has backfilled the excavated area with nonwaste containing earthen material, and installed a soil cover of at least one (1) foot thick of suitable material to establish vegetation at this site. The soil cover has been graded in such a way that it conforms to the grade of the natural surroundings, and will prevent ponding of water and erosion of the cover material; see attached *Site Photos*.

- iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will substantially restore, recontour and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has been re-seeded and when it has achieved successful re-vegetation. Elm Ridge Exploration has restored, recontoured and re-seeded the excavated area in accordance with BLM standards as outlined in the Memorandum of Understanding (MOU).
- 2) If soil samples exceed the regulatory standards stated above:
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.

The five (5)-point composite sample of native soil beneath the earthen pit returned results below the 100 mg/kg TPH standard, the 0.2 mg/kg benzene standard, the 50 mg/kg BTEX standard, and the 250 mg/kg above background total chloride standard, confirming that a release did NOT occur.

10) Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, re-vegetation rates, re-seeding techniques, and site reclamation photo documentation if applicable, along with all other information related to the onsite activities.

See attached C-144 Closure Form and attached Form C-141 Release Notification Form. Closure report has been submitted prior to October 18, 2009.

.

.,

			۵۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰		
1				Track & Confirm	FAQs
Tra	ack & Confirm				
	Search Results				
	Label/Receipt Number: 70 Service(s): Certified Mail Status: Delivered			k & Confirm r Label/Receipt Number.	1
	Your item was delivered at FARMINGTON, NM 87401	10:41 AM on August 13, 2009 in		i.	Sa>
	Notification Options	US Post	al Service in ED MAIL, R	EGEIPT	
	Track & Confirm by emai		ill Only; No Insuranc	e Covorage Providod)	
	Get current event informati		ormation wight our was		
		 ۳ ۵		IKendra	<u></u> ^~;
<u>Site Mao</u>	Qustomer Service Forms	Govt Services		03056-0241 Providence Heats	
Copyright©	2009 USPS. All Rights Reserve	ed. No FEAR Act Chotometric Construction and Rest	264 1821)	8.12.09	
-1 000 08056-				-slm_	-
			Mr. Mark Kelly Bureau of Lan	 Management،	
ti Cool			1235 La Plata	Hwy, Ste. A	
03056	- Qr 7 J		Farmington, NI		
93056 Hi Coad	16-2-	and a second	anderson and a substance of the substanc		
2956 =(ONO	SENDER COMPLETE THIS SEC	TION	COMPLETE THIS SECTION C	N DELIVERY
di Coal	and the second sec	 Complete Items 1, 2, and 3, Alagent 1, 1, 2, and 3, Alagent 1, 1, 1, 2, and 3, Alagent 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	esired.	X Signatur	Le. y OA
8056 =	0176	Attach this card to the back of t or on the trent if space permits.	ne mailpiece,	Bacel toy (Arined New	17813
sti Coal	29-2-	1. Article Addressed to		NE cellwor address different i If YES, enter civilizary addre N C L L T V []]	nom item 17 ⊡ Y ss bolov: □ N
3054-		Mr. Mark Kelly			
		Bureau of Land Mai 1235 La Plata Hwy,	Nogement Ste. A	Alle 1 4 7009	
sti Coas	Ward the st	Farmington, NM 87	سيسا ا	I Service Type Rug K	
3056 -	0173	Ŧ		E Registered ERet	resd Mall m Receipt for Mer
sti Coal	so com 1			El Insured Malt C.C.	
		2, Aiticle Number	inner		

http://trkcnfrm1.smi.usps.com/PTSInternetWeb/InterLabelInquiry.do?origTrackNum=70... 2009-08-14



August 12, 2009

Project No. 03056-0175

Mr. Mark Kelly Bureau of Land Management 1235 La Plata Highway, Suite A Farmington, New Mexico 87401

Phone: (505) 599-8900

RE: BISTI COAL 30 COM 1 EARTH PIT CLOSURE NOTIFICATION

Dear Mr. Kelly,

Please accept this letter and attached Sundry Notice as the necessary surface owner notification for earth pit closure activities at the Bisti Coal 30 COM 1 well site, owned and operated by Elm Ridge Exploration. The Bisti Coal 30 COM 1 well site is located in Unit A, Section 30, Township 25N, Range 12W, San Juan County, New Mexico. Closure activities are scheduled to begin on August 17, 2009 and continue through August 21, 2009.

We appreciate the opportunity to be of service. If you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted, ENVIROTECH, INC.

James McDaniel

Project Scientist incdaniel@envirotech-inc.com

Enclosure: Sundry Notice

Cc: Client File No. 03056

					FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010 5. Lease Serial No.			
SUNDRY N Do not use this f	OTICES AND REPO orm for proposals t Use Form 3160-3 (A	NM-61271 6. If Indian, Allottee or Tribe Name						
	IN TRIPLICATE Other	instructions on p	age 2.		7. If Unit of CA/Agree	ment, Name and/or No.		
1. Type of Well Oil Well Gas W	Tell Other				8. Well Name and No.			
2. Name of Operator Elm Ridge Exploration		Bisti Coal 30 COM 1 9. API Well No. 30-045-28797						
3a. Address PO Box 156		10. Field and Pool or I	Exploratory Area					
Bloomfield, NM 87413	R. M. or Survey Description	(505) 632-3476			11. Country or Parish,	State		
4. Location of Well (Footage, Sec., T., 790 FNL 790 FEL, A-30-25N-12W, Lat. 38.377;	54 long108.146404				San Juan County, N			
12. CHEC	K THE APPROPRIATE BO	X(ES) TO INDIC	ATE NATURE	OF NOTIC	CE, REPORT OR OTH	ER DATA		
TYPE OF SUBMISSION			TYI	PE OF ACT	10N			
Notice of Intent		Deepen		—	uction (Start/Resume)	Water Shut-Off		
_	Alter Casing	Fracture	nstruction	=	amation mplete	Well Integrity		
Subsequent Report	Change Plans	=	d Abandon	_	porarily Abandon	Pit		
Final Abandonment Notice	Convert to Injection	Plug Ba		_	r Disposal			
determined that the site is ready for Elm Ridge Exploration plans to begi Closure activities are scheduled to t 14. I hereby certify that the foregoing is t	n closure activities for an being on Monday, August	17, 2009 and las				fications have been made.		
Ms. Army Mackey			litle Administ	rative Man	ager			
Signature	1 home	lr	Date 08/12/20	09				
	THIS SPACE	FOR FEDER	AL OR ST	ATE OF	FICE USE			
Approved by								
Conditions of approval, if any, are attached that the applicant holds legal or equitable the entitle the applicant to conduct operations	itle to those rights in the subjet thereon.	ct lease which woul	d Office					
fictitious or fraudulent statements or repre-			ion knowingly a	nd willfully 1	to make to any departme	nt or agency of the United States any false,		
(Instructions on page 2)								

٠

١.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

	•		Д			
:				· · · · ·		
			للمستحش فتشتهيه		Inurae	
Express US Airbill	17 6355 _.		0215	· · · ·	Seulersepp	
From Press paid and press hand. Date 804/09 Sender's FedEx Account Number 1919-6	147-9	4a Express Pa	Vovernight	FedEx Standard Overnight Naz hanioars afornce. * Saturday Delway NOT available.	Packages in to 150 lbs. FedBx First Overnight Schort set Jacken softer delivery to what because	÷ 1 .
Sonder's James Mc Daviel Phone (505) 6	\$32-0615	FedEx 2Day Second buildings of Second buildings will be d	ing* Thursday effected on Monday Delivery is editoria. Indivery is editoria. Indivery is editoria.	FedEx Express Saver Third boatmess days" Saunday Dalivery KUT evaluation mark One-neural cate,	• To most locations.	
Company ENVIROTECH		4b Eigness Fro	eight Service	FedEx 2Day Fraight Soona kuitasis day "Thanday Hipmen will be defined as Monday Mises SULVAY Defined as Monday	Packages over 150 lbs. FedEx 3Day Freight Third business day.** Saturday Delivey NUT evaluates.	AND HETAIN THIS
Address 3796 HIGHWAY 64 City FARMINGTON State NM ZP 87	Dept./ficco/Suba/ficom	*Calter Continuation 5 Peckaging FedEx Envelope*		FedEx	FedEx Other	UN THIS CI
Your Internal Billing Reference 03056-024		6 Special Ha		and FedEx Stordy Pak. Box.	Tube	
	476-3487		lefivery for	HOLD Weekday	HOLD Saturday at FedEx Location Available ONLY for FedEx Norty Complete and FedEx Day to satec feetons.	BEFORE AFT
company N. M. Oil Conservation Divisi	01	X™ □¥	iss s per effected lapper's Declaration. not	s Declaration Divine Divine Declaration	/ ice cs. R. UN 1965ka Cargo Aircraft Only	AFFIXING TO T
Recipient's Address We cannot deliver to F.D. bases or F.D. ZP codes.	Dest/RoorSalm/Room	7 Peyment		Acot. No. or Crusic Card No. below	·	'HE PA
Address 1220 So. St. Francis Drive	·····	Sender Act No. 10 Sector Twill be bland	. El Recipient	Third Party	Credit Card Cest/Check	THE PACKAGE
To request a package too had at a specific fades totals, print fades address here. City Sante Fo State NM ZP 8	7505	Fedix Acct. Ho. Credit Card No. Total Packages	Total Wa	ght Total Declar	ise, Zeen al Valuet	N
	01655191	[†] Der Sebility is Smithed to \$1 service conditions at the 1	20 criticas you declara a higher v actor of this Airbill and in the curren	5s	 Alchit you agree to the we then our finality.	POUCH NEED
				ture Options from the	ire a algrature, check Diantz or Indirect.	EOEO.
Store your addresses at ledex com	ดไร่เหตุนเกลูอชี่!	No Signature Required Peckap may be led without obtaining a signature for deliver	eddress may sign	tents I'me one is availat for recipients addres	tature bit st statuse may er applies	·
		Rev. Data 10/08-Past #158	279-G till-2006 FedDerPRINTE	0 IN U.S.A-67F		
	• :	· .				
	.,					
14 - A		•		·		



August 4, 2009

Project No. 03056-0241

Mr. Brad Jones New Mexico Oil Conservation Division 1220 South St. Francis Street Santa Fe, New Mexico 87505

Phone (505) 476-3487

RE: EARTH PIT CLOSURE NOTIFICATIONS AND PROPOSED CLOSURE SCHEDULE

Dear Mr. Jones,

Envirotech, Inc., on the behalf of Elm Ridge Exploration, would like to submit this notification to begin closure activities at the below mentioned locations. Attached to this document is a proposed closure schedule for the months of August and September of 2009. Should this schedule be approved by your office, closure activities will begin as scheduled, with surface owner notifications being made at a minimum of 24 hours prior to the beginning of closure activities and a maximum of one (1) week prior to closure activities. Additional closure notifications and schedules will be made prior to beginning any closure activities. This letter will act as the closure notification for the following sites:

Bisti Coal 20-2	Bisti Coal 6-1	Bisti Coal 6-2	Bisti Coal 7-1
Bisti Coal 7 COM 2	Bisti Coal 8 COM 1	Bisti Coal 8L COM 2	Bisti Coal 9-1
Bisti Coal 9 COM 2	Bisti Coal 21-1	Bisti Coal 21 COM 2	Bisti Coal 22-2
Bisti Coal 28-1	Bisti Coal 29-1	Bisti Coal 29-2	Bisti Coal 30 COM 1
Bisti Coal 31-1	Bisti Coal 4-1	Bisti Coal 4 COM 2	Bisti Coal 5 COM 1
Bisti Coal 5K COM 2	Carson 10-332	Buena Suerte 3 G COM 1	Buena Suerte 3 L COM 1
Buena Suerte 32 G COM 1	East Bisti Coal 6-1	Buena Suerte 4 L COM 1	Carson Unit 15 COM 323
Carson Unit 206	Carson Unit 313	Pete Morrow 1	Pete Morrow 2
North Bisti Coal 32M COM 2	North Bisti Coal 31-1	Sam Jackson State COM 1	Jeter COM 2
West Bisti Coal 11 F COM 1	West Bisti Coal 12-1	West Bisti Coal 13-1	West Bisti Coal 11-2
West Bisti Coal 10-2	West Bisti Coal 15-1	West Bisti Coal 14 COM 1	West Bisti Coal 15-2
West Bisti Coal 22-2	West Bisti Coal 23-1	West Bisti Coal 22 COM 1	West Bisti Coal 24-1
West Bisti Coal 24 COM 2	West Bisti Coal 25-1	West Bisti Coal 25 2Y	Jicarilla Apache I-11
Sheila Hixon 1	Bisti Coal 16-2		-

Elm Ridge Exploration is proposing to close the earthen pits at the above listed well locations based on the attached closure schedule.

We appreciate the opportunity to be of service. Should you have any questions or require additional information, please contact our office at (505) 632-0615.

Respectfully Submitted,

ENVIROTEGH, INC

James McDaniel Project Scientist jincdaniel@envirorech-iec.com

ELM RIDGE EXPLORATION Amy Mackey Administrative Manager

Administrative Manager amackey | @elmridge.net

Attachments: Closure Schedule

Sunday	Monday	Tuesday	ust 2009 Wed	Thurs	Friday	Sa
						1
2	3	4	5	6	7	8
9	10 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	11 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	12 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	13 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	14 Bisti Coal 20-2 Bisti Coal 21-1 Bisti Coal 21 COM 2 Bisti Coal 22-2 Bisti Coal 28-1	15
16	17 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5K COM 2 Bisti Coal 16-2	18 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5K COM 2 Bisti Coal 16-2	19 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1' Bisti Coal 5K COM 2 Bisti Coal 16-2	20 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5K COM 2 Bisti Coal 16-2	21 Bisti Coal 29-1 Bisti Coal 29-2 Bisti Coal 30 COM 1 Bisti Coal 31-1 Bisti Coal 4-1 Bisti Coal 4 COM 2 Bisti Coal 5 COM 1 Bisti Coal 5K COM 2 Bisti Coal 16-2	22
23	24 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9-1	25 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	26 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	27 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	28 Bisti Coal 6-1 Bisti Coal 6-2 Bisti Coal 7-1 Bisti Coal 7 COM 2 Bisti Coal 8 COM 1 Bisti Coal 8L COM 2 Bisti Coal 9-1 Bisti Coal 9 COM 2	29
30	31 Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206					

,

Sun	Monday	Septembe Tuesday	Wed	Thurs	Friday	
		1 Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	2 Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 3 L COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	3 Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	4 Carson 10-332 Buena Suerte 3 G COM 1 Buena Suerte 3 L COM 1 Buena Suerte 32 G COM 1 Buena Suerte 4 L COM 1 East Bisti Coal 6-1 Carson Unit 15 COM 323 Carson Unit 206	
6	7 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	8 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	9 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	10 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	11 Carson Unit 313 Pete Morrow 1 Pete Morrow 2 North Bisti Coal 32M COM 2 Sam Jackson State COM 1 North Bisti Coal 31-1 West Bisti Coal 31-1 West Bisti Coal 11 F COM 1 Jeter COM 2	
13	14 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	15 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	16 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	17 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	18 West Bisti Coal 12-1 West Bisti Coal 13-1 West Bisti Coal 11-2 West Bisti Coal 10-2 West Bisti Coal 14 COM 1 West Bisti Coal 15-1 West Bisti Coal 15-2 West Bisti Coal 22-2	
20	21 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Sheila Hixon 1	22 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Shella Hixon 1	23 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilia Apache I-11 Sheila Hixon 1	24 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Sheila Hixon 1	25 West Bisti Coal 22 COM 1 West Bisti Coal 23-1 West Bisti Coal 24-1 West Bisti Coal 24 COM 2 West Bisti Coal 25-1 West Bisti Coal 25 2Y Jicarilla Apache I-11 Shella Hixon 1	
27	28	29	30			-

.

•

•

•

. _

ELM RIDGE EXPLORATION BISTI COAL 30 COM 1 SEC. 30, TWN 25N, RGE 12W PROJECT NO. 03056-0175



Photo 1: Bisti Coal 30 COM 1 Recontoured Area



Photo 2: Excavated Area After Backfilling and Recontouring (View 2)



Client:	Elm Ridge Exploration	Project #:	03056-0175
Sample No.:	1	Date Reported:	9/9/2009
Sample ID:	Earth Pit Composite @ 3'	Date Sampled:	8/18/2009
Sample Matrix:	Soil	Date Analyzed:	8/18/2009
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons	ND	5.0
------------------------------	----	-----

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Bisti Coal 30 COM 1

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Analyst

James McDaniel Printed

" Cit

Greg Crabtree Printed



Cal. Date:	18-Aug-09		
Parameter	Standard Concentration mg/L	Concentration Reading mg/L	· · ·
ТРН	100 200 500 1000	210	

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Analyst

James McDaniel

Print Name

Review

Greg Crabtree Print Name

Date



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ElmRidge	Project #:	03056-0175
Sample ID:	Earth Pit Comp @ 3'	Date Reported:	08-24-09
Laboratory Number:	51345	Date Sampled:	08-18-09
Chain of Custody:	7776	Date Received:	08-18-09
Sample Matrix:	Soil	Date Analyzed:	08-21-09
Preservative:	Cool	Date Extracted:	08-20-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	3.9	1.0	
Ethylbenzene	1.5	1.0	
p,m-Xylene	4.0	1.2	
o-Xylene	3.4	0.9	
Total BTEX	12.8		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Bisti Coal 30 Com 1

Analyst

Naeter matre Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Sample ID: Laboratory Number: Sample Matrix: Preservative: Condition:	N/A 08-21-BT QA/QC 51360 Soil N/A N/A	[[[[Project #: Date Reported: Date Sampled: Date Received: Date Analyzed: Analysis:		N/A 08-24-09 N/A N/A 08-21-09 BTEX
Calibration, and Detection Limits (ug/L)	l-Cal RF:	C-Cal RF: Accept. Rang	· · · · · · · · · · · · · · · · · · ·	Blank Conc	Detect. Limit
Benzene	4.0830E+006	4.0912E+006	0.2%	ND	0.1
Toluene	3.7996E+006	3.8072E+006	0.2%	ND	0.1
Ethylbenzene	3.3761E+006	3.3829E+006	0.2%	ND	0.1
p,m-Xylene	8.7153E+006	8.7328E+006	0.2%	ND	0.1
o-Xylene	3.2336E+006	3.2401E+006	0.2%	ND	0.1
Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect, Limit
Benzene	3.9	3.6	7.7%	0 - 30%	0.9
Toluene	9.0	9.4	4.4%	0 - 30%	1.0
Ethylbenzene	8.3	7.7	7.2%	0 - 30%	1.0
p,m-Xylene	17.7	17.3	2.3%	0 - 30%	1.2
o-Xylene	11.4	10.6	7.0%	0 - 30%	0.9
Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	3.9	50.0	53.1	98.5%	39 - 150
Toluene	9.0	50.0	58.5	99.2%	46 - 148
		50 0	56.8	97.4%	32 - 160
	8.3	50.0	50.0	JI. 4 /0	52 - 100
Ethylbenzene o,m-Xylene	8.3 17.7	50.0 100	109	92.4%	46 - 148

 $\langle \rangle$

ND - Parameter not detected at the stated detection limit.

 References:
 Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

 Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

 Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 51330 - 51334, 51343, 51345, 51347, and 51360.

Analyst

huster Walles Review



Chloride

Client:	Elm Ridge	Project #:	03056-0175
Sample ID:	Background	Date Reported:	08-26-09
Lab ID#:	51344	Date Sampled:	08-18-09
Sample Matrix:	Soil	Date Received:	08-18-09
Preservative:	Cool	Date Analyzed:	08-20-09
Condition:	Intact	Chain of Custody:	7776

Parameter

Concentration (mg/Kg)

Total Chloride

245

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Bisti Coal 30 Com 1.

Analyst

atren Walter Review



Chloride

Client:	Elm Ridge	Project #:	03056-0175
Sample ID:	Earth Pit Comp @ 3'	Date Reported:	08-26-09
Lab ID#:	51345	Date Sampled:	08-18-09
Sample Matrix:	Soil	Date Received:	08-18 - 09
Preservative:	Cool	Date Analyzed:	08-20-09
Condition:	Intact	Chain of Custody:	7776

Parameter

Concentration (mg/Kg)

Total Chloride

265

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.


Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Reference:

.

Comments:

Bisti Coal 30 Com 1.



Mothing Walters Review

CHAIN OF CUSTODY RECORD

Elm Rid	9-L		Project Name / I Biští^ (M	1						ANAL	YSIS	/ PAR	AME	TERS	 			
Client Address:			Sampler Name: <u> 5 McDa</u> Client No.:	nie			_•		TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	tals	u		d/F						-	ct
			03056 -	017	15			-	Metho	(Meth	Metho	8 Me	/ Ani		with F		418.1	RIDE			e Coc	e Inta
Sample No./ Identification	Sample Date	Sample Time	Lab No.	S	ample /latrix	No./Volume of Containers	Pres HgCl ₂	HCI	TPH (I	втех	VOC.(RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	РАН	TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact
Background	2/18/09	1021	51344	Soil Solid	Sludge Aqueous	1/402		Σ										x			\times	\times
Background Earth Pit. Somp @3	V	1020	51345	Solid	Sludge Aqueous			Z		X								X			\times	\times
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous														_			
				Soil Solid	Sludge Aqueous									<u> </u>					 			
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge																	
Relinquished by: (Signa		\mathcal{T}		100	Data	Time	R	leceiv	ed by:	(Sign	ature)		[L	L,	L			 8/18		Tir	ne
	L		<u>/</u>		8/18/09	1100		_	XC	i	<u></u>	¥ľ	Dr	P	ÐN	\mathcal{L}			 0/18	109	170	20
Refinquished by: (Signa	ature)						R	leceiv	ed by:	(Sign	ature)	ŀ		/								
Relinquished by: (Signa	ature)						R	leceiv	ed by:	(Sign	ature))							 			
			5796 U	S Highwa	y 64 • Farmin		aly	ytic	allo	abor	ato	ry	h-inc.c	:om					 	1		

7776

AGE NO:	
Infel D REPORT: BGT / PIT CLOSURE VERIFICATION FIELD REPORT: BGT / PIT CLOSURE VERIFICATION DCATION: NAME: D_151 (Colspan="2">Colspan="2">Colspan="2">Colspan="2">CLOSURE VERIFICATION DCATION: NAME: D_151 (Colspan="2">SEC 35 TWP: ZS U RNG: COLSPANE") BGT: SOME (Colspan="2">DEPENDENTION: LOW PREMANENT PIT: Colspan="2">DEPENDENTION: Low PREMEMATION METHOD: Low for an file Remethation M	ECIALIST:
FIELD REPORT: BGT / PIT CLOSURE VERIFICATION DEATION: NAME: D_151: Coc (20 CoWELL #: 1 TEMP PIT: PERMANENT PIT: V BGT: GAL ADD: UNIT: SEC: 35 SCC: 35 TEMP 72 FEL CATION: NAME: D_151: Coc (20 CoWELL #: 1 Str. Str. Str. Str. Str. Str. Str. Str.	
CATION: NAME: Data Cold 20 (sWell #: TEMP PIT: PERMANENT PIT: BGT: GAL ADD: INIT: SEC: 30 TWF: ZSU RNC: QU PM: N, M, P. GAL ADD: INIT: SEC: 30 TWF: ZSU RNC: QU PM: N, M, P. REFORMACE: FT: X FT: X FT: Desci (sout (st) (sout (st) (st) (sout (st) (st) (st) (sout (st) (st) (st) (st) (st) (st) (st) (st	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	•
TEMPOOTAGE $\overline{\gamma} \oplus \overline{p}$ \overline{p}	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	PM
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	
ND OWNER: <u>icade val</u> <u>Asc Lease Do. UMA 61271 BGT / PT VOLTME:</u> NSTRUCTION MATERIAL: <u>e.g.v TL</u> DOUBLE-WALLED, WITH LEAK DETECTION: <u>ie</u> <u>CATUON APPROXIMATER</u> : <u>3.0</u> FT. FROM WELLHEAD <u>EPT H70 CROUNDWATER</u> : <u>3.0</u> FT. FROM WELLHEAD <u>EPT H70 CROUNDWATER</u> : <u>3.0 FT.</u> FROM WELLHEAD <u>EPT H70 CROUNDWATER</u> : <u>3.0 FT.</u> FROM WELLHEAD <u>EPT H70 CROUNDWATER</u> : <u>3.0 mg/s</u> , GRO & DRO FRACTION (8015) <u>5.500 mg/s</u> , <u>TPH (418.1) <u>5.2500 mg/s</u>, <u>CHLORIDES <u>5.500 mg/s</u></u>, <u>CHLORIDES <u>5.1000 mg/s</u></u>. <u>TEMPORARY PTI - GROUNDWATER <u>5.100 FEET DEEP</u> <u>BENZENE 5.02 mg/s</u>, <u>BTEX <u>5.50 mg/s</u>, <u>GRO & DRO FRACTION (8015) <u>5.500 mg/s</u></u>, <u>TPH (418.1) <u>5.2500 mg/s</u>, <u>CHLORIDES <u>5.1000 mg/s</u></u>, <u>CHLORIDES <u>5.00 mg/s</u></u>, <u>CHLORIDES <u>5.1000 mg/s</u></u>, <u>CHLORIDES <u>5.1000 mg/s</u></u>, <u>CHLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.1000 mg/s</u></u>, <u>CHLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.1000 mg/s</u></u>, <u>CHLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.0000 mg/s</u></u>, <u>CHLORIDES <u>5.000 mg/s</u>, <u>CALC</u>, <u>mg/s</u>, <u>CHLORIDES <u>5.000 mg/s</u></u>, <u>CALC</u>, <u>CA</u></u></u></u></u></u>	
ND OWNER: <u>icade val</u> <u>Asc Lease Do. UMA 61271 BGT / PT VOLTME:</u> NSTRUCTION MATERIAL: <u>e.g.v TL</u> DOUBLE-WALLED, WITH LEAK DETECTION: <u>ie</u> <u>CATUON APPROXIMATER</u> : <u>3.0</u> FT. FROM WELLHEAD <u>EPT H70 CROUNDWATER</u> : <u>3.0</u> FT. FROM WELLHEAD <u>EPT H70 CROUNDWATER</u> : <u>3.0 FT.</u> FROM WELLHEAD <u>EPT H70 CROUNDWATER</u> : <u>3.0 FT.</u> FROM WELLHEAD <u>EPT H70 CROUNDWATER</u> : <u>3.0 mg/s</u> , GRO & DRO FRACTION (8015) <u>5.500 mg/s</u> , <u>TPH (418.1) <u>5.2500 mg/s</u>, <u>CHLORIDES <u>5.500 mg/s</u></u>, <u>CHLORIDES <u>5.1000 mg/s</u></u>. <u>TEMPORARY PTI - GROUNDWATER <u>5.100 FEET DEEP</u> <u>BENZENE 5.02 mg/s</u>, <u>BTEX <u>5.50 mg/s</u>, <u>GRO & DRO FRACTION (8015) <u>5.500 mg/s</u></u>, <u>TPH (418.1) <u>5.2500 mg/s</u>, <u>CHLORIDES <u>5.1000 mg/s</u></u>, <u>CHLORIDES <u>5.00 mg/s</u></u>, <u>CHLORIDES <u>5.1000 mg/s</u></u>, <u>CHLORIDES <u>5.1000 mg/s</u></u>, <u>CHLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.1000 mg/s</u></u>, <u>CHLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.1000 mg/s</u></u>, <u>CHLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.0000 mg/s</u>}, <u>CHLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.0000 mg/s</u></u>, <u>CHLORIDES <u>5.0000 mg/s</u></u>, <u>CHLORIDES <u>5.0000 mg/s</u></u>, <u>CHLORIDES <u>CALC</u>, <u>mg/s</u></u>, <u>CALC</u>, <u>mg/s</u>, <u>CHLORIDES <u>CALC</u>, <u>CMLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.000 mg/s</u>, <u>CALC</u>, <u>CMLORIDES <u>5.000 mg/s</u></u>, <u>CHLORIDES <u>5.0000 mg/s</u>, <u>CALC</u>, <u>CMLORIDES <u>5.0000 mg/s</u></u>, <u>CALC</u>, <u>CMLORIDES <u>5.0000 mg/s</u>, <u>CALC</u>, <u>CMLORIDES <u>5.000000000000000000000000000000000000</u></u></u></u></u></u></u></u></u></u></u></u></u></u>	
CATION APPROXIMATELY: 2 b FT FROM WELLHEAD TEMPORARY PTI - GROUNDWATER 50-100 FEET DEEP BENZENE 502 mg/kg. GFD & DRO FRACTION (8015) < 500 mg/kg, TPH (418.1) < 2500 mg/kg. CHLORIDES < 500 mg/kg.	
$\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} $	
TEMPORARY PTF - GROUNDWATER 30 ⁻¹ 100 FEET DEEP BENZENE 5 02 mg/kg, BTEX 5 50 mg/kg, GRO & DRO FRACTION (8015) 5 500 mg/kg, TPH (418.1) 5 2500 mg/kg, CHLORIDES 5 500 mg/kg TEMPORARY PTF - GROUNDWATER ≥100 FEET DEEP BENZENE 5 02 mg/kg, BTEX 5 50 mg/kg, GRO & DRO FRACTION (8015) 5 500 mg/kg, TPH (418.1) 5 2500 mg/kg, CHLORIDES 5 1000 mg/kg PERMANENT PTF OR BGT BENZENE 5 0.2 mg/kg, BTEX 5 50 mg/kg, TPH (418.1) 5 100 mg/kg, CHLORIDES 2 520 mg/kg FEED 418.1 ANALYSIS TIME SAMPLE ID LAB NO. WEIGHT (6 mJ FREON DILUTION READING CALC. (mg/kg Q 10 E/C cmd 2 2 5 C 20 4 2 7 2 Q 10 E/C cmd 2 2 5 C 20 4 2 7 2 Q 10 E/C cmd 2 3 5 C 20 4 2 7 2 Q 10 E/C cmd 2 3 5 C 20 4 2 7 2 Q 10 E/C cmd 2 4 7 1 5 C 20 4 4 7 2 7 2 Q 10 E/C cmd 2 4 7 1 5 C 20 4 4 7 2 7 2 Q 10 E/C cmd 2 4 7 1 5 C 20 4 4 7 2 7 2 Q 10 E/C cmd 2 4 7 1 5 C 20 4 4 7 2 7 2 Q 10 E/C cmd 2 4 7 1 5 C 20 4 4 7 2 7 2 Q 10 E/C cmd 2 4 7 1 5 C 20 4 4 7 2 7 2 Q 10 E/C cmd 2 4 7 1 5 C 20 4 4 7 2 7 2 Q 10 E/C cmd 2 4 7 1 5 C 20 4 4 7 2 7 2 Q 10 E/C cmd 2 4 7 1 5 C 20 4 4 7 2 7 2 Q 10 E/C cmd 2 4 7 1 5 C 20 4 4 7 2 7 2 Q 10 E/C cmd 2 4 7 1 5 C 20 4 4 7 2 7 2 Q 10 E/C cmd 2 4 7 1 5 C 20 4 4 7 2 7 2 Q 10 E/C cmd 2 4 7 7 1 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
$\begin{array}{c} \text{BENZENE $ $ 0.2 \text{ mg/kg}, \text{BTEX $ $ 50 \text{ mg/kg}, GRO & DRO FRACTION (8015) $ $ 500 \text{ mg/kg}, TPH (418.1) $ $ 2500 \text{ mg/kg}, CHLORIDES $ $ 500 \text{ mg/kg}, TPH (418.1) $ $ 2500 \text{ mg/kg}, CHLORIDES $ $ 1000 \text{ mg/kg}, TPH (418.1) $ $ 2500 \text{ mg/kg}, CHLORIDES $ $ 1000 \text{ mg/kg}, TPH (418.1) $ $ 2500 \text{ mg/kg}, CHLORIDES $ $ 1000 \text{ mg/kg}, TPH (418.1) $ $ 2500 \text{ mg/kg}, CHLORIDES $ $ 1000 \text{ mg/kg}, TPH (418.1) $ $ 2500 \text{ mg/kg}, CHLORIDES $ $ 1000 \text{ mg/kg}, TPH (418.1) $ $ $ 2500 \text{ mg/kg}, CHLORIDES $ $ 1000 \text{ mg/kg}, TPH (418.1) $ $ $ 2500 \text{ mg/kg}, CHLORIDES $ $ $ 1000 \text{ mg/kg}, TPH (418.1) $ $ $ $ $ 2500 \text{ mg/kg}, CHLORIDES $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $$	
TEMPORARY PT - GROUNDWATER \geq 100 FEET DEEP BENZENE \$ 0.2 mg/kg, BTEX \$ 50 mg/kg, GRO & DRO FRACTION (8015) \$ 500 mg/kg, TPH (418.1) \$ 2500 mg/kg, CHLORIDES \$ 1000 mg/kg. PERMANENT PIT OR BGT BENZENE \$ 0.2 mg/kg, BTEX \$ 50 mg/kg, TPH (418.1) \$ 100 mg/kg, CHLORIDES \$ 250 mg/kg TIME SAMPLE LD LAB NO. WEIGHT (6 mL FREON DILUTION READING CALC. (mg/kg 0.0 0.0 EP (cmg/2) 3 7:0 20 4 3 12 0.0 20 EP (cmg/2) 3 7:0 20 4 3 12 0.0 20 EP (cmg/2) 3 7:0 20 4 3 12 0.0 20 EP (cmg/2) 3 7:0 20 4 3 12 0.0 20 EP (cmg/2) 3 7:0 20 4 3 12 0.0 20 EP (cmg/2) 3 7:0 20 4 3 12 EP (cmg/2) 5 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	mg/kg
PERMANENT PIT OR BGT BENZENE \$ 0.2 mg/kg, BTEX \$ 50 mg/kg, TPH (418.1) \$ 100 mg/kg, CHLORIDES \$ 250 mg/kg FIELD 418.1 ANALYSIS TIME SAMPLE LD LAB NO. WEIGHT (g mL FREON DILUTION READING CALC. (mg/kg) QUO STO PELD 418.1 ANALYSIS PERIMETER PIELD CHLORIDES RESULTS PROFILE SAMPLE ID PID RESULTS	· · ·
$\begin{array}{c c c c c c c c c c c c c c c c c c c $) mg/kg
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	
FIELD 418.1 ANALYSIS TIME SAMPLE LD LAB NO. WEIGHT (g nut FREON DILUTION READING CALC. (mg/kg Original Colspan="2">CALC. (mg/kg Original Colspan="2") OPO CEP (mg/fill 2 3: C 2: C	
TIME SAMPLE LD. LAB NO. WEIGHT (g) mL FREON DILUTION READING CALC. (mg/kg) 200STD 3 5 $3/2$	-
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	(mg/kg)
C9 ID EP Comp 2 2 5 c 2 C 4 3 5 C 2 C 4 3 5 C 2 C 4 3 5 C 2 C 4 3 5 C 2 C 4 3 5 C 2 C 4 3 5 C 2 C 4 3 5 C 2 C 4 3 5 C 2 C 4 3 5 C 2 C 4 3 5 C 3 C 4 3 5 C 3 C 4 3 5 C 3 C 4 3 5 C 5 C 4 4 5 C 6 6 5 5 6 6 5 6 6 5 6 6 5 6 6 6 6 6 6 6 6 6 6 6 7 7	<u>, mg/ mg/</u>
DOBAD EP d_{1} 3 5 20 4 M	
PERIMETER FIELD CHLORIDES RESULTS PROFILE M G G M <	
PERIMETER FIELD CHLORIDES RESULTS PROFILE MA Image: Construction on - site SAMPLE READING (CALC) Image: Construction on - site MA Image: Construction on - site SAMPLE READING (CALC) Image: Construction on - site Image: Construction on - site	
PERIMETER FIELD CHLORIDES RESULTS PROFILE NA Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc LAB SAMPLES Notes: Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample reading calc Image: Sample rea	
NA SAMPLE READING CALC. Implement Implement Implement Implement Implement Implement Implement Implement Implement <td></td>	
ID READING (mg/kg) ID RESULTS ID ID ANALYSIS RESULTS BENZENE NOTES: ID ID ANALYSIS RESULTS BENZENE ID ID ID ANALYSIS RESULTS ID BENZENE ID ID ANALYSIS RESULTS ID BENZENE ID ID ANALYSIS RESULTS ID BENZENE ID ID ANALYSIS RESULTS<	
Imp Imp Imp Imp	i
Imp Imp Imp Imp Imp Imp Imp Imp	
LAB SAMPLES SAMPLE ID ANALYSIS RESULTS SAMPLE ID ANALYSIS RESULTS SAMPLE ID ANALYSIS RESULTS SAMPLE ID ANALYSIS RESULTS SAMPLE ID ANALYSIS RESULTS BENZENE BTEX GRO & DRO	
LAB SAMPLES NOTES: SAMPLE ID ANALYSIS RESULTS BENZENE BTEX GRO & DRO	х Х.
LAB SAMPLES SAMPLE ID ANALYSIS RESULTS SAMPLE ID ANALYSIS RESULTS BENZENE GRO & DRO	
LAB SAMPLES NOTES: SAMPLE ID RESULTS BENZENE MOTES: BTEX GRO & DRO	
LAB SAMPLES SAMPLE ID ANALYSIS RESULTS SAMPLE ID ANALYSIS RESULTS BENZENE GRO & DRO	
LAB SAMPLES NOTES: SAMPLE ID (ppm) LAB SAMPLES NOTES: SAMPLE ID ANALYSIS BENZENE H BTEX GRO & DRO	· <u> </u>
LAB SAMPLES SAMPLE D ANALYSIS RESULTS BENZENE GRO & DRO DATA DIATA	a
LAB SAMPLES NOTES: SAMPLE ID ANALYSIS RESULTS BENZENE GRO&DRO BTEX GRO&DRO DO STID 40.0 NS POWER NS NOTES: Comp 2' NS POWER NOTES: Comp 2' NS POWER NOTES: Comp 2' NS POWER Comp 2' NS Comp 2'	
LAB SAMPLES NOTES: SAMPLE ID ANALYSIS RESULTS BENZENE BTEX GRO & DRO BTEX GRO & DRO	
LAB SAMPLES NOTES: SAMPLE ID ANALYSIS RESULTS BENZENE BTEX GRO&DRO DATES: Construction on-site	
SAMPLE ID ANALYSIS RESULTS BENZENE BTEX GRO&DRO	
SAMPLE ID ANALYSIS RESULTS BENZENE BTEX GRO&DRO	
GRO & DRO	
GRO & DRO	
GRO & DRO	
WORKORDER # WHO ORDERED	

envirotech

Bill of Lading

34072

PHONE: (505) 632-0615 • 5796 U.S. HIGHWAY 64 • FARMINGTON, NEW MEXICO 87401

DATE <u>8-19.09</u> JOB# <u>03056-0</u>

MANIFEST #

LOAD	CO	MPLETE DESCR	IPTION OF SHIF	PMENT			TRANSPORTING COMPANY					
NO.	POINT OF ORIGIN	DESTINATION	MATERIAL	GRID	YDS	BBLS	COMPANY	TRK#	TIME	DRIVER SIGNATURE		
	Elmnidge Bisticol 30	Const	A22	5	-	4-4	70	950	Art Andering			
	com#1									900 -		
					5							
			·									
		,										
FESULT -29			bank	Inob			NOTES: ENT	ERED	AUB 2	1 2009		
	PAINT FILTER TEST	EMPLOYEE:			Q.	X						
	the material hauled from the	en added."										
NAME _	John maching	·	COMPANY	hour-	fan		SIG	NATURE	Ja	Impli-		
СОМРА	NY CONTACT		PHONE	827-2	7/1		DAT	<u>е 8</u>	19-0	29 -		

, т													
<u>District I</u> 1625 N. French	Dr., Hobbs:-Ni	M 88240				New Mexi		Form C-141					
District II 1301 W. Grand				Energy Mi	nerals a	and Natura	l Resources	Revised October 10, 2003					
District III 1000 Rio Brazo	mmm	NM-87410/	FD			vation Div			Submit 2 Copies to appropriate District Office in accordance				
District IV 1220 S. St. Fran	· · • • •	✓ L ¥ Fe. NM 87505	ЕD			St. Franc			with Rule 116 on back side of form				
7	009 MAN 1		-			e, NM 875			·····				
			~ Keie	ase Notific					·				
Name of Co	ompany: Eln	n Ridge Ev	nloration	<u> </u>		OPERAT Contact: Am		Initia	Report Final Report				
	D Box 156, 1						No.: (505) 632-3	476 Ext 201					
Facility Nat	me: Bisti Co	al 30 COM	[]			Facility Typ	e: Gas Well		۱				
Surface Ow	mer: Federal	l		Mineral C	wner:		······	Lease N	o.: NM 61271				
	LOCATI						LEASE						
Unit Letter	Jnit Letter Section Township Range Feet from the No A 30 25N 12W 790 12W 12W </td <td>Feet from the 790</td> <td>East/West Line FEL</td> <td>County San Juan</td>						Feet from the 790	East/West Line FEL	County San Juan				
A						FNL	/90	FEL					
	Latitude36.37724					Longitu	ide <u>-108.14623</u>	34					
	NATU						EASE						
	Type of Release: Produced Water						Release: Unknow		ecovered: Unknown				
Source of Release: Earth Pit						Date and H Historical	lour of Occurrenc	ce: Date and I	lour of Discovery: NA				
Was Immediate Notice Given?						If YES, To	Whom?						
Yes No X Not Requir By Whom?						Date and Hour							
Was a Watercourse Reached?							olume Impacting	the Watercourse.	·				
🗌 Yes 🖾 No									······································				
If a Waterco	If a Watercourse was Impacted, Describe Fully.*												
	use of Probler				dicabor			tion This well has h	oon altered to up langer drein				
	Produced Water from gas well at the mentioned location formerly dis into an earthen pit, but instead into an AST.					geu mito an ea	armen pit on loca	tion. The wen has t	een anereu to no longer uram				
Describe Are	Describe Area Affected and Cleanup Action Taken.*						· · · · ·						
Earthen pit was in use on November 6, 2008, but has not been discharged into sin the sample results are attached to this document for reference. The sample was an													
					hlorides via USEPA Method								
						we the 250 ppm total chloride							
for the Reme	diation of Le	aks, Spills a	nd Release	es. The site was r	anked a	nad occurred at this site. The site was then ranked pursuant to the NMOCD (nked a 10 due to groundwater being greater than 50 feet below ground surface ppm benzene and 50 ppm total BTEX. There is no closure standard for total							
than 100 feet per the NMC	 This set the OCD Guidelin 	e closure star	dards to 1	000 ppm TPH, 1 of Leaks. Spills	0 ppm be and Rele	enzene and 50 eases. All and) ppm total BTEX alvtical results we	 There is no closu ere below the closur 	re standard for total chlorides e standards determined for this				
site.				·			,						
									uant to NMOCD rules and				
									ases which may endanger eve the operator of liability				
should their operations have failed to adequately investigate and reme						e contaminati	on that pose a thr	reat to ground water	, surface water, human health				
or the environment. In addition, NMOCD acceptance of a C-141 reported federal, state, or local laws and/or regulations.						oes not reliev	e the operator of	responsibility for co	ompliance with any other				
							OIL CON	SERVATION	DIVISION				
Signature:	Å.	m	-le	`									
Printed Nam	e: Ms. Amy N	✓ U Mackey	<i>•</i>	8		Approved by	District Supervis	or:					
Title: Admin	istrative Man	ager				Approval Dat	te:	Expiration I	Date:				
E-mail Addr	ess: amackey	1@elmridge	.net			Conditions of	f Approval:		Attached				
Date:			Phone: 5	05-632-3476 Ext	201								

``

* Attach Additional Sheets If Necessary

• • •							
		ENVI	ROTEC	CH INC			
PAGE NO: <u>/ OF</u> /	ENVIR			STS & ENGIN	NEERS		MENTAL SPECIALIST:
			. HIGHWAY			PBEN4	
DATE STARTED: 11/6/08	F/			IEXICO 87401	1		377249
DATE FINISHED: 11/6 08			NE: (505) 63				08.146324
FIELD F	EPORT: I	BGT / P	IT CLOS	SURE VE	RIFICAT	TION	
LOCATION: NAME: BISTI COOL 3		WELL #:	· · · · · · · · · · · · · · · · · · ·	TEMP PIT:		ENT PIT: 🗶	
LEGAL ADD: <u>UNIT: A</u> QTR/FOOTAGE: ZO 790'FNL Y 79	SEC: 30	CNTY:	TWP: 25 SAN JUN		RNG: 12 ST: NM	W	PM:NMPM
EXCAVATION APPROX:	FT. X		FT. X		FT. DEEP	CUBIC YA	RDAGE:
LAND OWNER: Federal		API: 200	4528797	FION METHO	BGT / PIT V	/OLTIME:	
CONSTRUCTION MATERIAL: EARTH				VITH LEAK D			
LOCATION APPROXIMATELY:		FT. 2	ළුල	FROM WELL	HEAD		
DEPTH TO GROUNDWATER:	< 100						
TEMPORARY PIT - GROUNDWAT							
$BENZENE \le 0.2 \text{ mg/kg}, BTEX \le 50 \text{ mg/}$	kg, GRO & DRO	O FRACTIO	N (8015) ≤ 50	0 mg/kg, TPH (418.1) ≤ 2500	mg/kg, CHLC	ORIDES ≤ 500 mg/kg
TEMPORARY PIT - GROUNDWAT							
BENZENE $\leq 0.2 \text{ mg/kg}$, BTEX $\leq 50 \text{ mg/kg}$	(g, GRO & DRO	FRACTION	N (8015) ≤ 500) mg/kg, TPH (4	418.1) ≤ 2500 :	mg/kg, CHLO	RIDES ≤ 1000 mg/kg
X PERMANENT PIT OR BGT							
$BENZENE \le 0.2 \text{ mg/kg}, BTEX \le 50 \text{ mg/}$	kg, TPH (418.1)	≤ 100 mg/kg	g, CHLORIDE	$ES \le 250 \text{ mg/kg}$			
TIME	SAMPLE I.D.			D 418.1 ANAL			CALC. (mg/kg)
	200 STD	LAD NO.		-		20	CALC. (IIIg/Kg)
/0:30	SPTCOMP	1	5	20	4	.33	132
·		23					
		4					
		<u> </u>		<u> </u>			
	11			· · · · · · · · · · · · · · · · · · ·		L	
PERIMETER		FIELD C	HLORIDES	S RESULTS		PRO	FILE
		SAMPLE	READING	CALC.	181 41	8'x 7'	NEDTH
(車) (ID	KEADING	(mg/kg)	10 11	0 X /	DEFT
	\backslash		 				
					·		\frown
A L					$\langle \ $	1-	(
280 - 521			1			λ^{i}	< 1 🔤
521	i \		PID RESUL		į ,		
Pri Carriere		SAM	PLE ID	RESULTS (ppm)			, '
	<u>}</u>	SPT CO	ame	02	. l	X	
	/			· · · · · · · · · · · · · · · · · · ·	ł .		
	/				1		X
					4		-,-
					L		·····
LAB SAMPLES	NOTES:						
SAMPLE ID ANALYSIS RESULTS	NOTES:						
SAMPLE ID ANALYSIS RESULTS BENZENE	4	0 1		Clasura	1000	JPM	
SAMPLE ID ANALYSIS RESULTS BENZENE BTEX GRO & DRO	4	Ranki	ng 10:	Clos <i>ur</i> e	1000	ppm	· ·
SAMPLE ID ANALYSIS RESULTS BENZENE BTEX	4	Ranki	ng 10:	clos <i>ur</i> e	1000	qqm	

.

١

. - - - -



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

			· · · · ·
Client:	Elm Ridge Exploration	Project #:	03056-0175
Sample No.:	1	Date Reported:	1/23/2009
Sample ID:	5 Point Composite	Date Sampled:	11/6/2008
Sample Matrix:	Soil	Date Analyzed:	11/6/2008
Preservative:	Cool	Analysis Needed:	TPH-418.1
Condition:	Cool and Intact		

Parameter	Concentration (mg/kg)		Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	132		5.0
ND = Parameter not detected at the state	ed detection limit.	÷.,	

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Bisti Coal 30 COM 1 Earth Pit

Instrument calibrated to 200 ppm standard. Zeroed before each sample

Analyst

Review

Roynell Benally Printed

Greg Crabtree Printed



Cal. Date:	6-Nov-08		
Parameter	Standard Concentration mg/L	Concentration Reading mg/L	
трн	100 200 500	210	,
	1000		

The accepted percent relative deviation (%RSD) of the calibration factor is less than 20% over the working range.

Analyst

Roynell Benally Print Name

Review

Greg Crabtree Print Name

27 0 Date

7109

Date



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Elm Ridge	Project #:	03056-0136
Sample ID:	Bisti Coal 30 Com Well #1	Date Reported:	11-13-08
Laboratory Number:	48075	Date Sampled:	11-06-08
Chain of Custody:	5715	Date Received:	11-06-08
Sample Matrix:	Soil	Date Analyzed:	11-12-08
Preservative:	Cool	Date Extracted:	11-10-08
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	
Toluene	4.9	1.0	
Ethylbenzene	1.3	1.0	
p,m-Xylene	4.9	1.2	
o-Xylene	3.5	0.9	
Total BTEX	14.6		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96.0 %
	1,4-difluorobenzene	96.0 %
	Bromochlorobenzene	96.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Earth Pit Sampling

Analyst

Musthe muli alters



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	11-12-BT QA/QC	Date Reported:	11-13-08
Laboratory Number:	48073	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	11-12-08
Condition:	N/A	Analysis:	BTEX
		·	

I-Cal RF:	C-Cal RF:	%Diff.	Blank	Detect.	8
	Accept. Rang	je 0 - 15%	Conc	Limit	Å
4.3947E+007	4.4035E+007	0.2%	ND	0.1	
3.1946E+007	3.2010E+007	0.2%	ND	0.1	
2.4466E+007	2.4515E+007	0.2%	ND	0.1	
2.4466E+007	2.4515E+007	0.2%	ND	0.1	
2 3715E+007	2 3763E+007	0.2%	ND	0.1	
	4.3947E+007 3.1946E+007 2.4466E+007 2.4466E+007	Accept. Ranc 4.3947E+007 4.4035E+007 3.1946E+007 3.2010E+007 2.4466E+007 2.4515E+007 2.4466E+007 2.4515E+007	Accept. Range 0 - 15% 4.3947E+007 4.4035E+007 0.2% 3.1946E+007 3.2010E+007 0.2% 2.4466E+007 2.4515E+007 0.2% 2.4466E+007 2.4515E+007 0.2%	Accept. Range 0 - 15% Conc 4.3947E+007 4.4035E+007 0.2% ND 3.1946E+007 3.2010E+007 0.2% ND 2.4466E+007 2.4515E+007 0.2% ND 2.4466E+007 2.4515E+007 0.2% ND	Accept. Range 0 - 15% Conc Limit 4.3947E+007 4.4035E+007 0.2% ND 0.1 3.1946E+007 3.2010E+007 0.2% ND 0.1 2.4466E+007 2.4515E+007 0.2% ND 0.1

Duplicate Conc. (ug/Kg)	Sample Du	plicate	%Diff.	Accept Range	Detect. Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	4.9	5.0	2.0%	0 - 30%	1.0
Ethylbenzen <i>e</i>	2.3	2.2	4.3%	0 - 30%	1.0
p,m-Xylene	5.9	5.7	3.4%	0 - 30%	1.2
o-Xylene	4.1	4.3	4.9%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	unt Spiked Spik	ed Sample	% Recovery	Accept Range
Benzene	ND	50.0	49.0	98.0%	39 - 150
Toluene	4.9	50.0	52.6	95.8%	46 - 148
Ethylbenzene	2.3	50.0	50.3	96.2%	32 - 160
p,m-Xylene	5.9	100	103	97.1%	46 - 148
o-Xylene	4.1	50.0	51.1	94.5%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996. Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 48073 - 48080, 48083, and 48089.

Analyst

Review



Chloride

Client:	Elm Ridge	Project #:	03056-0136
Sample ID:	Bisti Coal 30 Com Well #1	Date Reported:	11-13-08
Lab ID#:	48075	Date Sampled:	11-06-08
Sample Matrix:	Soil	Date Received:	11-06-08
Preservative:	Cool	Date Analyzed:	11-11-08
Condition:	Intact	Chain of Custody:	5715

Parameter

Concentration (mg/Kg)

Total Chloride

630

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Earth Pit Sampling.

Analyst

Mistin m Weeters Review

CHAIN OF CUSTODY RECORD

Client: Project Name / Location:						ANALYSIS / PARAMETERS]								
ELMEIDEE EARTH PIE SAMALING															 							
Client Address:			Sampler Name:						5)	21)	6											
			RBZNAM	RBENNUT					801	d 80	826	<u>s</u>			0							
Client Phone No.:			Client No.:						por	tho	Do Do	leta	lion]	H		F.	ш			8	tact
			03050	- 013	šφ				Meth	(Me	Metl	8 2	A		with		418	E C			Ŭ e	elu
Sample No./ Identification	Sample Date	Sample Time	Lab No.	r	ample Matrix	No./Volume of Containers	Prese HgCl	HCI J	TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	CHLORIDE			Sample Cool	Sample Intact
BISTI COAL 30 COM 121E LL # 1 WEST BISTI COUL	11/408	11:40	nn 48075 nn 48076	Solid	Sludge Aqueous	$(')$ f_{u2}		600		X								X				レ
Wash BISTI COLLI 11 COM F F 1		1:30	om 48076	Solid	Sludge Aqueous	1		1		X		-						Х			V	~
				Soil Solid	Sludge Aqueous								 									
				Soil Solid	Sludge Aqueous														 			
<u></u>			-	Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous					5												
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
				Soil Solid	Sludge Aqueous																	
Relinquished by: (Signa						Time 3:00 pm	1	eceive	d by:	(Sign	ature)	\dot{O}	R	\sim					Da	ite 0/08	Tin 15	
Relinquished by: (Signa	ature)							eceive	d by:	(Sign	ature)		9		-)					·	<u> </u>	
Relinquished by: (Signa	ature)						R	eceive	d by:	(Sign	ature))							 			
		-,. -, .	5706 11		1	ROT				•. *	-	505-	.632-	0615								

5715

, *

.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos, Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 July 21, 2008 For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
	sed-Loop System, Below-Grade T native Method Permit or Closure P	
Type of action: Permit o Closure	f a pit, closed-loop system, below-grade tank, or of a pit, closed-loop system, below-grade tank, or ation to an existing permit plan only submitted for an existing permitted or	r proposed alternative method or proposed alternative method
Instructions: Please submit one applicatio	n (Form C-144) per individual pit, closed-loop syste	em. helow-prade tank or alternative request
Please be advised that approval of this request does not renvironment. Nor does approval relieve the operator of i	elieve the operator of liability should operations result in	n pollution of surface water, ground water or the
Operator:Elm Ridge Exploration	OGRID #	149052
Address:P.O. Box 156; Bloomfield, NM 8741.	3	
Facility or well name: Bisti Coal 30 COM 1	_	·
API Number: 3004528797	OCD Permit Number:	
U/L or Qtr/Qtr <u>A</u> Section <u>30</u> Tow		ty: <u>San Juan</u>
Center of Proposed Design: Latitude _36.377249_	• • • • • • •	•
Surface Owner: X Federal State Private '	Ceased Operating November 200	
☑ Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: □ Drilling □ Workover ☑ Permanent □ Emergency □ Cavitation □ P& □ Lined ☑ Unlined Liner type: Thickness	$a = mil \square LLDPE \square HDPE \square PVC \square Ot$	
3. Discretion H of 19.15.1	7.11 NMAC	
	II UWorkover or Drilling (Applies to activities whi	ich require prior approval of a permit or notice of
intent)	Haul-off Bins 🗍 Other	
Lined Unlined Liner type: Thickness] Other
Liner Seemer D Welded D Fester: D Other		
Liner Seams: Welded Factory Other		
 4. Below-grade tank: Subsection I of 19.15.17.1 Volume:bbl Type of fluid: Tank Construction material: 	1 NMAC Visible sidewalls, liner, 6-inch lift and automatic ov ls only 🔲 Other	·
 5. Alternative Method: Submittal of an exception request is required. Exception 	eptions must be submitted to the Santa Fe Environme	ntal Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify <u>4' tall hogwire fencing with pipe railing</u>

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen 🛛 Netting 🗋 Other_

10

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.3.103 NMAC

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No		
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).0. Topographic map; Visual inspection (certification) of the proposed site 	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - (Applies to temporary, emergency, or cavitation pits and below-grade tanks) (☐ Yes ☐ No ☐ NA		
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No		
Within 500 feet of a wetland.			
Within the area overlying a subsurface mine.	Yes No		
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No		
Within a 100-year floodplain. - FEMA map	Yes No		
	Yes No		

11. <u>Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC <i>Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.</i>
 Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. <u>Closed-loop Systems Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC <i>Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.</i>
 Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:
above ground steel tanks or haul-off bins and propose to implement waste removal for closure) 13.
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the
Waste Excervation and Removal Closure rial Checkins: (19.15.17.15 NMAC) Instructions: Each of the following users must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

.

.

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities o Yes (If yes, please provide the information below) No		
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriat Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsect	e requirements of Subsection H of 19.15.17.13 NMA I of 19.15.17.13 NMAC	C
^{17.} <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requi considered an exception which must be submitted to the Santa Fe Environmenta demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	re administrative approval from the appropriate dist I Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Database search; USG	a obtained from nearby wells	□ Yes □ No □ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		□ Yes □ No □ NA
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 		☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig- lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 		🗌 Yes 🗌 No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or - NM Office of the State Engineer - iWATERS database; Visual inspection	spring, in existence at the time of initial application.	Yes 🗌 No
Within incorporated municipal boundaries or within a defined municipal fresh wat adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approv	-	Yes 🗌 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visu	al inspection (certification) of the proposed site	🗋 Yes 🗌 No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division		🗌 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map 	y & Mineral Resources; USGS; NM Geological	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map		🗌 Yes 🗌 No
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.		
Site Reclamation Plan - based upon the appropriate requirements of Subsec		

,

*** Operator A patiestican Certification: 1 bendy certify that the information with this application is true, accurate and complete to the best of my knowledge and bellef. Name (Pring: Ms. And Machaeleeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeee				
Name (Print				
Signutur:				
E-mail address:	Name (Print: <u>Ms. Amy Mackey</u> Iitle: <u>Administrative Manager</u>			
************************************	Signature: Date: Date:			
GCD Approvel Permit Application (including closure plan) GC Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:	E-mail address: <u>amackey1@elmridge.net</u> Telephone: <u>(505) 632-3476 Ext. 201</u>			
11. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities. Have activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Plane do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. 20. Closure Method: Closure Method: Naste Removal (Closed-loop systems only) 11. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bin Only: 11. Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill curtings were disposed. Use attachment if more than the off Steel closure of the facility or facilities for where the liquids, drilling fluids and drill curtings were disposed. Use attachment if more than the off Steel closure service and operations: 21. Disposal Facility Name: Disposal Facility Permit Number: 22. Disposal Facility Name: Disposal Facility Permit Number: 23. Site Reclamation (Photo Documentation) No 24. Yes (If yes, please demonstrate compliance to the items below) No 25. Site Reclamation (Photo Documentation) Site Reclamation (Photo Documentation) 26.<				
11. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities. Have activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Plane do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. 20. Closure Method: Closure Method: Naste Removal (Closed-loop systems only) 11. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bin Only: 11. Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill curtings were disposed. Use attachment if more than the off Steel closure of the facility or facilities for where the liquids, drilling fluids and drill curtings were disposed. Use attachment if more than the off Steel closure service and operations: 21. Disposal Facility Name: Disposal Facility Permit Number: 22. Disposal Facility Name: Disposal Facility Permit Number: 23. Site Reclamation (Photo Documentation) No 24. Yes (If yes, please demonstrate compliance to the items below) No 25. Site Reclamation (Photo Documentation) Site Reclamation (Photo Documentation) 26.<	OCD Representative Signature: Approval Date: _2/19/2009			
11. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities. Have activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Plane do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. 20. Closure Method: Closure Method: Naste Removal (Closed-loop systems only) 11. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bin Only: 11. Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill curtings were disposed. Use attachment if more than the off Steel closure of the facility or facilities for where the liquids, drilling fluids and drill curtings were disposed. Use attachment if more than the off Steel closure service and operations: 21. Disposal Facility Name: Disposal Facility Permit Number: 22. Disposal Facility Name: Disposal Facility Permit Number: 23. Site Reclamation (Photo Documentation) No 24. Yes (If yes, please demonstrate compliance to the items below) No 25. Site Reclamation (Photo Documentation) Site Reclamation (Photo Documentation) 26.<	Title: <u>Environmental Engineer</u> OCD Permit Number:			
Bit Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) H different from approved plan, please explain. 33. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please inductify the facility of facilities for where the liquids, drilling fluids and drill cuttings were dibposed. Use attachment if more than two facilities were utilized. Disposal Facility Name:	^{21.} <u>Closure Report (required within 60 days of closure completion)</u> : Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this			
Closure Method: Maste Excavation and RemovalOn-Site Closure MethodAlternative Closure MethodWaste Removal (Closed-loop systems only) If different from approved plan, please explain. 22. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name:	Closure Completion Date:			
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Cround Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name:	Closure Method:			
Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Ves (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Revegetation Application Rates and Seeding Technique 24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Closure Notice (surface owner and division) Proof of Closure Notice (surface and temporary pits) Confirmation Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation NAD: [1927] 1983 Is Perfort Closure Location: Latitude Longitude NAD: [1927] 1983 Is Operator Closure Certification: Site Reclamation and attachments submitted with this closure report is true,	Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than			
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations: No Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deel Notice (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD: [1927] 1983 25. Operator Closure Certifications: Interbo certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complice with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print):	-			
□ Yes (If yes, please demonstrate compliance to the items below) □ No Required for impacted areas which will not be used for future service and operations: □ Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique 24.	Disposal Facility Name: Disposal Facility Permit Number:			
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (fapplicable) Waste Material Sampling Analytical Results (required for on-site closure) Dipsosal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Applications: Latitude Longitude NAD: [1927] 1983 25. Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. 1 also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print):				
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Ste Reclamation (Photo Documentation) On-site Closure Location: Latitude I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print): Title: Signature: Date:	 Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation 			
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print):	Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)			
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Print):				
Signature: Date:	I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and			
	Name (Print): Title:			
E-mail address: Telephone:	Signature: Date:			
	E-mail address: Telephone:			

•

`

AST AST	EARTH PIT SEP
	PUMP JACK
LEGEND 4' Tall Hogwire Fencing Berm	SITE MAP ELM RIDGE EXPLORATION BISTI COAL 30 COM 1 SEC 30 TWN 25N RGE 12W SAN JUAN COUNTY, NEW MEXICO SCALE: NTS FIGURE NO. A PROJECT NOD3056-0136 REVISIONS REVISIONS NO. DATE BY DESCRIPTION MAP DRWN MDD 11/17/08 BASE DRWN
🕂 Well Head	ENVIRONMENTAL SCIENTISTS & ENGINEERS ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64, FARMINGTON, NM 87410 505-632-0615

EARTHEN PIT CLOSURE PLAN

SITE NAME:

BISTI COAL 30 COM 1 UNIT LETTER A, SECTION 30, TOWNSHIP 25N, RANGE 12W SAN JUAN COUNTY, NEW MEXICO LATITUDE 36.377249 LONGITUDE -108.146324

SUBMITTED TO:

MR. WAYNE PRICE NEW MEXICO OIL CONSERVATION DIVISION 1220 SOUTH ST. FRANCIS DRIVE SANTA FE, NEW MEXICO 87505 (505) 476-3490

SUBMITTED BY:

MS. AMY MACKEY ELM RIDGE EXPLORATION P.O. BOX 156 BLOOMFIELD, NEW MEXICO 87413 (505) 632-3476 EXT. 201

JANUARY 2009

EARTHEN PIT CLOSURE PLAN ELM RIDGE EXPLORATION BISTI COAL 30 COM 1 SAN JUAN COUNTY, NEW MEXICO

TABLE OF CONTENTS

INTRODUCTION	1
SCOPE OF CLOSURE ACTIVITIES	1
REPORTING	3

INTRODUCTION

Elm Ridge Exploration would like to submit a closure plan for the earthen pit at the Bisti Coal 30 COM 1 well site located in the NE ¼ NE ¼ of Section 30, Township 25N, Range 12W, San Juan County, New Mexico. This closure plan has been prepared in conformance with the closure requirements of 19.15.17.13 NMAC.

SCOPE OF CLOSURE ACTIVITIES

The purpose of this closure plan is to provide the details of activities involved in the closure of the permanent unlined pit at the Bisti Coal 30 COM 1 well site. The following scope of closure activities has been designed to meet this objective:

- 1) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close all former earthen pits prior to the closure date agreed upon by the New Mexico Oil Conservation Division of December 31, 2009.
- 2) In accordance with of Subsection A of 19.15.17.13 NMAC, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close any earthen pits at a date the division requires because of imminent danger to fresh water, public health, or the environment.
- 3) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will close earthen pits first which seem to pose a greater risk to fresh water, public health, or the environment. This will be determined by the locations proximity to surface water sources and distance to groundwater.
- 4) No less than 60 days prior to any earthen pit closure activities, Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the Santa Fe NMOCD office as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (3) NMAC.
- 5) No less than 24 hours and no greater than one (1) week prior to earthen pit removal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will provide written notification to the appropriate surface owner as well as a schedule of on-site activities, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will notify the surface owner by certified mail, return receipt requested, that the operator plans to close an earthen pit. The return receipt will be used to ensure that the surface owner has received written notification no less than 24 hours and no greater than one (1) week prior to the beginning of BGT closure activities. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this Closure activities that will take place on tribal land will have requirement. notifications sent by certified mail, return receipt requested, to the appropriate tribal Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge office. Exploration, will notify the Bureau of Land Management (BLM) of closure activities for wells located on federal land per a Sundry Notice, as in accordance with 19.15.17.13 Subsection J Paragraph (1) NMAC. All notices will be sent in such a way that the surface owner received notice at least 24 hours prior to the beginning of

closure activities.

- 6) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all liquids, and/or sludge, to visual extents, prior to closure sampling. Material will be disposed of at Envirotech's Landfarm #2, Permit # NM-01-0011, TNT Environmental Inc. Landfarm, Permit # NM-01-0008, Industrial Ecosystems Inc. (IEI) Landfarm, Permit # NM-01-0010B or Basin Disposal, Permit # NM-01-0005, depending on the consistence of the material removed, as in accordance with 19.15.17.13 Subsection C Paragraph (1) NMAC.
- 7) Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will remove all on-site equipment associated with this earthen pit unless it is required for some other purpose, as in accordance with 19.15.17.13 Subsection C Paragraph (2) NMAC. The equipment that meets the requirements of 19.15.9.712 Subsection A NMAC and 19.15.9.712 Subsection D Paragraph (1) will be disposed of at San Juan County Regional Landfill. Waste that is classified by 19.15.9.712 Subsection D Paragraph (2) will be sampled accordingly to determine acceptance of this material at the San Juan County Regional Landfill. Waste that is unable to be accepted at the San Juan County Regional Landfill will be submitted to the OCD on a case-by-case basis in accordance with Paragraph (3) of Subsection D of 19.15.9.712.
- 8) Once the earthen pit is removed to visual extents of contamination, a five (5)-point composite sample will be collected from directly below the liner(s) or at native soil. Additional discrete samples will be collected from any area that is wet, discolored, or show other evidence of a release. All samples being collected will be analyzed for benzene, and total BTEX via USEPA Method 8021B, TPH via USEPA Method 418.1, and chlorides via USEPA 300.1, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
- 9) Depending on soil sample results the area will be either backfilled or the area will be excavated.
 - a. If soil samples do not exceed the regulatory standards of 0.2 mg/kg benzene, 50 mg/kg BTEX, 100 mg/kg TPH, and 250 mg/kg or background concentration of chlorides, as in accordance with 19.15.17.13 Subsection C Paragraph (3) NMAC.
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.
 - Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will backfill the excavation or impacted area with non-waste containing, earthen material, in accordance with 19.15.17.13 Subsection E Paragraph (6) NMAC. A soil cover shall be installed for all backfilled excavations consisting of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater in accordance with Subsections H of 19.15.17.13 NMAC. The operator shall construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material.
 - iii. All areas of the well site that are no longer utilized on a day to day basis for the production of oil and/or gas, Elm Ridge Exploration, or a

Earthen Pit Closure Plan Elm Ridge Exploration Bisti Coal 30 COM 1 Page 3

contractor acting on behalf of Elm Ridge Exploration, will substantially restore, re-contour, and re-vegetate the areas, in accordance with 19.15.17.13 Subsections G and I NMAC. The operator shall notify the division when it has been re-seeded and when it has achieved successful re-vegetation. For re-vegetation methods, please see attached re-vegetation plan.

- b. If soil samples exceed the regulatory standards stated above.
 - i. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, shall submit a Form C-141 with the laboratory results so that the division may review the results to determine if additional delineation is required in accordance with Paragraph (4) of Subsection C of 19.15.17.13 NMAC.
 - ii. Activities beyond this point will be in accordance with 19.15.3.116 NMAC and 19.15.11.19 NMAC.

REPORTING

Elm Ridge Exploration will submit a closure report within 60 days following the earthen pit closure. The closure report will consist of a form C-144 with all supporting data and a form C-141 with all supporting data. The supporting data will include proof of closure notice to the surface owner and the OCD, confirmation sampling analytical results, a site diagram, soil backfilling and cover installation, re-vegetation rates, re-seeding techniques and site reclamation photo documentation if applicable, along with all other information related to the onsite activities.

We appreciate the apportunity to be of service. If you have any questions or require further information, please do not hesitate to contact our office at (505) 632-3476 Ext. 201.

Respectfully Submitted: Elm Ridge Exploration

Amy Mackey Elm Ridge Exploration

Elm Ridge Exploration

Re-Seeding Techniques and Seed Mixture Ratios

These applied practices by Elm Ridge Exploration will at a minimum comply with the New Mexico Oil Conservation Divisions rule 19.15.17.13, Subsection I NMAC Elm Ridge Exploration has adopted these re-seeding application techniques, ratios and mixtures as their standard operating procedures.

- 1. The first growing season after closure of a below grade tank or pit, all areas of the well site not utilized for the production of oil and/or gas on a daily basis will be re-seeded with the specified seed mixture.
- 2. The seed mixture used will be certified with no primary or secondary noxious weeds in seed mixtures. The seed labels from each bag shall be available for inspection while seed is being sown.
- 3. The operator shall accomplish seeding by drilling on the contour whenever practical or by other division-approved methods. The operator shall obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
- 4. Hand seeding with hydro-mulch, excelsior netting or mulch with netting is required on the cut/fill slopes. Mulch will be spread at a rate of 2,000-3,000 pounds per acre.
- 5. Compacted areas determined by visual inspection will be ripped to a depth of twelve (12) inches below ground surface and disked to a depth of six (6) inches before seeding. Seeding shall be done with a disk type drill with two (2) boxes for various seed sizes. The drill rows shall be eight (8) to ten (10) inches apart. Seed shall be planted at no less than one-half (1/2) inch deep or more than one (1) inch deep. The seeder shall be followed with a drag, packer, or roller to ensure uniform coverage of the seed and adequate compaction. Drilling shall be done on the contour where possible, but not up and down the slope.
- 6. Where slopes are too steep for contour drilling a hand seeder shall be used. Seed shall be covered to the depth stated above by whatever means is practical. If the seed is unable to be covered by the means listed above, the prescribed seed mixture amount will be doubled.

- 7. Elm Ridge Exploration shall repeat seeding or planting until it successfully achieves the required vegetative cover of 70% of the native perennial vegetation cover.
- 8. Upon abandonment of a well site, if the retention of the access road is not considered necessary for the management and multiple uses of the natural resources, or by the surface owner, it will be ripped a minimum of twelve (12) inches in depth. After ripping, water bars will be installed. All ripped surfaces are to be protected from vehicular travel by construction of a dead end ditch and earthen barricade at the entrance to these ripped areas. Re-seeding of areas affected by the ditch and barriers will be re-seeded if necessary.
- 9. Elm Ridge Exploration, or a contractor acting on behalf of Elm Ridge Exploration, will inform the division once successful re-vegetation has occurred.