State of New Mexico Energy, Minerals & Natural Resources

District I

1625 N. French Dr., Hobbs, NM 88240

District II 1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr. Santa Fe. NM. 87505

Oil Conservation Divsiion 1220 S. St. Francis Dr. Santa Fe, NM 87505

Submit to appropriate District Office

MENDED REPORT

APPLIC				O DRII	LL RE-EN	TE	R. DEEPEN.	PLUGBACK	K. OR ADD	A ZONE		
APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, Operator Name and Address								² OGRID Number 16696				
OXY USA Inc.								³ API Number				
P.O. Box 50250 Midland, TX 79710-0250 30-021-20355												
⁴ Property Code ⁵ Property							. C Unda Ol	122	⁶ Well No. 3 (み			
27111 Bravo Dome Carbon D							e das unit &	10 Proposed Po		· <u>A</u>		
Bravo Dome	Carbon				96010			Troposed re				
					⁷ Surface I	ocat	ion					
UL or lot no.	Section	Township	Township Range		Lot. Idn Feet from t		North/South Line	Feet from the	East/West line	County		
K	K 31 21 N 3		33 E			0 South		1650	West	Harding		
⁸ Proposed Bottom Hole Location If Different From Surface												
UL or lot no.				Lot. Idn Feet from t					East/West line	County		
Additional Well Location												
11 Work Ty	pe Code		² Well Type Coo		13 Cable/R					evel Elevation		
	₩ 20 2 0		C		R		7	5020.21				
¹⁶ Mult	iple		7 Proposed Dept	h		18 Formation		19 Contractor		ud Date		
	0		26001		Tubb		N/A	5/1/06				
Depth to ground water Distance from nearest fresh						water w	veli	Distance from nearest surface water >1000'				
Pit: Liner: Syr	10 50											
Closed-Loop System Clay In Volume Source Brine Diesel/Oil-based Gas/Air												
²¹ Proposed Casing and Cement Program												
Hole S	Size	Cas	ing Size	I .	g weight/foot	Setting Depth Sacks of Cen			ent Estimated TOC			
12-1/4"			8-5/8"		24#		700'	300sx		Surface		
7-7/8"		5	5-1/2" 5.		.9#FG/15.5#		2600'	300sx		Surface		
<u> </u>				<u> </u>				·		<u></u>		
						<u></u>						
						[
²² Describe the	proposed pro	gram. If this	application is	to DEEPEN	or PLUG BAC	K, giv	e the data on the pro	esent productive zor	ne and proposed	new productive zone.		
Describe the blov	vout prevention	on program,	f any. Use add	itional sheet	ts if necessary.							
Į												
					0 44	·						
{					See Attaci	nmen	ľ					
23												
²³ I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be						OIL CONSERVATION DIVISION						
constructed according to NMOCD guidelines X a general permit , or								S1 /	/			
an (attached) alternative OCD-approved plan . Signature:							oved by:	C Nobe	···	·		
Printed name: David Stewart							Title: DISTRICT SUPERVISOR					
Title: Sr. Regulatory Analyst							Approval Date: 3/13/06 Expiration Date: 3/13/07					
E-mail Address: david_stewart@oxy.com										//		
Date:			Phone:			Cond	itions of Approval:					
	106	(O.P	432-685-5717		17	Attached						

ATTACHMENT C-101 BDCDGU

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700′

None

700-2600'

8" 2M annular hydril preventer.

CASING:

Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600'

300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% CaCl₂ + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700'

Fresh water/native mud.

Wt 8.6-9.2ppg, Vis 32-36sec

700-2600'

Fresh water/Starch/Gel pH control as needed.

Wt 9.0-9.2ppg, Vis 28-29sec

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV 2040 South Pacheco, Santa Fe, NM 87505


State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505 Form C-102
Revised October 18, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies


AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

WELL LOCATION AND ACREAGE DEDICATION PLAT											
		Pool Code			Pool Name						
30-021-			.	96010)	BRAVO DOME CARBON DIOXIDE GAS					<u>GAS</u>
Property Code				Property Name					Well Nur		
27111 BRAVO			<u> </u>	DOME CARBON DIOXIDE GAS U					NIT 2133 312		
OGRID No.				Operator Name					Elevation		
16696				OXY USA INC.					5020.2		
Surface Location											
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from		North/South line	Feet from the	East/West		County
K	31	21 N	33 E		1650'		SOUTH	1650'	WEST		HARDING
Bottom Hole Location If Different From Surface											
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from	the	North/South line	Feet from the	East/West	line	County
	<u> </u>	<u> </u>		<u> </u>			<u> </u>				
Dedicated Acre	es Joint	or Infill (Consolidation	1 Code C	order No.						
(40)	7			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<u> </u>		ON TIME	TA (TIMES TIMES -	T A T TEN	WAY 00	NICOL IN COSE
NO ALLO	WABLE '						ON UNTIL ALL EEN APPROVED			EN CC	DNSOLIDATED
31		<u> </u>	11011-01	ZH VDI HCD	01411 111	<u></u>	LEIV MIROVED			CNDT	TEXALENAN
	OPERATOR CERTIFIC I hereby certify that the information contains										
]]]	l				\ 					knowledge and belief.
						ļ J		i i			
{ }						! 		∐			
di.		· 									7
 				-				- <i></i>	<u>/ , , , , , , , , , , , , , , , , , , ,</u>	1/2	
<u> </u>						1		Signature	Dont	d C+=	wart
						1		David Stewart			
		 !]			Regula	tory	Analyst
		 		3/		\ 		Title	حاد	1_0	
ł	Į Į			2809		ļ		Date	313	106	
<u> </u>		NM-E NAD27		/	 						
	ĺ	Lat - 36°00' Lon - 103°27	12.72" /			 		11			TFICATION
{{	1	ı I				1					shown on this plat al surveys made by
	,							me or under	my supervisi	on, and th	at the same is true
1	650′—	2				1		and correct to	KS Parlot) OOE
]]		Ţ				\ 		Date of Surve	KI LOTA	NE C	(2006
 	ك	·		 				Signature and	1 1 1 2 2	genioral S	Survey of
}								Gg	1 63	"	/§/
 		650								n/	A)
		1]		DAG	39FE	S TARLY	
	 					 		Jest 1	17		
) 1							Certificate Nu		r <u>y As</u> 070	<u>'eı</u>
L		<u></u>		<u> </u>					101	0/9	



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM



Bravo Dome Unit Location and Pit Design Cheyenne Rig 8