

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b>  <b>Oil Conservation Division</b> <b>1220 South St. Francis Dr.</b> <b>Santa Fe, NM 87505</b>	<b>Form C-105</b> Revised August 1, 2011								
		1. WELL API NO. 30-021-20662								
		2. Type of Lease <input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN								
		3. State Oil & Gas Lease No. 313383								
<b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>										
4. Reason for filing: <input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)		5. Lease Name or Unit Agreement Name GALVESTON 2028 30								
7. Type of Completion: <input type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input checked="" type="checkbox"/> OTHER DRY AND ABANDONED		6. Well Number: #1								
8. Name of Operator WHITING OIL AND GAS CORPORATION		9. OGRID 25078								
10. Address of Operator  400 W. ILLINOIS STE. 1300 MIDLAND, TX 79701		11. Pool name or Wildcat  BRAVO DOME CARBON DIOXIDE 640								
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	K	30	20N	28E		1700	S	1700	W	HARDING
BH:	K	30	20N	28E		1700	S	1700	W	HARDING
13. Date Spudded 10/11/2014	14. Date T.D. Reached 10/30/2014	15. Date Rig Released 10/30/2014		16. Date Completed (Ready to Produce) NA		17. Elevations (DF and RKB, RT, GR, etc.) GR 5595				
18. Total Measured Depth of Well 2859		19. Plug Back Measured Depth 2804		20. Was Directional Survey Made? NO		21. Type Electric and Other Logs Run CCL, NEUTRON, CBL				
22. Producing Interval(s) of this completion - Top, Bottom, Name NA										
<b>23. CASING RECORD (Report all strings set in well)</b>										
CASING SIZE	WEIGHT LB./FT.	DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED		
9 5/8	36#	772		12 1/4		500/CIRC.				
7	20#	2618		8 3/4		800/CIRC.				
5 1/2	15.5#	2859		6 1/4		230/CIRC.				
<b>24. LINER RECORD</b>										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		<b>25. TUBING RECORD</b>				
						SIZE	DEPTH SET	PACKER SET		
26. Perforation record (interval, size, and number)  2706-2728 6 SPI 42" DIA.						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL 2706-2728 AMOUNT AND KIND MATERIAL USED FRAC W/ 34079# 16/30 SINTERLITE; 10114 GALS GEL & 35 TONS CO2				
<b>28. PRODUCTION</b>										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.)						30. Test Witnessed By				
31. List Attachments										
TEST INFORMATION ATTACHED WITH C-103 INTENT TO PLUG										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
TEMPORARY PIT CLOSED 06/10/2015. C-144 PIT CLOSURE NOT SCANNED INTO NMOCDS SYSTEM; SENT 07/01/2015.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
35.931500      Latitude      -104.006737      Longitude      NAD 1927 (1983)										

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

*Kay Maddox*

Printed

Name KAY MADDOX

Title REG. ANALYST

Date 12/15/2015

E-mail Address

kay.maddox@whiting.com

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

### INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 1864	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 2165	T. McKee	T. Gallup	T. Ignacio Otzite
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb 2686	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

### OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....  
No. 2, from.....to.....

No. 3, from.....to.....  
No. 4, from.....to.....

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
No. 2, from.....to.....feet.....  
No. 3, from.....to.....feet.....

### LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
------	----	----------------------	-----------	------	----	----------------------	-----------



TRINIDAD  
DRILLING

RECEIVED OGD

2015 FEB 25 P 4: 09

### INCLINATION REPORT

In accordance with Section 19.15.16.14.A.1 of the NMOC rules Trinidad Drilling hereby provides a report of inclinations recorded while drilling the well listed below. All regulations of Rule have been adhered to.

Lease name: Galveston  
Well No: 2028 #301  
API No: 30-021-20662  
TWN & RGE: SEC 30-T20N-R28E  
Unit Letter:  
Footages: KB

Depth	Angle-Inclination Degrees
237'	.75
471'	.75
772'	1.25
1248	.50
1748	.75
2093	.50
2698	1.25
2859	1.25

I HEREBY CERTIFY THAT THE ABOVE DATA AS SET FORTH IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF

Trinidad Drilling LP

STATE OF Kansas  
COUNTY OF Finney

This instrument was acknowledged before me this 18<sup>th</sup> day of February, 2015, by Jack Pepper on behalf of Trinidad Drilling LP

Notary Public

