
Submit 1 Copy To Appropriate District State of New Mexico	Form C-103
Office	October 13, 2009
District I Energy, Minerals and Natural Resources 1625 N. French Dr., Hobbs, NM 88240	WELL API NO.
District II	3005920453
1301 W. Grand Ave., Artesia, NM 88210 District III 1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	STATE FEE
District IV Salita 1°E, INIVI 87303 1220 S. St. Francis Dr., Santa Fe, NM	6. State Oil & Gas Lease No.
87505	L6247
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	BRAVO DOME CARBON DIOXIDE GAS UNIT
PROPOSALS.)	8. Well Number 072
1. Type of Well: Oil Well Gas Well Other: CO ₂ PRODUCER	8. Well Number 0/2
2. Name of Operator	9. OGRID Number 16696
OXY USA INC 3. Address of Operator	10. Pool name or Wildcat
P.O. Box 303, Amistad, New Mexico 88410	BRAVO DOME CARBON DIOXIDE GAS 640 - 96010
4. Well Location Unit Letter H: 2310 feet from the NORTH line and	000 for first the EAST 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	MPM County UNION
11. Elevation (Show whether DR, RKB, RT, GR, etc. 4933' (GL)	
Control of the contro	
12 Charle Ammonista Day to Indicate Nature of Nation	Depart on Other Date
12. Check Appropriate Box to Indicate Nature of Notice,	Report of Other Data
NOTICE OF INTENTION TO: SUB	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ REMEDIAL WOR	
TEMPORARILY ABANDON	
PULL OR ALTER CASING	<u> </u>
	-
OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, an	
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Copproposed completion or recompletion.	mpletions: Attach wellbore diagram of
proposed completion of recompletion.	
SEE ENCLOSED INFORMATION AND WELLBORE SCH	EMATIC
SEE ENCLOSED INFORMATION AND WELLBORE SCH	EMATIC
SEE ENCLOSED INFORMATION AND WELLBORE SCH	EMATIC
SEE ENCLOSED INFORMATION AND WELLBORE SCH	EMATIC
SEE ENCLOSED INFORMATION AND WELLBORE SCH	EMATIC
SEE ENCLOSED INFORMATION AND WELLBORE SCH	EMATIC
SEE ENCLOSED INFORMATION AND WELLBORE SCH	EMATIC
SEE ENCLOSED INFORMATION AND WELLBORE SCH	EMATIC
SEE ENCLOSED INFORMATION AND WELLBORE SCH Spud Date: Rig Release Date:	EMATIC
	EMATIC
	EMATIC
Spud Date: Rig Release Date:	
Spud Date: Rig Release Date:	
Spud Date: Rig Release Date:	
Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledg	e and belief.
Spud Date: Rig Release Date:	e and belief.
Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledg	e and belief.
Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledg SIGNATURE	e and belief.
Spud Date: I hereby certify that the information above is true and complete to the best of my knowledg SIGNATURE TITLE Engineering Advisor Type or print name _AL GIUSSANI E-mail address: _albert_giussani@ For State Use Only	e and belief.
Spud Date: Rig Release Date: I hereby certify that the information above is true and complete to the best of my knowledge SIGNATURE:	e and belief. orDATE _05/16/2017
Spud Date: I hereby certify that the information above is true and complete to the best of my knowledg SIGNATURE TITLE Engineering Advisor Type or print name _AL GIUSSANI E-mail address: _albert_giussani@ For State Use Only	e and belief.



WELL DETAILS:

2,450

SPUD

10/28/2004

TD

FT 2.426

RELEASE

10/30/2004

PBTD

FT

SURFACE

12 1/4

750 FT

8 5/8", 24 #/FT, J 55 @ 738

400 SX PREMIUM PLUS

CIRCULATED 102

RETURNS

SX

PRODUCTION

7 7/8

2,450 FT

5 1/2 FG/ST 5.9/15.5 #/FT, @ 2439,

200 SX

MIDCON II + 3% CaCI+.25 LB/SX FLOCELLED 11.1 PPG YIELD 3.2CUFT/SX

150 SX

MIDCON II + 3% CaCl+.25 LB/SX FLOCELLED 13.2 PPG YIELD 1.83 CUFT/SX

CIRCULATED 111

RETURNS

SX

CEMENT PLUGS DETAILS

PLUG 1 (BELOW RETAINER) - ISOLATE PAY SECTION 33 SX

PLUG 2 (ON TOP OF CR) - ISOLATE PAY SECTION
7 SX

PLUG 3 - ISOLATE THE GLORIETTA FORMATION 17 SX

PLUG 4 - +/- 50 FT ACROSS SURFACE CASING SHOE 11 SX

PLUG 5 - SURFACE

12 SX