
Submit 1 Copy '	t 1 Copy To Appropriate District State of New Mexico					Form C-103		
District I	Energy, Minerals and Natural Resources				es	October 13, 2009 WELL API NO.		
1625 N French Dr., Hobbs, NM 88240 District II						30-021-20085		
	1301 W Grand Ave, Artesia, NM 88210 OIL CONSERVATION DIVISION					5. Indicate Type of Lease		
District III 1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1220 South St. Francis Dr. Santa Fe, NM 87505						STATE S FEE		
District IV 1220 S St Francis Dr., Santa Fe, NM 87505						6. State Oil & Gas Lease No. STATE TRACT 82 PT		
SUNDRY NOTICES AND REPORTS ON WELLS						7. Lease Name or Uni	it Agreement Name	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)						BRAVO DOME CARBON DIOXIDE GAS UNIT (BDCDGU)		
1. Type of Well: Oil Well Gas Well Other CO2 PRODUCING WELL						8. Well Number 241		
2. Name of Operator						9. OGRID Number 16696		
OXY USA Inc. 3. Address of Operator						10. Pool name or Wildcat		
P.O. Box 303, AMISTAD, NM 88410						BRAVO DOME CARBON DI ACRE AREA		
4. Well Loca		1980 feet from th	e SOUTH	line and	100	0 feet from the	EAST line	
Sect		Township		_ inie and . Range	156 30E	NMPM HARDI N		
G. S. S. S.	10h 24	11. Elevation (Show					County	
GL: 4568'								
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data								
1						SEQUENT REPO		
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRII						_	TERING CASING ☐ ND A ☐	
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT						· =		
DOWNHOLE COMMINGLE								
OTHER: OTHER: TEMPORARILY ABANDONMENT								
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date								
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of								
proposed completion or recompletion.								
7/26/2018 MOVE IN PULLING UNIT, SAFETY MTG & JSA								
RIG UP WIRELINE COMPANY PULL 1.62" BLANKING PLUG								
KILL WELL WITH 90 BBLS OF 4 % KCl. SET BOP. PULL OUT OF HOLE PACKER AND 3 ½ FG STRING, 70 JTS								
RIG UP WIRELINE COMPANY, SET CIBP @ 2050', DUMP 5 SX CEMENT ON TOP OF PLUG								
NDBOP & BUILD UP WELLHEAD								
7/27/2018 SAFETY MTG+ JSA LOAD AND TEST PLUG AND CASING TO 500 PSI (SEE ENCLOSED CHART)								
RIG DOWN, MOVE OFF LOCATION RIG								
RIG UP WIRELINE COMPANY, SET CIBP @ 2050', DUMP 5 SX CEMENT ON TOP OF PLUG NDBOP & BUILD UP WELLHEAD 7/27/2018 SAFETY MTG+ JSA LOAD AND TEST PLUG AND CASING TO 500 PSI (SEE ENCLOSED CHART) RIG DOWN, MOVE OFF LOCATION RIG								
.								
Spud Date:	7/26/201	8 Rig	Release Date:		7/2	7/2018		
Ĺ								
I hereby certify that the information above is true and complete to the best of my knowledge and belief.								
a								
OLONIATURE	17mm	TITI	E CD ENIC A	DIVICOR		DATE	20/14/2010	
SIGNATURE TITLE _SR ENG. ADVISOR DATE08/14/2018								
Type or print nameAL GIUSSANI E-mail address: albert_giussani@oxy.com PHONE: _806-638-1296								
For State Use Only								
APPROVED BY: Well from TITLE Engine DATE 8/16/18								
Conditions of Approval (if any):								

WELLBORE SCHEMATIC

BRAVO DO ME CARBON DIOXIDE GAS UNIT BDCDGU 19 30 24 1 J API: 30 -021-20085



CASING AND PLUG PRESSURE TEST:

