Submit 3 Copies To Appropriate District State of New Mexico	Form C-103
Office District I Energy, Minerals and Natural Resources	Revised March 25, 1999
1625 N. French Dr., Hobbs, NM 87240	WELL API NO. 30-007-20394
District II 811 South First, Artesia, NM 87210 OIL CONSERVATION DIVISION	5. Indicate Type of Lease
District III 1220 South St Francis	STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 South St Francis, Santa Fe, NM	o. State on a Gas Louise 110.
87505 SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	VPR D
1. Type of Well:	
Oil Well Gas Well Other COALBED METHANE	
2. Name of Operator	8. Well No. 109
EL PASO ENERGY RATON, L.L.C. 3. Address of Operator	9. Pool name or Wildcat
P.O. BOX 190 RATON, NM 87740	2. I doi name of wholet
4. Well Location	
Unit Letter L: 1564 feet from the South line and 1197 feet from the West line	
Section 12 Township 30N Range 17E NMPM CO	LFAX County
10. Elevation (Show whether DR, RKB, RT, GR, et	
8263'(GR)	
11. Check Appropriate Box to Indicate Nature of Notic	
	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WOR	K ☐ ALTERING CASING ☐
TEMPORARILY ABANDON	ILLING OPNS. PLUG AND
PULL OR ALTER CASING MULTIPLE CASING TEST A	ABANDONMENT -
PULL OR ALTER CASING MULTIPLE CASING TEST A COMPLETION CEMENT JOB	ND 🗀
OTHER: OTHER:	COMPLETION
12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.	
proposed work). SEE ROLE 1103. For Muniple Completions. Attach wendore diagram of proposed completion of recompitation.	
04/04/03 HES ran Cement Bond Log. TOC at surface.	
07/30/03 HES perf'd 1st stage: 1900'-1902' 5 Holes HES frac'd 1st stage: Pumped fracture treatment with 3,9900 lbs of 20/40 Ottawa/TLC sand at 10.4 bpm, 4,176 psi, ISIP 2,322 psi.	
HES pert'd 2 nd stage: 1852'-1854' 5 Holes	
HES frac'd 2 nd stage: Pumped fracture treatment with 30,360 lbs of 20/40 Ottawa/TLC sand at 11.6 bpm, 3,885 psi, Final ISIP 2,236 psi. HES perf'd 3 nd stage: 1824'-1826' 5 Holes	
HES frac'd 3 rd stage: Pumped fracture treatment with 30,590 lbs of 20/40 Ottawa/TLC sand at 12.2 bpm, 3,283 psi, Final ISIP 1,936 psi.	
HES perf'd 4th stage: 1790'-1792' 5 Holes HES frac'd 4th stage: Pumped fracture treatment with 10,500 lbs of 20/40 Ottawa/TLC sand at 8.1 bpm, 3,570 psi. Final ISIP 3,667 psi.	
HES perf'd 5 th stage: 1614' - 1618' 11 Holes	han 4 060 no: Final ISID 2 704 no:
HES frac'd 5th stage: Pumped fracture treatment with 10,080 lbs of 20/40 Ottawa/TLC sand at 12.9 bpm, 4,060 psi, Final ISIP 3,794 psi. 08/02/03 Installed rods, tubing, and pump. Well is ready to be tested and put on production.	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
SIGNATURE Shirley Mitchell TITLE Senior Specialist	DATE 08/18/03
Type or print name: Shirley A. Mitchell Telephone No.: (505) 445-6785	
(This space for State usg)	
APPPROVED BY Ky Color DISTRICT SUPERVISOR DATE 8/27/03	
APPPROVED BY THILE DATE OF THE DATE OF THE BOATE OF THE B	
Conditions of approval, if any.	