State of New Mexico Form C-101 Energy, Minerals & Natural Resources District I May 27, 2004 1625 N. French Dr., Hobbs, NM 88240 District\_II 1301 W. Grand Avenue Artesia, NM 88210 / District III Submit to appropriate District Office Oil Conservation Divsiion District III 1000 Rio Brazos Rd., Aztec, NM 87410 1220 S. St. Francis Dr. District IV 1220 S. St. Franchis, Santa Fe, NM \$7505 1 52 AMENDED REPORT Santa Fe, NM 87505 APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE <sup>2</sup> OGRID Number <sup>1</sup>Operator Name and Address 16696 OXY USA Inc. <sup>3</sup>API Number P.O. Box 50250 Midland, TX 79710-0250 30- 059-20505 <sup>4</sup>Property Code <sup>5</sup>Property Name <sup>6</sup>Well No. Bravo Dome Carbon Dioxide Gas Unit 27111 **22**1 <sup>9</sup> Proposed Pool 1 <sup>10</sup> Proposed Pool 2 Bravo Dome Carbon Dioxide Gas 640 96010 <sup>7</sup>Surface Location UL or lot no. Section Township Range Lot. Idn Feet from the North/South Line Feet from the East/West line County F 22 N Union 22 1839 west 1681 <sup>8</sup> Proposed Bottom Hole Location If Different From Surface UL or lot no. Lot. Idn Feet from the North/South Line Feet from the Section Township Range East/West line County Additional Well Location 11 Work Type Code 12 Well Type Code 13 Cable/Rotary 14 Lease Type Code 15 Ground Level Elevation 5-66242 16 Multiple 17 Proposed Depth 18 Formation No 2600 Tubb N/A 108 Depth to ground water Distance from nearest fresh water well Distance from nearest surface water >100' >1000 >1000 12 Pit Volume 4000 bbls Liner: Synthetic X Clay \_ mils thick Drilling Method: Fresh Water X Brine \_\_\_ Closed-Loop System Diesel/Oil-based Gas/Air \_\_\_ <sup>21</sup>Proposed Casing and Cement Program Casing weight/foot Hole Size Casing Size Setting Depth Sacks of Cement Estimated TOC 12-1/4" 24# +/-750' 8-5/8" 400sx Surface 7-7/8" 5-1/2" 5.9#FG/15.5# +/-2600' 550sx Surface <sup>22</sup> Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary. See Attachment

 $^{23}$  I hereby certify that the information given above is true and complete to the best of OIL CONSERVATION DIVISION my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines X a general permit . or Approved by: an (attached) alternative OCD-approved plant Signature: Printed name: David Stewart Title: Sr. Regulatory Analyst Title: Approval Date: E-mail Address: david stewart@oxy.com Date: Phone: Conditions of Approval: 4/1/08 432-685-5717 Attached

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First Artesia NM 88210

811 South First, Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV 2040 South Pacheco, Santa Fe, NM 87505 State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505 Form C-102
Revised October 18, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

AMENDED REPORT


#### WELL LOCATION AND ACREAGE DEDICATION PLAT

WELL LOCATION AND ACKEAGE DEDICATION FLAT												
API Number				Pool Code			Pool Name					
30-059- 20505				96010			BRAVO DOME CARBON DIO.				XIDE GAS 640	
Property Code				Property Name							Well Number	
27111 BR		BRAV	O DO	DOME CARBON DIOXIDE GAS UNIT 2233					3	221		
OGRID No.		Operator Name								Elevation		
16696		OXY USA INC.							4935.5			
	Surface Location											
UL or lot no.	Section	Township Range Lot Idn. Feet from the					North/South line	Feet from	the E	ast/West line	County	
F	22	22 N	33 E		1839	ı	NORTH	1681	'	WEST	UNION	

Bottom Hole Location If Different From Surface

UL or lot no. Section	Township	Range	Lot Idn.	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres   Joint of	or Infill (	Consolidation	Code C	order No.				
640 N								

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED



## Bravo Dome CO2 wells - 2008

#### CASING:

MD (ft)	Hole Size (in)	Csg Size (in)	Wt (lb/ft)	Grd	Cplg	
0 - ±750	12-1/4	8-5/8	24	J55	STC	
0 - ± 2440	7-7/8	5-1/2 FG	5.9	FG	10 Rd	
2440 - ± 2600	7-7/8	5-1/2 Steel	15.5	J55	LTC	

## CEMENT:


## Surface:

			Cem	nt Design					
Slurry	Weight (ppg)	TOC (feet)	BOC (feet)		Slurry Volume (Bbls)	Cement Required (sx.)	Comment		
Lead	14.8	Surface	750		96	400	TOC ±surface		
			Le	d Slurry					
Premium Plus CaCl Poly E Flake Slurry Yield					400 sx 2% 0.125 lb/sx 1.35 cfs				
Mix Water Mix Water Sou	urce				6.3 gal/sx Freshwater				

#### Production:

1 Toduction.									
			Ce	emen	t Design				
Slurry	Weight (ppg)	TOC (feet)	BOC (feet)			Slurry Volume (Bbls)	Cement Required (sx.)	Com	ment
Lead	11.1	0	±1830			233	400	TOC Surface	to
Tail	13.2	±1830	2600			50	150	TOC above Cimarr	±600' on
	Lead	Slurry				Tail	Slurry		
Premium Plus CaCl Poly E Flake Slurry Yield Mix Water		400 sx 3% 0.125 lb/sx 3.28 cfs 20.56 gal/sk			Premium Plus CaCl Poly E Flake Slurry Yield Mix Water		150 sx 3% 0.125 lb/sx 1.86 cfs 9.99 gal/sk		
Mix Water Sou	ırce				Mix Water Source		Freshwater		

# 9" BOP - 3000psi



110 80 e, deep 75. 120, 9 5' deep 80 4' deep 55 120'

Bravo Dome Unit Location and Pit Design Cheyenne Rig 8

# Bravo Dome Unit Cellar and Sump Pit Cheyenne Rig 8

