

## District I

1625 N. French Dr., Hobbs, NM 87240

## District II

811 South First, Artesia, NM 87210

## District III

1000 Rio Brazos Rd., Aztec, NM 87410

## District IV

1220 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

## OIL CONSERVATION DIVISION

1220 South St Francis

Santa Fe, NM 87505

WELL API NO.

30-007-20891

5. Indicate Type of Lease

STATE ☐ FEE ☒

State Oil &amp; Gas Lease No.

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER Coal Bed Methane

b. Type of Completion:

NEW ☒ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF. ☐  
WELL OVER RESVR. OTHER

2. Name of Operator

EL PASO E &amp; P COMPANY, L.P.

3. Address of Operator

PO BOX 190, RATON, NEW MEXICO 87740

7. Lease Name or Unit Agreement Name

VPR A

8. Well No.

311

9. Pool name or Wildcat

Stubblefield Canyon Raton - Vermejo Gas

4. Well Location

Unit Letter L : 1982 Feet From The South Line and 317 Feet From The West LineSection 26 Township 31N Range 20E NMPM Colfax County

10. Date Spudded

03/24/2008

11. Date T.D. Reached

03/25/2008

12. Date Compl. (Ready to Prod.)

06/18/2008

13. Elevations (DF&amp; R(B. RT, GR, etc.)

7,930'

14. Elev. Casinghead

7,930'

15. Total Depth

2,185'

16. Plug Back T.D.

2,075'

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools

0 - TD

Cable Tools

NONE

19. Producing Interval(s), of this completion - Top, Bottom, Name

753' 1,902' Vermejo - Raton Coals

20. Was Directional Survey Made

NO

21. Type Electric and Other Logs Run

Compensated Density and Cement Bond Log

22. Was Well Cored

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24	320'	11"	100 sks	None
5 1/2"	15.5	2,090'	7 7/8"	252 sks	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8"	1,936'	No

26. Perforation record (interval, size, and number)

1799'- 1801', 1860'- 1863', 1877'- 1879', 1892'- 1902' 68 Holes

1602'- 1605' 12 Holes

926'- 929', 992'- 996' 28 Holes

753'- 757', 788'- 793', 819'- 823' 52 Holes

DEPTH INTERVAL

753' - 1,902'

AMOUNT AND KIND MATERIAL USED

471,243 lbs 20/40 sand

1,227,902 scf nitrogen foam

w/ 21# Linear gel

28. PRODUCTION

Date First Production

08/05/2008

Production Method (Flowing, gas lift, pumping - Size and type pump)

Pumping water up 2 7/8" tubing, pc pump.. Flowing gas up 5 1/2" Casing.

Well Status (Prod. or Shut-in)

Production

Date of Test

08/12/2008

Hours Tested

24 hrs.

Choke Size

Full 2"

Prod'n For

Test Period

Oil - Bbl

N/A

Gas - MCF

0

Water - Bbl.

182

Gas - Oil Ratio

N/A

Flow Tubing

Press.

0

Casing Pressure

10

Calculated 24-

Hour Rate

Oil - Bbl.

N/A

Gas - MCF

0

Water - Bbl.

182

Oil Gravity - API - (Corr.)

N/A

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold, used for fuel.

Test Witnessed By:

Vern Little

30. List Attachments

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief.

Signature:

Shirley Mitchell

Printed

Shirley A. Mitchell

Title

Regulatory Analyst

Date:

09/02/2008

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

## Southeastern New Mexico

T. Anhy_____	T. Canyon_____
T. Salt_____	T. Strawn_____
B. Salt_____	T. Atoka_____
T. Yates_____	T. Miss_____
T. 7 Rivers_____	T. Devonian_____
T. Queen_____	T. Silurian_____
T. Grayburg_____	T. Montoya_____
T. San Andres_____	T. Simpson_____
T. Glorieta_____	T. McKee_____
T. Paddock_____	T. Ellenburger_____
T. Blinberry_____	T. Gr. Wash_____

T. Tubb _____	T. Delaware Sand _____
T. Drinkard _____	T. Bone Springs _____
T. Abo _____	T. _____
T. Wolfcamp _____	T. _____
T. Penn _____	T. _____
T. Cisco (Bough C) _____	T. _____

## Northwestern New Mexico

T. Ojo Alamo_____	T. Penn. "B"_____
T. Kirtland-Fruitland_____	T. Penn. "C"_____
T. Pictured Cliffs_____	T. Penn. "D"_____
T. Cliff House_____	T. Leadville_____
T. Menefee_____	T. Madison_____
T. Point Lookout_____	T. Elbert_____
T. Mancos_____	T. McCracken_____
T. Gallup_____	T. Ignacio Otzte_____
Base Greenhorn_____	T. Granite_____
T. Dakota_____	T. Raton Top <u><b>Surface</b></u>
T. Morrison_____	T. Vermejo <u><b>1,739'</b></u>
	Trinidad <u><b>1,915'</b></u>

## OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology