

Michael H. Feldewert Recognized Specialist in the Area of Natural Resources - oil and gas law -New Mexico Board of Legal Specialization mfeldewert@hollandhart.com

May 24, 2011

VIA HAND-DELIVERY

Ms. Gail MacQuesten, Esq.
Oil Conservation Division
New Mexico Department of Energy,
Minerals and Natural Resources
1220 South Saint Francis Drive
Santa Fe, New Mexico 87505

Re: <u>Case No. 14583</u>: Application of Farleigh Oil Properties for a compliance order, against SWEPI LP and Shell Exploration and Production Company, Guadalupe County, New Mexico.

Dear Ms. MacQuesten:

Pursuant to the Division's Response to Shell's Motion to Dismiss in the above referenced matter, enclosed please find corrected C-103s (and in the case of the Webb CD-1, a corrected C-105) for the subject wells. It is my understanding that these corrected filings constitutes the last step that the Division believes is necessary to clarify the record before the case is dismissed. Original copies of these corrected filings have been provided to Ed Martin, District Supervisor, for approval and filing.

Thank you for your attention to this matter.

Sincerely,

Michael H. Feldewert

cc: David Brooks, Esq.

Oil Conservation Division

Ed Martin, District Supervisor Oil Conservation Division

James Bruce, Esq. Attorney for Farleigh Oil Properties



Gail MacQuesten May 23, 2011 Page 2

W. Thomas Kellahin, Esq. Attorney for Bayswater Exploration and Production, L.L.C.

John Michael Richardson Agent for Granada Holdings Limited Partnership, L.L.P. State of New Mexico
Energy, Minerals and Natural Resources Dept.
Oil Conservation Division-District 4
1220 South St. Francis Drive
Sante Fe, New Mexico 87505
Attn.: Ed Martin, District Supervisor

Shell Exploration & Production Co.

Regulatory Affairs-EP Americas 4582 S. Ulster Street Parkway Suite 1400 Denver, Colorado 80237

May 20, 2011

Subject: Amended Subsequent Report of Completion

Shell Exploration & Production Co., Latigo Ranch 2-34 (API No. 30-019-20136) Guadalupe County, New Mexico

Dear Mr. Martin:

As requested by the New Mexico Oil Conservation Division, Shell Exploration & Production Company (Shell), as service provider to SWEPI LP in New Mexico, is submitting our Amended Subsequent Report (Form C-103) to provide corrected completions data for the subject well to New Mexico Oil Conservation Division-District 4 (OCD) for your review and approval.

The amended Form C-103 is revised only in "No. of Completions" in Completed Operations (Section 13), as shown in red.

If you have any questions or require any additional information regarding these reports, please contact me at (303) 222-6347.

Regards,

Michael L. Bergstrom

Senior Regulatory Advisor

Shell Exploration & Production Company

Attachments: Form C-103

Submit I Copy 10 • Office	Appropriate District	,	State of Nev	v Mexico			Form C	
District I		Energy, I	Minerals and	Natural Reso	ources	r 	October 13,	, 2009
	r., Hobbs, NM 88240					WELL API NO.		
District II 1301 W. Grand Ave., Artesia, NM 88210 OIL CONSERV				ATION DIVISION		30-019-20136	CI	
District III		0 South St. Francis Dr.			5. Indicate Type of Lease			
1000 Pio Prozos Pd. Astec. NM 97410				nta Fe, NM 87505		STATE FEE 6. State Oil & Gas Lease No.		
1220 S. St. Francis Dr., Santa Fe, NM 87505						NA		
	SUNDRY NO	TICES AND REP	ORTS ON W	ELLS		7. Lease Name	or Unit Agreement Na	me
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH						Singleton Properties LLC		
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other						8. Well Number Latigo Ranch 2-34		
2. Name of Operator						9. OGRID Number 250036		
3. Address of	Operator					10 Pool name o	or Wildcat Wildcat	
	Houston, TX 77	001				10. 1 ooi name e	windcat windcat	
4. Well Locat	<u> </u>							
Unit I		: <u>1919+/-</u> feet	from the	North lin	e and 20	019+/- feet from	the West line	
Section			wnship 11 N		23 E	NMPM	County Guadalı	ine
Section	JII 34		(Show whethe				County Guadan	ipc
on the party of the second		4717' +/- gra	,	, Dit, Idib, it	1, 011, 010.)	·		
Contract of the Contract of th	and the second					Becommen		ang agaming ng garan sa nama ^g
	12. Checl	Appropriate B	ox to Indica	ite Nature o	f Notice, l	Report or Other	r Data	
	NOTICE OF	NITENTION	· <u></u>	1	OUD	SEQUENT SI	EDODE OF	
555555455		INTENTION T		DE. 45		SEQUENT RE		
	EMEDIAL WORK [_	į.	DIAL WORK		ALTERING CASING	
TEMPORARIL		CHANGE PL		l l		LLING OPNS.	P AND A	
PULL OR ALT DOWNHOLE (☐ MULTIPLE C	OMPL []	CASIN	G/CEMENT	JOB .		
DOWNHOLE	COMMINGLE [_						
								,
OTHER:				OTHE	R: Comple	etion 🛛		,
OTHER:	be proposed or co	mpleted operations	. (Clearly stat				tes, including estimate	ed date
13. Describe of start	ting any proposed	work). SEE RULI		e all pertinent	details, and	l give pertinent da	tes, including estimate wellbore diagram of	ed date
13. Describe of start		work). SEE RULI		e all pertinent	details, and	l give pertinent da		ed date
13. Describe of start	ting any proposed ed completion or	work). SEE RULI		e all pertinent	details, and	l give pertinent da		ed date
13. Descrit of start propos Pertinent dates a	ting any proposed ed completion or are as follows:	work). SEE RULI recompletion.	E 19.15.7.14 N	e all pertinent IMAC. For M	details, and lultiple Com	l give pertinent da npletions: Attach		ed date
13. Described of start propose Pertinent dates at TD Date	ting any proposed ed completion or are as follows:	work). SEE RULI recompletion. Backplug TD		e all pertinent IMAC. For M	details, and fultiple Con	I give pertinent da inpletions: Attach		ed date
13. Descrit of start propos Pertinent dates a	ting any proposed ed completion or are as follows:	work). SEE RULI recompletion.	E 19.15.7.14 N	e all pertinent IMAC. For M	details, and lultiple Com	I give pertinent da inpletions: Attach		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details	ting any proposed ed completion or are as follows: TD 13,460	work). SEE RULI recompletion. Backplug TD 13,868' Interval	E 19.15.7.14 N	e all pertinent IMAC. For M	details, and fultiple Com	I give pertinent da inpletions: Attach		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4"	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08	work). SEE RULI recompletion. Backplug TD 13,868' Interval 0-1,483'	No. of Com 1 Weight 40.5#	e all pertinent IMAC. For M pletions Cement 636sx	details, and fultiple Com	I give pertinent da inpletions: Attach		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8"	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08	work). SEE RULl recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078'	No. of Com 1 Weight 40.5# 29.7#	e all pertinent IMAC. For M pletions Cement 636sx 1,000sx	details, and fultiple Com	I give pertinent da inpletions: Attach		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4"	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08	work). SEE RULI recompletion. Backplug TD 13,868' Interval 0-1,483'	No. of Com 1 Weight 40.5#	e all pertinent IMAC. For M pletions Cement 636sx	details, and fultiple Com	I give pertinent da inpletions: Attach		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2"	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09	work). SEE RULl recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078'	No. of Com 1 Weight 40.5# 29.7# 13.5#	e all pertinent IMAC. For M pletions Cement 636sx 1,000sx 1,155sx	details, and fultiple Com	I give pertinent da inpletions: Attach		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09	work). SEE RUL! recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843'	No. of Com 1 Weight 40.5# 29.7# 13.5#	e all pertinent IMAC. For M pletions Cement 636sx 1,000sx 1,155sx	details, and fultiple Com	I give pertinent da inpletions: Attach		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: No	work). SEE RUL! recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843'	No. of Com 1 Weight 40.5# 29.7# 13.5#	e all pertinent IMAC. For M pletions Cement 636sx 1,000sx 1,155sx	details, and fultiple Com	I give pertinent da inpletions: Attach		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit See Additional	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: No	work). SEE RUL! recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843'	No. of Com 1 Weight 40.5# 29.7# 13.5# Fest 104.47335	e all pertinent IMAC. For Modern Mac. For Modern Mo	details, and fultiple Com	I give pertinent da inpletions: Attach		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit See Additional	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: No	work). SEE RUL! recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843'	No. of Com 1 Weight 40.5# 29.7# 13.5#	e all pertinent IMAC. For Modern Mac. For Modern Mo	details, and fultiple Com	I give pertinent da inpletions: Attach		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit See Additional	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: No	work). SEE RUL! recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843'	No. of Com 1 Weight 40.5# 29.7# 13.5# Fest 104.47335	e all pertinent IMAC. For Modern Mac. For Modern Mo	details, and fultiple Com	I give pertinent da inpletions: Attach		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit See Additional 1 Spud Date:	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: Note that the description of the properties of the propertie	work). SEE RUL! recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843' orth 35.162697, W	No. of Com 1 Weight 40.5# 29.7# 13.5# Test 104.47335	e all pertinent IMAC. For Modern Mode	details, and fultiple Com Directiona Ye	I give pertinent da inpletions: Attach Il Survey es		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit See Additional 1 Spud Date:	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: Note that the description of the properties of the propertie	work). SEE RUL! recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843'	No. of Com 1 Weight 40.5# 29.7# 13.5# Test 104.47335	e all pertinent IMAC. For Modern Mode	details, and fultiple Com Directiona Ye	I give pertinent da inpletions: Attach Il Survey es		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit See Additional 1 Spud Date:	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: Note that the description of the properties of the propertie	work). SEE RUL! recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843' orth 35.162697, W	No. of Com 1 Weight 40.5# 29.7# 13.5# Test 104.47335	e all pertinent IMAC. For Modern Mode	details, and fultiple Com Directiona Ye	I give pertinent da inpletions: Attach Il Survey es		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit See Additional 1 Spud Date:	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: Note that the description of the properties of the propertie	work). SEE RUL! recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843' orth 35.162697, W	No. of Com 1 Weight 40.5# 29.7# 13.5# Test 104.47335 Rig Relead d complete to	e all pertinent IMAC. For Modern Mac. For Modern Mo	details, and fultiple Com Directiona Y knowledge	I give pertinent da inpletions: Attach I Survey es e and belief.	wellbore diagram of	ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit See Additional 1 Spud Date:	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: Note that the description of the properties of the propertie	work). SEE RUL! recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843' orth 35.162697, W	No. of Com 1 Weight 40.5# 29.7# 13.5# Test 104.47335 Rig Relead d complete to	e all pertinent IMAC. For Modern Mac. For Modern Mo	details, and fultiple Com Directiona Ye	I give pertinent da inpletions: Attach I Survey es e and belief.		ed date
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit See Additional 1 Spud Date: I hereby certify	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: Note that the information of the proposed in	Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843' orth 35.162697, W	No. of Complete to	e all pertinent IMAC. For Modern Mac. For Modern Mo	details, and fultiple Com Directiona Y knowledge	I give pertinent da hipletions: Attach I Survey es e and belief.	ATE May 20, 2011	
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit See Additional 1 Spud Date: I hereby certify Type or print na	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: Note that the information of the completion of the complete	work). SEE RUL! recompletion. Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843' orth 35.162697, W	No. of Complete to	e all pertinent IMAC. For Modern Mac. For Modern Mo	details, and fultiple Com Directiona Y knowledge	I give pertinent da hipletions: Attach I Survey es e and belief.	wellbore diagram of	
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit See Additional 1 Spud Date: I hereby certify	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: Note that the information of the completion of the complete	Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843' orth 35.162697, W	No. of Complete to	ce all pertinent IMAC. For Moderate Image	details, and fultiple Com Directiona Y knowledge Regulator	e and belief. y Advisor DA m@shell.com P	ATEMay 20, 2011 HONE:(303) 222-63	
13. Descrit of start propos Pertinent dates a TD Date 1/22/09 Casing Details 10-3/4" 7-5/8" 4-1/2" Latitude/Longit See Additional I Spud Date: I hereby certify SIGNATURE APPROVED B	ting any proposed ed completion or are as follows: TD 13,460 Set Date 9/24/08 10/4/08 2/01/09 ude location is: Note that the information of the completion or are as follows:	Backplug TD 13,868' Interval 0-1,483' 0-6,078' 0-13,843' orth 35.162697, W	No. of Complete to	ce all pertinent IMAC. For Moderate Image	details, and fultiple Com Directiona Y knowledge	e and belief. y Advisor DA m@shell.com P	ATE May 20, 2011	