


CASE NOS. 22605 – 22608

**APPLICATIONS OF E.G.L RESOURCES, INC.**  
**FOR COMPULSORY POOLING, LEA COUNTY, NEW MEXICO**

EXHIBIT LIST

1. Application and Proposed Notice
2. Landman's Affidavit
3. Geologist's Affidavit
4. Affidavit of Mailing
5. Pooling Checklists



EXHIBITS *Part II of II*

**STATE OF NEW MEXICO  
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT  
OIL CONSERVATION DIVISION**

**IN THE MATTER OF THE HEARING CALLED  
BY THE OIL CONSERVATION DIVISION FOR  
THE PURPOSE OF CONSIDERING:**

**APPLICATION OF E.G.L. RRESOURCES, INC.  
FOR COMPULSORY POOLING, LEA COUNTY,  
NEW MEXICO.**

**Case Nos. 22605 - 22608**

**SELF-AFFIRMED STATEMENT OF MATTHEW PARDEE**

Matthew Pardee deposes and states:

1. I am over the age of 18, and have personal knowledge of the matters stated herein.
2. I am a geologist for E.G.L. Resources, Inc. ("E.G.L."), and have personal knowledge of the matters stated herein. I have not been qualified by the Division as an expert petroleum geologist. My educational background and employment experience is as follows: BSc Geology Salem State University; 9 years Oil and Gas experience in various Geoscience roles.
3. The following Bone Spring geological plats are attached hereto:
  - (a) Attachment A is an area base map on the top of the Second Bone Spring Sand in the in Eddy and Lea Counties, which also identifies the Moonraker area of interest. It shows that structuredips to the Southeast. It also gives a north-south line of cross-section.
  - (b) Attachment B is a Second Bone Spring Sand Isopach map.
  - (c) Attachment C is across-section showing the Second Bone Spring Sand, the target zones for the proposed wells. The well logs on the cross-section give a representative sample of theSecond Bone Spring Sand in this area.The sand is continuous and uniformly thick across the well units.
4. The following Wolfcamp geological plats are attached hereto:
  - (a) Attachment D is a structure map on the top of Wolfcamp formation in the area around Sections 22 and 27, Township 19 South, Range 33 East, N.M.P.M. It shows that structure dips to the South. It also shows Wolfcamp wells in the area, and a line of cross-section.

ATTACHMENT

3

- (b) Attachment E is an isopach map of the Wolfcamp A..
  - (c) Attachment F is a cross section showing the Wolfcamp, the target zones for the proposed well. The well logs on the cross-section give a representative sample of the Wolfcamp in this area. The target zone is continuous and uniformly thick across the well units.
5. I conclude from the maps that, in both the Bone Spring and Wolfcamp:
- (a) The horizontal spacing units are justified from a geologic standpoint.
  - (b) The target zones are continuous and of relatively uniform thickness across the well units.
  - (c) Each quarter-quarter section in the well units will contribute more or less equally to production.
  - (d) There is no faulting or other geologic impediment in this area which will affect the drilling of the subject wells.
6. There are both standup and laydown Bone Spring and Wolfcamp wells in this area, but there seems to be a preference for standup wells
7. Attachment G conatins Horizontal Planning Reports for the proposed wells. The producing intervals of the wells will be orthodox.

I understand that this Self-Affirmed Statement will be used as written testimony in these cases. I affirm that my testimony in paragraphs 1 through 7 above is true and correct and is made under penalty of perjury under the laws of the State of New Mexico. My testimony is made as of the date handwritten next to my signature below.


Date: 11/07/2022



\_\_\_\_\_  
Matthew Pardee




Bone Spring 2nd Sand Structure



**Moonraker Bone Spring 2nd Sand Structure TVDSS**  
 Scale 1:36111.91  
 0 200 400 600 800  
 feet


ATTACHMENT A

Lea County Lower Bonespring 2<sup>nd</sup> Sand






Bone Spring 2<sup>nd</sup> Sand Isopach



ATTACHMENT B


Cross Section Bone Spring 2nd Sand



1 pbex

ATTACHMENT C

Wolfcamp A Structure




ATTACHMENT D






Wolfcamp A Isopach



ATTACHMENT E

Cross Section Wolfcamp A



ATTACHMENT F

Kelvin Fisher  
VP of Operations  
kelvin@pbex.com



**E. G. L. Resources, Inc.**

223 W Wall St, Suite 900  
Midland, TX 79701  
Cell: (432) 634-5621

**BLM Drilling Plan  
Moonraker 22-27 BS Fed #201H**

**Surface Location:** 497 ft from S line & 1271 ft from W line of section 15, T19S-R33E, Lea Co., NM.

**Bottom Hole Location:** 100 ft from S line & 660 ft from W line of section 27, T19S-R33E, Lea Co, NM

Field: Tonto; Bone Spring [59475]  
Drilling Rig: TBA

**FORMATION TOPS:**

Elevation: 3643 ft GL, 3668 ft estimated KB (25' RKB).

Formation	Top	Productive Fluid	Comments
Quaternary Alluvium	Surface	Fresh water	
Rustler	1410	Brackish water	
Salt	1940	Barren	
Yates	3270	Barren	
Seven Rivers	3510	Oil	
Queen	4265	Oil	
Grayburg	4720	Oil	
Cherry Canyon	6080	Oil	
Brushy Canyon	6950	Oil	
Bone Spring	7910	Oil	
Bone Spring 1 Sand	9180	Oil	
Bone Spring 2 Carbonate	9460	Oil	
Bone Spring 2 Sand	9710	Oil	
BS2 Target	10,190	Oil	

ATTACHMENT **G**

**DIRECTIONAL PLAN:** see attachment

Critical Point	Hole Size	MD	Incl.	Az.	TVD	VS	DLS	Comments
KOP	8-3/4"	9,667	0	0	9,617	25		
First Take Pt	8-3/4"	10,567	90	179.79	10,190	598	10.0	FTP: 100' FNL & 660' FWL of Sec. 22
PBHL / Last Take Pt	8-3/4"	20,926	90	179.79	10,190	10,957		100' FSL & 660' FWL of Sec 27.

**CASING PROGRAM:**

Hole	MD (ft)	Casing	Wt	Grade	Conn.	Cplg OD	SF Col-lapse	SF Burst	SF Tension (Air)	SF Tension (Mud)
17-1/2"	0 – 1,500	<b>13-3/8"</b>	54.5	J55	BT&C	14.375	1.61 (9.0#)	3.90 (9.0#)	11.1	12.9 (9.0#)
12-1/4"	0 – 4300	<b>9-5/8"</b>	40	J55	BT&C	10.625	1.15 (10.0#)	1.77 (10.0#)	4.15	2.19 (10.0#)

Hole	MD (ft)	Casing	Wt	Grade	Conn.	Cplg OD	SF Col-lapse	SF Burst	SF Tension (Air)	SF Tension (Mud)
12-1/4"	4300 – 5,300	9-5/8"	40	HCL-80	BT&C	10.625	1.40 (10.0#)	2.09(10.0#)	4.47	5.27 (10.0#)
8-3/4"	0 – 20,926	5-1/2"	20	P110	CDC	6.300	2.09 (10.0)	2.39 (10.0#)	3.27	3.83 (9.5#)

**Min BLM SF's:**

1.125	1.0	1.6	1.8
-------	-----	-----	-----

Casing Comments:

All casing will be tested prior to drill-out to 0.22 psi/ft or a maximum of 1500 psi.

All casing will be new and conform to API specs.

Premium connections will be used on the Production string, and spec sheets are included.

This well is NOT within the Capitan Reef or Potash areas.

This well is in the Low Cave/Karst area. This will be a 3 string well, with the first two strings cemented to surface.

**CEMENTING PROGRAM:**

<u>13-3/8" Surface</u>	Sacks	Yield (cuft/sk)	Density (ppg)	Cu Feet	Cement	Adds	Btm	Top	Excess
Lead	745	1.80	13.5	1341	Class C	Gel, salt, LCM, CaCl <sub>2</sub> , defoamer	1103	Surf	75%
Tail	360	1.34	14.8	482	Class C	CaCl <sub>2</sub> , defoamer	1500	1103	75%

Est BHST: 94<sup>0</sup>F. 12hr WOC time prior to drill-out. Tail: 500 psi in 8 hr. Lead: 500 psi in 12 hr.

Centralizers: shoe joint, (1) every 3<sup>rd</sup> joint to surface

<u>9-5/8" Intermed</u>	Sacks	Yield (cuft/sk)	Density (ppg)	Cu Feet	Cement Class	Adds	Btm	Top	Excess
Lead	1142	1.83	12.8	2090	Class C	35:65 Poz:C+ gel, salt, LCM, retarder, Salt, defoamer	4790	Surf	50%
Tail	180	1.33	14.8	239	Class C	0-1% CaCl <sub>2</sub> , defoamer	5300	4790	50%

Est BHST: 118<sup>0</sup>F. 24hr WOC time prior to drill-out. Tail: 500 psi in 8 hr. Lead: 500 psi in 24 hr.

Centralizers: shoe joint, every 4<sup>th</sup> jt to 13-3/8" shoe.

<u>5-1/2" Prod</u>	Sacks	Yield (cuft/sk)	Density (ppg)	Cu Feet	Cement Class	Adds	Btm	Top	Excess
Lead	378	3.39	10.7	1282	Class C	C:Poz:Silica Fume blend + SMS, retarder, strength enhancer, LCM, Salt, Fluid Loss	9,013	4,800	20%
Tail	2300	1.57	13.5	3611	Class H	50:50 Poz:H + gel, salt, SMS, retarder, antifoam, fluid loss.	20,926	9,013	20%

Est BHST: 157<sup>0</sup>F

Centralizers: shoe joint, every 4<sup>th</sup> joint to 9-5/8" shoe.

Kelvin Fisher  
VP of Operations  
kelvin@pbex.com



**E.G.L. Resources, Inc.**

223 W Wall St, Suite 900  
Midland, TX 79701  
Cell: (432) 634-5621

**BLM Drilling Plan  
Moonraker 22-27 BS Fed #202H**

**Surface Location:** 497 ft from S line & 1331 ft from W line of section 15, T19S-R33E, Lea Co., NM.

**Bottom Hole Location:** 100 ft from S line & 1980 ft from W line of section 27, T19S-R33E, Lea Co, NM

Field: Tonto; Bone Spring [59475]  
Drilling Rig: TBA

**FORMATION TOPS:**

Elevation: 3643 ft GL, 3668 ft estimated KB (25' RKB).

<u>Formation</u>	<u>Top</u>	<u>Productive Fluid</u>	<u>Comments</u>
Quaternary Alluvium	Surface	Fresh water	
Rustler	1410	Brackish water	
Salt	1940	Barren	
Yates	3270	Barren	
Seven Rivers	3510	Oil	
Queen	4265	Oil	
Grayburg	4720	Oil	
Cherry Canyon	6080	Oil	
Brushy Canyon	6950	Oil	
Bone Spring	7910	Oil	
Bone Spring 1 Sand	9180	Oil	
Bone Spring 2 Carbonate	9460	Oil	
Bone Spring 2 Sand	9710	Oil	
BS2 Target	10,190	Oil	

**DIRECTIONAL PLAN:** see attachment

<u>Critical Point</u>	<u>Hole Size</u>	<u>MD</u>	<u>Incl.</u>	<u>Az.</u>	<u>TVD</u>	<u>VS</u>	<u>DLS</u>	<u>Comments</u>
KOP	8-3/4"	9,613	0	0	9586	25		
First Take Pt	8-3/4"	10,626	90	179.79	10,190	597	10.0	FTP: 100' FNL & 660' FWL of Sec. 22
PBHL / Last Take Pt	8-3/4"	20,981	90	179.79	10,190	10,952		100' FSL & 660' FWL of Sec 27.

**CASING PROGRAM:**

Hole	MD (ft)	Casing	Wt	Grade	Conn.	Cplg OD	SF Col-lapse	SF Burst	SF Tension (Air)	SF Tension (Mud)
17-1/2"	0 – 1,500	<b>13-3/8"</b>	54.5	J55	BT&C	14.375	1.61 (9.0#)	3.90 (9.0#)	11.1	12.9 (9.0#)
12-1/4"	0 – 4300	<b>9-5/8"</b>	40	J55	BT&C	10.625	1.15 (10.0#)	1.77 (10.0#)	4.15	2.19 (10.0#)

Hole	MD (ft)	Casing	Wt	Grade	Conn.	Cplg OD	SF Col-lapse	SF Burst	SF Tension (Air)	SF Tension (Mud)
12-1/4"	4300 – 5,300	9-5/8"	40	HCL-80	BT&C	10.625	1.40 (10.0#)	2.09(10.0#)	4.47	5.27 (10.0#)
8-3/4"	0 – 20,981	5-1/2"	20	P110	CDC	6.300	2.09 (10.0)	2.39 (10.0#)	3.27	3.83 (9.5#)

**Min BLM SF's:**

1.125	1.0	1.6	1.8
-------	-----	-----	-----

**Casing Comments:**

All casing will be tested prior to drill-out to 0.22 psi/ft or a maximum of 1500 psi.

All casing will be new and conform to API specs.

Premium connections will be used on the Production string, and spec sheets are included.

This well is NOT within the Capitan Reef or Potash areas.

This well is in the Low Cave/Karst area. This will be a 3 string well, with the first two strings cemented to surface.

**CEMENTING PROGRAM:**

<b>13-3/8" Surface</b>	Sacks	Yield (cuft/sk)	Density (ppg)	Cu Feet	Cement	Adds	Btm	Top	Excess
Lead	745	1.80	13.5	1341	Class C	Gel, salt, LCM, CaCl <sub>2</sub> , defoamer	1103	Surf	75%
Tail	360	1.34	14.8	482	Class C	CaCl <sub>2</sub> , defoamer	1500	1103	75%

Est BHST: 94<sup>0</sup>F. 12hr WOC time prior to drill-out. Tail: 500 psi in 8 hr. Lead: 500 psi in 12 hr.

Centralizers: shoe joint, (1) every 3<sup>rd</sup> joint to surface

<b>9-5/8" Intermed</b>	Sacks	Yield (cuft/sk)	Density (ppg)	Cu Feet	Cement Class	Adds	Btm	Top	Excess
Lead	1142	1.83	12.8	2090	Class C	35:65 Poz:C+ gel, salt, LCM, retarder, Salt, defoamer	4790	Surf	50%
Tail	180	1.33	14.8	239	Class C	0-1% CaCl <sub>2</sub> , defoamer	5300	4790	50%

Est BHST: 118<sup>0</sup>F. 24hr WOC time prior to drill-out. Tail: 500 psi in 8 hr. Lead: 500 psi in 24 hr.

Centralizers: shoe joint, every 4<sup>th</sup> jt to 13-3/8" shoe.

<b>5-1/2" Prod</b>	Sacks	Yield (cuft/sk)	Density (ppg)	Cu Feet	Cement Class	Adds	Btm	Top	Excess
Lead	375	3.39	10.7	1272	Class C	C:Poz:Silica Fume blend + SMS, retarder, strength enhancer, LCM, Salt, Fluid Loss	9,068	4,800	20%
Tail	2300	1.57	13.5	3611	Class H	50:50 Poz:H + gel, salt, SMS, retarder, antifoam, fluid loss.	20,981	9,068	20%

Est BHST: 157<sup>0</sup>F

Centralizers: shoe joint, every 4<sup>th</sup> joint to 9-5/8" shoe.

Kelvin Fisher  
VP of Operations  
kelvin@pbex.com



**E. G. L. Resources, Inc.**

223 W Wall St, Suite 900  
Midland, TX 79701  
Cell: (432) 634-5621

**BLM Drilling Plan**  
**Moonraker 22-27 WFC Fed #501H**

**Surface Location:** 497 ft from S line & 1301 ft from W line of section 15, T19S-R33E, Lea Co., NM.

**Bottom Hole Location:** 100 ft from S line & 660 ft from W line of section 27, T19S-R33E, Lea Co, NM

Field: WC; Wolfcamp  
Drilling Rig: TBA

**FORMATION TOPS:**

Elevation: 3643 ft GL, 3668 ft estimated KB (25' RKB).

<u>Formation</u>	<u>Top</u>	<u>Productive Fluid</u>	<u>Comments</u>
Quaternary Alluvium	Surface	Fresh water	
Rustler	1410	Brackish water	
Salt	1940	Barren	
Yates	3270	Barren	
Seven Rivers	3510	Oil	
Queen	4265	Oil	
Grayburg	4720	Oil	
Cherry Canyon	6080	Oil	
Brushy Canyon	6950	Oil	
Bone Spring	7910	Oil	
Bone Spring 1 Sand	9180	Oil	
Bone Spring 2 Carbonate	9460	Oil	
Bone Spring 2 Sand	9710	Oil	
Bone Spring 3 Sand	10,660	Oil	
Wolfcamp XY	10,860	Oil	
Wolfcamp A	10,910	Oil	
Wolfcamp A Target	10,950	Oil	

**DIRECTIONAL PLAN:** see attachment

<u>Critical Point</u>	<u>Hole Size</u>	<u>MD</u>	<u>Incl.</u>	<u>Az.</u>	<u>TVD</u>	<u>VS</u>	<u>DLS</u>	<u>Comments</u>
KOP	8-1/2"	10,371	0	0	10,345	-30		
First Take Pt	8-1/2"	11,387	90	179.79	10,950	598	10.0	FTP: 100' FNL & 660' FWL of Sec. 22
PBHL / Last Take Pt	8-1/2"	21,746	90	179.79	10,950	10,957		100' FSL & 660' FWL of Sec 27.

**CASING PROGRAM:**

<u>Hole</u>	<u>MD (ft)</u>	<u>Casing</u>	<u>Wt</u>	<u>Grade</u>	<u>Conn.</u>	<u>Cplg OD</u>	<u>SF Col-lapse</u>	<u>SF Burst</u>	<u>SF Tension (Air)</u>	<u>SF Tension (Mud)</u>
17-1/2"	0 – 1,500	<b>13-3/8"</b>	54.5	J55	BT&C	14.375	1.61 (9.0#)	3.90 (9.0#)	11.1	12.9 (9.0#)

Hole	MD (ft)	Casing	Wt	Grade	Conn.	Cplg OD	SF Col-lapse	SF Burst	SF Tension (Air)	SF Tension (Mud)
12-1/4"	0 – 10,270' MD 10,245' TVD	9-5/8"	47	HCL-80	BT&C	10.625	1.13 (9.5#)	1.08 (9.5#)	1.97	2.32 (9.5#)
8-1/2"	0 – 21,746' MD 10,950' TVD	5-1/2"	20	P110	CDC	6.300	1.86 (10.5)	2.11 (10.5#)	3.05	3.60 (10.5#)

**Min BLM SF's:**

1.125	1.0	1.6	1.8
-------	-----	-----	-----

**Casing Comments:**

All casing will be tested prior to drill-out to 0.22 psi/ft or a maximum of 1500 psi.

All casing will be new and conform to API specs.

Premium connections will be used on the Production string, and spec sheets are included.

This well is NOT within the Capitan Reef or Potash areas.

This well is in the Low Cave/Karst area. This will be a 3 string well, with the first two strings cemented to surface.

**CEMENTING PROGRAM:**

13-3/8" Surface	Sacks	Yield (cuft/sk)	Density (ppg)	Cu Feet	Cement	Adds	Btm	Top	Excess
Lead	745	1.80	13.5	1341	Class C	Gel, salt, LCM, CaCl <sub>2</sub> , defoamer	1103	Surf	75%
Tail	360	1.34	14.8	482	Class C	CaCl <sub>2</sub> , defoamer	1500	1103	75%

Est BHST: 94<sup>o</sup>F. 12hr WOC time prior to drill-out. Tail: 500 psi in 8 hr. Lead: 500 psi in 12 hr.

Centralizers: shoe joint, (1) every 3<sup>rd</sup> joint to surface

9-5/8" Intermed	Sacks	Yield (cuft/sk)	Density (ppg)	Cu Feet	Cement Class	Adds	Btm	Top	Excess
2 <sup>nd</sup> Stage Lead	934	2.49	11.8	2,325	Class C	50:50 Poz:C+ gel, salt, LCM, retarder, Salt, defoamer, gilsonite	5290	Surf	50%
2 <sup>nd</sup> Stage Tail	180	1.33	14.8	239	Class C	0-1% CaCl <sub>2</sub> , defoamer	5800	5290	50%

DV tool at 5800'. Est BHST: 121<sup>o</sup>F. 24hr WOC time prior to drill-out. Tail: 500 psi in 8 hr.

Lead: 500 psi in 24 hr.

Centralizers: above & below DV tool, every 4<sup>th</sup> jt to 13-3/8" shoe.

9-5/8" Intermed	Sacks	Yield (cuft/sk)	Density (ppg)	Cu Feet	Cement Class	Adds	Btm	Top	Excess
1 <sup>st</sup> Stage Lead	754	2.50	11.8	1,886	Class H	50:50 Poz:H+ gel, salt, LCM, retarder, Salt, defoamer, gilsonite	9,814	5800	50%
1 <sup>st</sup> Stage Tail	180	1.19	15.6	214	Class H	Retarder, defoamer	10,270	9,814	50%

Est BHST: 157<sup>o</sup>F. 24hr WOC time prior to drill-out. Tail: 500 psi in 8 hr. Lead: 500 psi in 24 hr.

Centralizers: shoe joint, every 4<sup>th</sup> jt to 13-3/8" shoe.



Kelvin Fisher  
VP of Operations  
kelvin@pbex.com



**E. G. L. Resources, Inc.**

223 W Wall St, Suite 900  
Midland, TX 79701  
Cell: (432) 634-5621

**BLM Drilling Plan  
Moonraker 22-27 WFC Fed #502H**

**Surface Location:** 497 ft from S line & 1361 ft from W line of section 15, T19S-R33E, Lea Co., NM.

**Bottom Hole Location:** 100 ft from S line & 1980 ft from W line of section 27, T19S-R33E, Lea Co, NM

Field: WC; Wolfcamp  
Drilling Rig: TBA

**FORMATION TOPS:**

Elevation: 3643 ft GL, 3668 ft estimated KB (25' RKB).

<u>Formation</u>	<u>Top</u>	<u>Productive Fluid</u>	<u>Comments</u>
Quaternary Alluvium	Surface	Fresh water	.
Rustler	1410	Brackish water	
Salt	1940	Barren	
Yates	3270	Barren	
Seven Rivers	3510	Oil	
Queen	4265	Oil	
Grayburg	4720	Oil	
Cherry Canyon	6080	Oil	
Brushy Canyon	6950	Oil	
Bone Spring	7910	Oil	
Bone Spring 1 Sand	9180	Oil	
Bone Spring 2 Carbonate	9460	Oil	
Bone Spring 2 Sand	9710	Oil	
Bone Spring 3 Sand	10,660	Oil	
Wolfcamp XY	10,860	Oil	
Wolfcamp A	10,910	Oil	
Wolfcamp A Target	10,950	Oil	

**DIRECTIONAL PLAN:** see attachment

<u>Critical Point</u>	<u>Hole Size</u>	<u>MD</u>	<u>Incl.</u>	<u>Az.</u>	<u>TVD</u>	<u>VS</u>	<u>DLS</u>	<u>Comments</u>
KOP	8-1/2"	10,427	0	0	10,377	24		
First Take Pt	8-1/2"	11,327	90	179.79	10,950	597	10.0	FTP: 100' FNL & 1980' FWL of Sec. 22
PBHL / Last Take Pt	8-1/2"	21,683	90	179.79	10,950	10,952		100' FSL & 1980' FWL of Sec 27.

**CASING PROGRAM:**

Hole	Depth (ft)	Casing	Wt	Grade	Conn.	Cplg OD	SF Col-lapse	SF Burst	SF Tension (Air)	SF Tension (Mud)
17-1/2"	0 – 1,500	13-3/8"	54.5	J55	BT&C	14.375	1.61 (9.0#)	3.90 (9.0#)	11.1	12.9 (9.0#)

Hole	Depth (ft)	Casing	Wt	Grade	Conn.	Cplg OD	SF Col-lapse	SF Burst	SF Tension (Air)	SF Tension (Mud)
12-1/4"	0 – 10,270' MD (10,245' TVD)	9-5/8"	47	HCL-80	BT&C	10.625	1.13 (9.5#)	1.08 (9.5#)	1.97	2.32 (9.5#)
8-1/2"	0 – 21,683' MD (10,950' TVD)	5-1/2"	20	P110	CDC	6.300	1.86 (10.5)	2.11 (10.5#)	3.05	3.60 (10.5#)

**Min BLM SF's:**

1.125	1.0	1.6	1.8
-------	-----	-----	-----

**Casing Comments:**

All casing will be tested prior to drill-out to 0.22 psi/ft or a maximum of 1500 psi.

All casing will be new and conform to API specs.

Premium connections will be used on the Production string, and spec sheets are included.

This well is NOT within the Capitan Reef or Potash areas.

This well is in the Low Cave/Karst area. This will be a 3 string well, with the first two strings cemented to surface.

**CEMENTING PROGRAM:**

<b>13-3/8" Surface</b>	Sacks	Yield (cuft/sk)	Density (ppg)	Cu Feet	Cement	Adds	Btm	Top	Excess
Lead	745	1.80	13.5	1341	Class C	Gel, salt, LCM, CaCl <sub>2</sub> , defoamer	1103	Surf	75%
Tail	360	1.34	14.8	482	Class C	CaCl <sub>2</sub> , defoamer	1500	1103	75%

Est BHST: 94°F. 12hr WOC time prior to drill-out. Tail: 500 psi in 8 hr. Lead: 500 psi in 12 hr.

Centralizers: shoe joint, (1) every 3<sup>rd</sup> joint to surface

<b>9-5/8" Intermed</b>	Sacks	Yield (cuft/sk)	Density (ppg)	Cu Feet	Cement Class	Adds	Btm	Top	Excess
2 <sup>nd</sup> Stage Lead	934	2.49	11.8	2,325	Class C	50:50 Poz:C+ gel, salt, LCM, retarder, Salt, defoamer, gilsonite	5290	Surf	50%
2 <sup>nd</sup> Stage Tail	180	1.33	14.8	239	Class C	0-1% CaCl <sub>2</sub> , defoamer	5800	5290	50%

DV tool at 5800'. Est BHST: 121°F.

24hr WOC time prior to drill-out. Tail: 500 psi in 8 hr. Lead: 500 psi in 24 hr.

Centralizers: above & below DV tool, every 4<sup>th</sup> jt to 13-3/8" shoe.

<b>9-5/8" Intermed</b>	Sacks	Yield (cuft/sk)	Density (ppg)	Cu Feet	Cement Class	Adds	Btm	Top	Excess
1 <sup>st</sup> Stage Lead	754	2.50	11.8	1,886	Class H	50:50 Poz:H+ gel, salt, LCM, retarder, Salt, defoamer, gilsonite	9,814	5800	50%
1 <sup>st</sup> Stage Tail	180	1.19	15.6	214	Class H	Retarder, defoamer	10,270	9,814	50%

Est BHST: 157°F. 24hr WOC time prior to drill-out. Tail: 500 psi in 8 hr. Lead: 500 psi in 24 hr.

Centralizers: shoe joint, every 4<sup>th</sup> jt to 13-3/8" shoe.



**JAMES BRUCE**  
ATTORNEY AT LAW

POST OFFICE BOX 1056  
SANTA FE, NEW MEXICO 87504

369 MONTEZUMA, NO. 213  
SANTA FE, NEW MEXICO 87501

(505) 982-2043 (Phone)  
(505) 660-6612 (Cell)  
(505) 982-2151 (Fax)

[jamesbruc@aol.com](mailto:jamesbruc@aol.com)

March 31, 2022

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

EXHIBIT

A

To: Persons on Exhibit A

Ladies and gentlemen:

Enclosed are copies of the following applications for compulsory pooling of the Bone Spring and Wolfcamp formation, filed with the New Mexico Oil Conservation Division by E.G.L. Resources, Inc.:

1. Case No. 22605, regarding the Bone Spring formation in a horizontal spacing unit comprised of the W/2W/2 of Section 22 and the W/2W/2 of Section 27, Township 19 South, Range 33 East, NMPM. The unit will be dedicated to the Moonraker 22-27 Fed. Com. Well No. 201H;
2. Case No. 22606, regarding the Bone Spring formation in a horizontal spacing unit comprised of the E/2W/2 of Section 22 and the E/2W/2 of Section 27, Township 19 South, Range 33 East, NMPM. The unit will be dedicated to the Moonraker 22-27 Fed. Com. Well No. 202H;
3. Case No. 22607, regarding the Wolfcamp formation in a horizontal spacing unit comprised of the W/2W/2 of Section 22 and the W/2W/2 of Section 27, Township 19 South, Range 33 East, NMPM. The unit will be dedicated to the Moonraker 22-27 Fed. Com. Well No. 501H; and
4. Case No. 22608, regarding the Wolfcamp formation in a horizontal spacing unit comprised of the E/2W/2 of Section 22 and the E/2W/2 of Section 27, Township 19 South, Range 33 East, NMPM. The unit will be dedicated to the Moonraker Fed. Com. 22-27 Well No. 502H.

These matters are scheduled for hearing at 8:15 a.m. on Thursday, April 21, 2021. During the COVID-19 Public Health Emergency, state buildings are closed to the public and the hearing

will be conducted remotely. To determine the location of the hearing or to participate in an electronic hearing, go to [emnrd.state.nm.us/OCD/hearings](http://emnrd.state.nm.us/OCD/hearings) or see the instructions posted on the Division's website, <http://emnrd.state.nm.us/OCD/announcements.html>. You are not required to attend this hearing, but as an owner of an interest who may be affected by the applications, you may appear and present testimony. Failure to appear at that time and become a party of record will preclude you from contesting these matters at a later date.

A party appearing in a Division case is required by Division Rules to file a Pre-Hearing Statement no later than Thursday, April 14, 2021. This statement may be filed online with the Division at [ocd.hearings@state.nm.us](mailto:ocd.hearings@state.nm.us), and should include: The name of the party and his or her attorney; a concise statement of the case; the name(s) of the witness(es) the party will call to testify at the hearing; the approximate time the party will need to present his or her case; and identification of any procedural matters that need to be resolved prior to the hearing. The Pre-Hearing Statement must also be provided to the undersigned.

Very truly yours,

  
James Bruce

Attorney for E.G.L Resources, Inc.

EXHIBIT A

Chisholm Energy Operating  
Suite 1200 – Unit 20  
801 Cherry Street  
Fort Worth, Texas 76102

OXY USA Inc.  
Suite 110  
5 Greenway Plaza  
Houston, Texas 77046

**U.S. Postal Service™**  
**CERTIFIED MAIL® RECEIPT**  
*Domestic Mail Only*

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

**OFFICIAL USE**

<p>Certified Mail Fee \$ _____</p> <p>Extra Services &amp; Fees (check box, add fee as appropriate)</p> <p><input type="checkbox"/> Return Receipt (hardcopy) \$ _____</p> <p><input type="checkbox"/> Return Receipt (electronic) \$ _____</p> <p><input type="checkbox"/> Certified Mail Restricted Delivery \$ _____</p> <p><input type="checkbox"/> Adult Signature Required \$ _____</p> <p><input type="checkbox"/> Adult Signature Restricted Delivery \$ _____</p> <p>Postage \$ _____</p> <p><b>Total Postage and Fees</b> \$ _____</p> <p>Sent To OXY USA Inc. Suite 110 5 Greenway Plaza Houston, Texas 77046</p> <p>Street and Apt. No., or PO Houston, Texas 77046</p> <p>City, State, ZIP+4®</p>	<p>Postmark Here</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7021 0950 0002 0368 1363

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY												
<ul style="list-style-type: none"> <li>■ Complete items 1, 2, and 3.</li> <li>■ Print your name and address on the reverse so that we can return the card to you.</li> <li>■ Attach this card to the back of the mailpiece, or on the front if space permits.</li> </ul> <p>1. Article Addressed to:</p> <div style="border: 1px solid black; padding: 5px; margin: 10px 0;"> <p>OXY USA Inc. Suite 110 5 Greenway Plaza Houston, Texas 77046</p> </div> <div style="text-align: center; margin: 10px 0;"> <p>9590 9402 6746 1074 2489 42</p> </div> <p>2. Article Number (Transfer from service label)</p> <p style="font-size: 1.2em; font-weight: bold;">7021 0950 0002 0368 1363</p>	<p>A. Signature  <input checked="" type="checkbox"/> Agent  <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) <span style="float: right;">C. Date of Delivery</span>  <i>E. Williams</i> <span style="float: right;">7/8/22</span></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes      If YES, enter delivery address below: <input type="checkbox"/> No</p> <p>3. Service Type</p> <table style="width: 100%; font-size: 0.8em;"> <tr> <td><input type="checkbox"/> Adult Signature</td> <td><input type="checkbox"/> Priority Mail Express®</td> </tr> <tr> <td><input type="checkbox"/> Adult Signature Restricted Delivery</td> <td><input type="checkbox"/> Registered Mail™</td> </tr> <tr> <td><input checked="" type="checkbox"/> Certified Mail®</td> <td><input type="checkbox"/> Registered Mail Restricted Delivery</td> </tr> <tr> <td><input type="checkbox"/> Certified Mail Restricted Delivery</td> <td><input type="checkbox"/> Signature Confirmation™</td> </tr> <tr> <td><input type="checkbox"/> Collect on Delivery</td> <td><input type="checkbox"/> Signature Confirmation Restricted Delivery</td> </tr> <tr> <td><input type="checkbox"/> Collect on Delivery Restricted Delivery</td> <td></td> </tr> </table> <p>2. Article Number (over \$500) _____ ed Delivery</p>	<input type="checkbox"/> Adult Signature	<input type="checkbox"/> Priority Mail Express®	<input type="checkbox"/> Adult Signature Restricted Delivery	<input type="checkbox"/> Registered Mail™	<input checked="" type="checkbox"/> Certified Mail®	<input type="checkbox"/> Registered Mail Restricted Delivery	<input type="checkbox"/> Certified Mail Restricted Delivery	<input type="checkbox"/> Signature Confirmation™	<input type="checkbox"/> Collect on Delivery	<input type="checkbox"/> Signature Confirmation Restricted Delivery	<input type="checkbox"/> Collect on Delivery Restricted Delivery	
<input type="checkbox"/> Adult Signature	<input type="checkbox"/> Priority Mail Express®												
<input type="checkbox"/> Adult Signature Restricted Delivery	<input type="checkbox"/> Registered Mail™												
<input checked="" type="checkbox"/> Certified Mail®	<input type="checkbox"/> Registered Mail Restricted Delivery												
<input type="checkbox"/> Certified Mail Restricted Delivery	<input type="checkbox"/> Signature Confirmation™												
<input type="checkbox"/> Collect on Delivery	<input type="checkbox"/> Signature Confirmation Restricted Delivery												
<input type="checkbox"/> Collect on Delivery Restricted Delivery													

PS Form 3811, July 2020 PSN 7530-02-000-9053

*EGL @ Rakan* Domestic Return Receipt

# USPS Tracking®

FAQs >

Track Another Package +

Tracking Number: 70210950000203681356

Remove X

Your item was delivered to an individual at the address at 10:56 am on April 9, 2022 in FORT WORTH, TX 76102.

USPS Tracking Plus® Available v

## Delivered, Left with Individual

April 9, 2022 at 10:56 am  
FORT WORTH, TX 76102

Feedback

Get Updates v

Text & Email Updates

Tracking History

USPS Tracking Plus®

Product Information

7021 0950 0000 0368 1356

<b>U.S. Postal Service™</b> <b>CERTIFIED MAIL® RECEIPT</b> Domestic Mail Only	
For delivery information, visit our website at <a href="http://www.usps.com">www.usps.com</a> ®.	
<b>OFFICIAL USE</b>	
Certified Mail Fee \$	Postmark Here
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt (hardcopy) \$	
<input type="checkbox"/> Return Receipt (electronic) \$	
<input type="checkbox"/> Certified Mail Restricted Delivery \$	
<input type="checkbox"/> Adult Signature Required \$	
<input type="checkbox"/> Adult Signature Restricted Delivery \$	
Postage \$	
<b>Total Postage and Fees</b> \$	
Sent To Chisholm Energy Operating Suite 1200 – Unit 20	
Street and Apt. No., or PO 801 Cherry Street Fort Worth, Texas 76102	
City, State, ZIP+4®	
PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions	

See Less ^

### Can't find what you're looking for?



**JAMES BRUCE**  
ATTORNEY AT LAW

POST OFFICE BOX 1056  
SANTA FE, NEW MEXICO 87504

369 MONTEZUMA, NO. 213  
SANTA FE, NEW MEXICO 87501

(505) 982-2043 (Phone)  
(505) 660-6612 (Cell)  
(505) 982-2151 (Fax)

[jamesbruc@aol.com](mailto:jamesbruc@aol.com)

April 28, 2022

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

To: Persons on Exhibit A

Ladies and gentlemen:

Enclosed are copies of the following applications for compulsory pooling of the Bone Spring and Wolfcamp formation, filed with the New Mexico Oil Conservation Division by E.G.L. Resources, Inc.:

1. Case No. 22605, regarding the Bone Spring formation in a horizontal spacing unit comprised of the W/2W/2 of Section 22 and the W/2W/2 of Section 27, Township 19 South, Range 33 East, NMPM. The unit will be dedicated to the Moonraker 22-27 Fed. Com. Well No. 201H;
2. Case No. 22606, regarding the Bone Spring formation in a horizontal spacing unit comprised of the E/2W/2 of Section 22 and the E/2W/2 of Section 27, Township 19 South, Range 33 East, NMPM. The unit will be dedicated to the Moonraker 22-27 Fed. Com. Well No. 202H;
3. Case No. 22607, regarding the Wolfcamp formation in a horizontal spacing unit comprised of the W/2W/2 of Section 22 and the W/2W/2 of Section 27, Township 19 South, Range 33 East, NMPM. The unit will be dedicated to the Moonraker 22-27 Fed. Com. Well No. 501H; and
4. Case No. 22608, regarding the Wolfcamp formation in a horizontal spacing unit comprised of the E/2W/2 of Section 22 and the E/2W/2 of Section 27, Township 19 South, Range 33 East, NMPM. The unit will be dedicated to the Moonraker Fed. Com. 22-27 Well No. 502H.

EXHIBIT

B

These matters are scheduled for hearing at 8:15 a.m. on Thursday, May 19, 2022. During the COVID-19 Public Health Emergency, state buildings are closed to the public and the hearing will be conducted remotely. To determine the location of the hearing or to participate in an electronic hearing, go to [emnrd.state.nm.us/OCD/hearings](http://emnrd.state.nm.us/OCD/hearings) or see the instructions posted on the Division's website, <http://emnrd.state.nm.us/OCD/announcements.html>. You are not required to attend this hearing, but as an owner of an interest who may be affected by the applications, you may appear and present testimony. Failure to appear at that time and become a party of record will preclude you from contesting these matters at a later date.

A party appearing in a Division case is required by Division Rules to file a Pre-Hearing Statement no later than Thursday, May 12, 2022. This statement may be filed online with the Division at [ocd.hearings@state.nm.us](mailto:ocd.hearings@state.nm.us), and should include: The name of the party and his or her attorney; a concise statement of the case; the name(s) of the witness(es) the party will call to testify at the hearing; the approximate time the party will need to present his or her case; and identification of any procedural matters that need to be resolved prior to the hearing. The Pre-Hearing Statement must also be provided to the undersigned.

Very truly yours,

  
James Bruce

Attorney for E.G.L Resources, Inc.

EXHIBIT A

EOG Resources, Inc.  
Midland Division – Land Department  
P.O. Box 2267  
Midland, Texas 79702  
Midland, Texas 79701

7021 0950 0002 0368 0830

**U.S. Postal Service™**  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

**OFFICIAL USE**

Certified Mail Fee \$ \_\_\_\_\_

Extra Services & Fees (check box, add fee as appropriate)

Return Receipt (hardcopy) \$ \_\_\_\_\_

Return Receipt (electronic) \$ \_\_\_\_\_

Certified Mail Restricted Delivery \$ \_\_\_\_\_

Adult Signature Required \$ \_\_\_\_\_

Adult Signature Restricted Delivery \$ \_\_\_\_\_

Postage \$ \_\_\_\_\_

**Total Postage and Fees** \$ \_\_\_\_\_

Postmark Here

Sent To EOG Resources, Inc.  
 Street and Apt. No., or PO Box Midland Division - Land Department  
 P.O. Box 2267  
 City, State, ZIP+4® Midland, Texas 79702

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"> <li>Complete items 1, 2, and 3.</li> <li>Print your name and address on the reverse so that we can return the card to you.</li> <li>Attach this card to the back of the mailpiece, or on the front if space permits.</li> </ul>	<p>A. Signature  <input checked="" type="checkbox"/> Agent  <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) <i>Jan Bernd</i> C. Date of Delivery <i>5/13</i></p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes        If YES, enter delivery address below: <input checked="" type="checkbox"/> No</p>
<p>1. Article Addressed to:</p> <p>EOG Resources, Inc.          Midland Division - Land Department          P.O. Box 2267          Midland, Texas 79702</p>	<p>3. Service Type</p> <p><input type="checkbox"/> Adult Signature <input type="checkbox"/> Priority Mail Express®</p> <p><input type="checkbox"/> Adult Signature Restricted Delivery <input type="checkbox"/> Registered Mail™</p> <p><input checked="" type="checkbox"/> Certified Mail® <input type="checkbox"/> Registered Mail Restricted Delivery</p> <p><input type="checkbox"/> Certified Mail Restricted Delivery <input type="checkbox"/> Signature Confirmation™</p> <p><input type="checkbox"/> Collect on Delivery <input type="checkbox"/> Signature Confirmation Restricted Delivery</p> <p><input type="checkbox"/> Collect on Delivery Restricted Delivery</p>
<p>2. Article Number (Transfer from service label)</p> <p>9590 9402 6746 1074 2491 54</p>	<p>7021 0950 0002 0368 0830</p> <p>ed Delivery</p>
<p>PS Form 3811, July 2020 PSN 7530-02-000-9053</p>	<p><i>EGOL R</i> Domestic Return Receipt</p>

**CASE NOS. 22605-22608**

**STATUS OF CERTIFIED NOTICE**


<u>INTEREST OWNER</u>	<u>MAILING DATE</u>	<u>RECEIPT DATE</u>	<u>CARD RETURNED</u>
OXY USA Inc.	March 31, 2022	April 8, 2022	Yes
Chisholm Energy (Earthstone)	“	April 9, 2022	No
EOG Resources, inc.	April 28, 2022	May 13, 2022	Yes

**COMPULSORY POOLING APPLICATION CHECKLIST****ALL INFORMATION IN THE APPLICATION MUST BE SUPPORTED BY SIGNED AFFIDAVITS**

<b>Case:</b>	<b>22605</b>
<b>Date:</b>	<b>November 17, 2022</b>
Applicant	E.G.L. Resources, Inc.
Designated Operator & OGRID (affiliation if applicable)	E.G.L. Resources, Inc./OGRID No.192373
Applicant's Counsel:	James Bruce
Case Title:	Application of E.G.L. Resources, Inc. for Compulsory Pooling, Lea County, New Mexico
Entries of Appearance/Intervenors:	EOG Resources, Inc./Holland & Hart LLP
Well Family	Moonraker Bone Spring wells
<b>Formation/Pool</b>	
Formation Name(s) or Vertical Extent:	Bone Spring formation
Primary Product (Oil or Gas):	Oil
Pooling this vertical extent:	Bone Spring formation
Pool Name and Pool Code:	Tonto; Bone Spring (Oil)/Pool Code 59475
Well Location Setback Rules:	Current horizontal well rules
Spacing Unit Size:	Quarter-quarter sections/40 acres
<b>Spacing Unit</b>	
Type (Horizontal/Vertical)	Horizontal
Size (Acres)	320 acres
Building Blocks:	
Orientation:	North - South
Description: TRS/County	W/2W/2 §22 and W/2W/2 §27-19S-33E, NMPPM, Lea County
Standard Horizontal Well Spacing Unit (Y/N), If No, describe	Yes
<b>Other Situations</b>	
Depth Severance: Y/N. If yes, description	No
Proximity Tracts: If yes, description	
Proximity Defining Well: if yes, description	
Applicant's Ownership in Each Tract	Exhibit 2-A
<b>Well(s)</b>	
Name & API (if assigned), surface and bottom hole location, footages, completion target, orientation, completion status (standard or non- standard)	Moonraker 22-27 Fed. Com. Well No. 201H API No. 30-015-Pending SHL: 497 FSL & 1271 FWL §15 BHL: 100 FSL & 660 FWL §27 FTP: 100 FNL & 660 FWL §22 LTP: 100 FSL & 660 FWL §27 Bone Spring /TVD 10120 feet/MD 20835 feet
Horizontal Well First and Last Take Points	See above

EXHIBIT 6

Completion Target (Formation, TVD and MD)	See above
<b>AFE Capex and Operating Costs</b>	
Drilling Supervision/Month \$	\$8500
Production Supervision/Month \$	\$800
Justification for Supervision Costs	Exhibit 2, page 2
Requested Risk Charge	Cost + 200%/Exhibit 2, page 2
<b>Notice of Hearing</b>	
Proposed Notice of Hearing	Exhibit 1
Proof of Mailed Notice of Hearing (20 days before hearing)	Exhibit 4
Proof of Published Notice of Hearing (10 days before hearing)	
<b>Ownership Determination</b>	
Land Ownership Schematic of the Spacing Unit	Exhibit 2-A
Tract List (including lease numbers and owners)	Exhibit 2-A
Pooled Parties (including ownership type)	Exhibit 2
Unlocatable Parties to be Pooled	N/A
Ownership Depth Severance (including percentage above & below)	None
<b>Joinder</b>	
Sample Copy of Proposal Letter	Exhibit 2-B
List of Interest Owners ( <i>i.e.</i> Exhibit A of JOA)	Exhibit 2
Chronology of Contact with Non-Joined Working Interests	Exhibit 2-B
Overhead Rates In Proposal Letter	Exhibit 2-B
Cost Estimate to Drill and Complete	Exhibit 2-C
Cost Estimate to Equip Well	Exhibit 2-C
Cost Estimate for Production Facilities	Exhibit 2-C
<b>Geology</b>	
Summary (including special considerations)	Exhibit 3
Spacing Unit Schematic	Exhibit 2-A
Gunbarrel/Lateral Trajectory Schematic	Exhibit 3-C
Well Orientation (with rationale)	Standup/Exhibit 3
Target Formation	Bone Spring
HSU Cross Section	Exhibit 3-C
Depth Severance Discussion	Not Applicable
<b>Forms, Figures and Tables</b>	
C-102	Exhibit 2-A
Tracts	Exhibit 2-A
Summary of Interests, Unit Recapitulation (Tracts)	Exhibit 2-B
General Location Map (including basin)	Exhibit 2-A
Well Bore Location Map	Exhibit 2-A


Structure Contour Map - Subsea Depth	Exhibit 3-A
Cross Section Location Map (including wells)	Exhibits 3-A and 3-C
Cross Section (including Landing Zone)	Exhibit 3-C
<b>Additional Information</b>	
<b>CERTIFICATION: I hereby certify that the information provided in this checklist is complete and accurate.</b>	
<b>Printed Name</b> (Attorney or Party Representative):	James Bruce
<b>Signed Name</b> (Attorney or Party Representative):	
<b>Date:</b>	November 14, 2022



**COMPULSORY POOLING APPLICATION CHECKLIST****ALL INFORMATION IN THE APPLICATION MUST BE SUPPORTED BY SIGNED AFFIDAVITS**

<b>Case:</b>	<b>22606</b>
<b>Date:</b>	<b>November 17, 2022</b>
Applicant	E.G.L. Resources, Inc.
Designated Operator & OGRID (affiliation if applicable)	E.G.L. Resources, Inc./OGRID No.192373
Applicant's Counsel:	James Bruce
Case Title:	Application of E.G.L. Resources, Inc. for Compulsory Pooling, Lea County, New Mexico
Entries of Appearance/Intervenors:	EOG Resources, Inc./Holland & Hart LLP
Well Family	Moonraker Bone Spring wells
<b>Formation/Pool</b>	
Formation Name(s) or Vertical Extent:	Bone Spring formation
Primary Product (Oil or Gas):	Oil
Pooling this vertical extent:	Bone Spring formation
Pool Name and Pool Code:	Tonto; Bone Spring (Oil)/Pool Code 59475
Well Location Setback Rules:	Current horizontal well rules
Spacing Unit Size:	Quarter-quarter sections/40 acres
<b>Spacing Unit</b>	
Type (Horizontal/Vertical)	Horizontal
Size (Acres)	320 acres
Building Blocks:	
Orientation:	North - South
Description: TRS/County	E/2W/2 §22 and E/2W/2 §27-19S-33E, NMPM, Lea County
Standard Horizontal Well Spacing Unit (Y/N), If No, describe	Yes
<b>Other Situations</b>	
Depth Severance: Y/N. If yes, description	No
Proximity Tracts: If yes, description	
Proximity Defining Well: if yes, description	
Applicant's Ownership in Each Tract	Exhibit 2-A
<b>Well(s)</b>	
Name & API (if assigned), surface and bottom hole location, footages, completion target, orientation, completion status (standard or non- standard)	Moonraker 22-27 Fed. Com. Well No. 202H API No. 30-015-Pending SHL: 497 FSL & 1331 FWL §15 BHL: 100 FSL & 1980 FWL §27 FTP: 100 FNL & 1980 FWL §22 LTP: 100 FSL & 1980 FWL §27 Bone Spring /TVD 10120 feet/MD 20835 feet
Horizontal Well First and Last Take Points	See above

Completion Target (Formation, TVD and MD)	See above
<b>AFE Capex and Operating Costs</b>	
Drilling Supervision/Month \$	\$8500
Production Supervision/Month \$	\$800
Justification for Supervision Costs	Exhibit 2, page 2
Requested Risk Charge	Cost + 200%/Exhibit 2, page 2
<b>Notice of Hearing</b>	
Proposed Notice of Hearing	Exhibit 1
Proof of Mailed Notice of Hearing (20 days before hearing)	Exhibit 4
Proof of Published Notice of Hearing (10 days before hearing)	
<b>Ownership Determination</b>	
Land Ownership Schematic of the Spacing Unit	Exhibit 2-A
Tract List (including lease numbers and owners)	Exhibit 2-A
Pooled Parties (including ownership type)	Exhibit 2
Unlocatable Parties to be Pooled	N/A
Ownership Depth Severance (including percentage above & below)	None
<b>Joinder</b>	
Sample Copy of Proposal Letter	Exhibit 2-B
List of Interest Owners ( <i>i.e.</i> Exhibit A of JOA)	Exhibit 2
Chronology of Contact with Non-Joined Working Interests	Exhibit 2-B
Overhead Rates In Proposal Letter	Exhibit 2-B
Cost Estimate to Drill and Complete	Exhibit 2-C
Cost Estimate to Equip Well	Exhibit 2-C
Cost Estimate for Production Facilities	Exhibit 2-C
<b>Geology</b>	
Summary (including special considerations)	Exhibit 3
Spacing Unit Schematic	Exhibit 2-A
Gunbarrel/Lateral Trajectory Schematic	Exhibit 3-C
Well Orientation (with rationale)	Standup/Exhibit 3
Target Formation	Bone Spring
HSU Cross Section	Exhibit 3-C
Depth Severance Discussion	Not Applicable
<b>Forms, Figures and Tables</b>	
C-102	Exhibit 2-A
Tracts	Exhibit 2-A
Summary of Interests, Unit Recapitulation (Tracts)	Exhibit 2-B
General Location Map (including basin)	Exhibit 2-A
Well Bore Location Map	Exhibit 2-A

Structure Contour Map - Subsea Depth	Exhibit 3-A
Cross Section Location Map (including wells)	Exhibits 3-A and 3-C
Cross Section (including Landing Zone)	Exhibit 3-C
<b>Additional Information</b>	
<b>CERTIFICATION: I hereby certify that the information provided in this checklist is complete and accurate.</b>	
<b>Printed Name</b> (Attorney or Party Representative):	James Bruce
<b>Signed Name</b> (Attorney or Party Representative):	
<b>Date:</b>	November 14, 2022

**COMPULSORY POOLING APPLICATION CHECKLIST****ALL INFORMATION IN THE APPLICATION MUST BE SUPPORTED BY SIGNED AFFIDAVITS**

<b>Case:</b>	<b>22607</b>
<b>Date:</b>	<b>November 17, 2022</b>
Applicant	E.G.L. Resources, Inc.
Designated Operator & OGRID (affiliation if applicable)	E.G.L. Resources, Inc./OGRID No.192373
Applicant's Counsel:	James Bruce
Case Title:	Application of E.G.L. Resources, Inc. for Compulsory Pooling, Lea County, New Mexico
Entries of Appearance/Intervenors:	EOG Resources, Inc./Holland & Hart LLP
Well Family	Moonraker Wolfcamp wells
<b>Formation/Pool</b>	
Formation Name(s) or Vertical Extent:	Wolfcamp formation
Primary Product (Oil or Gas):	Oil
Pooling this vertical extent:	Wolfcamp formation
Pool Name and Pool Code:	Wildcat; Wolfcamp (Oil)
Well Location Setback Rules:	Current horizontal well rules
Spacing Unit Size:	Quarter-quarter sections/40 acres
<b>Spacing Unit</b>	
Type (Horizontal/Vertical)	Horizontal
Size (Acres)	320 acres
Building Blocks:	
Orientation:	North - South
Description: TRS/County	W/2W/2 §22 and W/2W/2 §27-19S-33E, NMPM, Lea County
Standard Horizontal Well Spacing Unit (Y/N), If No, describe	Yes
<b>Other Situations</b>	
Depth Severance: Y/N. If yes, description	No
Proximity Tracts: If yes, description	
Proximity Defining Well: if yes, description	
Applicant's Ownership in Each Tract	Exhibit 2-A
<b>Well(s)</b>	
Name & API (if assigned), surface and bottom hole location, footages, completion target, orientation, completion status (standard or non- standard)	Moonraker 22-27 Fed. Com. Well No. 501H API No. 30-015-Pending SHL: 497 FSL & 1301 FWL §15 BHL: 100 FSL & 660 FWL §27 FTP: 100 FNL & 660 FWL §22 LTP: 100 FSL & 660 FWL §27 Wolfcamp /TVD 10880 feet/MD 21595 feet
Horizontal Well First and Last Take Points	See above

Completion Target (Formation, TVD and MD)	See above
<b>AFE Capex and Operating Costs</b>	
Drilling Supervision/Month \$	\$8500
Production Supervision/Month \$	\$800
Justification for Supervision Costs	Exhibit 2, page 2
Requested Risk Charge	Cost + 200%/Exhibit 2, page 2
<b>Notice of Hearing</b>	
Proposed Notice of Hearing	Exhibit 1
Proof of Mailed Notice of Hearing (20 days before hearing)	Exhibit 4
Proof of Published Notice of Hearing (10 days before hearing)	
<b>Ownership Determination</b>	
Land Ownership Schematic of the Spacing Unit	Exhibit 2-A
Tract List (including lease numbers and owners)	Exhibit 2-A
Pooled Parties (including ownership type)	Exhibit 2
Unlocatable Parties to be Pooled	N/A
Ownership Depth Severance (including percentage above & below)	None
<b>Joinder</b>	
Sample Copy of Proposal Letter	Exhibit 2-B
List of Interest Owners ( <i>i.e.</i> Exhibit A of JOA)	Exhibit 2
Chronology of Contact with Non-Joined Working Interests	Exhibit 2-B
Overhead Rates In Proposal Letter	Exhibit 2-B
Cost Estimate to Drill and Complete	Exhibit 2-C
Cost Estimate to Equip Well	Exhibit 2-C
Cost Estimate for Production Facilities	Exhibit 2-C
<b>Geology</b>	
Summary (including special considerations)	Exhibit 3
Spacing Unit Schematic	Exhibit 2-A
Gunbarrel/Lateral Trajectory Schematic	Exhibit 3-F
Well Orientation (with rationale)	Standup/Exhibit 3
Target Formation	Wolfcamp
HSU Cross Section	Exhibit 3-F
Depth Severance Discussion	Not Applicable
<b>Forms, Figures and Tables</b>	
C-102	Exhibit 2-A
Tracts	Exhibit 2-A
Summary of Interests, Unit Recapitulation (Tracts)	Exhibit 2-B
General Location Map (including basin)	Exhibit 2-A
Well Bore Location Map	Exhibit 2-A


Structure Contour Map - Subsea Depth	Exhibit 3-D
Cross Section Location Map (including wells)	Exhibits 3-A and 3-F
Cross Section (including Landing Zone)	Exhibit 3-F
<b>Additional Information</b>	
<b>CERTIFICATION: I hereby certify that the information provided in this checklist is complete and accurate.</b>	
<b>Printed Name</b> (Attorney or Party Representative):	James Bruce
<b>Signed Name</b> (Attorney or Party Representative):	<i>James Bruce</i>
<b>Date:</b>	November 14, 2022

**COMPULSORY POOLING APPLICATION CHECKLIST****ALL INFORMATION IN THE APPLICATION MUST BE SUPPORTED BY SIGNED AFFIDAVITS**

<b>Case:</b>	<b>22608</b>
<b>Date:</b>	<b>November 17, 2022</b>
Applicant	E.G.L. Resources, Inc.
Designated Operator & OGRID (affiliation if applicable)	E.G.L. Resources, Inc./OGRID No.192373
Applicant's Counsel:	James Bruce
Case Title:	Application of E.G.L. Resources, Inc. for Compulsory Pooling, Lea County, New Mexico
Entries of Appearance/Intervenors:	EOG Resources, Inc./Holland & Hart LLP
Well Family	Moonraker Wolfcamp wells
<b>Formation/Pool</b>	
Formation Name(s) or Vertical Extent:	Wolfcamp formation
Primary Product (Oil or Gas):	Oil
Pooling this vertical extent:	Wolfcamp formation
Pool Name and Pool Code:	Wildcat; Wolfcamp (Oil)
Well Location Setback Rules:	Current horizontal well rules
Spacing Unit Size:	Quarter-quarter sections/40 acres
<b>Spacing Unit</b>	
Type (Horizontal/Vertical)	Horizontal
Size (Acres)	320 acres
Building Blocks:	
Orientation:	North - South
Description: TRS/County	E/2W/2 §22 and E/2W/2 §27-19S-33E, NMPM, Lea County
Standard Horizontal Well Spacing Unit (Y/N), If No, describe	Yes
<b>Other Situations</b>	
Depth Severance: Y/N. If yes, description	No
Proximity Tracts: If yes, description	
Proximity Defining Well: if yes, description	
Applicant's Ownership in Each Tract	Exhibit 2-A
<b>Well(s)</b>	
Name & API (if assigned), surface and bottom hole location, footages, completion target, orientation, completion status (standard or non- standard)	Moonraker 22-27 Fed. Com. Well No. 502H API No. 30-015-Pending SHL: 497 FSL & 1361 FWL §15 BHL: 100 FSL & 1980 FWL §27 FTP: 100 FNL & 1980 FWL §22 LTP: 100 FSL & 1980 FWL §27 Wolfcamp /TVD 10880 feet/MD 21595 feet
Horizontal Well First and Last Take Points	See above

Completion Target (Formation, TVD and MD)	See above
<b>AFE Capex and Operating Costs</b>	
Drilling Supervision/Month \$	\$8500
Production Supervision/Month \$	\$800
Justification for Supervision Costs	Exhibit 2, page 2
Requested Risk Charge	Cost + 200%/Exhibit 2, page 2
<b>Notice of Hearing</b>	
Proposed Notice of Hearing	Exhibit 1
Proof of Mailed Notice of Hearing (20 days before hearing)	Exhibit 4
Proof of Published Notice of Hearing (10 days before hearing)	
<b>Ownership Determination</b>	
Land Ownership Schematic of the Spacing Unit	Exhibit 2-A
Tract List (including lease numbers and owners)	Exhibit 2-A
Pooled Parties (including ownership type)	Exhibit 2
Unlocatable Parties to be Pooled	N/A
Ownership Depth Severance (including percentage above & below)	None
<b>Joinder</b>	
Sample Copy of Proposal Letter	Exhibit 2-B
List of Interest Owners ( <i>i.e.</i> Exhibit A of JOA)	Exhibit 2
Chronology of Contact with Non-Joined Working Interests	Exhibit 2-B
Overhead Rates In Proposal Letter	Exhibit 2-B
Cost Estimate to Drill and Complete	Exhibit 2-C
Cost Estimate to Equip Well	Exhibit 2-C
Cost Estimate for Production Facilities	Exhibit 2-C
<b>Geology</b>	
Summary (including special considerations)	Exhibit 3
Spacing Unit Schematic	Exhibit 2-A
Gunbarrel/Lateral Trajectory Schematic	Exhibit 3-F
Well Orientation (with rationale)	Standup/Exhibit 3
Target Formation	Wolfcamp
HSU Cross Section	Exhibit 3-F
Depth Severance Discussion	Not Applicable
<b>Forms, Figures and Tables</b>	
C-102	Exhibit 2-A
Tracts	Exhibit 2-A
Summary of Interests, Unit Recapitulation (Tracts)	Exhibit 2-B
General Location Map (including basin)	Exhibit 2-A
Well Bore Location Map	Exhibit 2-A



Structure Contour Map - Subsea Depth	Exhibit 3-D
Cross Section Location Map (including wells)	Exhibits 3-A and 3-F
Cross Section (including Landing Zone)	Exhibit 3-F
<b>Additional Information</b>	
<b>CERTIFICATION: I hereby certify that the information provided in this checklist is complete and accurate.</b>	
<b>Printed Name</b> (Attorney or Party Representative):	James Bruce
<b>Signed Name</b> (Attorney or Party Representative):	
<b>Date:</b>	November 14, 2022