STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

APPLICATIONS OF DEVON ENERGY PRODUCTION COMPANY, L.P., FOR A HORIZONTAL SPACING UNIT AND COMPULSORY POOLING, EDDY COUNTY, NEW MEXICO

Case Nos. 23382 & 23383

NOTICE OF FILING: REVISED COMPULSORY POOLING CHECKLISTS

Devon Energy Production Company, L.P., ("Devon") through its undersigned attorneys, hereby submits for filing in the above-referenced cases Revised Compulsory Pooling Checklists for Case Nos. 23382-83, attached hereto as Exhibit R-1 for Case No. 23382 and Exhibit R-2 for Case No. 23383. After a hearing before the Oil Conservation Division on March 2, 2023, it was determined that revised compulsory pooling checklists should be submitted, and Devon files said Checklists accordingly.

Respectfully submitted,

ABADIE & SCHILL, PC

/s/ Darin C. Savage

Darin C. Savage

Andrew D. Schill William E. Zimsky 214 McKenzie Street Santa Fe, New Mexico 87501 Telephone: 970.385.4401 Facsimile: 970.385.4901 darin@abadieschill.com andrew@abadieschill.com

bill@abadieschill.com

Attorneys for Devon Energy Production Company, L.P.

Case: 23382	
	APPLICANT'S RESPONSE
Date	March 2, 2023
Applicant	Devon Energy Production Company, L.P.
Designated Operator & OGRID (affiliation if applicable)	6137
Applicant's Counsel:	Darin C. Savage, Abadie & Schill, P.C.
Case Title:	APPLICATION OF DEVON ENERGY PRODUCTION
	COMPANY, L.P., FOR A HORIZONTAL SPACING UNIT AN
	COMPULSORY POOLING, EDDY COUNTY, NEW MEXICO
Entries of Appearance/Intervenors:	N/A
Well Family	Bora Bora
Formation/Pool Formation Name(s) or Vertical Extent:	Wolfcamp formation
Primary Product (Oil or Gas):	Oil
Pooling this vertical extent:	Wolfcamp formation
ooming this vertical extent.	woncamp formation
Pool Name and Pool Code:	Sand Dunes; Wolfcamp Pool; (Code: 96991)
Well Location Setback Rules:	Statewide Rules
Sanakar Hada	
Spacing Unit Fype (Horizontal/Vertical)	Horizontal
Size (Acres)	640.00 acres, more or less
Building Blocks:	Quarter Quarter Sections (40 acre blocks)
	· · · · · · · · · · · · · · · · · · ·
Orientation:	standup
Description: TRS/County	E/2 of Sections 13 and 24, Township 23 South, Range East, NMPM, Eddy County, New Mexico
Standard Horizontal Well Spacing Unit (Y/N), If No, describe and	
s approval of non-standard unit requested in this application?	res, standard spacing unit
Other Situations	
Depth Severance: Y/N. If yes, description	No, N/A
Proximity Tracts: If yes, description	Yes, 624H is the proxmity well, pulling in the E/2 E/2
	proximity tracts
Proximity Defining Well: if yes, description	Yes, Bora Bora 13-24 Fed Com 624H Well is the proxir
Analisandle Oromanikin in Fash Turah	well
Applicant's Ownership in Each Tract	See Exhibit A-2: Ownership Breakdown
Vell(s)	
Name & API (if assigned), surface and bottom hole location, ootages, completion target, orientation, completion status	Add wells as needed
standard or non-standard)	
Nell #1	Bora Bora 13-24 Fed Com 623H Well (API No. 30-015-
	49351), SHL: Unit O, 340' FSL, 2540' FEL, Section 12, T2
	R31E, NMPM; BHL: Unit O, 20' FSL, 2,574' FEL, Section T23S-R31E, standup, non-standard location
Lasina atal Mall Cineta and Last Talia Dainta	·
Horizontal Well First and Last Take Points	Bora Bora 13-24 Fed Com 623H Well: FTP 100' FNL, 2, FEL, Section 13, LTP 100' FSL, 2,574' FEL, Section 24
	151, 30011011 13, 111 100 131, 2,374 111, 30011011 24
Completion Target (Formation, TVD and TMD)	Bora Bora 13-24 Fed Com 623H Well: TVD approx.
, , , , , , , , , , , , , , , , , , , ,	11,875', TMD 22,167'; Wolfcamp formation, See Exhib
	& B-2
Well #2	Bora Bora 13-24 Fed Com 624H Well (API No. 30-015-
	49354), SHL: Unit P, 50' FSL, 1,210' FEL, Section 12, T23
	R31E, NMPM; BHL: Unit O, 20' FSL, 1,518' FEL, Section T23S-R31E, standup, standard location
Lasina atal Wall Sinet and Last Tales Daints	
Horizontal Well First and Last Take Points	Bora Bora 13-24 Fed Com 624H Well: FTP 100' FNL, 1, FEL, Section 13, LTP 100' FSL, 1,518' FEL, Section 24
	151, 3001011 13, 111 100 131, 1,310 111, 3001011 24
Completion Target (Formation, TVD and MD)	Bora Bora 13-24 Fed Com 624H Well: TVD approx.
,	11,875', TMD 22,136'; Wolfcamp formation, See Exhib
	& B-2
Well #3	Bora Bora 13-24 Fed Com 625H Well (API No. 30-015-
	49499), SHL: Unit P, 50' FSL, 1,150' FEL, Section 12, T23
	R31E, NMPM; BHL: Unit P, 20' FSL, 330' FEL, Section 24 T23S-R31E, standup, standard location
Horizontal Well First and Last Take Points	· ·
1011201141 WEII FIIST AND LAST TAKE POINTS	Bora Bora 13-24 Fed Com 625H Well: FTP 100' FNL, 33 FEL, Section 13, LTP 100' FSL, 330' FEL, Section 24
	. 12, 320001 25, 111 100 131, 330 111, 3001011 24
Completion Target (Formation, TVD and MD)	Bora Bora 13-24 Fed Com 625H Well: TVD approx.
	11,875', TMD 22,136'; Wolfcamp formation, See Exhib
	& B-2
Nell #4	Bora Bora 13-24 Fed Com 713H Well (API No. 30-015-
Nell #4	Bora Bora 13-24 Fed Com 713H Well (API No. 30-015- 49352), SHL: Unit O, 340' FSL, 2,510' FEL, Section 12, T: R31E, NMPM; BHL: Unit O, 20' FSL, 2,046' FEL, Section



Received by OCD: 3/7/2023 2:26:31 PM Horizontal Well First and Last Take Points	Bora Bora 13-24 Fed Com 713H Well: FTP 100' FNL, 2,046' FEL, Section 13, LTP 100' FSL, 2,046' FEL, Section 24
Completion Target (Formation, TVD and MD)	Bora Bora 13-24 Fed Com 713H Well: TVD approx. 12,005', TMD 22,312'; Wolfcamp formation, See Exhibit A & B-2
Well #5	Bora Bora 13-24 Fed Com 714H Well (API No. 30-015- 49355), SHL: Unit P, 50' FSL, 1,180' FEL, Section 12, T23S- R31E, NMPM; BHL: Unit P, 20' FSL, 990' FEL, Section 24, T23S-R31E, standup, standard location
Horizontal Well First and Last Take Points	Bora Bora 13-24 Fed Com 714H Well: FTP 100' FNL, 990' FEL, Section 13, LTP 100' FSL, 990' FEL, Section 24
Completion Target (Formation, TVD and MD)	Bora Bora 13-24 Fed Com 713H Well: TVD approx. 12,005', TMD 22,306'; Wolfcamp formation, See Exhibit A & B-2
AFE Capex and Operating Costs	
Drilling Supervision/Month \$	\$8,000, Exhibit A
Production Supervision/Month \$	\$800, Exhibit A
Justification for Supervision Costs	Exhibit A
Requested Risk Charge	200%, Exhibit A
Notice of Hearing	Evhibit C C 1
Proposed Notice of Hearing	Exhibit C, C-1
Proof of Mailed Notice of Hearing (20 days before hearing)	Exhibit C-2 Exhibit C-3
Proof of Published Notice of Hearing (10 days before hearing) Ownership Determination	EXHIDIT C-3
Land Ownership Schematic of the Spacing Unit	Exhibit A-2
Tract List (including lease numbers and owners)	Exhibit A-2
If approval of Non-Standard Spacing Unit is requested, Tract List (including lease numbers and owners) of Tracts subject to notice requirements.	
Pooled Parties (including ownership type)	Exhibit A-2
Unlocatable Parties to be Pooled	Exhibit A, Para. 16
Ownership Depth Severance (including percentage above & below)	N/A
Joinder	
Sample Copy of Proposal Letter	Exhibit A-3
List of Interest Owners (ie Exhibit A of JOA)	Exhibit A-2
Chronology of Contact with Non-Joined Working Interests	Exhibit A-4
Overhead Rates In Proposal Letter	Exhibit A-3
Cost Estimate to Drill and Complete	Exhibit A-3
Cost Estimate to Equip Well	Exhibit A-3
Cost Estimate for Production Facilities	Exhibit A-3
Geology	Subsibile D
Summary (including special considerations)	Exhibit B
Spacing Unit Schematic Gunbarrel/Lateral Trajectory Schematic	Exhbit B-1 Geologist assumes Exhibits B-1 and B-2 suffice
Gunbarrel/Lateral Trajectory Schematic Well Orientation (with rationale)	Geologist assumes Exhibits B-1 and B-2 suffice Exhibit B-1
Target Formation	Exhibit B-2
HSU Cross Section	Exhibit B-2
Depth Severance Discussion	N/A
Forms, Figures and Tables	
C-102	Exhibit A-1
Tracts	Exhibit A-2
Summary of Interests, Unit Recapitulation (Tracts)	Exhibit A-2
General Location Map (including basin)	Exhibit A-2
Well Bore Location Map	Exhibit A-1
Structure Contour Map - Subsea Depth	Exhbiit B-1
Cross Section Location Map (including wells)	Geologist assumes Exhibits B-1 and B-2 suffice
Cross Section (including Landing Zone)	Exhbiit B-2
Additional Information	
Special Provisions/Stipulations	
	d in this checklist is complete and accurate.
CERTIFICATION: I hereby certify that the information provider Printed Name (Attorney or Party Representative):	Darin C. Savage

ALL INFORMATION IN THE APPLICATION MUST BE	SUPPORTED BY SIGNED AFFIDAVITS
Case: 23383	APPLICANT'S RESPONSE
Date	March 2, 2023
Applicant	Devon Energy Production Company, L.P.
Designated Operator & OGRID (affiliation if applicable)	6137
Applicant's Counsel: Case Title:	Darin C. Savage, Abadie & Schill, P.C. APPLICATION OF DEVON ENERGY PRODUCTION COMPANY, L.P., FOR A HORIZONTAL SPACING UNIT AND COMPULSORY POOLING, EDDY COUNTY, NEW MEXICO
Entries of Appearance/Intervenors:	None
Well Family	Bora Bora
Formation/Pool	
Formation Name(s) or Vertical Extent:	Wolfcamp formation
Primary Product (Oil or Gas):	Oil
Pooling this vertical extent:	Wolfcamp formation
Pool Name and Pool Code:	Sand Dunes; Wolfcamp Pool; (Code: 96991)
Well Location Setback Rules:	Statewide Rules
Spacing Unit	
Type (Horizontal/Vertical)	Horizontal
Size (Acres)	640.00 acres, more or less
Building Blocks:	Quarter Quarter Sections (40 acre blocks)
Orientation:	standup
Description: TRS/County	W/2 of Sections 13 and 24, Township 23 South, Range 31 East, NMPM, Eddy County, New Mexico
Standard Horizontal Well Spacing Unit (Y/N), If No, describe <u>and is approval of non-standard unit requested in this application?</u>	Yes, standard spacing unit
Other Situations	
Depth Severance: Y/N. If yes, description	No, N/A
Proximity Tracts: If yes, description	Yes, standard spacing unit
Proximity Defining Well: if yes, description	Yes, 622H is the proximity well, pulling in the W/2 W/2 proximity tracts
Applicant's Ownership in Each Tract	Exhibit A-2: Ownership Breakdown
Well(s) Name & API (if assigned), surface and bottom hole location, footages, completion target, orientation, completion status (standard or non-standard) Well #1	Add wells as needed Bora Bora 13-24 Fed Com 621H Well (API No. 30-015-53182), SHL: Unit D, 150' FNL, 410' FWL, Section 13, T23S-R31E, NMPM; BHL: Unit M, 20' FSL, 330' FWL, Section 24, T23S-R31E, standup, standard location
Horizontal Well First and Last Take Points	Bora Bora 13-24 Fed Com 621H Well: FTP 100' FNL, 330' FWL, Section 13, LTP 100' FSL, 330' FWL, Section 24
Completion Target (Formation, TVD and MD)	Bora Bora 13-24 Fed Com 621H Well: TVD approx. 11,875', TMD 22,143'; Wolfcamp formation, See Exhibit / & B-2
Well #2	Bora Bora 13-24 Fed Com 622H Well (API No. 30-015- 49501), SHL: Unit C, 125' FNL, 1,862' FWL, Section 13, T235-R31E, NMPM; BHL: Unit N, 20' FSL, 1,640' FWL, Section 24, T235-R31E, standup, standard location
Horizontal Well First and Last Take Points	Bora Bora 13-24 Fed Com 622H Well: FTP 100' FNL, 1,640 FWL, Section 13, LTP 100' FSL, 1,640' FWL, Section 24
Completion Target (Formation, TVD and MD)	Bora Bora 13-24 Fed Com 622H Well: TVD approx. 11,875', TMD 22,134'; Wolfcamp formation, See Exhibit & & B-2
Well #3	Bora Bora 13-24 Fed Com 711H Well (API No. 30-015-49497), SHL: Unit D, 150' FNL, 440' FWL, Section 13, T23S R31E, NMPM; BHL: Unit M, 20' FSL, 990' FWL, Section 24, T23S-R31E, <u>standup</u> , <u>standard location</u>
Horizontal Well First and Last Take Points	Bora Bora 13-24 Fed Com 711H Well: FTP 100' FNL, 990' FWL, Section 13, LTP 100' FSL, 990' FWL, Section 24



umes Exhibits B-1 and B-2 suffice umes Exhibits B-1 and B-2 suffice umes Exhibits B-1 and B-2 suffice list is complete and accurate. age avage
umes Exhibits B-1 and B-2 suffice
umes Exhibits B-1 and B-2 suffice
umes Exhibits B-1 and B-2 suffice
consecutive D. A. et al. D. D. et al.
a. 16
- 46
Α
A
it A
-24 Fed Com 712H Well: TVD approx. 22,264'; Wolfcamp formation, See Exhibit A
13, LTP 100' FSL, 2,178' FWL, Section 24
MPM; BHL: Unit N, 20' FSL, 2,178' FWL, 23S-R31E, standup, standard location -24 Fed Com 712H Well: FTP 100' FNL, 2,178
-24 Fed Com 712H Well (API No. 30-015- Jnit C, 125' FNL, 1,892' FWL, Section 13,
22,278'; Wolfcamp formation, See Exhibit
3