STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN, LLC FOR APPROVAL OF A SALTWATER DISPOSAL WELL, LEA COUNTY, NEW MEXICO.

| CASE | NO. | | |
|------|-----|--|--|
|------|-----|--|--|

APPLICATION

Goodnight Midstream Permian, LLC ("Goodnight Midstream") (OGRID No. 372311), through its undersigned attorneys, hereby files this application with the Oil Conservation Division pursuant to the provisions of NMSA 1978, § 70-2-12(B)(15), for an order authorizing injection of produced salt water for purposes of disposal. In support, Goodnight Midstream states the following:

- 1. Attached is a complete Form C-108 application for authorization to inject which contains all the information necessary to authorize the requested approval to inject and filed with the Division for administrative approval on May 12, 2023. *See* C-108, attached as **Exhibit A**, and incorporated herein.
- 2. Goodnight Midstream proposes to drill a new commercial saltwater disposal well to be named the **Hernandez SWD #1 Well** (API No. pending), which will be located 326 feet from the south line and 793 feet from the east line (Unit P) in Section 10, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico.
- 3. The proposed injection disposal interval will be within the San Andres formation [SWD; San Andres (Pool Code 96121)] between approximately 4,200 feet and 5,300 feet below the ground through a perforated completion.

- 4. Disposal fluid will be produced saltwater from oil and gas wells in the area producing from the Delaware Mountain Group, Wolfcamp, and Bone Spring formations.
- 5. The estimated average surface injection pressure is expected to be approximately 537 psi. The maximum surface injection pressure will be 840 psi.
- 6. Approving this application will avoid the drilling of unnecessary wells, prevent waste, and protect correlative rights.
- 7. The administrative application was protested. Accordingly, Goodnight Midstream hereby requests that its application be set for hearing pursuant to 19.15.26.8(E) NMAC.

WHEREFORE, Goodnight Midstream Permian, LLC requests that this application be set for hearing before an Examiner of the Oil Conservation Division on July 6, 2023, and, after notice and hearing as required by law, the Division enter an order approving this application.

Respectfully submitted,

HOLLAND & HART LLP

By:_____

Michael H. Feldewert

Adam G. Rankin

Julia Broggi Paula M. Vance

Post Office Box 2208

Santa Fe, New Mexico 87504-2208

(505) 988-4421

(505) 983-6043 Facsimile

mfeldewert@hollandhart.com

agrankin@hollandhart.com jbroggi@hollandhart.com

jbroggi@hollandhart.com pmvance@hollandhart.com

ATTORNEYS FOR GOODNIGHT MIDSTREAM PERMIAN, LLC

CASE : Application of Goodnight Midstream Permian, LLC for Approval of a Saltwater Disposal Well, Lea County, New Mexico. Applicant in the abovestyled cause seeks an order authorizing it to drill and operate an injection well for purposes of disposing produced salt water to be named the Hernandez SWD #1 Well (API No. pending), which will be located 326 feet from the south line and 793 feet from the east line (Unit P) in Section 10, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico. Injection will be into the San Andres formation [SWD; San Andres (Pool Code 96121)] between approximately 4,200 feet and 5,300 feet below the ground through a perforated completion. Disposal fluid will be produced water from producing oil and gas wells in the area. Estimated average surface injection pressure is expected to be approximately 537 psi. The maximum surface injection pressure will be 840 psi. The subject well will be located approximately 7 miles northwest of Eunice, N.M.

May 12, 2023

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Subject: Goodnight Midstream Permian, LLC – Hernandez SWD # 1
Application for Authorization to Inject

To Whom It May Concern,

On behalf of Goodnight Midstream Permian, LLC (Goodnight), ALL Consulting, LLC (ALL) is submitting the enclosed Application for Authorization to Inject for the Hernandez SWD #1, a proposed salt water disposal well, in Lea County, NM.

Should you have any questions regarding the enclosed application, please contact Nate Alleman at (918) 382-7581 or nalleman@all-llc.com.

Sincerely,

ALL Consulting

Nate Alleman

Sr. Regulatory Specialist

| RECEIVED: | REVIEWER: | TYPE: | APP NO: | |
|--|--|---|--|--|
| | - Geologia | ABOVE THIS TABLE FOR OCD D O OIL CONSERVA Cal & Engineering ancis Drive, Santa | ATION DIVISION g Bureau – | ST. OF HEW MERICAL OF THE PARTY |
| | | ATIVE APPLICATI | | |
| THIS | CHECKLIST IS MANDATORY FOR AL REGULATIONS WHICH RE | | ATIONS FOR EXCEPTIONS TO E DIVISION LEVEL IN SANTA FE | DIVISION RULES AND |
| Applicant: | | | OGRID | Number: |
| Vell Name: | | | API: | |
| Pool: | | | Pool Co | ode: |
| SUBMIT ACCUR | RATE AND COMPLETE INF | ORMATION REQUI | | E TYPE OF APPLICATION |
| A. Location | LICATION: Check those to a spacing Unit – Simult NSP | | n |) |
| [1] Con [[11] Inje | one only for [1] or [11] nmingling – Storage – M DHC | _C □PC □C Ire Increase – Enha | anced Oil Recovery | FOR OCD ONLY |
| A. Offse B. Roya C. Appl D. Notif E. Notif F. Surfa G. For a | N REQUIRED TO: Check of operators or lease hold lity, overriding royalty or ication requires published ication and/or concurred ication and/or concurred ce owner. Il of the above, proof or otice required. | ders wners, revenue ow ed notice ent approval by SL ent approval by BL | ners O M | Notice Complete Application Content Complete d, and/or, |
| 3) CERTIFICATIO administrative understand t | N: I hereby certify that the approval is accurate and the heat no action will be taken are submitted to the Div | and complete to t ken on this applica | he best of my know | ledge. I also |
| 1 | Note: Statement must be comple | ted by an individual with | managerial and/or superv | risory capacity. |
| | | | | |
| Print or Type Name | | | Date | |
| Fill of Type Name | | | | |
| Alta Allena | | | Phone Number | |
| Signature | | | e-mail Address | |

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

FORM C-108 Revised June 10, 2003

APPLICATION FOR AUTHORIZATION TO INJECT

| I. | PURPOSE: Secondary Recovery Pressure Maintenance X Disposal Storage Application qualifies for administrative approval? X Yes No |
|--------|---|
| II. | OPERATOR: Goodnight Midstream Permian, LLC |
| | ADDRESS: 5910 N Central Expressway, Suite 850, Dallas, TX 75206 |
| | CONTACT PARTY: Grant Adams PHONE: 214-444-7388(0) |
| III. | WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary. |
| IV. | Is this an expansion of an existing project? Yes X No If yes, give the Division order number authorizing the project: |
| V. | Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review. |
| VI. | Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail. |
| VII. | Attach data on the proposed operation, including: |
| | Proposed average and maximum daily rate and volume of fluids to be injected; Whether the system is open or closed; Proposed average and maximum injection pressure; Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and, If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.). |
| *VIII. | Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval. |
| IX. | Describe the proposed stimulation program, if any. |
| *X. | Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted). |
| *XI. | Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken. |
| XII. | Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water. |
| XIII. | Applicants must complete the "Proof of Notice" section on the reverse side of this form. |
| XIV. | Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and |
| | belief. |
| | NAME: Nathan Alleman TITLE: Sr. Regulatory Specialist |
| | SIGNATURE: Notice Alleman DATE: 5/12/2023 |
| XV. | E-MAIL ADDRESS: nalleman@all-llc.com If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal: |

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
 - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
 - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.
 - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

Application for Authorization to Inject

Well Name: Hernandez SWD #1

III - Well Data (The Wellbore Diagram is included as Attachment 1)

A.

(1) General Well Information:

Operator: Goodnight Midstream Permian, LLC (OGRID No. 372311)

Lease Name & Well Number: Hernandez SWD #1

Location Footage Calls: 326 FSL & 793 FEL Legal Location: Unit Letter P, S10 T21S R36E

Ground Elevation: 3,571'

Proposed Injection Interval: 4,200' - 5,300'

County: Lea

(2) Casing Information:

| Туре | Hole Size | Casing Size | Casing Weight | Setting Depth | Sacks of Cement | Estimated TOC | Method Determined |
|------------|-----------|----------------|------------------|------------------|--------------------|------------------|----------------------|
| Surface | 17-1/2" | 13-3/8" | 54.5 lb./ft | 1,355' | 1,180 | Surface | Circulation |
| Production | 12-1/4" | 9-5/8" | 40.0 lb./ft | 5,300' | 1,400 | Surface | Circulation |
| Tubing | N/A | 5-1/2" | 17.0 lb./ft | 4,150' | N/A | N/A | N/A |

(3) Tubing Information:

5-1/2" (composite weight string) of fiberglass-coated tubing with setting depth of 4,150'

(4) Packer Information: Baker Hornet or equivalent packer set at 4,150'

В.

(1) Injection Formation Name: San Andres

Pool Name: SWD; SAN ANDRES

Pool Code: 96121

- (2) Injection Interval: Perforated injection between 4,200′ 5,300′
- (3) Drilling Purpose: New Drill for Salt Water Disposal
- (4) Other Perforated Intervals: No other perforated intervals exist.
- (5) Overlying Oil and Gas Zones: Below are the approximate formation tops for known oil and gas producing zones in the area.
 - Grayburg (3,735')

Underlying Oil and Gas Zones: Below is the approximate formation tops for known oil and gas producing zones in the area.

- Glorieta (5,303')
- Tubb (6,810')

V – Well and Lease Maps

The following maps are included in **Attachment 2**:

- 2-mile Oil & Gas Well Map
- 1/2-mile Well Detail List with Penetrating Well Casing and Plugging Information.
- Plugged Penetrating Wellbore Diagrams.
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- Potash Lease Map

VI – AOR Well List

A list of the wells within the 1/2-mile AOR is included in **Attachment 2**.

There are six wells that penetrate the injection zone, three of which has been properly plugged and abandoned, while the other three wells have been properly cased and cemented to isolate the San Andres. A wellbore diagram and casing information for each of these wells is included in **Attachment 2.**

VII – Proposed Operation

- (1) Proposed Maximum Injection Rate: 42,000 bpd Proposed Average Injection Rate: 27,500 bpd
- (2) A closed system will be used.
- (3) Proposed Maximum Injection Pressure: 840 psi (surface)
 Proposed Average Injection Pressure: approximately 537 psi (surface)
- (4) Source Water Analysis: It is expected that the injectate will consist of produced water from production wells completed in the Delaware Mountain Group (DMG), Wolfcamp, and Bone Springs formations. Analysis of water from these formations is included in *Attachment 3*.
- (5) Injection Formation Water Analysis: The proposed SWD will be injecting water into the San Andres formation which is a non-productive zone known to be compatible with formation water from the DMG, Wolfcamp and Bone Springs formations. Water analyses from the San Andres formation in the area are included in *Attachment 4*.

VIII – Geologic Description

The proposed injection interval includes the San Andres formation from 4,200 - 5,300 feet. The Permian San Andres formation consists of interbedded carbonates rock including dolomites, siltstones and sands. Several thick intervals of porous and permeable carbonate rock capable of taking water are present within the subject formation in the area.

The deepest underground source of groundwater (USDW) is the Rustler formation at a depth of approximately 1,330 feet. Water well depths in the area range from approximately 147 - 220 feet below ground surface.

IX – Proposed Stimulation Program

A small cleanup acid job may be used to remove mud and drill cuttings from the formation. However, no other formation stimulation is currently planned.

X – Logging and Test Data

Logs will be submitted to the Division upon completion of the well.

XI – Fresh Groundwater Samples

Based on a review of data from the New Mexico Office of the State Engineer, 4 groundwater wells are located within 1 mile of the proposed SWD location. One of the groundwater wells located within one mile has been sampled (CP-01696 POD 1 on 8/26/2021). The remaining three water wells were determined to not be active freshwater wells.

A water well map, details of water wells within 1-mile, and water sampling results for CP-01696 POD 1 are included in *Attachment 5*.

XII - No Hydrologic Connection Statement

No faulting is present in the area that would provide a hydrologic connection between the injection interval and overlying USDWs. Additionally, the casing program has been designed to ensure there will be no hydrologic connection between the injection interval and overlying USDWs.

A signed no hydrological connection statement is included as **Attachment 7.**

XIII - Proof of Notice

A Public Notice was filed with the Hobbs News-Sun newspaper and an affidavit is included in **Attachment 6**.

A copy of the application was mailed to the OCD District Office, landowner, and leasehold operators within 1/2-mile of the proposed SWD location. A list of the recipients, as well as delivery confirmations, are included in **Attachment 6**.

Attachments

Attachment 1: Well Details:

- C-102
- Wellbore Diagram

Attachment 2: Area of Review Information:

- 2-mile Oil & Gas Well Map
- 1/2-mile Well Detail List With Penetrating Well Casing and Plugging Information
- Wellbore Diagrams Plugged penetrating wells
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- Potash Lease Map

Attachment 3: Source Water Analyses

Attachment 4: Injection Formation Water Analyses

Attachment 5: Water Well Map and Well Data

Attachment 6: Public Notice Affidavit and Notice of Application Confirmations

Attachment 7: No Hydrological Connection Statement

Attachment 1

- C-102
- Wellbore Diagram

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office


☐ AMENDED REPORT


District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

WELL LOCATION AND ACREAGE DEDICATION PLAT

| AP | I Number | | | Pool Code | | | Pool Name | | | | | | | | | | | | |
|------------------|----------|----------|------------------|----------------------|--------------------------------|-------------------|---------------|----------------|--------|--|--|--|--|-----------------|--|--|--|--|--|
| 30-0 | 25- | | | 96121 | SWD; SAN ANDRES | | | | | | | | | SWD; SAN ANDRES | | | | | |
| Property C | Code | | | Н | Property Name IERNANDEZ SW | Well Nu | ımber | | | | | | | | | | | | |
| 0GRID N 37231 | | | GC | DODNIGH ⁻ | Operator Name MIDSTREAM F | ERMIAN, LLC | | Eleva 357 | | | | | | | | | | | |
| | | • | | | Surface Location | n | | • | | | | | | | | | | | |
| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County | | | | | | | | | | |
| Р | 10 | 21 S | 36 E | | 326' | SOUTH | 793' | EAST | LEA | | | | | | | | | | |
| | | ! | Bot | tom Hole | Location If Dif | ferent From Surfa | ace | • | • | | | | | | | | | | |
| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County | | | | | | | | | | |
| Dedicated Acres | Joint or | Infill | Consolidation Co | ode O | rder No. | • | • | • | • | | | | | | | | | | |

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





HORNET Packer

Product Family No. H64682

HORNET EL Packer

Product Family No. H64683

The mechanically set HORNET™ packer offers ease of operation with quarter-turn right to set and release. Converting it for wireline-setting applications is simple and inexpensive. The HORNET packer provides for landing in compression, tension, or neutral positions. Every component from the jay track, to the internal bypass, to the packing-element system and the upper slip assembly has been developed to ensure the HORNET's setting and releasing reliability.

The HORNET EL packer is run and set on electric line using an E-4™ (Product Family No. H43702) with a slow-set power charge or a J™ setting tool (Product Family No. H41371) and a special wireline adapter kit. An L-10[™] type on/off seal nipple is run on top of the packer to connect the tubing to the packer and to house a blanking plug when the packer is used as a temporary bridge plug.

Features and Benefits

- Upper Slip Assembly:
 - Thoroughly tested across API minimum to maximum casing ID tolerances for each specified casing weight, for setting and releasing reliability
 - Slip-wicker configuration providing bidirectional-load support with solid upper cone to support highest tensile loads
 - Staged-release action eliminates high-overpull requirement
 - Minimal set-down weight required to anchor slips
- Internal Bypass Seal:
 - Durable bypass seal design provides sealing after unloading, under differential pressures
 - No O-ring sealing system
- Packing Element System:
 - Fully tested to combined ratings at the API's maximum ID tolerance

- Patented enhancements to control overboost
- High-performance, three-piece element system
- Lower Slip and Jay Assembly:
 - Slips and drag blocks tested to maximum API tolerance ID for positive set and ease of release
 - One-quarter-turn right setting and releasing action
 - Packoff of packing elements with applied tension or compression
 - Spacing in jay ensures opening of internal bypass, before slip releasing action beginsimportant to both ease of release and safety
 - Automatically returns to running position




Product Family No. H64682

Product Family No. H64683

Attachment 2

Area of Review Information:

- 2-mile Oil & Gas Well Map
- 1/2-mile Well Detail List With Penetrating Well Casing and Plugging Information
- Wellbore Diagrams Plugged penetrating wells
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- Potash Lease Map



■ Miles

Legend

- ★ Proposed SWD
- ⇔ Gas, Active (84)
- Gas, Plugged (49)
- Gas, Temporarily Abandoned (1)
- ✓ Injection, Active (72)
- Injection, Plugged (16)
- Injection, Temporarily Abandoned (1)
- Oil, Active (164)
- Oil, New (1)
- Oil, Plugged (107)
- Oil, Temporarily Abandoned (8)
- △ Salt Water Injection, Active (6)
- Salt Water Injection, New (6)
- △ Salt Water Injection, Plugged (1)

Source Info: NMOCD O&G Wells updated 1/17/2023 (https://www.emnrd.nm.gov/ocd/ocd-data/ftp-server/l)



Received by OCD: 6/6/2023 12:28:26 PM Page 18 of 52

| | AO | R Tabulatio | n for Hernandez SWD #1 (li | njection Interv | /al: 4,200' - 5,30 | 00') | |
|---------------------------------|--------------|-------------|----------------------------|-----------------|-------------------------------|-------------------------|-------------------------|
| Well Name | API# | Well Type | Operator | Spud Date | Location (Sec., Tn., Rng.) | Total Vertical Depth | Penetrate Inj. Zone? |
| STATE D #018 | 30-025-32718 | Plugged | CONOCOPHILLIPS COMPANY | 11/1/1994 | G-15-21S-36E | (Plugged) 3,654 | No |
| STATE D COM #019 | 30-025-32997 | Gas | PENROC OIL CORP | 7/5/1995 | M-11-21S-36E | 3,685 | No |
| LOCKHART B #012 | 30-025-33210 | Gas | PENROC OIL CORP | 4/4/1996 | D-14-21S-36E | 3,700 | No |
| STATE D COM #016 | 30-025-29375 | Gas | PENROC OIL CORP | 12/31/9999 | L-11-21S-36E | 3,750 | No |
| STATE D #014 | 30-025-26018 | Gas | PENROC OIL CORP | 7/31/1978 | A-15-21S-36E | 3,800 | No |
| PRE-ONGARD WELL #002 | 30-025-04596 | Plugged | PRE-ONGARD WELL OPERATOR | 1/1/1900 | O-10-21S-36E | (Plugged) 3,860 | No |
| EUNICE MONUMENT SOUTH UNIT #358 | 30-025-04642 | Injection | Empire New Mexico LLC | 7/17/1936 | B-15-21S-36E | 3,865 | No |
| JOHN D KNOX #001 | 30-025-04595 | Plugged | EXXON MOBIL CORPORATION | 2/16/1936 | J-10-21S-36E | (Plugged) 3,865 | No |
| EUNICE MONUMENT SOUTH UNIT #344 | 30-025-04592 | Injection | Empire New Mexico LLC | 3/3/1936 | N-10-21S-36E | 3,865 | No |
| EUNICE MONUMENT SOUTH UNIT #357 | 30-025-04643 | Injection | Empire New Mexico LLC | 7/29/1936 | A-15-21S-36E | 3,875 | No |
| EUNICE MONUMENT SOUTH UNIT #387 | 30-025-04645 | Oil | Empire New Mexico LLC | 11/1/1936 | G-15-21S-36E | 3,880 | No |
| JOHN D KNOX #005 | 30-025-04599 | Plugged | EXXON MOBIL CORPORATION | 9/6/1936 | P-10-21S-36E | (Plugged) 3,885 | No |
| EUNICE MONUMENT SOUTH UNIT #315 | 30-025-04600 | Oil | Empire New Mexico LLC | 3/20/1981 | I-10-21S-36E | 3,890 | No |
| EUNICE MONUMENT SOUTH UNIT #699 | 30-025-34215 | Oil | Empire New Mexico LLC | 2/23/1998 | H-10-21S-36E | 3,893 | No |
| EUNICE MONUMENT SOUTH UNIT #739 | 30-025-35458 | Oil | Empire New Mexico LLC | 5/15/2001 | N-11-21S-36E | 3,910 | No |
| EUNICE MONUMENT SOUTH UNIT #737 | 30-025-34853 | Oil | Empire New Mexico LLC | 2/29/2000 | B-15-21S-36E | 3,914 | No |
| EUNICE MONUMENT SOUTH UNIT #708 | 30-025-34848 | Oil | Empire New Mexico LLC | 2/19/2000 | I-10-21S-36E | 3,920 | No |
| EUNICE MONUMENT SOUTH UNIT #707 | 30-025-35164 | Oil | Empire New Mexico LLC | 10/27/2000 | P-10-21S-36E | 3,920 | No |
| EUNICE MONUMENT SOUTH UNIT #736 | 30-025-34852 | Oil | Empire New Mexico LLC | 3/15/2000 | B-15-21S-36E | 3,925 | No |
| EUNICE MONUMENT SOUTH UNIT #698 | 30-025-34847 | Oil | Empire New Mexico LLC | 4/1/2000 | I-10-21S-36E | 3,925 | No |
| EUNICE MONUMENT SOUTH UNIT #738 | 30-025-35165 | Oil | Empire New Mexico LLC | 11/4/2000 | P-10-21S-36E | 3,930 | No |
| EUNICE MONUMENT SOUTH UNIT #709 | 30-025-34849 | Oil | Empire New Mexico LLC | 3/8/2000 | K-10-21S-36E | 3,930 | No |
| EUNICE MONUMENT SOUTH UNIT #347 | 30-025-04606 | Injection | Empire New Mexico LLC | 9/10/1936 | M-11-21S-36E | 3,935 | No |
| EUNICE MONUMENT SOUTH UNIT #356 | 30-025-04629 | Injection | Empire New Mexico LLC | 8/21/1936 | D-14-21S-36E | 3,941 | No |
| EUNICE MONUMENT SOUTH UNIT #747 | 30-025-35167 | Oil | Empire New Mexico LLC | 11/15/2000 | A-15-21S-36E | 3,946 | No |
| EUNICE MONUMENT SOUTH UNIT #748 | 30-025-34632 | Oil | Empire New Mexico LLC | 7/2/1999 | G-15-21S-36E | 3,950 | No |
| EUNICE MONUMENT SOUTH UNIT #388 | 30-025-04641 | Injection | Empire New Mexico LLC | 6/11/1934 | H-15-21S-36E | 4,000 | No |
| EUNICE MONUMENT SOUTH UNIT #346 | 30-025-29881 | Injection | Empire New Mexico LLC | 12/31/9999 | P-10-21S-36E | 4,050 | No |
| EUNICE MONUMENT SOUTH UNIT #316 | 30-025-29882 | Injection | Empire New Mexico LLC | 4/24/1987 | J-10-21S-36E | 4,050 | No |
| EUNICE MONUMENT SOUTH UNIT #345 | 30-025-29823 | Injection | Empire New Mexico LLC | 3/22/1987 | O-10-21S-36E | 4,054 | No |
| EUNICE MONUMENT SOUTH UNIT #314 | 30-025-04605 | Injection | Empire New Mexico LLC | 8/2/1936 | L-11-21S-36E | 4,091 | No |
| EUNICE MONUMENT SOUTH UNIT #746 | 30-025-37356 | Oil | Empire New Mexico LLC | 8/26/2005 | H-15-21S-36E | 5,455 | Yes |
| STATE D BATTERY 2 #130 | 30-025-20662 | Plugged | CONOCO INC | 11/21/1990 | M-11-21S-36E | (Plugged) 6,000 | Yes |
| JOHN D KNOX #012 | 30-025-20706 | Gas | Empire New Mexico LLC | 3/27/1964 | O-10-21S-36E | 6,020 | Yes |
| JOHN D KNOX #014 | 30-025-33778 | Injection | Empire New Mexico LLC | 1/1/1998 | J-10-21S-36E | 6,220 | Yes |
| JOHN D KNOX #011 | 30-025-20306 | Plugged | Empire New Mexico LLC | 11/23/1963 | I-10-21S-36E | (Plugged) 6,225 | Yes |
| STATE D 15 #002 | 30-025-39211 | Plugged | CONOCOPHILLIPS COMPANY | 2/18/2009 | A-15-21S-36E | (Plugged) 7,197 | Yes |
| Notes: | | 1 00 | | , -, | | (00 / / - | |


Released to Imaging: 6/6/2023 1:27:11 PM


Received by OCD: 6/6/2023 12:28:26 PM Page 19 of 52


| | Casing Information for Wells Penetrating the Hernandez SWD #1 Injection Zone | | | | | | | | | | | | |
|---------------------------------|--|-------------|---------|-----------------------|-----|-----------|---------------------|-------------|---------|-----------------------|---------------|-----------|--|
| Well Name | Surface Casing | | | | | | Intermediate Casing | | | | | | |
| well Name | Set Depth | Casing Size | тос | TOC Method Determined | | Hole size | Set Depth | Casing Size | тос | TOC Method Determined | Sks of Cement | Hole Size | |
| EUNICE MONUMENT SOUTH UNIT #746 | 1274' | 8.625" | Surface | Circulation | 625 | 12.25" | 5450' | 5.5" | Surface | Circulation | 990 | 7.875" | |
| STATE D BATTERY 2 #130 | 1339' | 7.625" | Surface | Circulation | 375 | 11" | 6000' | 4.5" | 2450' | Temp. Survey | 370 | 6.75" | |
| JOHN D KNOX #012 | 1353' | 7.625" | Surface | Circulation | 450 | 9.875" | 6020' | 4.5" | 2500' | Temp. Survey | 525 | 6.75" | |
| JOHN D KNOX #014 | 1350 | 8.625" | Surface | Circulation | 800 | 12.25" | 6400' | 5.5" | Surface | Circulation | 1200 | 7.875" | |
| JOHN D KNOX #011 | 1318' | 7.625" | Surface | Circulation | 575 | 11" | 6214' | 4.5" | 2400' | Temp. Survey | 500 | 6.75" | |
| STATE D 15 #002 | 1380' | 8.625" | Surface | Circulation | 640 | 12.25" | 7187' | 5.5" | Surface | Circulation | 1485 | 7.875" | |


| Well Name | Plugging Information |
|---------------------------------|--|
| EUNICE MONUMENT SOUTH UNIT #746 | - |
| STATE D BATTERY 2 #130 | CIBP set at 5800' and spot 7 sacks cement on top. Perforated at 1470' and pumped 270 sacks cement to surface. |
| JOHN D KNOX #012 | - |
| JOHN D KNOX #014 | - |
| JOHN D KNOX #011 | CIBP set at 5,745' with 2.5 sack cement on top. Cement plugs set at 5,288'-5,723' with 30 sks, 2510' - 2940' with 25 sks, Cement plugged squeezed at 948' - 1368' with 50 sks, cement plug set from the surface to 300'. |
| STATE D 15 #002 | CIBP set at 6,849' and 25 sack cement placed on top. Set second CIBP at 5,648' and placed 25 sack cement on top. 50 sack Cement plug set at 3721' - 4020', 25 sack plugs set at 2471' - 2478', and 1,226'- 1,481'. Spot 45 sks cement from Surface - 413'. |


Released to Imaging: 6/6/2023 1:27:11 PM











Legend

★ Proposed SWD

Private minerals

Subsurface minerals (NMSLO)

Surface and Subsurface minerals (NMSLO)

All minerals are owned by U.S. (BLM)

Mineral Ownership Area of Review

HERNANDEZ SWD #1

LEA COUNTY, NEW MEXICO


Proj Mgr: Nate Alleman

May 03, 2023

Mapped by: Ben Bockelmann








■ Miles





Attachment 3

Source Water Analyses

Received by OCD: 6/6/2023 12:28:26 PM

Page 28 of 52

| | | | | | | Soi | urce | Wate | r Form | nation | Analy | /sis | | | | | |
|-------------------------|------------|-------------|--------------|---------|----------|--------|-------|---------|---------------------|----------|--------|-----------------|------------------------|---------------|--------------------|--------------------|-------------------|
| | | | Go | odnight | Midstrea | m Pern | nian, | LLC - I | Bone S _l | pring, W | /olfca | mp & Delaware F | ormations | | | | |
| Wellname | API | Latitude | Longitude | Section | Township | Range | Unit | Ftgns | Ftgew | County | State | Field | Formation | Tds (mg/L) | Chloride (mg/L) | Bicarbonate (mg/L) | Sulfate (mg/L) |
| GAUCHO UNIT #012H | 3002541564 | 32.384037 | -103.4853745 | 20 | 22S | 34E | A | 275N | 575E | Lea | NM | | BONE SPRING 2ND SAND | 109,808 | 66,985 | 281 | 1,030 |
| GAUCHO UNIT #013H | 3002541565 | 32.3841743 | -103.4853745 | 20 | 22S | 34E | A | 225N | 575E | Lea | NM | | BONE SPRING 2ND SAND | 139,905 | 85,081 | 293 | 740 |
| GAUCHO UNIT #015H | 3002541566 | 32.3841896 | -103.4984589 | 20 | 22S | 34E | D | 100N | 660W | Lea | NM | | BONE SPRING 2ND SAND | 184,420 | 115,274 | 268 | 765 |
| GAUCHO 21 FEDERAL #002H | 3002540626 | 32.3709793 | -103.4823151 | 21 | 22S | 34E | M | 375S | 375W | Lea | NM | | DELAWARE-BRUSHY CANYON | 266,468 | 167,562 | 366 | = |
| GAUCHO 21 FEDERAL #002H | 3002540626 | 32.3709793 | -103.4823151 | 21 | 22S | 34E | M | 375S | 375W | Lea | NM | | DELAWARE-BRUSHY CANYON | | 224,384 | 366 | 210 |
| GAUCHO 21 FEDERAL #002H | 3002540626 | 32.3709793 | -103.4823151 | 21 | 22S | 34E | M | 375S | 375W | Lea | NM | | DELAWARE-BRUSHY CANYON | | 169,000 | 37 | 341 |
| GAUCHO UNIT #012H | 3002541564 | 32.384037 | -103.4853745 | 20 | 22S | 34E | A | 275N | 575E | Lea | NM | | BONE SPRING 2ND SAND | | 68,000 | 427 | 97 |
| GAUCHO UNIT #013H | 3002541565 | 32.3841743 | -103.4853745 | 20 | 22S | 34E | A | 225N | 575E | Lea | NM | | BONE SPRING 2ND SAND | | 77,000 | 305 | 1,600 |
| GAUCHO UNIT #014H | 3002541571 | 32.3840523 | -103.4984589 | 20 | 22S | 34E | D | 150N | 660W | Lea | NM | | BONE SPRING 2ND SAND | | 82,000 | 220 | 624 |
| GAUCHO UNIT #015H | 3002541566 | 32.3841896 | -103.4984589 | 20 | 22S | 34E | D | 100N | 660W | Lea | NM | | BONE SPRING 2ND SAND | 158,147 | 96,378 | 232 | 710 |
| MOBIL LEA STATE #001 | 3002531696 | 32.5999107 | -103.5331573 | 2 | 20S | 34E | K | 1800S | 1980W | LEA | NM | LEA NORTHEAST | DELAWARE | 152,064 | 102,148 | 404 | 691 |
| MOBIL LEA STATE #003 | 3002532105 | 32.5976906 | -103.5367584 | 2 | 20S | 34E | M | 990S | 870W | LEA | NM | LEA NORTHEAST | DELAWARE | 296,822 | 215,237 | 143 | 294 |
| MOBIL LEA STATE #005 | 3002532466 | 32.6028633 | -103.5367584 | 2 | 20S | 34E | Е | 2440N | 870W | LEA | NM | LEA NORTHEAST | DELAWARE | 340,838 | 245,270 | 229 | 147 |
| LEA UNIT #004H | 3002502424 | 32.5895081 | -103.524559 | 11 | 20S | 34E | Н | 1980N | 660E | LEA | NM | LEA | BONE SPRING | 29,436 | 16,720 | 634 | 1,142 |
| LEA UNIT #001 | 3002502427 | 32.5858536 | -103.520256 | 12 | 20S | 34E | L | 1980S | 660W | LEA | NM | LEA | DELAWARE | 214,787 | 132,700 | 208 | 1,816 |
| LEA UNIT #001 | 3002502427 | 32.5858536 | -103.520256 | 12 | 20S | 34E | L | 1980S | 660W | LEA | NM | LEA | BONE SPRING | 15,429 | | | |
| LEA UNIT #001 | 3002502427 | 32.5858536 | -103.520256 | 12 | 20S | 34E | L | 1980S | 660W | LEA | NM | LEA | BONE SPRING | 180,701 | 108,300 | 1,016 | 670 |
| LEA UNIT #005 | 3002502429 | 32.5858536 | -103.5116501 | 12 | 20S | 34E | J | 1980S | 1980E | LEA | NM | LEA | BONE SPRING | 202,606 | 118,100 | 5,196 | 992 |
| LEA UNIT #005 | 3002502429 | 32.5858536 | -103.5116501 | 12 | 20S | 34E | J | 1980S | 1980E | LEA | NM | LEA | BONE SPRING | 121,800 | | | |
| LEA UNIT #008 | 3002502431 | 32.5927162 | -103.511673 | 12 | 20S | 34E | В | 810N | 1980E | LEA | NM | LEA | BONE SPRING | 147,229 | 89,640 | 108 | 1,038 |
| MONK 21 STATE COM #001H | 3002540986 | 32.4706993 | -103.4818954 | 21 | 21S | 34E | D | 330N | 460W | Lea | NM | | BONE SPRING 2ND SAND | 261,089 | 160,264 | 122 | 425 |
| MONK 21 STATE #004H | 3002542193 | 32.47107672 | -103.4727296 | 21 | 21S | 34E | В | 200N | 1980E | Lea | NM | | BONE SPRING 2ND SAND | 184,233 | 112,775 | 488 | 425 |
| MONK 21 STATE COM #001H | 3002540986 | 32.4706993 | -103.4818954 | 21 | 21S | 34E | D | 330N | 460W | Lea | NM | | BONE SPRING 2ND SAND | | 103,000 | 207 | 439 |
| H L VINSON #001 | 3002503587 | 33.5251312 | -103.237999 | 22 | 09S | 36E | A | 660N | 660E | Lea | NM | | WOLFCAMP | | 66,400 | 187 | 690 |
| PHILLIPS STATE #001 | 3002503659 | 33.3458824 | -103.2939529 | 22 | 11S | 36E | N | 660S | 1980W | LEA | NM | CINDY | WOLFCAMP | 78,885 | 47,400 | 354 | 875 |
| STATE CA #001 | 3002503743 | 32.902153 | -103.3229828 | 23 | 16S | 36E | О | 660S | 1980E | LEA | NM | LOVINGTON | WOLFCAMP | 167,968 | 102,800 | 61 | 623 |
| SINCLAIR STATE #002 | 3002503123 | 32.7386246 | -103.4561005 | 21 | 18S | 35E | A | 660N | 660E | LEA | NM | VACUUM SOUTH | WOLFCAMP | 60,950 | 33,568 | 1,087 | 3,049 |

Attachment 4

Injection Formation Water Analyses


| | | | | Goo | dnight Mi | dstrear | n Pei | mian, | LLC - S | an Andı | res For | mation | | | | | |
|--------------------------|------------|------------|--------------|---------|-----------|---------|-------|-------|---------|---------|---------|------------------|------------|---------------|--------------------|-----------------------|-------------------|
| Wellname | АРІ | Latitude | Longitude | Section | Township | Range | Unit | Ftgns | Ftgew | County | State | Field | Formation | Tds (mg/L) | Chloride (mg/L) | Bicarbonate (mg/L) | Sulfate (mg/L) |
| SIMMONS #001 | 3002510070 | 32.4232674 | -103.1821976 | 5 | 22S | 37E | G | 1760N | 1760E | LEA | NM | EUNICE SOUTHWEST | SAN ANDRES | 78,653 | 46,510 | 580 | 2,184 |
| C P FALBY B FEDERAL #004 | 3002510106 | 32.4045296 | -103.1914597 | 8 | 22S | 37E | L | 1980S | 660W | LEA | NM | CARY | SAN ANDRES | 80,540 | 43,500 | 755 | 5,950 |
| C P FALBY A FEDERAL #003 | 3002510118 | 32.4081421 | -103.1871872 | 8 | 22S | 37E | F | 1980N | 1980W | LEA | NM | EUNICE SOUTHWEST | SAN ANDRES | 59,766 | | | |
| C P FALBY A FEDERAL #004 | 3002510120 | 32.4081345 | -103.1914673 | 8 | 22S | 37E | Е | 1980N | 660W | LEA | NM | EUNICE SOUTHWEST | SAN ANDRES | 10,925 | 5,312 | 1,620 | 201 |
| PENROSE #002 | 3002510146 | 32.4078712 | -103.1739807 | 9 | 22S | 37E | Е | 2086N | 776W | LEA | NM | EUNICE SOUTHWEST | SAN ANDRES | 64,895 | 38,010 | 488 | 2,100 |
| LOU WORTHAM #020 | 3002510216 | 32.411808 | -103.1401749 | 11 | 22S | 37E | D | 660N | 660W | LEA | NM | EUNICE SOUTH | SAN ANDRES | 10,947 | 6,527 | 20 | 236 |
| LOU WORTHAM #005 | 3002523606 | 32.4109001 | -103.1369629 | 11 | 22S | 37E | С | 990N | 1650W | LEA | NM | EUNICE SOUTH | SAN ANDRES | 18,587 | 9,460 | 13 | 2,518 |
| LOU WORTHAM #006 | 3002523756 | 32.4072723 | -103.1410828 | 11 | 22S | 37E | Е | 2310N | 380W | LEA | NM | EUNICE SOUTH | SAN ANDRES | 9,192 | 4,443 | 12 | 1,491 |
| LOU WORTHAM #006 | 3002523756 | 32.4072723 | -103.1410828 | 11 | 22S | 37E | Е | 2310N | 380W | LEA | NM | EUNICE SOUTH | SAN ANDRES | 14,868 | 9,040 | 24 | 112 |
| LOU WORTHAM #006 | 3002523756 | 32.4072723 | -103.1410828 | 11 | 22S | 37E | Е | 2310N | 380W | LEA | NM | EUNICE SOUTH | SAN ANDRES | 13,828 | 7,298 | 18 | 1,389 |
| LOU WORTHAM #006 | 3002523756 | 32.4072723 | -103.1410828 | 11 | 22S | 37E | Е | 2310N | 380W | LEA | NM | EUNICE SOUTH | SAN ANDRES | 14,957 | 8,867 | 18 | 406 |
| HUGH COI #013 | 3002523275 | 32.3982162 | -103.1396637 | 14 | 22S | 37E | D | 330N | 820W | LEA | NM | EUNICE SOUTH | SAN ANDRES | 14,215 | 6,495 | 2,529 | 191 |
| LOU WORTHAM #006 | 3002523756 | 32.4072723 | -103.1410828 | 11 | 22S | 37E | Е | 2310N | 380W | LEA | NM | EUNICE SOUTH | SAN ANDRES | 14,824 | 7,018 | 2,344 | 207 |
| E M E SWD #008 | 3002506017 | 32.5895042 | -103.2725601 | 8 | 20S | 37E | G | 1980N | 2310E | LEA | NM | MONUMENT PADDOCK | SAN ANDRES | 65,365 | 36,905 | 560 | 1,460 |
| THEODORE ANDERSON #002 | 3002506139 | 32.5785942 | -103.2758102 | 17 | 20S | 37E | С | 660N | 1980W | Lea | NM | | SAN ANDRES | | 67,245 | 564 | 489 |
| E M E SWD #008 | 3002506017 | 32.5895042 | -103.2725601 | 8 | 20S | 37E | G | 1980N | 2310E | LEA | NM | MONUMENT | SAN ANDRES | 65,361 | 36,900 | 560 | 1,460 |

Released to Imaging: 6/6/2023 1:27:11 PM

Attachment 5

Water Well Map and Well Data

Page 32 of 52 Received by OCD: 6/6/2023 12:28:26 PM



Legend

★ Proposed SWD

OSE PODs

Status

- Active (7)
- Pending (1)
- Change Location of Well (0)
- Capped (0)
- Plugged (0)
- Incomplete (0)
- Unknown (2)

Water Wells Area of Review

HERNANDEZ SWD #1

LEA COUNTY, NEW MEXICO

Proj Mgr: Nate Alleman

May 03, 2023

Mapped by: Ben Bockelmann





0.25 0.5 Miles

Service Layer Credits: Bing Maps Hybrid: © 2023 Microsoft Corporation © 2023 Maxar ©CNES (2023) Distribution Airbus DS © 2023 TomTom

Page 33 of 52

| | | Water Well Sampli | ng Rationale | | |
|-------------|------------------------------------|---------------------------------|----------------------|-------------------|--|
| | | Goodnight Midstream Permi | an- Hernandez SWD #1 | | |
| Water Wells | Owner | Available Contact Information | Use | Sampling Required | Notes |
| | | | | | New Mexico Office of the State Enginner record |
| CP-00734 | W. L. Van Noy | P.O. Box 7 Oil Center, NM 88266 | Domestic | No | confirm this well is not an active fresh water |
| | | | | | well. |
| CP-00685 | DASCO LAND CORPORATION | P.O. BOX 2545 Hobbs, NM, 88241 | Oil Production | No | Not a freshwater well |
| CP-00279 | CONTINENTAL OIL COMPANY | P.O. BOX 460 Hobbs, NM, 88241 | Industrial | No | Well currently T.A. |
| | Wilberta Tivis - Tivis Ranch LLC | P.O. box 1617 Eunice, nm 88231 | | | |
| CP-01696 | Wilberta Tivis - Tivis Raficii EEC | 575-369-8419 Cell | Livestock Watering | Yes | Sampled on 8/26/2021 |
| | | 575-394-3223 Ranch phone | | | |
| Note: | | | | | |

Released to Imaging: 6/6/2023 1:27:11 PM



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

September 14, 2021

OLIVER SEEKINS
ALL CONSULTING, LLC

1718 S. CHEYENNE AVE.

TULSA, OK 74119

RE: WILBERTA TIVIS

Enclosed are the results of analyses for samples received by the laboratory on 08/26/21 15:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-21-14. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Total Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2 Regulated VOCs and Total Trihalomethanes (TTHM)

Method EPA 552.2 Total Haloacetic Acids (HAA-5)

Celey D. Keene

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ALL CONSULTING, LLC 1718 S. CHEYENNE AVE. TULSA OK, 74119 Project: WILBERTA TIVIS
Project Number: 32.48377-103.262247
Project Manager: OLIVER SEEKINS

Reported: 14-Sep-21 09:47

Fax To: NA

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received |
|------------------|---------------|--------|-----------------|-----------------|
| CP - 01696 POD 1 | H212303-01 | Water | 26-Aug-21 14:15 | 26-Aug-21 15:15 |

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether sur claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ALL CONSULTING, LLC 1718 S. CHEYENNE AVE. TULSA OK, 74119 Project: WILBERTA TIVIS
Project Number: 32.48377-103.262247
Project Manager: OLIVER SEEKINS

Reported: 14-Sep-21 09:47

Fax To: NA

CP - 01696 POD 1 H212303-01 (Water)

| Analyte | Result | | eporting Limit | Units | Dilution | Batch | Analyst | Analyzed | Method | Notes |
|-------------------------|--------|---|-------------------|--------------------|----------|---------|---------|-----------|-----------|-------|
| | | | Cardi | inal Laborato | ries | | | | | |
| Inorganic Compounds | | | | | | | | | | |
| Alkalinity, Bicarbonate | 200 | | 5.00 | mg/L | 1 | 1072906 | AC | 27-Aug-21 | 310.1 | |
| Alkalinity, Carbonate | <1.00 | | 1.00 | mg/L | 1 | 1072906 | AC | 27-Aug-21 | 310.1 | |
| Chloride* | 900 | | 4.00 | mg/L | 1 | 1081907 | GM | 30-Aug-21 | 4500-Cl-B | |
| Conductivity* | 5000 | | 1.00 | umhos/cm @ 25°C | 1 | 1082704 | AC | 27-Aug-21 | 120.1 | |
| pH* | 7.50 | (| 0.100 | pH Units | 1 | 1082704 | AC | 27-Aug-21 | 150.1 | |
| Temperature °C | 19.6 | | | pH Units | 1 | 1082704 | AC | 27-Aug-21 | 150.1 | |
| Resistivity | 2.00 | | | Ohms/m | 1 | 1082704 | AC | 27-Aug-21 | 120.1 | |
| Sulfate* | 1430 | | 10.0 | mg/L | 1 | 1083008 | GM | 30-Aug-21 | 375.4 | |
| TDS* | 3530 | | 5.00 | mg/L | 1 | 1081913 | GM | 30-Aug-21 | 160.1 | |
| Alkalinity, Total* | 164 | | 4.00 | mg/L | 1 | 1072906 | AC | 27-Aug-21 | 310.1 | |
| TSS* | 2.00 | | 2.00 | mg/L | 1 | 1083009 | AC | 31-Aug-21 | 160.2 | |

Green Analytical Laboratories

| Total Recoverable Metals by | ICP (E200.7) | | | | | | | | |
|-----------------------------|--------------|-------|------|---|---------|-----|-----------|----------|--|
| Barium* | < 0.250 | 0.250 | mg/L | 5 | B212084 | AES | 09-Sep-21 | EPA200.7 | |
| Calcium* | 233 | 0.500 | mg/L | 5 | B212084 | AES | 09-Sep-21 | EPA200.7 | |
| Hardness as CaCO3 | 1090 | 3.31 | mg/L | 5 | [CALC] | AES | 09-Sep-21 | 2340 B | |
| Iron* | < 0.250 | 0.250 | mg/L | 5 | B212084 | AES | 09-Sep-21 | EPA200.7 | |
| Magnesium* | 124 | 0.500 | mg/L | 5 | B212084 | AES | 09-Sep-21 | EPA200.7 | |
| Potassium* | 15.3 | 5.00 | mg/L | 5 | B212084 | AES | 09-Sep-21 | EPA200.7 | |
| Sodium* | 621 | 5.00 | mg/L | 5 | B212084 | AES | 09-Sep-21 | EPA200.7 | |
| Strontium* | 6.51 | 0.500 | mg/L | 5 | B212084 | AES | 09-Sep-21 | EPA200.7 | |

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether sur claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager

Reported:

14-Sep-21 09:47



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ALL CONSULTING, LLC 1718 S. CHEYENNE AVE. TULSA OK, 74119 Project: WILBERTA TIVIS
Project Number: 32.48377-103.262247
Project Manager: OLIVER SEEKINS

Project Manager: OLIVER SEEKINS Fax To: NA

Inorganic Compounds - Quality Control

Cardinal Laboratories

| | | Reporting | | Spike | Source | | %REC | | RPD | |
|-------------------------------------|--------|-----------|-------|-------------|--------------------|-------------|----------|------|-------|-------|
| nalyte | Result | Limit | Units | Level | Result | %REC | Limits | RPD | Limit | Notes |
| atch 1072906 - General Prep - Wet C | Chem | | | | | | | | | |
| lank (1072906-BLK1) | | | | Prepared: 2 | 29-Jul-21 A | nalyzed: 30 | -Jul-21 | | | |
| kalinity, Carbonate | ND | 1.00 | mg/L | | | | | | | |
| kalinity, Bicarbonate | 5.00 | 5.00 | mg/L | | | | | | | |
| kalinity, Total | 4.00 | 4.00 | mg/L | | | | | | | |
| CS (1072906-BS1) | | | | Prepared: 2 | 29-Jul-21 A | nalyzed: 30 | -Jul-21 | | | |
| kalinity, Carbonate | ND | 2.50 | mg/L | | | | 80-120 | | | |
| kalinity, Bicarbonate | 305 | 12.5 | mg/L | | | | 80-120 | | | |
| kalinity, Total | 250 | 10.0 | mg/L | 250 | | 100 | 80-120 | | | |
| CS Dup (1072906-BSD1) | | | | Prepared: 2 | 29-Jul-21 A | nalyzed: 30 | -Jul-21 | | | |
| kalinity, Carbonate | ND | 2.50 | mg/L | | | | 80-120 | | 20 | |
| kalinity, Bicarbonate | 305 | 12.5 | mg/L | | | | 80-120 | 0.00 | 20 | |
| kalinity, Total | 250 | 10.0 | mg/L | 250 | | 100 | 80-120 | 0.00 | 20 | |
| atch 1081907 - General Prep - Wet C | Chem | | | | | | | | | |
| lank (1081907-BLK1) | | | | Prepared & | Analyzed: | 19-Aug-21 | | | | |
| nloride | ND | 4.00 | mg/L | | | | | | | |
| CS (1081907-BS1) | | | | Prepared & | k Analyzed: | 19-Aug-21 | | | | |
| nloride | 100 | 4.00 | mg/L | 100 | | 100 | 80-120 | | | |
| CS Dup (1081907-BSD1) | | | | Prepared & | k Analyzed: | 19-Aug-21 | | | | |
| nloride | 104 | 4.00 | mg/L | 100 | | 104 | 80-120 | 3.92 | 20 | |
| atch 1081913 - Filtration | | | | | | | | | | |
| lank (1081913-BLK1) | | | | Prepared: | 19-Aug-21 | Analyzed: 2 | 0-Aug-21 | | | |
| DS . | ND | 5.00 | mg/L | | | | | | | |
| lank (1081913-BLK1) | ND | 5.00 | mg/L | Prepared: | 19-Aug-21 <i>i</i> | Analyzed: 2 | 0-Aug-21 | | | _ |

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether sur claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine

Reported:

14-Sep-21 09:47



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ALL CONSULTING, LLC 1718 S. CHEYENNE AVE. TULSA OK, 74119 Project: WILBERTA TIVIS
Project Number: 32.48377-103.262247
Project Manager: OI IVER SEFKINS

Project Manager: OLIVER SEEKINS Fax To: NA

Inorganic Compounds - Quality Control

Cardinal Laboratories

| | | Reporting | | Spike | Source | | %REC | • | RPD | |
|---|--------|---------------|--------------------|-------------|-------------|-------------|-----------|-------|-------|-------|
| Analyte | Result | Limit | Units | Level | Result | %REC | Limits | RPD | Limit | Notes |
| Batch 1081913 - Filtration | | | | | | | | | | |
| LCS (1081913-BS1) | | | | Prepared: 1 | 19-Aug-21 | Analyzed: 2 | 20-Aug-21 | | | |
| TDS | 539 | | mg/L | 500 | | 108 | 80-120 | | | |
| Duplicate (1081913-DUP1) | Sou | ırce: H212190 | -02 | Prepared: 1 | 19-Aug-21 A | Analyzed: 2 | 0-Aug-21 | | | |
| TDS | 620 | 5.00 | mg/L | | 645 | | | 3.95 | 20 | |
| Batch 1082704 - General Prep - Wet Chem | | | | | | | | | | |
| LCS (1082704-BS1) | | | | Prepared & | z Analyzed: | 27-Aug-21 | | | | |
| Conductivity | 51400 | | uS/cm | 50000 | | 103 | 80-120 | | | |
| pH | 7.05 | | pH Units | 7.00 | | 101 | 90-110 | | | |
| Duplicate (1082704-DUP1) | Sou | ırce: H212303 | -01 | Prepared & | Analyzed: | 27-Aug-21 | | | | |
| pH | 7.54 | 0.100 | pH Units | | 7.50 | | | 0.532 | 20 | |
| Conductivity | 5010 | 1.00 | umhos/cm @ 25°C | | 5000 | | | 0.200 | 20 | |
| Resistivity | 2.00 | | Ohms/m | | 2.00 | | | 0.200 | 20 | |
| Temperature °C | 19.6 | | pH Units | | 19.6 | | | 0.00 | 200 | |
| Batch 1083008 - General Prep - Wet Chem | | | | | | | | | | |
| Blank (1083008-BLK1) | | | | Prepared & | z Analyzed: | 30-Aug-21 | | | | |
| Sulfate | ND | 10.0 | mg/L | | · | | | | | |
| LCS (1083008-BS1) | | | | Prepared & | Analyzed: | 30-Aug-21 | | | | |
| Sulfate | 20.5 | 10.0 | mg/L | 20.0 | | 103 | 80-120 | | | |
| LCS Dup (1083008-BSD1) | | | | Prepared & | z Analyzed: | 30-Aug-21 | | | | |
| | 21.9 | 10.0 | mg/L | 20.0 | | | | | | |

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether sur claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

%REC

Analytical Results For:

ALL CONSULTING, LLC 1718 S. CHEYENNE AVE. TULSA OK, 74119

Project: WILBERTA TIVIS Project Number: 32.48377-103.262247 Project Manager: OLIVER SEEKINS

Spike

Source

Reported: 14-Sep-21 09:47

RPD

Fax To: NA

Inorganic Compounds - Quality Control

Cardinal Laboratories

Reporting

| Analyte | Result | Limit | Units | Level | Result | %REC | Limits | RPD | Limit | Notes |
|---------------------------------|-----------|----------|-------|-------------|------------|-------------|----------|------|-------|-------|
| Batch 1083009 - Filtration | | | | | | | | | | |
| Blank (1083009-BLK1) | | | | Prepared: 3 | 0-Aug-21 A | analyzed: 3 | 1-Aug-21 | | | |
| TSS | ND | 2.00 | mg/L | | | | | | | |
| Duplicate (1083009-DUP1) | Source: H | [212303- |)1 | Prepared: 3 | 0-Aug-21 A | analyzed: 3 | 1-Aug-21 | | | |
| TSS | 2.00 | 2.00 | mg/L | | 2.00 | | | 0.00 | 52.7 | |

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ALL CONSULTING, LLC 1718 S. CHEYENNE AVE. TULSA OK, 74119 Project: WILBERTA TIVIS
Project Number: 32.48377-103.262247
Project Manager: OLIVER SEEKINS

Reported: 14-Sep-21 09:47

Fax To: NA

Total Recoverable Metals by ICP (E200.7) - Quality Control

Green Analytical Laboratories

| | | Reporting | | Spike | Source | | %REC | | RPD | |
|---------|--------|-----------|-------|-------|--------|------|--------|-----|-------|-------|
| Analyte | Result | Limit | Units | Level | Result | %REC | Limits | RPD | Limit | Notes |

| Plank (P212084 PI K1) | | |
|-----------------------|--|--|

Batch B212084 - Total Rec. 200.7/200.8/200.2

| Blank (B212084-BLK1) | | | | Prepared: 07-Se | p-21 Analyzed: 0 | 9-Sep-21 | | | |
|------------------------|------|-------|------|-----------------|------------------|----------|--------|----|--|
| Magnesium | ND | 0.100 | mg/L | | | | | | |
| Barium | ND | 0.050 | mg/L | | | | | | |
| Strontium | ND | 0.100 | mg/L | | | | | | |
| Calcium | ND | 0.100 | mg/L | | | | | | |
| Sodium | ND | 1.00 | mg/L | | | | | | |
| Iron | ND | 0.050 | mg/L | | | | | | |
| Potassium | ND | 1.00 | mg/L | | | | | | |
| LCS (B212084-BS1) | | | | Prepared: 07-Se | p-21 Analyzed: 0 | 9-Sep-21 | | | |
| Strontium | 3.93 | 0.100 | mg/L | 4.00 | 98.3 | 85-115 | | | |
| Sodium | 3.19 | 1.00 | mg/L | 3.24 | 98.3 | 85-115 | | | |
| Potassium | 7.82 | 1.00 | mg/L | 8.00 | 97.7 | 85-115 | | | |
| Magnesium | 20.3 | 0.100 | mg/L | 20.0 | 101 | 85-115 | | | |
| Iron | 3.94 | 0.050 | mg/L | 4.00 | 98.6 | 85-115 | | | |
| Calcium | 3.97 | 0.100 | mg/L | 4.00 | 99.3 | 85-115 | | | |
| Barium | 1.96 | 0.050 | mg/L | 2.00 | 98.1 | 85-115 | | | |
| LCS Dup (B212084-BSD1) | | | | Prepared: 07-Se | p-21 Analyzed: 0 | 9-Sep-21 | | | |
| Magnesium | 20.2 | 0.100 | mg/L | 20.0 | 101 | 85-115 | 0.516 | 20 | |
| Calcium | 3.90 | 0.100 | mg/L | 4.00 | 97.6 | 85-115 | 1.81 | 20 | |
| Potassium | 7.82 | 1.00 | mg/L | 8.00 | 97.7 | 85-115 | 0.0383 | 20 | |
| Barium | 1.93 | 0.050 | mg/L | 2.00 | 96.7 | 85-115 | 1.45 | 20 | |
| Sodium | 3.17 | 1.00 | mg/L | 3.24 | 97.9 | 85-115 | 0.443 | 20 | |
| Strontium | 3.92 | 0.100 | mg/L | 4.00 | 98.0 | 85-115 | 0.321 | 20 | |
| Iron | 3.87 | 0.050 | mg/L | 4.00 | 96.9 | 85-115 | 1.74 | 20 | |
| | | | | | | | | | |

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether sur claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether sur claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com *

Corrected Temp. °C

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



(575) 393-2326 FAX (575) 393-2476

| analyses. All claims including browness, various an analyse service. In or event shall be formed to the amount paid by the client for the service in no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business and in writing and received by Cardinal within 20 days after completion of the applical affiliation, business interruptions, loss of use, or loss of profits incremed by client, its subsidiaries. Rellinquished By: Time: Received By: Received By: Received By: Received By: Received By: Received By: | EASE NOTE: Liability and Dannages, Cardinal's liability. | 1 CF- 914 | Lab I.D. Sample I.D | Sampler Name: | Project Location: | Project Name: | Project #: | Phone #: | City: | Address: | +1 | Company Name: Lah |
|--|--|-----------|---|---------------|-------------------|---------------|----------------|----------|--------|----------|------------------|-------------------|
| and clients exclusive tennedy for any claim a vother cause whatcover shall be deemed vother cause whatcover shall be deemed vother cause whatcover shall be deemed vother short should be deemed vother short should be deemed vother should be deemed | and client's exclusive remedy for any | The FOOL | Sample I.D. | | X | Uilburta 7 | Project Owner: | Fax #: | State: | | 1 Armstrong | prices |
| colaim arising whether based in contract or the other withing and re- semed welved unless made in writing and re- should imitation, business interruptions, loss dinal, regardless of whether such claim is b. Received By: Received By: Sample Condition | | 200 | (G)RAB OR (C)OMP. # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE | MATRIX | | ivis | | | Zip: | _ | 2 | 12 Pl Consul |
| ng whether based in contract or lort, shall be limited to the amount per ed unless made in writing and received by Cardinial within 30 days at abon, business interruptions, lose of use, or lose of profits incurred by ridiess of whether such claim is based upon any of the above stated n vegt By: Wed By: CHECKED BY: CHECKED BY: | | 8:24 | OTHER: ACID/BASE: ICE / COOL OTHER: | | Phone #: | State: Zip: | City: | Address: | Attn: | Company: | P.O. #: | BILL TO |
| id by the client for the er completion of the applicable client, its subsidiaries, subsidiaries. All Results are emailed. Please provide Email address: REMARKS: Charles Ch | | 2.12 | . 3 | /4 | In | 10 | 21 | 5 | | | | |
| es ☐ No Add'i | | 1 | Rusisti Total + | far | | ne | 85 | | | | AN | AN |
| Add'I Phone #: de Email address: | | * | 7 3 3 | | 1+1 | | | | 0 | | ANALYSIS REQUEST | 1 VOID 17011 |
| hone #: | | | | | | | | | | | SI | |

Attachment 6

Public Notice Affidavit and Notice of Application Confirmations

APPLICATION FOR AUTHORIZATION TO INJECT

NOTICE IS HEREBY GIVEN: That Goodnight Midstream Permian, LLC, 5910 N Central Expressway, Unit 800, Dallas, TX 75206, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Hernandez SWD #1

Located 6.1 miles northwest of Eunice, NM

SE ½ SE ½, Section 10, Township 21S, Range 36E

326 FSL & 793' FEL

Lea County, NM

NAME AND DEPTH OF DISPOSAL ZONE: San Andres (4,200'- 5,300')

EXPECTED MAXIMUM INJECTION RATE: 42,000 Bbls/day

EXPECTED MAXIMUM INJECTION PRESSURE: 840 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Nate Alleman at 918-382-7581.

Affidavit of Publication

STATE OF NEW MEXICO COUNTY OF LEA

I, Daniel Russell, Publisher of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).

> Beginning with the issue dated May 09, 2023 and ending with the issue dated May 09, 2023.

Publisher

Sworn and subscribed to before me this 9th day of May 2023.

Missil.

Business Manager

My commission expires

January 29, 2027

STATE OF NEW MEXICO

NOTARY PUBLIC

GUSSIE RUTH BLACK

COMMISSION # 1087526

COMMISSION EXPIRES 01/29/2027

This newspaper is duly qualified to publish legal notices or advertisements within the meaning of Section 3, Chapter 167, Laws of 1937 and payment of fees for said

LEGAL NOTICE May 9, 2023

APPLICATION FOR AUTHORIZATION TO INJECT

NOTICE IS HEREBY GIVEN: That Goodnight Midstream Permian, LLC, 5910 N Central Expressway, Unit 800, Dallas, TX 75206, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION:

Hernandez SWD #1

Located 6.1 miles northwest of Eunice, NM SE 1/4 SE 1/4, Section 10, Township 21S.

Range 36E 326 FSL & 793' FEL Lea County, NM

NAME AND DEPTH OF DISPOSAL ZONE: San Andres (4,200'- 5,300') EXPECTED MAXIMUM INJECTION RATE: 42,000 Bbls/day EXPECTED MAXIMUM INJECTION PRESSURE: 840 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Nate Alleman at 918-382-#00278370

67115320

00278370

DANIEL ARTHUR
ALL CONSULTING
1718 S. CHEYENNE AVE.
TULSA, OK 74119

| Hernandez SWD #1 - Notice of Application Recipients | | | | | | | | | |
|---|--------------------------------|--------------|-------|----------|--|--|--|--|--|
| Entity | Address | City | State | Zip Code | | | | | |
| Land & Mineral Owner | | | | | | | | | |
| Millard Deck Estate, Terry Richey Trustee | | | | | | | | | |
| Senior Vice President - Sr. Trust Officer | 4800 East 42nd Street | Odessa | Texas | 79762 | | | | | |
| Southwest Bank Trust Department | | | | | | | | | |
| | OCD District | | | | | | | | |
| NMOCD District 1 | 1625 N. French Drive | Hobbs | NM | 88240 | | | | | |
| Leasehold Operators | | | | | | | | | |
| Apache Corporation | 2000 Post Oak Plyd Suite 150 | Houston | TX | 77056 | | | | | |
| (APACHE CORP) | 2000 Post Oak Blvd., Suite 150 | Houston | 17 | 77030 | | | | | |
| Bureau of Land Management | 620 E Greene St. | Carlsbad | NM | 88220 | | | | | |
| Chevron USA Inc. | 6301 Deauville Blvd. | Midland | TX | 79706 | | | | | |
| (CHEVRON U S A INC) | 6301 Deauville Biva. | iviidiand | 17 | 79700 | | | | | |
| ConocoPhillips Company (CONOCOPHILLPS CO) | 960 Plaza Office Bldg | Bartlesville | OK | 74004 | | | | | |
| Empire New Mexico LLC | 2200 S. Utice Pl., Suite 150 | Tulsa | OK | 74114 | | | | | |
| New Mexico State Land Office | 310 Old Sante Fe Trail | Sante Fe | NM | 87501 | | | | | |
| Penroc Oil Corportation | P.O. Box 2769 | Hobbs | NM | 88241 | | | | | |
| XTO Energy Inc. | 500 W. Illinois, Suite 100 | Midland | TX | 79701 | | | | | |
| ZPZ Delaware I, LLC | 2000 Post Oak Plyd Suits 100 | Houston | TV | 77056 | | | | | |
| (ZPZ DELAWARE I LLC) | 2000 Post Oak Blvd., Suite 100 | Houston | TX | 77056 | | | | | |

Notes: The table above shows the Entities who were identified as parties of interest requiring notification on either the 0.5-mile well detail list (Attachment 2) or on the 2-mile Mineral Lease Map (Attachment 2). The names listed above in parenthesis are the abbreviated entity names used on either the 0.5-mile well detail list (Attachment 2) or on the 2-mile Mineral Lease Map (Attachment 2).

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.



Place label at top of the center of the envelope and fold at dotted line.

ALL Consulting, LLC

Tulsa OK 74119

1718 S Cheyenne Ave

\$6.850 US POSTAGE FIRST-CLASS FROM 74119 MAY 15 2023 stamps stamps endicia

CERTIFIED MAIL® CERTIFIED MAIL®



®SERTIFIED MAIL®

CERTIFIED MAIL®

Apache Corporation 2000 POST OAK BLVD STE 150 HOUSTON TX 77056-4403



Chevron USA Inc. 6301 DEAUVILLE MIDLAND TX 79706-2964

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$6.850 POSTAGE US POSTAGE FROM 74119 MAY 15 2023 stamps FIRST-CLASS stamps endicia

©ERTIFIED MAIL®

ALL Consulting, LLC 1718 S Chevenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$6.850 JS POSTAGE FROM 74119 MAY 15 2023 US POSTAGE FIRST-CLASS MAY 15 2023 stamps stamps endicia

©ERTIFIED MAIL® CERTIFIED MAIL®



CERTIFIED MAIL®

9414 8118 9956 2266 3062 22



9414 8118 9956 2266 3068 02

Empire New Mexico LLC 2200 S UTICA PL STE 150 TULSA OK 74114-7015

Penroc Oil Corporation PO BOX 2769 HOBBS NM 88241-2769 ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.



Place label at top of the center of the envelope and fold at dotted line.

ALL Consulting, LLC

Tulsa OK 74119

1718 S Chevenne Ave



CERTIFIED MAIL® CERTIFIED MAIL®



CERTIFIED MAIL®

CERTIFIED MAIL®

9414 8118 9956 2266 3067 72

ZPZ Delaware, LLC 2000 POST OAK BLVD STE 100 HOUSTON TX 77056-4497



9414 8118 9956 2266 3069 32



ALL Consulting, LLC 1718 S Chevenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$6.850 US POSTAGE FIRST-CLASS FROM 74119 0628000866399 MAY 15 2023 stamps endicia

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$6.850 US POSTAGE US POSTAGE FIRST-CLASS FROM 74119 MAY 15 2023 stamps stamps endicia

©ERTIFIED MAIL® CERTIFIED MAIL®



9414 8118 9956 2266 3066 80



®ZIAM GEITITRED

CERTIFIED MAIL®

9414 8118 9956 2266 3061 09

XTO Energy Inc. 500 W ILLINOIS AVE STE 100 MIDLAND TX 79701-4337

New Mexico State Land Office 310 OLD SANTA FE TRL SANTA FE NM 87501-2708

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$6.850 US POSTAGE FIRST-CLASS FROM 74119 MAY 15 2023 stamps endicia

Place label at top of the center of the envelope and fold at dotted line.

ALL Consulting, LLC

1718 S Cheyenne Ave Tulsa OK 74119 \$6.850 US POSTAGE FIRST-CLASS FROM 74119 MAY 15 2023 stamps endicia

©ERTIFIED WAIL®



9414 8118 9956 2266 3060 55

Bureau of Land Management 620 E GREENE ST CARLSBAD NM 88220-6292

©ERTIFIED MAIL®



9414 8118 9956 2266 3063 69

CococoPhillips Company PO BOX 2197 HOUSTON TX 77252-2197

ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$6.850 US POSTAGE FIRST-CLASS FROM 74119 MAY 15 2023 stamps endicia

©ERTIFIED MAIL®



9414 8118 9956 2266 3064 51

NMOCD District 1 1625 N FRENCH DR HOBBS NM 88240-9273 ALL Consulting, LLC 1718 S Cheyenne Ave Tulsa OK 74119

Place label at top of the center of the envelope and fold at dotted line.

\$6.850 US POSTAGE FIRST-CLASS FROM 74119 MAY 15 2023 stamps endicia

®JIAM DAILIED WAIL®



9414 8118 9956 2266 2154 87

Millard Deck Estate, Terry Richey Senior VP - Sr. Trust Officer Southwest Bank Trust Department 4800 E 42ND ST STE 100 ODESSATX 79762-7214





ConocoPhillips Company PO BOX 2197 HOUSTON TX 77252-2197

Attachment 7

Signed No Hydrological Connection Statement



Steve Drake V.P. Geology and Reservoir Engineering Goodnight Midstream, LLC 5910 North Central Expressway, Suite 850 Dallas, Texas 75206

RE: Goodnight Midstream, LLC Hernandez SWD well permit

Lot P, Section 10, Township 21S Range 36E Lea County, New Mexico

Goodnight Midstream conducted a hydrogeologic investigation related to the proposed injection well. The scope of the investigation was to determine if there is any hydrologic connection between the proposed injection interval and any sources of underground drinking water.

Goodnight geologist performed an analysis of subsurface well log data. It is our conclusion that there is no evidence of faulting in the data we evaluated at the depths that are being considered. There are small scale flexures which may or may not be associated with small scale faults. None of these flexures extend above the Wolfcamp unconformity and are not seen in the Leonard intervals.

Goodnight acquired and evaluated 3D seismic to the west but does not cover the lands that this salt water disposal well is located upon. This data shows the geologic setting in the area. No faults are seen in the Artesia Group, San Andres, Glorieta, or Leonard series. The San Andres contains small scale flexures and changes in seismic velocity that may indicate karsting. These flexures and velocity anomalies are being used to target disposal reservoir opportunities. The Grayburg thickens over the San Andres sag. There is also a thickening of the Yates relative to the low in the San Andres. These stratigraphic changes do not indicate the presence of faulting and there is no communication between these intervals.

Water has been disposed into the San Andres in this area since 1966. There is a good record of pressure separation. Production from the Artesia group has proceeded without interruption or encroachment from San Andres disposal for more than 50 years. Containment and isolation from the hydrocarbon intervals would then also be isolated from any sources of fresh water above.

We see no evidence of faulting that would extend to or form a connection between the injection zone and any underground sources of drinking water.

Steve Drake

V.P. Geology and Reservoir Engineering

Goodnight Midstream, LLC

4/6/2023