

**STATE OF NEW MEXICO  
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT  
OIL CONSERVATION DIVISION**

**APPLICATION OF OXY U.S.A. INC. AND  
OCCIDENTAL PERMIAN, LTD FOR A  
CLOSED LOOP GAS CAPTURE PILOT  
PROJECT, EDDY COUNTY, NEW  
MEXICO.**

**CASE NO. 24983**

**NOTICE OF SUPPLEMENTAL EXHIBITS**

OXY USA Inc. and Occidental Permian, LTD, (collectively "OXY"), applicant in the above-referenced case, gives notice that it is filing the attached exhibit for acceptance into the record.

**Supplemental Exhibit J** is a list of the wells that OXY seeks to be included in the Pilot Project.

Respectfully submitted,

HOLLAND & HART LLP



---

Adam G. Rankin  
Paula M. Vance  
A. Raylee Starnes  
Post Office Box 2208  
Santa Fe, New Mexico 87504-2208  
(505) 988-4421  
(505) 983-6043 Facsimile  
agrarkin@hollandhart.com  
pmvance@hollandhart.com  
arstarnes@hollandhart.com

**ATTORNEYS FOR OXY U.S.A. INC. AND  
OCCIDENTAL PERMIAN LTD.**

**CERTIFICATE OF SERVICE**

I hereby certify that on March 6, 2026, I served a copy of the foregoing document to the following counsel of record via Electronic Mail to:

Deana Bennett  
Earl E. DeBrine, Jr.  
Modrall, Sperling, Roehl, Harris & Sisk, P.A.  
Post Office Box 2168  
Albuquerque, New Mexico 87103-2168  
(505) 848-1800  
*deana.bennett@modrall.com*  
*earl.debrine@modrall.com*

*Attorneys for Chevron U.S.A., Inc.*



Paula M. Vance

**BEFORE THE OIL CONSERVATION DIVISION  
EXAMINER HEARING MARCH 5, 2026**

**CASE NO. 24983**

*CEDAR CANYON CLOSED LOOP GAS CAPTURE*

*EDDY COUNTY, NEW MEXICO*



**STATE OF NEW MEXICO  
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT  
OIL CONSERVATION DIVISION**

**APPLICATION OF OXY U.S.A. INC. AND  
OCCIDENTAL PERMIAN, LTD FOR A  
CLOSED LOOP GAS CAPTURE PILOT  
PROJECT, EDDY COUNTY, NEW  
MEXICO.**

**CASE NO. 24983**

**TABLE OF CONTENTS**

- **OXY Exhibit A:** Application of OXY USA Inc. for CLGC
- **OXY Exhibit B:** Additional Slides and Figures
  - OXY Exhibit B-1: General Documents (Draft OCD Exhibits, Gun Barrel Diagrams, and Summary of Pilot Projects)
  - OXY Exhibit B-2: Resume, Charles Polgar (Geologist)
  - OXY Exhibit B-3: Reservoir (Gas Storage Capacity and Estimated SRV Size)
- **OXY Exhibit C:** Statements
  - OXY Exhibit C-1: Stephen Janacek, Petroleum Engineer
  - OXY Exhibit C-2: Chuck Polgar, Petroleum Geologist
  - OXY Exhibit C-3: Rahul Joshi, Reservoir Engineer
- **OXY Exhibit D:** Self-Affirmed Statement of Notice
- **OXY Exhibit E:** Affidavit of Publication
- **OXY Supplemental Exhibit F:** Type-Log (Second Bone Spring)
- **OXY Supplemental Exhibit G:** Revised AOR Table (CLGC & EOR Projects)
- **OXY Supplemental Exhibit H:** Offset Map – Cedar Canyon 21 Fed Com #012H
- **OXY Supplemental Exhibit I:** Audit and Proposed Changes to Project Area
- **OXY Supplemental Exhibit J:** Well List for Pilot Project

**EXHIBIT A:  
\*\*SEE FILED APPLICATION\*\***



**BEFORE THE OIL CONSERVATION DIVISION**

**Santa Fe, New Mexico**

**Exhibit No. A**

**Submitted by: Oxy USA Inc. & Occidental Permian LTD**

**Hearing Date: March 5, 2026**

**Case No. 24983**

# **EXHIBIT B: ADDITIONAL SLIDES & FIGURES**



**BEFORE THE OIL CONSERVATION DIVISION**

**Santa Fe, New Mexico**

**Exhibit No. B**

**Submitted by: Oxy USA Inc. & Occidental Permian LTD**

**Hearing Date: March 5, 2026**

**Case No. 24983**

DECEMBER 2024



# CLOSED LOOP GAS CAPTURE PILOT PROJECT (CLGC)

## CEDAR CANYON 2024

---

General Documents

BEFORE THE OIL CONSERVATION DIVISION  
Santa Fe, New Mexico  
Exhibit No. B-1  
Submitted by: Oxy USA Inc. & Occidental Permian LTD  
Hearing Date: March 5, 2026  
Case No. 24983

HEARING EXHIBITS

### Draft OCD Exhibit A

<b>Order Number:</b>	NA
<b>Operator:</b>	Oxy USA, Inc. (16696); Occidental Permian, LTD. (157984)

#### Project Pools

Pool Name:	Pool Code:
CEDAR CANYON; BONE SPRING	11520
CORRAL DRAW, BONE SPRING	96238
PIERCE CROSSING; BONE SPRING	50371
PIERCE CROSSING; BONE SPRING, EAST	96473

#### Project Area (NMPM)

UL or Q/Q:	S-T-R:
All	3-24S-29E
W/2	6-24S-29E
W/2 and SW/4	7-24S-29E
W/2	8-24S-29E
All	10-24S-29E
All	15-24S-29E
S/2	16-24S-29E
NW/4 and S/2	17-24S-29E
All	20-24S-29E
All	21-24S-29E
All	22-24S-29E
All	23-24S-29E
N/2 NW/4	24-24S-29E
N/2 and N/2 S/2	27-24S-29E
All	28-24S-29E
All	29-24S-29E

#### CLGC Wells


AOR ID	Well API:	Well Name:	UL or Q/Q:	S-T-R:	Pool:
1	30-015-39968	MORGAN FEE COM 001H	S/2 OF S/2	21-24S-29E	CORRAL DRAW, BONE SPRING
2	30-015-41194	CEDAR CANYON 23 002H	S/2 OF S/2	23-24S-29E	PIERCE CROSSING; BONE SPRING
3	30-015-42993	CEDAR CANYON 29 FEDERAL COM 003H	S/2 OF N/2	29-24S-29E	PIERCE CROSSING; BONE SPRING
4	30-015-43232	CEDAR CANYON 27 FEDERAL 006H	N/2 OF S/2	27-24S-29E	PIERCE CROSSING; BONE SPRING, EAST
5	30-015-43234	CEDAR CANYON 28 FEDERAL 006H	N/2 OF S/2	26-24S-29E	PIERCE CROSSING; BONE SPRING, EAST
6	30-015-43238	CEDAR CANYON 28 FEDERAL 007H	S/2 OF S/2	28-24S-29E	PIERCE CROSSING; BONE SPRING, EAST
7	30-015-43282	CEDAR CANYON 23 FEDERAL 005H	N/2 OF N/2	23-24S-29E	PIERCE CROSSING; BONE SPRING, EAST
			C, D	24-24S-29E	PIERCE CROSSING; BONE SPRING, EAST
8	30-015-43708	CEDAR CANYON 22 FEDERAL COM 004H	N/2 OF S/2	22-24S-29E	PIERCE CROSSING; BONE SPRING, EAST
9	30-015-43749	CEDAR CANYON 21 FEDERAL COM 005H	N/2 OF S/2	21-24S-29E	CORRAL DRAW, BONE SPRING
1	30-015-43775	CEDAR CANYON 27 FEDERAL COM 005H	S/2 OF N/2	27-24S-29E	PIERCE CROSSING; BONE SPRING, EAST
11	30-015-44181	CEDAR CANYON 21 FEDERAL COM 021H	N/2 OF N/2	21-24S-29E	CORRAL DRAW, BONE SPRING
12	30-015-44190	CEDAR CANYON 21 FEDERAL COM 022H	S/2 OF N/2	21-24S-29E	CORRAL DRAW, BONE SPRING
13	30-015-44522	CEDAR CANYON 29 FEDERAL COM 025H	N/2 OF S/2	29-24S-29E	PIERCE CROSSING; BONE SPRING
14	30-015-44523	CEDAR CANYON 29 FEDERAL 026H	S/2 OF S/2	29-24S-29E	PIERCE CROSSING; BONE SPRING
15	30-015-44945	SALT RIDGE CC 20 17 FEDERAL COM 021H	L, M	17-24S-29E	PIERCE CROSSING; BONE SPRING
			W/2 OF W/2	20-24S-29E	PIERCE CROSSING; BONE SPRING
16	30-015-45551	LENGTH CC 6 7 FEDERAL COM 023H	W/2	6-24S-29E	PIERCE CROSSING; BONE SPRING
			W/2	7-24S-29E	PIERCE CROSSING; BONE SPRING
17	30-015-47957	TAILS CC 10 3 FEDERAL COM 022H	ALL	3-24S-29E	PIERCE CROSSING; BONE SPRING, EAST
			N/2	10-24S-29E	PIERCE CROSSING; BONE SPRING, EAST
			S/2	10-24S-29E	CEDAR CANYON; BONE SPRING
18	30-015-47975	VAGABOND CC 8 17 FEDERAL COM 023H	C, F	8-24S-29E	CEDAR CANYON; BONE SPRING
			K, N	8-24S-29E	PIERCE CROSSING; BONE SPRING, EAST
			C, F	17-24S-29E	PIERCE CROSSING; BONE SPRING

### Draft OCD Exhibit B

ORDER NUMBER	NA					
OPERATOR	Oxy USA, Inc. (16696); Occidental Permian, LTD. (157984)					
GAS STORAGE CANDIDATE WELLS AND OFFSET WELLS						
CANDIDATE AOR ID #	WELL API:	WELL NAME:	UPPER CONFINING LAYER	OFFSET AOR ID NUMBER	OFFSET WELL API #:	OFFSET WELL NAME:
1	30-015-39968	MORGAN FEE COM 001H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	9	30-015-43749	CEDAR CANYON 21 FEDERAL COM 005H
				11	30-015-44181	CEDAR CANYON 21 FEDERAL COM 021H
				12	30-015-44190	CEDAR CANYON 21 FEDERAL COM 022H
				87	30-015-44191	CEDAR CANYON 21 FEDERAL COM 023H
2	30-015-41194	CEDAR CANYON 23 002H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	7	30-015-43282	CEDAR CANYON 23 FEDERAL 005H
				61	30-015-43281	CEDAR CANYON 23 FEDERAL 004H
				62	30-015-43290	CEDAR CANYON 23 FEDERAL 003H
				79	30-015-44095	CEDAR CANYON 23 FEDERAL COM 006H
3	30-015-42993	CEDAR CANYON 29 FEDERAL COM 003H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	13	30-015-44522	CEDAR CANYON 29 FEDERAL COM 025H
				14	30-015-44523	CEDAR CANYON 29 FEDERAL 026H
				63	30-015-43601	CEDAR CANYON 29 FEDERAL 021H
				94	30-015-44521	CEDAR CANYON 29 FEDERAL COM 024H
				225	30-015-42992	CEDAR CANYON 29 FEDERAL COM 002H
4	30-015-43232	CEDAR CANYON 27 FEDERAL 006H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	10	30-015-43775	CEDAR CANYON 27 FEDERAL COM 005H
				60	30-015-43233	CEDAR CANYON 27 FEDERAL 007H
5	30-015-43234	CEDAR CANYON 28 FEDERAL 006H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	6	30-015-43238	CEDAR CANYON 28 FEDERAL 007H
				70	30-015-43819	CEDAR CANYON 28 FEDERAL COM 008H
				78	30-015-44016	CEDAR CANYON 28 FEDERAL 009H
6	30-015-43238	CEDAR CANYON 28 FEDERAL 007H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	5	30-015-43234	CEDAR CANYON 28 FEDERAL 006H
				70	30-015-43819	CEDAR CANYON 28 FEDERAL COM 008H
				78	30-015-44016	CEDAR CANYON 28 FEDERAL 009H
7	30-015-43282	CEDAR CANYON 23 FEDERAL 005H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	2	30-015-41194	CEDAR CANYON 23 002H
				61	30-015-43281	CEDAR CANYON 23 FEDERAL 004H
				62	30-015-43290	CEDAR CANYON 23 FEDERAL 003H
				79	30-015-44095	CEDAR CANYON 23 FEDERAL COM 006H
8	30-015-43708	CEDAR CANYON 22 FEDERAL COM 004H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	50	30-015-41327	CEDAR CANYON 22 002H
				64	30-015-43642	CEDAR CANYON 22 FEDERAL 021H
				67	30-015-43758	CEDAR CANYON 22 FEDERAL COM 005H
9	30-015-43749	CEDAR CANYON 21 FEDERAL COM 005H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	1	30-015-39968	MORGAN FEE COM 001H
				11	30-015-44181	CEDAR CANYON 21 FEDERAL COM 021H
				12	30-015-44190	CEDAR CANYON 21 FEDERAL COM 022H
				87	30-015-44191	CEDAR CANYON 21 FEDERAL COM 023H
10	30-015-43775	CEDAR CANYON 27 FEDERAL COM 005H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	4	30-015-43232	CEDAR CANYON 27 FEDERAL 006H
				60	30-015-43233	CEDAR CANYON 27 FEDERAL 007H
11	30-015-44181	CEDAR CANYON 21 FEDERAL COM 021H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	1	30-015-39968	MORGAN FEE COM 001H
				9	30-015-43749	CEDAR CANYON 21 FEDERAL COM 005H
				12	30-015-44190	CEDAR CANYON 21 FEDERAL COM 022H
				87	30-015-44191	CEDAR CANYON 21 FEDERAL COM 023H
12	30-015-44190	CEDAR CANYON 21 FEDERAL COM 022H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	1	30-015-39968	MORGAN FEE COM 001H
				9	30-015-43749	CEDAR CANYON 21 FEDERAL COM 005H
				11	30-015-44181	CEDAR CANYON 21 FEDERAL COM 021H
				87	30-015-44191	CEDAR CANYON 21 FEDERAL COM 023H
13	30-015-44522	CEDAR CANYON 29 FEDERAL COM 025H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	3	30-015-42993	CEDAR CANYON 29 FEDERAL COM 003H
				14	30-015-44523	CEDAR CANYON 29 FEDERAL 026H
				63	30-015-43601	CEDAR CANYON 29 FEDERAL 021H
				94	30-015-44521	CEDAR CANYON 29 FEDERAL COM 024H
				225	30-015-42992	CEDAR CANYON 29 FEDERAL COM 002H

14	30-015-44523	CEDAR CANYON 29 FEDERAL 026H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	3	30-015-42993	CEDAR CANYON 29 FEDERAL COM 003H
				13	30-015-44522	CEDAR CANYON 29 FEDERAL COM 025H
				63	30-015-43601	CEDAR CANYON 29 FEDERAL 021H
				94	30-015-44521	CEDAR CANYON 29 FEDERAL COM 024H
				225	30-015-42992	CEDAR CANYON 29 FEDERAL COM 002H
15	30-015-44945	SALT RIDGE CC 20 17 FEDERAL COM 021H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	92	30-015-44519	CEDAR CANYON 20 FEDERAL COM 025H
				93	30-015-44520	CEDAR CANYON 20 FEDERAL COM 026H
				95	30-015-44545	CEDAR CANYON 20 FEDERAL COM 024H
				96	30-015-44947	SALT RIDGE CC 20 17 FEDERAL COM 023H
16	30-015-45551	LENGTH CC 6 7 FEDERAL COM 023H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	111	30-015-45552	LENGTH CC 6 7 FEDERAL COM 024H
				112	30-015-45553	LENGTH CC 6 7 FEDERAL COM 021H
				118	30-015-45565	LENGTH CC 6 7 FEDERAL COM 022H
				119	30-015-45566	LENGTH CC 6 7 FEDERAL COM 025H
				120	30-015-45567	LENGTH CC 6 7 FEDERAL COM 026H
17	30-015-47957	TAILS CC 10 3 FEDERAL COM 022H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	137	30-015-47958	TAILS CC FEDERAL COM 021H
				138	30-015-47959	TAILS CC FEDERAL COM 026H
				139	30-015-47960	TAILS CC FEDERAL COM 025H
				140	30-015-47961	TAILS CC FEDERAL COM 024H
18	30-015-47975	VAGABOND CC 8 17 FEDERAL COM 023H	2ND BONE SPRING LIMESTONE ABOVE SECOND BONE SPRING SANDSTONE	141	30-015-47972	VAGABOND CC 8 17 FEDERAL COM 024H
				142	30-015-47974	VAGABOND CC 8 17 FEDERAL COM 025H
				143	30-015-47978	VAGABOND CC 8 17 FEDERAL COM 022H

# GBV: T24S R29E SECTIONS 3-10, 2<sup>ND</sup> BONE SPRING




**Key:**

- Proposed Gas Storage Well
- Offset Active 2BS Well with AOR ID #

Well ID	API NUMBER	Current Operator	LEASE NAME	WELL NUMBER
17	30-015-47957	OXY USA INC	TAILS CC 10 3 FEDERAL COM	022H
137	30-015-47958	OXY USA INC	TAILS CC 10 3 FEDERAL COM	021H
138	30-015-47959	OXY USA INC	TAILS CC 10 3 FEDERAL COM	026H
139	30-015-47960	OXY USA INC	TAILS CC 10 3 FEDERAL COM	025H
140	30-015-47961	OXY USA INC	TAILS CC 10 3 FEDERAL COM	024H

# GBV: T24S R29E SECTIONS 6-7, 2<sup>ND</sup> BONE SPRING




**Key:**

- Proposed Gas Storage Well
- Offset Active 2BS Well with AOR ID #

Well ID	API NUMBER	Current Operator	LEASE NAME	WELL NUMBER
16	30-015-45551	OXY USA INC	LENGTH CC 6 7 FEDERAL COM	023H
111	30-015-45552	OXY USA INC	LENGTH CC 6 7 FEDERAL COM	024H
112	30-015-45553	OXY USA INC	LENGTH CC 6 7 FEDERAL COM	021H
118	30-015-45565	OXY USA INC	LENGTH CC 6 7 FEDERAL COM	022H
119	30-015-45566	OXY USA INC	LENGTH CC 6 7 FEDERAL COM	025H
120	30-015-45567	OXY USA INC	LENGTH CC 6 7 FEDERAL COM	026H

# GBV: T24S R29E SECTIONS 8 - N/2 17, 2<sup>ND</sup> BONE SPRING




	West			East			
1BS							<u>Landing Depth</u>
2BS	143 ● 980' FWL	18 ● 2043' FWL	141 ● 2017' FEL	142 ● 820' FEL			8,352' TVD
3BS HKY /							8,925' TVD

- Key:**
- 1320' FWL
  - 2640' FWL
  - 1320' FEL
  - Proposed Gas Storage Well
  - Offset Active 2BS Well with AOR ID #

Well ID	API NUMBER	Current Operator	LEASE NAME	WELL NUMBER
18	30-015-47975	OXY USA INC	VAGABOND CC 8 17 FEDERAL COM	023H
141	30-015-47972	OXY USA INC	VAGABOND CC 8 17 FEDERAL COM	024H
142	30-015-47974	OXY USA INC	VAGABOND CC 8 17 FEDERAL COM	025H
143	30-015-47978	OXY USA INC	VAGABOND CC 8 17 FEDERAL COM	022H

# GBV: T24S R29E SECTIONS S/2 17 - 20, 2<sup>ND</sup> BONE SPRING





	West				East	Landing Depth
1BS						
2BS	15  380' FWL	96  1690' FWL	95  2243' FEL	92  1434' FEL	93  490' FEL	8,259' TVD  8,917' TVD
3BS HKY /						

- Key:**
- Proposed Gas Storage Well
  - Offset Active 2BS Well with AOR ID #
- 1320' FWL                      2640' FWL                      1320' FEL

Well ID	API NUMBER	Current Operator	LEASE NAME	WELL NUMBER
15	30-015-44945	OXY USA INC	SALT RIDGE CC 20 17 FEDERAL COM	021H
92	30-015-44519	OXY USA INC	CEDAR CANYON 20 FEDERAL COM	025H
93	30-015-44520	OXY USA INC	CEDAR CANYON 20 FEDERAL COM	026H
95	30-015-44545	OXY USA INC	CEDAR CANYON 20 FEDERAL COM	024H
96	30-015-44947	OXY USA INC	SALT RIDGE CC 20 17 FEDERAL COM	023H

# GBV: T24S R29E SECTION 21, 2<sup>ND</sup> BONE SPRING



**Key:**



- Proposed Gas Storage Well
- Offset Active 2BS Well with AOR ID #

Well ID	API NUMBER	Current Operator	LEASE NAME	WELL NUMBER
1	30-015-39968	OCCIDENTAL PERMIAN LTD	MORGAN FEE COM	001H
9	30-015-43749	OXY USA INC	CEDAR CANYON 21 FEDERAL COM	005H
11	30-015-44181	OXY USA INC	CEDAR CANYON 21 FEDERAL COM	021H
12	30-015-44190	OXY USA INC	CEDAR CANYON 21 FEDERAL COM	022H
87	30-015-44191	OXY USA INC	CEDAR CANYON 21 FEDERAL COM	023H

# GBV: T24S R29E SECTION 22, 2<sup>ND</sup> BONE SPRING

North

South




**Key:**

- Proposed Gas Storage Well
- Offset Active 2BS Well with AOR ID #

Well ID	API NUMBER	Current Operator	LEASE NAME	WELL NUMBER
8	30-015-43708	OXY USA INC	CEDAR CANYON 22 FEDERAL COM	004H
50	30-015-41327	OXY USA INC	CEDAR CANYON 22	002H
64	30-015-43642	OXY USA INC	CEDAR CANYON 22 FEDERAL	021H
67	30-015-43758	OXY USA INC	CEDAR CANYON 22 FEDERAL COM	005H


# GBV: T24S R29E SECTIONS 23-24, 2<sup>ND</sup> BONE SPRING




**Key:**

- Proposed Gas Storage Well
- Offset Active 2BS Well with AOR ID #

Well ID	API NUMBER	Current Operator	LEASE NAME	WELL NUMBER
2	30-015-41194	OXY USA INC	CEDAR CANYON 23	002H
7	30-015-43282	OXY USA INC	CEDAR CANYON 23 FEDERAL	005H
61	30-015-43281	OXY USA INC	CEDAR CANYON 23 FEDERAL	004H
62	30-015-43290	OXY USA INC	CEDAR CANYON 23 FEDERAL	003H
79	30-015-44095	OXY USA INC	CEDAR CANYON 23 FEDERAL COM	006H



# GBV: T24S R29E SECTION 27, 2<sup>ND</sup> BONE SPRING





**Key:**

-  Proposed Gas Storage Well
-  Offset Active 2BS Well with AOR ID #

Well ID	API NUMBER	Current Operator	LEASE NAME	WELL NUMBER
4	30-015-43232	OXY USA INC	CEDAR CANYON 27 FEDERAL	006H
10	30-015-43775	OXY USA INC	CEDAR CANYON 27 FEDERAL COM	005H
60	30-015-43233	OXY USA INC	CEDAR CANYON 27 FEDERAL	007H

# GBV: T24S R29E SECTION 28, 2<sup>ND</sup> BONE SPRING





**Key:**

- Proposed Gas Storage Well
- Offset Active 2BS Well with AOR ID #

Well ID	API NUMBER	Current Operator	LEASE NAME	WELL NUMBER
5	30-015-43234	OXY USA INC	CEDAR CANYON 28 FEDERAL	006H
6	30-015-43238	OXY USA INC	CEDAR CANYON 28 FEDERAL	007H
70	30-015-43819	OXY USA INC	CEDAR CANYON 28 FEDERAL COM	008H
78	30-015-44016	OXY USA INC	CEDAR CANYON 28 FEDERAL	009H

# GBV: T24S R29E SECTION 29, 2<sup>ND</sup> BONE SPRING



**Key:**

- Proposed Gas Storage Well
- Offset Active 2BS Well with AOR ID #

Well ID	API NUMBER	Current Operator	LEASE NAME	WELL NUMBER
3	30-015-42993	OXY USA INC	CEDAR CANYON 29 FEDERAL COM	003H
13	30-015-44522	OXY USA INC	CEDAR CANYON 29 FEDERAL COM	025H
14	30-015-44523	OXY USA INC	CEDAR CANYON 29 FEDERAL	026H
63	30-015-43601	OXY USA INC	CEDAR CANYON 29 FEDERAL	021H
94	30-015-44521	OXY USA INC	CEDAR CANYON 29 FEDERAL COM	024H
225	30-015-42992	OXY USA INC	CEDAR CANYON 29 FEDERAL COM	002H

# SUMMARY OF PILOT PROJECTS

- Table summarizes Oxy’s CLGC projects.

★ Oxy submitted 3 Pilot Project Summary Reports for 7 CLGC wells.

- The project summary reports show:
  - Data for 107 Gas Storage Events
  - Compliance with MITs, well testing, and monitoring
  - No indication of
    - mechanical integrity issues,
    - out-of-zone injection, or
    - impact on oil or gas production

Oxy New Mexico CLGC Projects							
Project Area	Case Number	Order Number	First Storage Event Date	Project Summary Report Submission Date	Wells Pending Permit	Wells Permitted	Wells Permitted and Active
★ Red Tank (Avogato, Taco Cat, Expansion)	22088, 22089, 23427	R-22101, R-22102, R-22101-A	5/9/2022	4/4/2024, 4/4/2024	0	15	4
★ Mesa Verde	22087	R-22106	6/27/2022	4/15/2024	0	6	3
Cal Mon / Iridium (NC)	22151	R-22207	8/29/2022		0	7	4
Patton (SC)	22152	R-22208	8/29/2022		0	11	6
Cedar Canyon 2021	22150	R-22206	4/30/2023		0	3	1
Corral	23501	R-22911	7/28/2024		0	12	8
Lost Tank	23633	<i>pending approval</i>			8	0	0
Turkey Track	23679	<i>pending approval</i>			12	0	0
Cedar Canyon 2024					18	0	0
<b>Total</b>					<b>38</b>	<b>54</b>	<b>26</b>

- Issues identified and resolved during Pilot Projects:
  - Well tester issue → [Repaired tester](#)
  - Well testing frequency → [Communicated requirements with operations](#)
  - Applying the GOR Gas Allocation Method per OCD requirement was more complex than anticipated → [During storage events, Oxy decided to become purchaser of the storage gas. After storage events, Oxy pays royalties and taxes on all gas produced less gas lift gas.](#)



DECEMBER 2024



# CLOSED LOOP GAS CAPTURE PILOT PROJECT (CLGC)

## CEDAR CANYON 2024

---

Geology

HEARING EXHIBITS

BEFORE THE OIL CONSERVATION DIVISION  
Santa Fe, New Mexico  
Exhibit No. B-2  
Submitted by: Oxy USA Inc. & Occidental Permian LTD  
Hearing Date: March 5, 2026  
Case No. 24983

# BACKGROUND- CHARLES POLGAR

- Work Experience

- Senior Development Geologist – Occidental Petroleum – Houston, Texas 3/2024 – Present
- Senior Production Geologist – Occidental Petroleum – Houston, Texas 2/2022 – 3/2024
- Staff Operations Geologist – Occidental Petroleum – Houston, Texas 9/2018 – 2/2022
- Senior Operations Geologist – Southwestern Energy Co. – Houston, Texas 4/2017 – 8/2018
- Geologist, Contractor – BHL Consulting – Houston, Texas 8/2016 – 3/2017
- Senior Operations Geologist – Southwestern Energy Co. – Houston, Texas 10/2014 – 3/2016
- Geosteering Geologist - Chesapeake Energy Inc. – Oklahoma City, OK 2/2014 – 10/2014
- Supervisor of Field Operations - Chesapeake Energy Inc. – OH, WV, PA 11/2011 - 2/2014
- Field Geologist, Team Leader - Horizon Well Logging LLC – Tulsa, Oklahoma 1/2010 - 11/2011

- Education

- Master of Science, Petroleum Geology– University of Houston – Houston, Texas 5/2018
- Bachelor of Science - State University of New York at Fredonia - Fredonia, New York 5/2008
  - Major – Geophysics
  - Minor – Geographic Information Systems (GIS)

DECEMBER 2024



# CLOSED LOOP GAS CAPTURE PILOT PROJECT (CLGC)

## CEDAR CANYON 2024

---

Reservoir

HEARING EXHIBITS

BEFORE THE OIL CONSERVATION DIVISION  
Santa Fe, New Mexico  
Exhibit No. B-3  
Submitted by: Oxy USA Inc. & Occidental Permian LTD  
Hearing Date: March 5, 2026  
Case No. 24983

# GAS STORAGE CAPACITY

API	Well	Fracture Gas Volume (MMSCF)
3001539968	MORGAN FEE 1H	31
3001541194	CEDAR CANYON 23 2H	45
3001542993	CEDAR CANYON 29 FEDERAL COM 3H	118
3001543232	CEDAR CANYON 27 FEDERAL 6H	56
3001543234	CEDAR CANYON 28 FEDERAL 6H	57
3001543238	CEDAR CANYON 28 FEDERAL 7H	67
3001543282	CEDAR CANYON 23 FEDERAL 5H	92
3001543708	CEDAR CANYON 22 FEDERAL COM 4H	166
3001543749	CEDAR CANYON 21 FEDERAL COM 5H	126
3001543775	CEDAR CANYON 27 FEDERAL COM 5H	157
3001544181	CEDAR CANYON 21 FEDERAL COM 21H	120
3001544190	CEDAR CANYON 21 FEDERAL COM 22H	118
3001544522	CEDAR CANYON 29 FEDERAL COM 25H	99
3001544523	CEDAR CANYON 29 FEDERAL COM 26H	99
3001544945	SALT RIDGE CC20 17 FEDERAL COM 21H	178
3001545551	LENGTH CC6 7 FEDERAL COM 23H	161
3001547957	TAILS CC 10 3 FEDERAL COM 22H	265
3001547975	VAGABOND CC 8 17 FEDERAL COM 23H	237

# ESTIMATED SRV SIZE

API	Well	Avg Xf (ft)	Avg H (ft)	Well Length (ft)	SRV, ft3
3001539968	MORGAN FEE 1H	345	390	5000	1,345,500,000
3001541194	CEDAR CANYON 23 2H	345	390	5000	1,345,500,000
3001542993	CEDAR CANYON 29 FEDERAL COM 3H	345	390	5000	1,345,500,000
3001543232	CEDAR CANYON 27 FEDERAL 6H	345	390	5000	1,345,500,000
3001543234	CEDAR CANYON 28 FEDERAL 6H	345	390	5000	1,345,500,000
3001543238	CEDAR CANYON 28 FEDERAL 7H	345	390	5000	1,345,500,000
3001543282	CEDAR CANYON 23 FEDERAL 5H	345	390	7500	2,018,250,000
3001543708	CEDAR CANYON 22 FEDERAL COM 4H	345	390	5000	1,345,500,000
3001543749	CEDAR CANYON 21 FEDERAL COM 5H	345	390	5000	1,345,500,000
3001543775	CEDAR CANYON 27 FEDERAL COM 5H	345	390	5000	1,345,500,000
3001544181	CEDAR CANYON 21 FEDERAL COM 21H	345	390	5000	1,345,500,000
3001544190	CEDAR CANYON 21 FEDERAL COM 22H	345	390	5000	1,345,500,000
3001544522	CEDAR CANYON 29 FEDERAL COM 25H	345	390	5000	1,345,500,000
3001544523	CEDAR CANYON 29 FEDERAL COM 26H	345	390	5000	1,345,500,000
3001544945	SALT RIDGE CC20 17 FEDERAL COM 21H	345	390	7500	2,018,250,000
3001545551	LENGTH CC6 7 FEDERAL COM 23H	345	390	10000	2,691,000,000
3001547957	TAILS CC 10 3 FEDERAL COM 22H	345	390	10000	2,691,000,000
3001547975	VAGABOND CC 8 17 FEDERAL COM 23H	345	390	7500	2,018,250,000

# EXHIBIT C: STATEMENTS



BEFORE THE OIL CONSERVATION DIVISION  
Santa Fe, New Mexico  
Exhibit No. C  
Submitted by: Oxy USA Inc. & Occidental Permian LTD  
Hearing Date: March 5, 2026  
Case No. 24983

**STATE OF NEW MEXICO  
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT  
OIL CONSERVATION DIVISION**

**APPLICATION OF OXY USA INC. FOR A  
CLOSED LOOP GAS CAPTURE INJECTION  
PILOT PROJECT, EDDY COUNTY, NEW  
MEXICO.**

**CASE NO. 24983**

**SELF-AFFIRMED STATEMENT OF STEPHEN JANACEK**

1. My name is Stephen Janacek, and I am employed by OXY USA Inc. (“OXY”) as a petroleum engineer.
2. I have previously testified before the New Mexico Oil Conservation Division as an expert witness in petroleum engineering.
3. I am familiar with the application filed by OXY in this case, and the Division guidance and requirements regarding closed loop gas capture injection projects (CLGC Project) such as this one. I also prepared exhibits in support of this application from pages 1 through 103 and 124 through 126 in *Exhibit A* to OXY’s application in this case.
4. In this case, OXY seeks an order approving the 8,240-acre, more or less, project area for this pilot project. See *Exhibit A* to the Application, at page 5. The proposed project area is part of a larger area referred to as the Cedar Canyon area. A locator map identifying the general location of OXY’s proposed Cedar Canyon CLGC Project is included in *Exhibit A* to the Application, at page 5.
5. OXY requests an initial project duration of two years. OXY also requests the ability to administratively extend the project without the need for a hearing.

**BEFORE THE OIL CONSERVATION DIVISION  
Santa Fe, New Mexico  
Exhibit No. C-1  
Submitted by: Oxy USA Inc. & Occidental Permian LTD  
Hearing Date: March 5, 2026  
Case No. 24983**

6. Within the proposed project area, OXY seeks authority to utilize the following producing wells to occasionally inject produced gas into the Bone Spring formation, as identified on the project locator map, included at page 5 of *Exhibit A* to the Application:

- The **Morgan Fee Com #1H** (API No. 30-015-39968) with surface hole location 1,035 feet FSL and 455 feet FWL (Unit M) in Section 21, Township 24 South, Range 29 East, and a bottom hole location 651 feet FSL and 349 feet FEL (Unit P) in Section 21, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Cedar Canyon 23 #2H** (API No. 30-015-41194) with surface hole location 650 feet FSL and 660 feet FWL (Unit M) in Section 23, Township 24 South, Range 29 East, and a bottom hole location 725 feet FSL and 160 feet FEL (Unit P) in Section 23, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Cedar Canyon 29 Federal Com #3H** (API No. 30-015-42993) with surface hole location 1,990 feet FNL and 210 feet FEL (Unit H) in Section 29, Township 24 South, Range 29 East, and a bottom hole location 2,205 feet FNL and 170 feet FWL (Unit E) in Section 29, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Cedar Canyon 27 Federal #6H** (API No. 30-015-43232) with surface hole location 1,850 feet FSL and 240 feet FEL (Unit I) in Section 28, Township 24 South, Range 29 East, and a bottom hole location 1,755 feet FSL and 250 feet FEL (Unit I) in Section 27, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Cedar Canyon 28 Federal #6H** (API No. 30-015-43234) with surface hole location 1,820 feet FSL and 240 feet FEL (Unit I) in Section 28, Township 24

South, Range 29 East, and a bottom hole location 1,692 feet FSL and 229 feet FWL (Unit L) in Section 28, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.

- The **Cedar Canyon 28 Federal #7H** (API No. 30-015-43238) with surface hole location 1,760 feet FSL and 240 feet FEL (Unit I) in Section 28, Township 24 South, Range 29 East, and a bottom hole location 874 feet FSL and 208 feet FWL (Unit M) in Section 28, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Cedar Canyon 23 Federal #5H** (API No. 30-015-43282) with surface hole location 1,317 feet FNL and 195 feet FEL (Unit A) in Section 22, Township 24 South, Range 29 East, and a bottom hole location 471 feet FNL and 2,406 feet FWL (Unit C) in Section 24, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Cedar Canyon 22 Federal Com #4H** (API No. 30-015-43708) with surface hole location 2,540 feet FSL and 260 feet FEL (Unit I) in Section 22, Township 24 South, Range 29 East, and a bottom hole location 2,567 feet FSL and 160 feet FWL (Unit L) in Section 22, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Cedar Canyon 21 Federal Com #5H** (API No. 30-015-43749) with surface hole location 1,090 feet FSL and 207 feet FWL (Unit M) in Section 22, Township 24 South, Range 29 East, and a bottom hole location 1,957 feet FSL and 146 feet FWL (Unit L) in Section 21, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.

- The **Cedar Canyon 27 Federal Com #5H** (API No. 30-015-43775) with surface hole location 1,154 feet FNL and 151 feet FWL (Unit D) in Section 27, Township 24 South, Range 29 East, and a bottom hole location 1,717 feet FNL and 184 feet FEL (Unit H) in Section 27, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Cedar Canyon 21 Federal Com #21H** (API No. 30-015-44181) with surface hole location 369 feet FNL and 368 feet FEL (Unit A) in Section 21, Township 24 South, Range 29 East, and a bottom hole location 475 feet FNL and 188 feet FWL (Unit D) in Section 21, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Cedar Canyon 21 Federal Com #22H** (API No. 30-015-44190) with surface hole location 1,764 feet FNL and 141 feet FWL (Unit E) in Section 21, Township 24 South, Range 29 East, and a bottom hole location 1,365 feet FNL and 177 feet FEL (Unit H) in Section 21, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Cedar Canyon 29 Federal Com #25H** (API No. 30-015-44522) with surface hole location 1,640 feet FSL and 420 feet FWL (Unit L) in Section 29, Township 24 South, Range 29 East, and a bottom hole location 1,382 feet FSL and 199 feet FEL (Unit I) in Section 29, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Cedar Canyon 29 Federal #26H** (API No. 30-015-44523) with surface hole location 1,610 feet FSL and 420 feet FWL (Unit L) in Section 29, Township 24 South, Range 29 East, and a bottom hole location 419 feet FSL and 183 feet FEL

(Unit P) in Section 29, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.

- The **Salt Ridge CC 20 17 Federal Com #21H** (API No. 30-015-44945) with surface hole location 2,359 feet FNL and 1,302 feet FWL (Unit E) in Section 17, Township 24 South, Range 29 East, and a bottom hole location 10 feet FSL and 408 feet FWL (Unit M) in Section 20, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Length CC 6 7 Federal Com #23H** (API No. 30-015-45551) with surface hole location 230 feet FNL and 2,320 feet FWL (Lot 3) in irregular Section 6, Township 24 South, Range 29 East, and a bottom hole location 17 feet FSL and 2,213 feet FWL (Unit N) in Section 7, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Tails CC 10 3 Federal Com #22H** (API No. 30-015-47957) with surface hole location 220 feet FSL and 1,450 feet FWL (Unit N) in Section 10, Township 24 South, Range 29 East, and a bottom hole location 100 feet FNL and 1,645 feet FWL (Lot 3) in irregular Section 3, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.
- The **Vagabond CC 8 17 Federal Com #23H** (API No. 30-015-47975) with surface hole location 546 feet FSL and 1,740 feet FWL (Unit N) in Section 17, Township 24 South, Range 29 East, and a bottom hole location 57 feet FNL and 2,159 feet FWL (Unit C) in Section 8, Township 24 South, Range 29 East, NMPM, Eddy, New Mexico.

7. Injection along the horizontal portion of the wellbores will be at the following approximate true vertical depths:

- The **Morgan Fee Com #1H**: between 9,147 feet and 9,265 feet;
- The **Cedar Canyon 23 #2H**: between 8,836 feet and 8,900 feet;
- The **Cedar Canyon 29 Federal Com #3H**: between 8,479 feet and 8,563 feet;
- The **Cedar Canyon 27 Federal #6H**: between 8,735 feet and 8,757 feet;
- The **Cedar Canyon 28 Federal #6H**: between 8,660 feet and 8,614 feet;
- The **Cedar Canyon 28 Federal #7H**: between 8,688 feet and 8,608 feet;
- The **Cedar Canyon 23 Federal #5H**: between 8,844 feet and 9,010 feet;
- The **Cedar Canyon 22 Federal Com #4H**: between 8,748 feet and 8,734 feet;
- The **Cedar Canyon 21 Federal Com #5H**: between 8,695 feet and 8,632 feet;
- The **Cedar Canyon 27 Federal Com #5H**: between 8,727 feet and 8,816 feet;
- The **Cedar Canyon 21 Federal Com #21H**: between 8,635 feet and 8,554 feet;
- The **Cedar Canyon 21 Federal Com #22H**: between 8,506 feet and 8,705 feet;
- The **Cedar Canyon 29 Federal Com #25H**: between 8,458 feet and 8,611 feet;
- The **Cedar Canyon 29 Federal #26H**: between 8,401 feet and 8,625 feet;
- The **Salt Ridge CC 20 17 Federal Com #21H**: between 8,312 feet and 8,535 feet;
- The **Length CC 6 7 Federal Com #23H**: between 8,249 feet and 8,302 feet;
- The **Tails CC 10 3 Federal Com #22H**: between 8,679 feet and 8,752 feet; and
- The **Vagabond CC 8 17 Federal Com #23H**: between 8,599 feet and 8,545 feet.

8. OXY seeks authority to add CLGC wells to the proposed project by administrative approval if the well is within the Area of Review previously completed.

9. A summary overview of the pilot project is in *Exhibit A* to the Application, at pages 3-4.

10. A process flow diagram of the closed loop gas capture system is in *Exhibit A* to the Application, at page 7. This diagram reflects the current system to be used for gas storage. OXY will utilize the existing gas lift infrastructure so no changes are shown. During normal operations, produced fluids flow from the wells down the green flowline to the Central Tank Batteries (CTBs). The source wells, which consist of all wells connected to the CTBs, produce from the Delaware, Bone Spring and Wolfcamp formations. Oil, water, and gas are separated out and leave the CTBs. Oil is sold through the Lease Automatic Custody Transfer (LACT) at each CTB, water is sent to a disposal well, and gas enters the red, Low Pressure Gas Pipeline. Gas can then be sold to one of 3 Gas Takeaways—San Mateo, ETC, or Enterprise. It can also be flared or delivered to the Centralized Gas Lift (CGL) Stations for compression and re-injected as gas lift gas. After the gas goes through the CGL Stations, the pressure increases to a maximum of 1,335 psig in the orange CGL Pipeline. Then it flows back to the wells with gas lift systems. The flow of fluids is similar yet different during a gas storage event. A gas storage event is initiated when gas cannot be sold to a Gas Takeaway and the source wells are not shut-in. The major changes are to the Gas Takeaways (which cease taking gas) and the CLGC wells (which cease producing and become CLGC wells). Since gas cannot be sold, it will begin to build up in the Low-Pressure Gas Pipeline as wells continue to produce oil, water, and gas. Once the pressure in the Low-Pressure Gas Pipeline increases to a certain point, the CLGC wells will be activated in a cascade fashion. CLGC wells are activated by closing the Shutdown Valve (SDV) at the wellhead. If the pressure in the Low-Pressure Gas Pipeline does not decrease, an additional CLGC well will be activated. Additional CLGC wells will be activated in this cascade system. When the interruption ends and

gas can once again be sold to a Gas Takeaway, the gas storage event ends. The Shutdown Valves open and the CLGC wells produce down the flowline to a test separator at the CTB for measurement. Normal production operations resume.

11. A map depicting the pipeline that ties the CLGC wells for the pilot project into the gathering system and the affected compressor stations is included in *Exhibit A* to the Application, at page 6. The colors and components of the system are the same as the process flow diagram in *Exhibit A* to the Application, at page 5, with some additional items. The black lines represent the wellbore trajectories of the CLGC wells. The First Take Point (FTP) is represented by a black square and the Last Take Point (LTP) is represented by a black triangle. Gas source wells are not on this map.

12. Data for each CLGC well, including well diagrams and well construction, casing, tubing, packers, cement, perforations, and other details for each proposed injection well are included in *Exhibit A* to the Application, at pages 28-63. All wells will have gas lift systems which inject down the casing and produce up the tubing with a packer in the hole during CLGC operations. Pertinent geologic depths of the overlying producing zone, the top of the injection zone, and the underlying producing zone are located at the bottom of the second page of each injection data sheet.

13. OXY will follow the CLGC Guidance issued by the Division on March 13, 2024 regarding all requirements for monitoring and reporting, well testing, and MITs.

14. OXY proposes to place packers as deep as possible but no higher than 100 feet below the top of the Second Bone Spring Limestone which is the upper confining layer.

15. Cement bond logs for each of the CLGC wells demonstrate the placement of cement in the CLGC wells for this pilot project, and that there is a good and sufficient cement bond with

the production casing and the tie-in of the production casing with the next prior casing in each well.

16. The current average surface pressures under normal operations for the CLGC wells range from approximately 492 psi to 837 psi. See *Exhibit A* to the Application, at page 64. The maximum allowable surface pressure (MASP) for the wells in the pilot project will be 1,335 psi.

17. Assuming a full fluid column of reservoir brine water, the proposed maximum allowable surface pressure will not exert pressure at the top perforation in the wellbore of any injection well with a full fluid column of reservoir brine water in excess of 90% of the burst pressure for the production casing or production liner. See *Exhibit A* to the Application, at page 64. In addition, the proposed maximum allowable surface pressure will not exert pressure at the topmost perforation in excess of 90% of the formation parting pressure. See *Exhibit A* to the Application, at page 64.

18. OXY plans to monitor injection and operational parameters for the pilot project using an automated supervisory control and data acquisition (SCADA) system with pre-set alarms and automatic shut-in safety valves that will prevent injection pressures from exceeding the MASP. See *Exhibit A* to the Application, at pages 81-83. The wellhead diagram for all CLGC wells is found in *Exhibit A* to the Application, at page 66. Injection starts at the flowmeter where the injection rate is measured and moves through the following components: first, the injection flow control valve which controls the injection pressure, the casing safety shutdown valve (SSV), which can open and close automatically, the casing-tubing annulus, the tubing, the tubing SSV, which can open and close automatically and is also closed when a CLGC well is activated, and finally another flow control valve (FCV), which controls flowline pressure. Pressure Indicating

Transmitters (PITs) are located on the casing valve and tubing valves. PITs capture pressure data that is stored in the SCADA system and then used to automatically control the SSVs and FCVs.

19. The proposed average injection rate for each CLGC well is 1.5-3 MMSCFD with a maximum injection rate of 5 MMSCFD during injection. See *Exhibit A* to the Application, at page 64. Based on the operating pressure and gas availability, this can be highly variable.

20. The wells proposed for the CLGC project have previously demonstrated mechanical integrity. See *Exhibit A* to the Application, at page 67. OXY will undertake new tests to demonstrate mechanical integrity for each of the wells proposed for this pilot project as a condition of approval prior to commencing injection operations.

21. The source of gas for injection will be from OXY's Cedar Canyon wells producing in the Delaware, Bone Spring and Wolfcamp formations that are identified in the list of wells in *Exhibit A* to the Application, at pages 68-74. Each of OXY's proposed injection wells are operated by OXY. The gas surface commingling permit is PLC-750-G.

22. OXY has prepared an analysis of the composition of the source gas for injection and a corrosion prevention plan. See *Exhibit A* to the Application, at pages 76-79. *Exhibit A* to the Application, at page 75, is a summary of the gas analyses included in the application and the components in the system. Source wells flow to multiple CTBs. From there gas flows to the CGL Stations. Gas analyses have been provided for the CGL Stations and the formation for gas injection. The gas analyses for the CGL Stations are similar to the gas analyses for the zones for gas injection. H<sub>2</sub>S is not found in any of the gas analyses. CO<sub>2</sub> is found in all the analyses at various amounts.

23. OXY intends to continue with its existing Corrosion Prevention Plan in these CLGC wells outlined at page 80 of *Exhibit A* to the Application. In the existing Corrosion

Prevention Plan, produced gas is processed through a gas dehydration unit to remove water. Then corrosion inhibitor is added to the system of each well downstream of the gas dehydration unit. Fluid samples are taken regularly and checked for iron, manganese, and residual corrosion inhibitor in the produced fluids. The process allows OXY to continuously monitor and adjust the chemical treatment over the life of the well to minimize corrosion. Additionally, fluid samples will be taken prior to gas injection to establish a baseline for analysis. After a CLGC event, fluid samples will be taken to check for iron, manganese, and residual corrosion inhibitor in the produced fluids in the CLGC wells. OXY will continue to monitor and adjust the chemical treatment over the life of the project.

24. Using an automated supervisory control and data acquisition (SCADA) system, OXY will monitor a multitude of rates and pressures to allow for efficient and safe operation, proper allocation and reporting of volumes, and immediate response to unexpected events. *See Exhibit A* to the Application, at pages 81-83. Each CLGC well will also include automated safety devices, including automatic shut-in valves among other operational safety measures. OXY will also monitor and track various operational parameters at the pilot project's central tank battery and central gas lift compressor.

25. I also conducted an analysis of the half-mile area of review. A map depicting wells and their trajectories within the half-mile area of review and two-mile radius around the injection wells is located at pages 86 and 84, respectively of *Exhibit A* to the Application. A map identifying each surface tract by ownership type within the half-mile area of review and two-mile area surrounding each of the proposed injection wells is located at page 85 of *Exhibit A* to the Application. Finally, a map depicting all wells identified with completed laterals all or partially within the half-mile area of review is located at page 86 of *Exhibit A* to the Application. It assigns

a well identification number to each well within the area of review that may be cross referenced in the following well data tabulation chart on pages 87-94 of *Exhibit A* to the Application. The well data tabulation chart provides detailed information for identification, location, drilling, casing, cement, current completion, and current producing pool of each well.

26. Wellbore schematics for the wells that penetrate the top of the proposed injection interval and have been plugged and abandoned are included at pages 95-103 in *Exhibit A* to the Application. Review of the wellbore diagrams indicate adequate casing, cement, and cement plug placement to sufficiently contain gas within the injection interval.

27. Working with OXY's in-house land department, I also prepared a list of affected parties required to receive notice of this application. The map on page 85 of *Exhibit A* to the Application reflects that the Bureau of Land Management, Oxy USA Inc., and B&D Holdings are the surface owners of CLGC wells. The map on page 126 of *Exhibit A* to the Application depicts the area of review and identifies the designated operator for each tract that falls within the half-mile area of review for each of the wells within the Bone Spring formation.

28. Pages 124-125 of *Exhibit A* to the Application identify all leasehold operators and other affected persons within any tract wholly or partially contained within one-half mile of the completed interval of the wellbore for each of the proposed injection wells entitled to notice in accordance with Division regulations, including the Bureau of Land Management as the surface owner where each CLGC well is located.

29. Parties entitled to notice were identified based on a determination of the title of lands and interests as recorded in the records of Eddy County or from a review of New Mexico Oil Conservation Division and Bureau of Land Management operator records as of the time the application was filed or from OXY's internal records (division orders).

30. It is my opinion that OXY undertook a good faith effort to locate and identify the correct parties and valid addresses required for notice within the half-mile area of review. To the best of my knowledge the addresses used for notice purposes are valid and correct. There were no unlocatable parties for whom we were unable to locate a valid address.

31. I provided the law firm of Holland & Hart LLP a list of names and addresses of the affected parties identified on pages 124-125 of *Exhibit A* to the Application for purposes of providing notice.

32. As reflected in this hearing packet, notice of this application was provided in accordance with 19.15.26.8(B)(2) NMAC. Notice was also published in the Hobbs Daily News.

33. Oxy drafted “OCD Exhibit A” and “OCD Exhibit B” as reflected in *Exhibit B* pages 2-4. This was included as a reference for the Division to use when drafting the injection order.

34. Gunbarrel views were submitted for each section with a CLGC well. *See* pages 5-14 of *Exhibit B*. The map shows the wells with blue well trajectories and well name. The gunbarrel view shows the producing zones along the left-hand side—First Bone Spring (1BS), Second Bone Spring (2BS), and Third Bone Spring/Harkey (3BS/HKY). The CLGC wells are a red circle and the offset, active 2BS wells are blue circles. The AOR ID Number and footage calls indicating spacing are noted for reference. Finally, a table summarizes this information and is the same information as found in “OCD Exhibit B” on pages 3-4 of *Exhibit B*.


35. Oxy has 10 CLGC projects and 77 wells at various stages. *See* page 15 of *Exhibit B*. The first project, Avogato, became active on May 9, 2022. Since then, Oxy has placed 26 CLGC wells into service. Three (3) Project Summary Reports have been submitted for 7 CLGC wells. These reports show data for over 107 gas storage events with various durations and storage

volumes. These reports also show Oxy complied with MITs, well testing, and monitoring requirements per the injection orders and OCD guidance. The data showed no indication of mechanical integrity issues, out-of-zone injection, or an impact on oil or gas production.

36. A few issues were identified and resolved during the Pilot Projects. The first was inaccurate test data associated with a tester. This was resolved by repairing the tester. The second was wells not being tested at the frequency per the injection orders and OCD guidance. This was resolved by communicating requirements with operations. The final issue was the complexity of applying the GOR Gas Allocation Method. This was very intricate due to the number of storage events. As a solution, Oxy took a more conservative approach to paying royalties and revenues of CLGC wells. During storage events, Oxy decided to become purchaser of the storage gas. This ensures that all owners of the source gas wells are paid for their share of the gas as it is produced (instead of as it is sold later on). After storage events, Oxy pays royalties and taxes on all gas produced less gas lift gas. This ensures that each owner that produces stored gas is paid 100% of their share, regardless of the calculated GOR recovery of the stored gas. I believe this is a fair and reasonable method for paying royalties and revenues during and after a gas storage event.

37. **OXY Exhibits B-1** were either prepared by me or compiled under my direction and supervision.

38. I affirm under penalty of perjury under the laws of the State of New Mexico that the foregoing statements are true and correct. I understand that this self-affirmed statement will be used as written testimony in this case. This statement is made on the date next to my signature below.



11/26/2024

---

Stephen Janacek

---

Date

**STATE OF NEW MEXICO  
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT  
OIL CONSERVATION DIVISION**

**APPLICATION OF OXY USA INC. FOR A  
CLOSED LOOP GAS CAPTURE INJECTION  
PILOT PROJECT, EDDY COUNTY, NEW  
MEXICO.**

**CASE NO. 24983**

**SELF-AFFIRMED STATEMENT OF CHARLES POLGAR**

1. My name is Charles Polgar. I work for OXY USA, Inc. (“OXY”), as a petroleum geologist.

2. I have not previously testified before the New Mexico Oil Conservation Division as an expert witness in petroleum geology. My background with work experience and education are summarized at page 17 of *Exhibit B*.

3. I am familiar with the application filed by OXY in this case for approval of a closed loop gas capture injection pilot project in the Bone Spring formation, and I have conducted a geologic study of the lands in the subject area that is included in *Exhibit A* to OXY’s application. My analysis and conclusions are summarized at pages 105-109 of the Exhibit.

4. A general characterization of the geology of the Bone Spring formation and its suitability for the proposed injection, including identification of confining layers and their ability to prevent vertical movement of the injected gas is included in my analysis. See *Exhibit A* to the Application, at pages 105-109.

5. Page 105 of *Exhibit A* to the Application depicts a type log for the project area, showing the proposed injection zone, adjacent oil and gas zones, and confining layers. The proposed injection zone is the 2<sup>nd</sup> Bone Spring Sand, a sub-unit of the larger Bone Spring Formation. Adjacent oil and gas zones are the overlying First Bone Spring Sand and underlying

**BEFORE THE OIL CONSERVATION DIVISION  
Santa Fe, New Mexico**

**Exhibit No. C-2  
Submitted by: Oxy USA Inc. & Occidental Permian LTD  
Hearing Date: March 5, 2026  
Case No. 24983**

3<sup>rd</sup> Bone Spring Sand. Confining layers that will prevent migration of injected gas into adjacent oil and gas zones are the overlying 2<sup>nd</sup> Bone Spring Lime and underlying 3<sup>rd</sup> Bone Spring Lime.

6. Page 107 of *Exhibit A* to the Application is a cross-section map depicting the location of representative wells used to construct a cross-section across the pilot project area. The structure map in the upper left indicates that the 2<sup>nd</sup> Bone Spring Sand dips to the east and the cross-section illustrates that it maintains a consistent thickness across the project area. There is no evidence of faults, pinch-outs, or other potential pathways for out-of-zone migration indicated by the cross-sections or structural mapping.

7. Page 108 of *Exhibit A* to the Application is a structure map on the top of the 2<sup>nd</sup> Bone Spring Sand that shows the structure gently dipping to the east. There is no evidence of faults, pinch-outs, or other potential pathways for out-of-zone migration indicated by the structure map.

8. Page 109 of *Exhibit A* to the Application is a thickness map and reflects that the 2<sup>nd</sup> Bone Spring Sand maintains a thickness across the pilot project area of between about 450-300 feet. There is no evidence of faults, pinch-outs, or other potential pathways for out-of-zone migration indicated by the thickness map.

9. In this proposed CLGC Project, the proposed wells will inject into the 2<sup>nd</sup> Bone Spring Sand at an average true vertical depth of approximately 8,500 feet across the length of the well's horizontal wellbore. The proposed injection interval is an unconventional reservoir composed of very fine-grained quartz-rich and brittle siltstone. See *Exhibit A* to the Application, at page 105. Low-permeability barriers to fluid flow exist within the Bone Spring Formation above and below the 2<sup>nd</sup> Bone Spring Sand. Below the 2<sup>nd</sup> Bone Spring Sand is the 3<sup>rd</sup> Bone Spring Lime, a low permeability, approximately 500-foot-thick carbonate-rich interval which provides

isolation from the underlying productive 3rd Bone Spring Sand. Above the 2<sup>nd</sup> Bone Spring Sand, the 2<sup>nd</sup> Bone Spring Lime consists of carbonate mudstone and dolomudstone that has very low permeabilities and an average thickness of 900 feet and provides isolation from the overlying productive 1<sup>st</sup> Bone Spring Sand. Above the Bone Spring Formation is the Delaware Mountain Group and impermeable anhydrite, gypsum, and salt layers of the Castile, Salado, and Rustler Formations. Due to the thickness of multiple impermeable rock layers above the injection reservoir there is little possibility for migration upward into freshwater aquifers where they exist. *See Exhibit A* to the Application, page 106.

10. Laterally, the injection will be contained in the reservoir volume that has been previously and partially depleted by the CLGC wells. The low-permeability reservoir will be the primary constraint on movement of the injection gas and is expected to contain the injected gas within the pilot project area. *See Exhibit A* to the Application, at page 105.


11. My analysis concludes that the 2<sup>nd</sup> Bone Spring Sand in this area is suitable for the proposed CLGC Project and that there are geologic barriers that will contain the proposed injection within the 2<sup>nd</sup> Bone Spring Sand. *See Exhibit A* to the Application, at page 105.

12. I have examined the available geologic and engineering data and found no evidence of open faults or other hydrologic connections between the injection zone and any underground source of drinking water. *See Exhibit A* to the Application, at page 105.

13. In my opinion, the granting of OXY's application in this case is in the best interest of conservation, the prevention of waste, and protection of correlative rights.

14. **OXY Exhibit B-2** was either prepared by me or compiled under my direction and supervision.

15. I affirm under penalty of perjury under the laws of the State of New Mexico that the foregoing statements are true and correct. I understand that this self-affirmed statement will be used as written testimony in this case. This statement is made on the date next to my signature below.



11/26/2024

---

Charles Polgar

---

Date

**STATE OF NEW MEXICO  
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT  
OIL CONSERVATION DIVISION**

**APPLICATION OF OXY USA INC. FOR A  
CLOSED LOOP GAS CAPTURE INJECTION  
PILOT PROJECT, EDDY COUNTY, NEW  
MEXICO.**

**CASE NO. 24983**

**SELF-AFFIRMED STATEMENT OF RAHUL JOSHI**

1. My name is Rahul Joshi and I am employed by Oxy USA Inc. (“OXY”) as a reservoir engineer.

2. I have previously testified before the New Mexico Oil Conservation Division as an expert witness.

3. I am familiar with the application filed by OXY in this case and the Division guidance regarding closed loop gas capture injection (CLGC) projects such as this one. I have conducted an engineering study of the reservoir to evaluate the potential effects of the proposed temporary injection on the reservoir and future production. The conclusions I have drawn from my analysis are summarized in pages 110-123 in *Exhibit A* attached to OXY’s application.

4. I have examined the available geologic and engineering data and found no evidence of open faults or other hydrologic connections between the injection zone and any underground source of drinking water. See *Exhibit A* to the Application, at page 111.

5. The CLGC project will inject produced gas into horizontal wells with 5,000 feet, 7,500 feet and 10,000 feet laterals and into the productive zone of the 2<sup>nd</sup> Bone Spring Sand formation. We applied simulation modeling techniques to investigate gas movement in the injection zone and any potential impacts on production performance of the CLGC wells and direct offset wells. The model utilized data from our Cedar Canyon Section 16 Gas EOR Project (“CC

**BEFORE THE OIL CONSERVATION DIVISION  
Santa Fe, New Mexico  
Exhibit No. C-3**

**Submitted by: Oxy USA Inc. & Occidental Permian LTD  
Hearing Date: March 5, 2026  
Case No. 24983**

16 EOR Project”) for verification. The CC 16 EOR Project began in 2017. It is located only 1-2 miles away from the Cedar Canyon CLGC project area. The section, location, and well layout for the CC 16 EOR Project is shown on page 115 of *Exhibit A* to the Application. The bottom left box of page 116 of *Exhibit A* to the Application shows the reservoir properties and conditions of the Bone Spring formation at the CC 16 EOR Project. In general, the 2<sup>nd</sup> Bone Spring reservoir in the EOR project and the CLGC project in the Cedar Canyon area have very similar reservoir properties. In this EOR project, Cedar Canyon 16-7H injected produced gas for five months in 2017 at a rate of 7 mmscf/d. After the five months of EOR gas injection, the final surface tubing head pressure was 4,100 psi and bottom hole pressure was about 5,000 psi. The simulation model incorporated both the primary production history of wells in the CC 16 EOR Project area and the EOR gas injection history with gas communication occurring between the EOR injection well and offset producing wells. During the first three months of EOR gas injection, there was no observed gas communication. However, after three months of EOR gas injection, there was gas communication in offset producers and the model was able to predict it. This gives us confidence in the ability of the model to predict impacts on offset wells resulting from CLGC operations.

6. The reservoir model is a full section with five wells. The top right of page 116 of *Exhibit A* to the Application shows the 3D model grid. It has 56 layers and over a million cells. The four plots in the bottom right show history match results of all five wells in the CC 16 EOR project area. The dots represent historical field data and the curves are modeling results. The first three plots show the primary production match from 2013 to 2017 for all five wells in the section. The green plot shows oil rate match, the blue plot shows water rate match, and the red plot shows gas rate match. The bottom right plot shows gas injection bottom hole pressure match of EOR gas injection in 2017. The model shows a good match for all rates and pressure.

7. With the high EOR gas injection rates and injection pressures in the CC 16 EOR Project, the reservoir simulation model was created to capture the gas communication between injection wells and the offset producers. This modeling improved our understanding of the complexity of connected fractures based on actual field response. The model was used to simulate the effects of CLGC operations in the Cedar Canyon areas, since the reservoirs have similar properties. We believe the model should be able to predict communication caused by CLGC operations because it was “tuned” based on actual gas communication between wells. First, we created a base case for normal production without any gas injection. Then we ran numerous gas injection cases to simulate CLGC operations and compared those with the base case to determine the impact on well production rate and recovery in both CLGC wells and offset wells. The results of these model runs are shown on page 122 of *Exhibit A* to the Application and discussed more fully below.

8. Reservoir modeling indicates the horizontal movement of injected gas is anticipated to be approximately 100 feet or less from each CLGC wellbore within the Bone Spring formation. See *Exhibit A* to the Application, at page 120. This is illustrated by comparing gas saturation pre-injection and post-injection. The top left plot on page 118 of *Exhibit A* to the Application shows pre-injection gas saturation. The wellbores are depicted as east-west lines, and the numerous hydraulic fractures created in each wellbore are shown as NE-SW angled lines. The blue color shows no gas while the cyan color shows gas exists in the fractures. A warmer color indicates a higher gas saturation. The middle plot shows gas saturation after one week of injection. The gas injected into the middle well and the fractures near the wellbore show a warmer color. The bottom plots have a magnified view of the CLGC well gas saturation for a clearer comparison. We can clearly see that the fractures near the wellbore in the injection case have a warmer color than those

of the pre-injection case. Additionally, further away from the CLGC wellbore, there is no gas saturation change in the fractures even though there are connected fractures between wells. This is because the injected gas volume during CLGC operations is too small to move very far away from the CLGC wellbore. And even when we have fracture communication between wells, there is not very high conductivity for immediate gas communication as was observed in our CC 16 EOR project which had a much higher injection rate and pressure. The gas storage injection in Cedar Canyon will occur at a much lower rate ( $< 5\text{ mmscf/d}$ ) for a shorter period of time with much lower tubing head pressure (1,300psi) compared with CC 16 EOR Project in 2017, so it is not unexpected that the model shows no gas communication. Finally, after a long period of production following a gas storage event, the gas saturation in the near wellbore of CLGC wells is restored to pre-injection values as shown in the plot on the upper right of page 118 of *Exhibit A* to the Application. This is because the majority of injected gas has been recovered.

9. The pressure map plots of page 119 of *Exhibit A* to the Application tell the same story as the gas saturation map plots. With gas injection, the pressure increases only in the fractures nearest the wellbore within 100 feet of the CLGC well.

10. We modeled all possible CLGC scenarios including different well spacing (from 4-8 Wells Per Section, or “WPS”), single well injection, multi-well injection, and a worst case with a higher injection rate and a longer injection period than historical upsets. The modeling results are summarized in the table on page 122 of *Exhibit A* to the Application and in each case shows no impact. Cedar Canyon wells have well spacing of 4-6 WPS, and the model scenarios even tested narrower spacing of 8 WPS which still shows no impact. For the injection parameters, all possible scenarios—including the worst-case gas storage scenario—have much lower injection volumes and injection pressures compared to CC 16 EOR Project. In conclusion, the analysis indicates that

there will be no change in the oil recovery from each of its proposed injection wells or from any of the offsetting wells because of CLGC operations. *See Id.*

11. As a cross-check of the model results, I prepared an analysis of the expected gas storage capacity in the fracture network of the CLGC well relative to the gas injection volumes for the worst-case injection scenario lasting twenty days. *See Exhibit B* at page 19. My analysis confirms that whether the capacity is estimated based on the fracture volume gas equivalent, or the total gas equivalent volumes produced from the proposed injection zone, the anticipated gas injection volumes will be considerably less than the estimated volume capacity for gas storage within the project area.

12. Fracture dimensions are predicted by a fracture model software package called GOHFER, which is based on reservoir geo-mechanical properties and actual well hydraulic fracturing procedure history matching. The fracture dimensions for a 2<sup>nd</sup> Bone Spring Sand well are shown in *Exhibit B* at page 20. The right side of the table shows Stimulated Reservoir Volume (SRV) for each individual CLGC well, which is between 1.3 to 2 billion cubic feet.

13. In my analysis, examining the available geologic and engineering data, I have determined that the total recoverable volume of hydrocarbons from the reservoir will not be adversely affected by the pilot project and that the gas composition of the injected gas will not damage the reservoir. *See Exhibit A* to the Application, at page 123.

14. **OXY Exhibit B-3** was either prepared by me or compiled under my direction and supervision.

16. I affirm under penalty of perjury under the laws of the State of New Mexico that the foregoing statements are true and correct. I understand that this self-affirmed statement will be used as written testimony in this case. This statement is made on the date next to my signature below.



---

Rahul Joshi

11/26/2024

Date

**STATE OF NEW MEXICO  
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT  
OIL CONSERVATION DIVISION**

**APPLICATION OF OXY U.S.A. INC. AND  
OCCIDENTAL PERMIAN, LTD FOR A  
CLOSED LOOP GAS CAPTURE PILOT  
PROJECT, EDDY COUNTY, NEW  
MEXICO.**

**CASE NO. 24983**

**SELF-AFFIRMED STATEMENT OF  
PAULA M. VANCE**

1. I am attorney in fact and authorized representative of OXY USA Inc. (“Oxy”), the Applicant herein. I have personal knowledge of the matter addressed herein and am competent to provide this self-affirmed statement.

2. The above-referenced application and notice of the hearing on this application was sent by certified mail to the locatable affected parties on the date set forth in the letter attached hereto.

3. The spreadsheet attached hereto contains the names of the parties to whom notice was provided.

4. The spreadsheet attached hereto contains the information provided by the United States Postal Service on the status of the delivery of this notice as of November 22, 2024.

5. I caused a notice to be published to all parties subject to this proceeding. An affidavit of publication from the publication’s legal clerk with a copy of the notice publication is attached herein.

6. I affirm under penalty of perjury under the laws of the State of New Mexico that the foregoing statements are true and correct. I understand that this self-affirmed statement will be used as written testimony in this case. This statement is made on the date next to my signature below.

**BEFORE THE OIL CONSERVATION DIVISION  
Santa Fe, New Mexico  
Exhibit No. D  
Submitted by: Oxy USA Inc. & Occidental Permian LTD  
Hearing Date: March 5, 2026  
Case No. 24983**



\_\_\_\_\_  
Paula M. Vance

11/27/24

\_\_\_\_\_  
Date



**Paula M. Vance**  
**Associate**  
Phone (505) 988-4421  
Email pmvance@hollandhart.com

November 15, 2024

**VIA CERTIFIED MAIL**  
**CERTIFIED RECEIPT REQUESTED**

**TO: ALL INTEREST OWNERS SUBJECT TO POOLING PROCEEDINGS**

**Re: Application of OXY USA Inc. and Occidental Permian LTD for a Closed Loop Gas Capture Injection Pilot Project, Eddy County, New Mexico.**

Ladies & Gentlemen:

This letter is to advise you that OXY USA Inc. and Occidental Permian LTD. has filed the enclosed application with the New Mexico Oil Conservation Division. A hearing has been requested before a Division Examiner on December 5, 2024, and the status of the hearing can be monitored through the Division's website at <https://www.emnrd.nm.gov/ocd/>.

**It is anticipated that hearings will be held in a hybrid format with both in-person and virtual participation options. The meeting will be held in the Pecos Hall Hearing Room at the Wendall Chino Building, 1st Floor, 1220 South St. Francis Dr., Santa Fe, New Mexico. To participate virtually in the hearing, see the instructions posted on the OCD Hearings website: <https://www.emnrd.nm.gov/ocd/hearing-info/>.**

You are not required to attend this hearing, but as an owner of an interest that may be affected by this application, you may appear and present testimony. Failure to appear at that time and become a party of record will preclude you from challenging the matter at a later date. Parties appearing in cases are required to file a Pre-hearing Statement four business days in advance of a scheduled hearing that complies with the provisions of NMAC 19.15.4.13.B.

If you have any questions about this matter, please contact Stephen Janacek at 972-404-3722 or [Stephen\\_Janacek@oxy.com](mailto:Stephen_Janacek@oxy.com).

Sincerely,

Paula M. Vance  
**ATTORNEY FOR OXY USA INC. AND OCCIDENTAL PERMIAN LTD.**

T 505.988.4421 F 505.983.6043  
110 North Guadalupe, Suite 1, Santa Fe, NM 87501-1849  
Mail to: P.O. Box 2208, Santa Fe, NM 87504-2208  
[www.hollandhart.com](http://www.hollandhart.com)

Alaska	Montana	Utah
Colorado	Nevada	Washington, D.C.
Idaho	New Mexico	Wyoming

Oxy - Cedar Canyon Gas Storage - Case no. 24983  
Postal Delivery Report

9402811898765483323348	Bureau of Land Mangment	301 Dinosaur Trl	Santa Fe	NM	87508-1560	Your item was delivered to the front desk, reception area, or mail room at 12:20 pm on November 18, 2024 in SANTA FE, NM 87508.
9402811898765483323331	B&D Holdings	36338 W 287th St	Paola	KS	66071-4425	Your item was delivered to an individual at the address at 4:02 pm on November 19, 2024 in PAOLA, KS 66071.
9402811898765483323010	Chevron U S A Inc	PO Box 1635	Houston	TX	77251-1635	Your package will arrive later than expected, but is still on its way. It is currently in transit to the next facility.
9402811898765483323065	COG Operating LLC	600 W Illinois Ave	Midland	TX	79701-4882	We were unable to deliver your package at 10:37 am on November 20, 2024 in MIDLAND, TX 79701 because the business was closed. We will redeliver on the next business day. No action needed.
9402811898765483323003	Devon Energy Production Company, LP	333 W Sheridan Ave	Oklahoma City	OK	73102-5010	Your package will arrive later than expected, but is still on its way. It is currently in transit to the next facility.
9402811898765483323041	EOG Resources Inc	5509 Champions Dr	Midland	TX	79706-2843	Your item was picked up at a postal facility at 8:40 am on November 20, 2024 in MIDLAND, TX 79701.
9402811898765483323034	Judah Oil LLC	PO Box 568	Artesia	NM	88211-0568	Your item was picked up at the post office at 10:50 am on November 20, 2024 in ARTESIA, NM 88210.
9402811898765483323416	Matador Production Company	5400 Lbj Fwy Ste 1500 One Lincoln Centre	Dallas	TX	75240-1017	Your item was delivered to an individual at the address at 11:02 am on November 19, 2024 in DALLAS, TX 75240.
9402811898765483323423	Mewbourne Oil Co	PO Box 5270	Hobbs	NM	88241-5270	Your item was picked up at a postal facility at 2:29 pm on November 20, 2024 in HOBBS, NM 88240.

Oxy - Cedar Canyon Gas Storage - Case no. 24983  
Postal Delivery Report

9402811898765483323447	Murchison Oil And Gas, LLC	7250 Dallas Pkwy Ste 1400	Plano	TX	75024-5002	Your item arrived at our COPPELL TX DISTRIBUTION CENTER destination facility on November 20, 2024 at 12:19 pm. The item is currently in transit to the destination.
9402811898765483323430	NGL Water Solutions Permian, LLC	865 Albion St Ste 500	Denver	CO	80220-4809	Your item was delivered to an individual at the address at 4:45 pm on November 19, 2024 in DENVER, CO 80220.
9402811898765483323515	Shackelford Oil Co	11417 W County Road 33	Midland	TX	79707-9027	We attempted to deliver your item at 4:49 pm on November 20, 2024 in MIDLAND, TX 79707 and a notice was left because an authorized recipient was not available.
9402811898765483323560	SMC Oil & Gas, Inc.	PO Box 50907	Midland	TX	79710-0907	Your item arrived at the MIDLAND, TX 79710 post office at 4:57 pm on November 20, 2024 and is ready for pickup.
9402811898765483323508	XTO Energy, Inc.	6401 Holiday Hill Rd Bldg 5	Midland	TX	79707-2157	Your item was delivered to the front desk, reception area, or mail room at 10:32 am on November 20, 2024 in MIDLAND, TX 79707.
9402811898765483323546	1 Timothy 6 LLC	PO Box 30598	Edmond	OK	73003-0010	Your item arrived at the EDMOND, OK 73003 post office at 9:49 am on November 20, 2024 and is ready for pickup.
9402811898765483323577	Apache Corporation	PO Box 840133	Dallas	TX	75284-0133	Your item was picked up at a postal facility at 5:46 am on November 20, 2024 in DALLAS, TX 75260.
9402811898765483324260	Avalanche Royalty Partners LLC	100 Saint Paul St Ste 305	Denver	CO	80206-5136	Your item was delivered to an individual at the address at 2:45 pm on November 18, 2024 in DENVER, CO 80206.

Oxy - Cedar Canyon Gas Storage - Case no. 24983  
Postal Delivery Report

9402811898765483324208	Avant Operating LLC	1515 Wynkoop St Ste 700	Denver	CO	80202-2062	Your item was delivered to an individual at the address at 11:08 am on November 18, 2024 in DENVER, CO 80202.
9402811898765483324246	Balog Family Trust	PO Box 111890	Anchorage	AK	99511-1890	Your package will arrive later than expected, but is still on its way. It is currently in transit to the next facility.
9402811898765483324239	Basin Operating Co	648 Petroleum Bldg	Roswell	NM	88201	Your item was returned to the sender on November 20, 2024 at 8:35 am in ROSWELL, NM 88203 because the address was vacant or the business was no longer operating at the location and no further information was available.
9402811898765483324819	Bob Blundell Jr	2924 Colfax Ave	Pueblo	CO	81008-1207	Your item was picked up at the post office at 10:00 am on November 19, 2024 in PUEBLO, CO 81008.
9402811898765483324864	Branex Resources Inc	PO Box 2990	Ruidoso	NM	88355-2990	Your item was picked up at the post office at 11:25 am on November 19, 2024 in RUIDOSO, NM 88345.
9402811898765483324802	Centennial	PO Box 1837	Roswell	NM	88202-1837	Your item arrived at the ROSWELL, NM 88202 post office at 9:02 am on November 20, 2024 and is ready for pickup.
9402811898765483324840	Centennial NM Ptnrs	PO Box 1837	Roswell	NM	88202-1837	Your item arrived at the ROSWELL, NM 88202 post office at 9:02 am on November 20, 2024 and is ready for pickup.
9402811898765483324833	Chevron USA Inc	6301 Deauville	Midland	TX	79706-2964	Your item was delivered to the front desk, reception area, or mail room at 4:44 pm on November 20, 2024 in MIDLAND, TX 79706.

Oxy - Cedar Canyon Gas Storage - Case no. 24983  
Postal Delivery Report

9402811898765483324758	Cibolo Resources LLC	3600 Bee Caves Rd Ste 216	West Lake Hills	TX	78746-5375	Your item arrived at our AUSTIN TX DISTRIBUTION CENTER destination facility on November 20, 2024 at 10:35 am. The item is currently in transit to the destination.
9402811898765483324727	Civitas De Basin Resources LLC	555 17th St Ste 3700	Denver	CO	80202-3906	Your item was delivered to the front desk, reception area, or mail room at 1:28 pm on November 18, 2024 in DENVER, CO 80202.
9402811898765483324796	COG Operating Llc	600 W Illinois Ave	Midland	TX	79701-4882	We were unable to deliver your package at 10:37 am on November 20, 2024 in MIDLAND, TX 79701 because the business was closed. We will redeliver on the next business day. No action needed.
9402811898765483324789	Crownrock Minerals LP	PO Box 51933	Midland	TX	79710-1933	Your package will arrive later than expected, but is still on its way. It is currently in transit to the next facility.
9402811898765483324772	Devon Energy Co LP	333 W Sheridan Ave	Oklahoma City	OK	73102-5010	Your item was picked up at a postal facility at 7:06 am on November 20, 2024 in OKLAHOMA CITY, OK 73102.
9402811898765483324963	Devon Energy Production Co LP	PO Box 843559	Dallas	TX	75284-3559	Your item was picked up at a postal facility at 5:46 am on November 20, 2024 in DALLAS, TX 75260.
9402811898765483324901	Devon Energy Production Company LP	333 W Sheridan Ave	Oklahoma City	OK	73102-5010	Your item was picked up at a postal facility at 7:06 am on November 20, 2024 in OKLAHOMA CITY, OK 73102.
9402811898765483324949	Double Cabin Minerals LLC	1515 Wynkoop St Ste 700	Denver	CO	80202-2062	Your item was delivered to an individual at the address at 11:08 am on November 18, 2024 in DENVER, CO 80202.

Oxy - Cedar Canyon Gas Storage - Case no. 24983  
Postal Delivery Report

9402811898765483324932	Eastland Resource Inc	PO Box 3488	Midland	TX	79702-3488	Your item arrived at the MIDLAND, TX 79702 post office at 4:03 pm on November 20, 2024 and is ready for pickup.
9402811898765483324611	Eleven Sands Exploration Inc	PO Box 31560	Edmond	OK	73003-0026	Your item arrived at the EDMOND, OK 73003 post office at 9:49 am on November 20, 2024 and is ready for pickup.
9402811898765483324666	Elk Oil Co	PO Box 310	Roswell	NM	88202-0310	Your item arrived at the ROSWELL, NM 88202 post office at 9:00 am on November 20, 2024 and is ready for pickup.
9402811898765483324697	EMG Oil Properties Inc	1000 W 4th St	Roswell	NM	88201-3038	Your item was forwarded to a different address at 8:45 am on November 20, 2024 in ROSWELL, NM. This was because of forwarding instructions or because the address or ZIP Code on the label was incorrect.
9402811898765483324680	Energex Co	100 N Pennsylvania Ave	Roswell	NM	88203-4620	Your item was returned to the sender on November 20, 2024 at 8:11 am in ROSWELL, NM 88203 because the addressee was not known at the delivery address noted on the package.
9402811898765483324673	Enerstar Resources O&G LLC	PO Box 606	Carlsbad	NM	88221-0606	Your item arrived at the CARLSBAD, NM 88221 post office at 11:52 am on November 20, 2024 and is ready for pickup.
9402811898765483324109	Heidi C Barton	2008 N Vega Ct	Hobbs	NM	88240-3446	Your item was delivered to an individual at the address at 2:38 pm on November 20, 2024 in HOBBS, NM 88240.

Oxy - Cedar Canyon Gas Storage - Case no. 24983  
Postal Delivery Report

9402811898765483324185	Hutchings Oil Co	PO Box 1216	Albuquerque	NM	87103-1216	Your item arrived at the ALBUQUERQUE, NM 87103 post office at 9:55 am on November 18, 2024 and is ready for pickup.
9402811898765483324178	Kmk Energy LLC	4506 N Walbaum Rd	Geary	OK	73040-4287	We attempted to deliver your item at 1:56 pm on November 20, 2024 in GEARY, OK 73040 and a notice was left because an authorized recipient was not available.
9402811898765483324369	Kona Ltd, A Texas Limited Partnership	1302 West Ave	Austin	TX	78701-1716	Your item arrived at our AUSTIN TX DISTRIBUTION CENTER destination facility on November 20, 2024 at 10:35 am. The item is currently in transit to the destination.
9402811898765483324307	Legion Production Partners LLC	1515 Wynkoop St Ste 700	Denver	CO	80202-2062	Your item was delivered to an individual at the address at 11:08 am on November 18, 2024 in DENVER, CO 80202.
9402811898765483324345	Lonsdale Resources LLC	2626 Cole Ave	Dallas	TX	75204-1083	Your item was delivered to the front desk, reception area, or mail room at 2:42 pm on November 19, 2024 in DALLAS, TX 75204.
9402811898765483324338	Magnum Hunter Production Inc	840 Gessner Rd Ste 1400	Houston	TX	77024-4152	Your package will arrive later than expected, but is still on its way. It is currently in transit to the next facility.
9402811898765483324062	Mcmullen Minerals II LP	PO Box 470857	Fort Worth	TX	76147-0857	Your item has been delivered and is available at a PO Box at 9:18 am on November 19, 2024 in FORT WORTH, TX 76147.
9402811898765483324024	Mesquite Swd Inc	PO Box 1479	Carlsbad	NM	88221-1479	Your item was picked up at the post office at 1:29 pm on November 20, 2024 in CARLSBAD, NM 88220.

Oxy - Cedar Canyon Gas Storage - Case no. 24983  
Postal Delivery Report

9402811898765483324048	Mitchell Exploration Inc	200 W 1st St Ste 648	Roswell	NM	88203-4677	Your item was returned to the sender on November 20, 2024 at 8:13 am in ROSWELL, NM 88203 because the address was vacant or the business was no longer operating at the location and no further information was available.
9402811898765483324031	MRC Permian Company	5400 Lbj Fwy Ste 1500	Dallas	TX	75240-1017	Your item was delivered to an individual at the address at 11:02 am on November 19, 2024 in DALLAS, TX 75240.
9402811898765483324413	Murphy Petro Corp	PO Box 2545	Roswell	NM	88202-2545	Your item arrived at the ROSWELL, NM 88202 post office at 9:02 am on November 20, 2024 and is ready for pickup.
9402811898765483324451	Novo Oil & Gas Northern Delaware LLC	1001 W Wilshire Blvd Ste 206	Oklahoma City	OK	73116-7058	Your item was delivered to the front desk, reception area, or mail room at 10:16 am on November 20, 2024 in OKLAHOMA CITY, OK 73116.
9402811898765483324420	Pabo Oil & Gas LLC	PO Box 1675	Roswell	NM	88202-1675	Your item arrived at the Post Office at 6:44 am on November 20, 2024 in ROSWELL, NM 88203.
9402811898765483324499	Paloma Blanca Well Service Inc	PO Box 6251	Roswell	NM	88202-6251	Your item arrived at the ROSWELL, NM 88202 post office at 10:24 am on November 20, 2024 and is ready for pickup.
9402811898765483324475	Pegasus Resources III LLC	PO Box 470698	Fort Worth	TX	76147-0698	Your item has been delivered and is available at a PO Box at 9:17 am on November 19, 2024 in FORT WORTH, TX 76147.

Oxy - Cedar Canyon Gas Storage - Case no. 24983  
Postal Delivery Report

9402811898765483324550	Permian Hunter Corp	215 W 100 S	Salt Lake City	UT	84101-1302	We were unable to deliver your package at 12:47 pm on November 18, 2024 in SALT LAKE CITY, UT 84101 because the business was closed. We will redeliver on the next business day. No action needed.
9402811898765483324529	Prime Rock Resources Asset Co LLC	203 W Wall St	Midland	TX	79701-4530	Your package will arrive later than expected, but is still on its way. It is currently in transit to the next facility.
9402811898765483324598	PXP Producing Co LLC	717 Texas St Ste 2100	Houston	TX	77002-2753	Your package will arrive later than expected, but is still on its way. It is currently in transit to the next facility.
9402811898765483324581	Richard K Barr Family Trust, Beverly J Bar	804 Park Vista Cir	Southlake	TX	76092-4342	Your item was delivered to an individual at the address at 3:48 pm on November 19, 2024 in SOUTHLAKE, TX 76092.
9402811898765483324574	Santa Elena Minerals LP	PO Box 732776	Dallas	TX	75373-2776	Your item was picked up at a postal facility at 3:18 am on November 20, 2024 in DALLAS, TX 75260.
9402811898765483325250	Scott Exploration Inc	500 N Kentucky Ave	Roswell	NM	88201-4721	Your item was returned to the sender on November 20, 2024 at 10:00 am in ROSWELL, NM 88201 because the addressee was not known at the delivery address noted on the package.
9402811898765483325229	Scott Investment Corp	200 W 1st St Ste 648	Roswell	NM	88203-4677	Your item was returned to the sender on November 20, 2024 at 8:11 am in ROSWELL, NM 88203 because the address was no longer operating at the location and no further information was available.

Oxy - Cedar Canyon Gas Storage - Case no. 24983  
Postal Delivery Report

9402811898765483325298	Siete Oil & Gas Corp	PO Box 2523	Roswell	NM	88202-2523	Your item was returned to the sender on November 20, 2024 at 12:33 pm in ROSWELL, NM 88201 because the address was vacant or the business was no longer operating at the location and no further information was available.
9402811898765483325281	Slash Exploration LP	PO Box 1973	Roswell	NM	88202-1973	Your item arrived at the ROSWELL, NM 88202 post office at 9:02 am on November 20, 2024 and is ready for pickup.
9402811898765483325236	Slash Four Enterprises Inc	PO Box 1433	Roswell	NM	88202-1433	Your item arrived at the ROSWELL, NM 88202 post office at 9:01 am on November 20, 2024 and is ready for pickup.
9402811898765483325816	Strata Production Co	1301 N Sycamore Ave	Roswell	NM	88201-8892	Your item has been delivered to an agent and left with an individual at the address at 10:59 am on November 20, 2024 in ROSWELL, NM 88201.
9402811898765483325861	T H Mcelvain Oil & Gas LLLP	1819 Denver West Dr	Lakewood	CO	80401-3118	Your item was delivered to an individual at the address at 12:51 pm on November 18, 2024 in GOLDEN, CO 80401.
9402811898765483325892	Toles Co LLC The	PO Box 1300	Roswell	NM	88202-1300	Your item arrived at the ROSWELL, NM 88202 post office at 9:01 am on November 20, 2024 and is ready for pickup.
9402811898765483325885	Walker Valorie Trst	PO Box 102256	Anchorage	AK	99510-2256	Your item was picked up at a postal facility at 1:35 pm on November 18, 2024 in ANCHORAGE, AK 99501.
9402811898765483325878	Winchester Energy LLC	PO Box 13540	Oklahoma City	OK	73113-1540	Your item was delivered to an individual at the address at 8:49 am on November 20, 2024 in OKLAHOMA CITY, OK 73113.

Oxy - Cedar Canyon Gas Storage - Case no. 24983  
 Postal Delivery Report

9402811898765483325755	Worrall Investment Corp	200 W 1st St Ste 648	Roswell	NM	88203-4677	Your item was returned to the sender on November 20, 2024 at 8:12 am in ROSWELL, NM 88203 because the address was vacant or the business was no longer operating at the location and no further information was available.
9402811898765483325724	WPX Energy Permian LLC	333 W Sheridan Ave	Oklahoma City	OK	73102-5010	Your item was picked up at a postal facility at 7:06 am on November 20, 2024 in OKLAHOMA CITY, OK 73102.
9402811898765483325748	XTO Delaware Basin LLC	6401 Holiday Hill Rd	Midland	TX	79707-2154	Your item was delivered to the front desk, reception area, or mail room at 10:32 am on November 20, 2024 in MIDLAND, TX 79707.
9402811898765483325731	XTO Holdings LLC	PO Box 840780	Dallas	TX	75284-0780	Your item was picked up at a postal facility at 5:46 am on November 20, 2024 in DALLAS, TX 75260.

AFFIDAVIT OF PUBLICATION

CARLSBAD CURRENT-ARGUS  
PO BOX 507  
HUTCHINSON, KS 67504-0507

STATE OF NEW MEXICO } SS  
COUNTY OF EDDY }

Account Number: 1232  
Ad Number: 22230  
Description: Case 24983  
Ad Cost: \$251.31

Sherry Groves, being first duly sworn, says:

That she is the Agent of the the Carlsbad Current-Argus, a Weekly newspaper of general circulation, printed and published in Carlsbad, Eddy County, New Mexico; that the publication, a copy of which is attached hereto, was published in said newspaper on the following dates:

November 19, 2024

That said newspaper was regularly issued and circulated on those dates.

SIGNED:

*Sherry Groves*

Agent


Subscribed to and sworn to me this 25<sup>th</sup> day of November 2024.

*Leanne Kaufenberg*

Leanne Kaufenberg, Notary Public, Redwood County Minnesota

BEFORE THE OIL CONSERVATION DIVISION  
Santa Fe, New Mexico  
Exhibit No. E  
Submitted by: Oxy USA Inc. & Occidental Permian LTD  
Hearing Date: March 5, 2026  
Case No. 24983

KARI REESE  
HOLLAND & HART LLP  
420 L STREET, SUITE 550  
ANCHORAGE, AK 99501  
kreesee@hollandhart.com



Case No. 24983; Application of OXY USA Inc. and Occidental Permian LTD. for a Closed Loop Gas Capture Injection Pilot Project, Eddy County, New Mexico. Notice to all affected interest owners, including all heirs, devisees and successors of: Bureau of Land Management; B&D Holdings; Chevron USA Inc.; COG Operating LLC; Devon Energy Production Company, LP; EOG Resources Inc; Judah Oil LLC; Matador Production Company; Mewbourne Oil Co.; Murchison Oil And Gas, LLC; NGL Water Solutions Permian, LLC; Shackelford Oil Co.; SMC Oil & Gas, Inc.; XTO Energy, Inc.; 1 Timothy 6 LLC; Apache Corporation; Avalanche Royalty Partners LLC; Avant Operating LLC; Balog Family Trust; Basin Operating Co; Bob Blundell Jr.; Branex Resources Inc; Centennial; Centennial NM Partners; Chevron USA Inc.; Cibolo Resources LLC; Civitas De Basin Resources LLC; COG Operating LLC; Crownrock Minerals LP; Devon Energy Co. LP; Devon Energy Production Co. LP; Devon Energy Production Company LP; Double Cabin Minerals LLC; Eastland Resource Inc; Eleven Sands Exploration Inc; Elk Oil Co; EMG Oil Properties Inc; Energex Co.; Enerstar Resources O&G LLC; Heidi C Barton; Hutchings Oil Co.; KMK Energy LLC; Kona Ltd., A Texas Limited Partnership; Legion Production Partners LLC; Lonsdale Resources LLC; Magnum Hunter Production Inc.; McMullen Minerals II LP; Mesquite SWD Inc.; Mitchell Exploration Inc.; MRC Permian Company; Murphy Petro Corp; Novo Oil & Gas Northern Delaware LLC; Pabo Oil & Gas LLC; Paloma Blanca Well Service Inc.; Pegasus Resources III LLC; Permian Hunter Corp.; Prime Rock Resources Asset Co. LLC; PXP Producing Co. LLC; Richard K. Barr Family Trust, Beverly J. Barr Trustee; Santa Elena Minerals LP; Scott Exploration Inc.; Scott Investment Corp.; Siete Oil & Gas Corp.; Slash Exploration LP; Slash Four Enterprises Inc.; Strata Production Co.; T H Mcelvain Oil & Gas LLLP; Toles Co LLC (The); Walker Valorie Trst; Winchester Energy LLC; Worrall Investment Corp.; WPX Energy Permian LLC; XTO Delaware Basin LLC; XTO Holdings LLC. The State of New Mexico, Energy Minerals and Natural Resources Department, Oil Conservation Division ("Division") hereby gives notice that the Division will hold public hearing 8:30 a.m. on December 5, 2024, to consider this application. The hearing will be conducted in a hybrid fashion, both in-person at the Energy, Minerals, Natural Resources Department, Wendell Chino Building, Pecos Hall, 1220 South St. Francis Drive, 1st Floor, Santa Fe, NM 87505 and via the WebEx virtual meeting platform. To participate in the hearings electronically, see the instructions posted on the docket for the hearing date: <https://www.emnrd.nm.gov/ocd/hearing-info/> or contact Freya Tschantz, at [Freya.Tschantz@emnrd.nm.gov](mailto:Freya.Tschantz@emnrd.nm.gov). Applicant in the seeks an order authorizing it to engage in a closed loop gas capture injection pilot project in the Bone Spring formation within a 8,240-acre, more or less, project area consisting of the following acreage identified below in Eddy County, New Mexico:

**Township 24 South, Range 29 East**

Section 3: All  
 Section 6: W/2  
 Section 7: W/2 and SW/4  
 Section 8: W/2  
 Section 10: All  
 Section 15: All  
 Section 16: S/2  
 Section 17: NW/4 and S/2  
 Section 20: All  
 Section 21: All  
 Section 22: All  
 Section 23: All  
 Section 24: N/2 NW/4  
 Section 27: N/2 and N/2 S/2  
 Section 28: All  
 Section 29: All

Applicant proposes to occasionally inject produced gas from the Delaware Mountain Group, Bone Spring and Wolfcamp formations into the following producing wells to avoid temporary flaring of gas or the shut-in of producing wells during pipeline capacity constraints, mechanical difficulties, plant shutdowns, or other events impacting the ability to deliver gas into a pipeline:

Morgan Fee Com #1H (API No. 30-015-39968);  
 Cedar Canyon 23 #2H (API No. 30-015-41194);  
 Cedar Canyon 29 Federal Com #3H (API No. 30-015-42993);  
 Cedar Canyon 27 Federal #6H (API No. 30-015-43232);  
 Cedar Canyon 28 Federal #6H (API No. 30-015-43234);  
 Cedar Canyon 28 Federal #7H (API No. 30-015-43238);  
 Cedar Canyon 23 Federal #5H (API No. 30-015-43282);  
 Cedar Canyon 22 Federal Com #4H (API No. 30-015-43708);  
 Cedar Canyon 21 Federal Com #5H (API No. 30-015-43749);  
 Cedar Canyon 27 Federal Com #5H (API No. 30-015-43775);  
 Cedar Canyon 21 Federal Com #21H (API No. 30-015-44181);  
 Cedar Canyon 21 Federal Com #22H (API No. 30-015-44190);

Cedar Canyon 29 Federal Com #25H (API No. 30-015-44522);  
 Cedar Canyon 29 Federal #26H (API No. 30-015-44523);  
 Salt Ridge CC 20 17 Federal Com #21H  
 (API No. 30-015-44945);  
 Length CC 6 7 Federal Com #23H (API No. 30-015-45551);  
 Tails CC 10 3 Federal Com #22H (API No. 30-015-47957); and  
 Vagabond CC 8 17 Federal Com #23H (API No. 30-015-47975).

Applicant seeks authority to inject produced gas into the Second Bone Spring interval of the Bone Spring formation along the horizontal portion of each wellbore at surface injection pressures of no more than 1,335 psi and a maximum injection rate of 5 MMSCF/day. The subject acreage is located approximately 8 miles southeast of Loving, New Mexico.

Published in the Carlsbad Current-Argus November 19, 2024  
 22230




# SUPPLEMENTAL FILING CEDAR CANYON 2024 CLGC

DECEMBER 2024

---

# CEDAR CANYON AREA, 2<sup>ND</sup> BONE SPRING LIMESTONE CONFINING LAYER

- 2<sup>nd</sup> Bone Spring Limestone (8,299 ft. MD/TVD Top, 8851 ft. MD/TVD Base)



BEFORE THE OIL CONSERVATION DIVISION  
Santa Fe, New Mexico  
Supplemental Exhibit No. F  
Submitted by: Oxy USA Inc. & Occidental Permian LTD  
Hearing Date: March 5, 2026  
Case No. 24983



# Area of Review Table

text Proposed CLGC candidate  
CLGC project  
EOR project

Well ID	API NUMBER	Current Operator	LEASE NAME	WELL NUMBER	Well Type:	Status:	Footages N/S	N/S	Footages E/W	E/W	Surface Location Unit	Surface Location Section	Surface Location TShip	Surface Location Range	Spud:	True Vertical Depth:	HOLE SIZE	CSG SIZE	SET AT	SX CMT	CMT TO	TOC Measure Method	Current Completion (ft)	Comments	Current Producing Pool
1	30-015-39968	OCCIDENTAL PERMIAN LTD	MORGAN FEE COM	001H	Oil	Active	1035	S	455	W	M	21	24S	29E	4/10/2012	8687	17.500 12.250 8.750	13.375 9.625 5.500	400 3037 12741	480 1040 2430	Surf Surf CBL	Circ Circ CBL	9150-12600		[96238] CORRAL DRAW; BONE SPRING
2	30-015-41194	OXY USA INC	CEDAR CANYON 23	002H	Oil	Active	650	S	660	W	M	23	24S	29E	8/17/2014	8902	14.75 10.625 7.875	11.75 8.625 5.5	467 3020 13421	721 1120 1360	Surf Surf CBL	Circ Circ CBL	9195-13220	JUNO UNIT EOR PROJECT PENDING ORDER ISSUE. CASE 22183.	[50371] PIERCE CROSSING; BONE SPRING
3	30-015-42993	OXY USA INC	CEDAR CANYON 29 FEDERAL COM	003H	Oil	Active	1990	N	210	E	H	29	24S	29E	12/23/2016	8563	14.750 9.875 6.750	10.750 7.625 5.5 x 4.5	670 8098 13340	700 1215 550	Surf Surf CBL	Circ Circ CBL	8582-13135		[50371] PIERCE CROSSING; BONE SPRING
4	30-015-43232	OXY USA INC	CEDAR CANYON 27 FEDERAL	006H	Oil	Active	1920	S	200	E	I	28	24S	29E	10/10/2015	8732	14.750 9.875 6.750	10.750 7.625 5.500	436 8003 8826	540 1530 740	Surf Surf CBL	Circ Circ CBL	9257-13441		[96473] PIERCE CROSSING; BONE SPRING, EAST
5	30-015-43234	OXY USA INC	CEDAR CANYON 28 FEDERAL	006H	Oil	Active	1870	S	200	E	I	28	24S	29E	10/2/2015	8605	14.750 9.875 6.750	10.750 7.625 5.500	430 7990 8839	440 2850 740	Surf Surf CBL	Circ Circ CBL	8898 - 13127		[96473] PIERCE CROSSING; BONE SPRING, EAST
6	30-015-43238	OXY USA INC	CEDAR CANYON 28 FEDERAL	007H	Oil	Active	1760	S	240	E	I	28	24S	29E	9/12/2015	8594	14.750 9.875 6.750	10.750 7.625 5.500	435 8010 8981	440 2425 610	Surf Surf CBL	Circ Circ CBL	9001 - 13285		[96473] PIERCE CROSSING; BONE SPRING, EAST
7	30-015-43282	OXY USA INC	CEDAR CANYON 23 FEDERAL	005H	Oil	Active	1305	N	155	E	A	22	24S	29E	11/26/2015	9012	14.750 9.875 6.750	10.750 7.625 5.500	444 7675 9104	550 1570 1110	Surf Surf CBL	Circ Circ CBL	9166-16263	JUNO UNIT EOR PROJECT PENDING ORDER ISSUE. CASE 22183.	[96473] PIERCE CROSSING; BONE SPRING, EAST
8	30-015-43708	OXY USA INC	CEDAR CANYON 22 FEDERAL COM	004H	Oil	Active	2540	S	260	E	I	22	24S	29E	10/25/2016	8728	14.75 9.875 6.75	10.75 7.625 5.5 X 4.5	488 8197 13424	382 2886 700	Surf Surf CBL	Circ Circ CBL	8827-13265		[96473] PIERCE CROSSING; BONE SPRING, EAST
9	30-015-43749	OXY USA INC	CEDAR CANYON 21 FEDERAL COM	005H	Oil	Active	1090	S	207	W	M	22	24S	29E	8/6/2016	8626	14.750 9.875 6.750	10.750 7.625 5.500	430 8138 8840	470 1170 560	Surf Surf CBL	Circ Circ CBL	8918-13313		[96238] CORRAL DRAW; BONE SPRING
10	30-015-43775	OXY USA INC	CEDAR CANYON 27 FEDERAL COM	005H	Oil	Active	1154	N	151	W	D	27	24S	29E	5/28/2016	8819	14.750 9.875 6.750	10.750 7.625 5.5 x 4.5	518 8102 13743	530 1500 600	Surf Surf CBL	Circ Circ CBL	9079-13583		[96473] PIERCE CROSSING; BONE SPRING, EAST
11	30-015-44181	OXY USA INC	CEDAR CANYON 21 FEDERAL COM	021H	Oil	Active	369	N	368	E	A	21	24S	29E	7/30/2017	8550	14.750 9.875 6.750	10.750 7.625 4.500	463 7885 13496	329 1951 700	Surf Surf CBL	Circ Circ CBL	8751-13302		[96238] CORRAL DRAW; BONE SPRING
12	30-015-44190	OXY USA INC	CEDAR CANYON 21 FEDERAL COM	022H	Oil	Active	1764	N	141	W	E	21	24S	29E	8/10/2017	8713	14.750 9.875 6.750	10.750 7.625 4.500	448 8108 13353	350 1634 659	Surf Surf CBL	Circ Circ CBL	8602-13198		[96238] CORRAL DRAW; BONE SPRING
13	30-015-44522	OXY USA INC	CEDAR CANYON 29 FEDERAL COM	025H	Oil	Active	1640	S	420	W	L	29	24S	29E	11/12/2017	8612	14.750 9.875 6.750	10.750 7.625 5.500	612 7936 7731	913 1605 683	Surf Surf CBL	Circ Circ CBL	8575 - 13170		[50371] PIERCE CROSSING; BONE SPRING
14	30-015-44523	OXY USA INC	CEDAR CANYON 29 FEDERAL	026H	Oil	Active	1610	S	420	W	L	29	24S	29E	11/15/2017	8630	14.750 9.875 6.750	10.750 7.625 5.500	616 8012 7796	680 1653 678	Surf Surf CBL	Circ Circ CBL	8633 - 13231		[50371] PIERCE CROSSING; BONE SPRING
15	30-015-44945	OXY USA INC	SALT RIDGE CC 20 17 FEDERAL COM	021H	Oil	Active	2359	N	1302	W	E	17	24S	29E	6/2/2018	8534	14.750 9.875 6.75	10.750 7.625 5.500	525 8074 8621	548 1513 1024	Surf Surf CBL	Circ Circ CBL	8454-16126		[50371] PIERCE CROSSING; BONE SPRING
16	30-015-45551	OXY USA INC	LENGTH CC 6 7 FEDERAL COM	023H	Oil	Active	230	N	2320	W	C	6	24S	29E	2/8/2019	8301	14.75 9.875 6.750	10.75 7.625 5.500	400 7723 18625	460 1867 822	Surf Surf CBL	Circ Circ CBL	8421 - 18547		[50371] PIERCE CROSSING; BONE SPRING
17	30-015-47957	OXY USA INC	TAILS CC 10 3 FEDERAL COM	022H	Oil	Active	220	S	1450	W	N	10	24S	29E	2/22/2021	8762	14.750 9.875 6.75 6.75	10.750 7.625 5.500 4.500	560 7854 8849 18670	605 1667 1356 5620	Surf Surf CBL CBL	Circ Circ CBL CBL	8883 - 18462	[11520] CEDAR CANYON; BONE SPRING; [96473] PIERCE CROSSING; BONE SPRING, EAST	
18	30-015-47975	OXY USA INC	VAGABOND CC 8 17 FEDERAL COM	023H	Oil	Active	546	S	1740	W	N	17	24S	29E	8/2/2021	8544	14.75 9.875 6.75	10.750 7.625 5.500	524 8205 17366	512 1682 1319	Surf Surf CBL	Circ Circ CBL	14798 - 17222		[11520] CEDAR CANYON; BONE SPRING; [50371] PIERCE CROSSING; BONE SPRING
19	30-015-45218	OXY USA INC	WHOMPING WILLOW CC 15 16 STATE COM	044H	Gas	Active	1365	S	420	E	I	15	24S	29E	10/12/2018	10844	14.750 9.875 6.750	10.750 7.875 5.500	455 10445 21152	600 1135 1500	Surf Surf CBL	Circ Circ CBL	10512-20714		[98220] PURPLE SAGE; WOLFCAMP (GAS)
21	30-015-20756	OXY USA INC	RIVER BEND 10 FEDERAL	002	Oil	Plugged, Site Released	2180	N	1980	W	F	10	24S	29E	9/26/2004	13859	17.5 12.25 6.75	13.375 9.625 4.500	657 7398 8455	750 3645 1160	Surf Surf CBL	Circ Circ CBL			
22	30-015-25706	OXY USA INC	OWEN MESA 26 FEDERAL	001	Oil	Plugged, Site Released	1350	N	1880	E	G	26	24S	29E	12/31/1986	12860	17.5 9.625 7.000	13.375 9.625 7.000	680 3050 11050	500 1955 1525	Surf Surf CBL	Circ Circ CBL			
23	30-015-27994	OXY USA INC	RIVERBEND FEDERAL	007	Oil	Plugged, Site Released	2280	N	460	W	E	23	24S	29E	5/31/1994	9020	17.500 11.000 7.875	13.375 8.625 5.500	465 2934 9020	640 1450 1800	Surf Surf CBL	Circ Circ CBL			
24	30-015-28390	OXY USA INC	RIVERBEND FEDERAL	008	Salt Water Disposal	Plugged, Site Released	460	N	330	W	D	23	24S	29E	11/17/1995	9000	10.750 7.625 4.500	10.750 7.625 4.500	451 2900 9000	570 806 1220	Surf Surf CBL	Circ Circ CBL			
25	30-015-28559	OXY USA INC	MITCHELL 21 FEDERAL	001	Oil	Plugged, Site Released	1650	N	1650	E	G	21	24S	29E	8/15/1995	8900	17.5 8.625 5.500	13.375 8.625 5.500	580 2840 8900	650 1520 2405	Surf Surf CBL	Circ Circ CBL			
26	30-015-29318	OXY USA INC	CANYON 23 FEDERAL	001	Oil	Plugged, Site Released	1750	S	660	E	I	23	24S	29E	2/28/1997	13950	20.000 17.5 9.625 7.000	20.000 13.375 9.625 7.000	40 516 3120 10500	9999 600 1200 1495	Surf Surf CBL CBL	Circ Circ CBL CBL			

**BEFORE THE OIL CONSERVATION DIVISION**  
 Santa Fe, New Mexico  
 Supplemental Exhibit No. G  
 Submitted by: Oxy USA Inc. & Occidental Permian LTD  
 Hearing Date: March 5, 2026  
 Case No. 24983



58	30-015-42683	OXY USA INC	CEDAR CANYON 16 STATE	012H	Oil	Active	900	S	860	W	M	15	24S	29E	11/7/2014	8624	14.750	11.750	445	680	Surf	Circ	9704 - 14214	PERMITTED EOR PROJECT. NOT ACTIVE. CASE 21996, R-21832.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																	10.625	8.625	2965	850	Surf	Circ			
																	7.875	5.500	14417	1570	Surf	Circ			
59	30-015-42797	OXY USA INC	CEDAR CANYON 15 SWD	001	Salt Water Disposal	Active	2500	S	1400	W	K	15	24S	29E	1/14/2015	16014	24.000	18.625	277	900	Surf	Circ	14842 - 15964	[97869] SWD; DEVONIAN-SILURIAN	
																	17.500	13.375	3107	2720	Surf	Circ			
																	12.250	9.625	10155	3450	Surf	Circ			
																	9.875	7.000	14842	630	Surf	Circ			
60	30-015-43233	OXY USA INC	CEDAR CANYON 27 FEDERAL	007H	Oil	Active	1745	S	200	E	I	28	24S	29E	9/22/2015	8769	14.750	10.750	438	540	Surf	Circ	9453-13798	[96473] PIERCE CROSSING; BONE SPRING, EAST	
																	63750.000	4.500	13886	610	Surf	Circ			
																	9.875	7.875	7997	751	Surf	Circ			
																	6.750	5.500	8949	610	Surf	Circ			
61	30-015-43281	OXY USA INC	CEDAR CANYON 23 FEDERAL	004H	Oil	Active	1415	N	155	E	H	22	24S	29E	11/26/2015	9006	14.750	10.750	444	550	Surf	Circ	9312-16403	PERMITTED EOR PROJECT. ACTIVE. CASE 20193,22183, R-21356 TO BE EXPANDED FOR JUNO UNIT.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																	9.875	7.625	7490	4000	Surf	Circ			
																	6.750	5.500	8945	1090	Surf	Circ			
																	6.750	4.500	16509	1090	Surf	Circ			
62	30-015-43290	OXY USA INC	CEDAR CANYON 23 FEDERAL	003H	Oil	Active	2540	S	200	E	I	22	24S	29E	10/26/2016	9010	14.750	10.750	482	382	Surf	Circ	9016-16282	JUNO UNIT EOR PROJECT PENDING ORDER ISSUE. CASE 22183.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																	9.875	7.625	8221	1185	Surf	Circ			
																	6.750	5.500	8962	0	Surf	Circ			
																	6.75	4.500	16419	240	Surf	Circ			
63	30-015-43601	OXY USA INC	CEDAR CANYON 29 FEDERAL	021H	Oil	Active	1989	N	150	E	H	29	24S	29E	12/24/2016	8526	14.750	10.750	665	610	Surf	Circ	8719-13274	[50371] PIERCE CROSSING; BONE SPRING	
																	9.875	7.625	8096	2020	Surf	Circ			
																	6.750	4.500	13470	550	Surf	Circ			
64	30-015-43642	OXY USA INC	CEDAR CANYON 22 FEDERAL	021H	Oil	Active	2540	S	230	E	I	22	24S	29E	10/25/2016	8817	14.750	10.750	482	382	Surf	Circ	8887-13471	[96473] PIERCE CROSSING; BONE SPRING, EAST	
																	9.875	7.625	8300	2627	Surf	Circ			
																	6.750	5.500	8782	0	Surf	Circ			
																	6.75	4.500	13610	830	Surf	Circ			
65	30-015-43645	OXY USA INC	CEDAR CANYON 28 27 FEDERAL COM	005H	Oil	Active	1990	N	180	E	H	29	24S	29E	12/21/2016	8733	17.5	13.375	667	735	Surf	Circ	8626-18482	[96473] PIERCE CROSSING; BONE SPRING, EAST	
																	12.25	9.625	8190	2620	Surf	Circ			
																	8.5	5.5	8055	1790	1050	Calc			
66	30-015-43673	OXY USA INC	CEDAR CANYON 27 STATE COM	010H	Gas	Active	1154	N	121	W	D	27	24S	29E	5/28/2016	10125	14.750	10.750	500	530	Surf	Circ	10136-14712	5.5" to 4.5" cross over at 10189 ft	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	9.875	7.625	9032	1640	Surf	Circ			
																	6.750	5.500	10189	590	Surf	Circ			
																	6.750	4.500	14870	590	Surf	Circ			
67	30-015-43758	OXY USA INC	CEDAR CANYON 22 FEDERAL COM	005H	Oil	Active	1120	S	207	W	M	22	24S	29E	8/6/2016	8819	14.750	10.750	437	470	Surf	Circ	8939-13358	[96238] CORRAL DRAW; BONE SPRING	
																	9.875	7.625	7650	3500	Surf	Circ			
																	6.750	5.500	8921	0	Surf	Circ			
68	30-015-43808	OXY USA INC	CEDAR CANYON 22 15 FEE	032H	Oil	Active	1108	N	1633	W	C	22	24S	29E	7/16/2016	9926	14.750	10.750	442	470	Surf	Circ	9994-15862	5.5" to 4.5" cross over at 15898 ft	[96473] PIERCE CROSSING; BONE SPRING, EAST
																	9.875	7.625	9277	3130	Surf	Circ			
																	6.750	5.500	15898	470	Surf	Circ			
																	6.750	4.500	16053	470	Surf	Circ			
69	30-015-43809	OXY USA INC	CEDAR CANYON 22 15 FEE	031H	Oil	Active	1108	N	1603	W	C	22	24S	29E	7/16/2016	9906	14.375	10.750	443	470	Surf	Circ	10004-15872	[96473] PIERCE CROSSING; BONE SPRING, EAST	
																	9.875	7.625	9188	1915	Surf	Circ			
																	6.750	5.500	16031	470	Surf	Circ			
70	30-015-43819	OXY USA INC	CEDAR CANYON 28 FEDERAL COM	008H	Oil	Active	170	N	319	E	A	29	24S	29E	10/20/2016	8712	14.750	10.750	405	467	Surf	Circ	13292-8756	5.5" to 4.5" cross over at 8724 ft PERMITTED GAS STORAGE WELL. NOT ACTIVE. CASE 22150, R-22206.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																	9.875	7.625	8050	1595	Surf	Circ			
																	6.750	5.500	8724	0	Surf	Circ			
																	6.75	4.500	13445	580	Surf	Circ			
71	30-015-43843	OXY USA INC	CEDAR CANYON 16 STATE	034H	Gas	Active	402	N	1083	E	A	16	24S	29E	10/2/2016	10038	14.750	10.750	447	364	Surf	Circ	10125-14360	[98220] PURPLE SAGE; WOLFCAMP (GAS)	
																	9.875	7.625	9995	2325	Surf	Circ			
																	6.75	4.500	14526	510	Surf	Circ			
72	30-015-43844	OXY USA INC	CEDAR CANYON 16 STATE	033H	Gas	Active	402	N	1123	E	A	16	24S	29E	10/1/2016	10034	14.75	10.75	447	252	Surf	Circ	10100-14518	Liner top at 9841	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	9.875	7.625	9962	2514	Surf	Circ			
																	6.75	4.5	9841	542	9841	Circ			
73	30-015-43849	OXY USA INC	CYPRESS 34 FEDERAL	012H	Gas	Active	180	N	1167	E	A	3	24S	29E	10/29/2016	10256	17.500	13.375	355	662	Surf	Circ	10366 - 14917	[98220] PURPLE SAGE; WOLFCAMP (GAS)	
																	12.250	9.625	3233	920	Surf	Circ			
																	8.500	5.500	15094	3190	Surf	Circ			
74	30-015-43906	OXY USA INC	CEDAR CANYON 22 FEDERAL COM	006Y	Oil	Active	1040	S	207	W	M	22	24S	29E	9/27/2016	8850	14.750	10.750	435	740	Surf	Circ	8610-13196	[96238] CORRAL DRAW; BONE SPRING	
																	9.875	7.625	8163	1300	Surf	Circ			
																	6.750	5.500	8957	0	Surf	Circ			
																	6.75	4.500	13397	540	Surf	Circ			
75	30-015-43915	OXY USA INC	CEDAR CANYON 22 15 FEE	033H	Gas	Active	1107	N	1052	E	A	22	24S	29E	3/6/2017	10090	14.75	10.75	438	665	Surf	Circ	10252-16170	Top of 4.5" liner 9383'	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	9.875	7.625	9516	2540	Surf	Circ			

84	30-015-44179	OXY USA INC	CEDAR CANYON 23 24 FEDERAL	031H	Oil	Active	491	N	177	E	A	22	24S	29E	6/18/2017	10160	14.750	10.750	422	385	Surf	Circ	10330-17558	5.5" frac string. Top of 4.5" liner 9181'. JUNO UNIT EOR PROJECT PENDING ORDER ISSUE. CASE 22183.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																	9.875	7.625	9364	1365	Surf	Circ			
																	6.750	4.500	17727	815	Surf	Circ			
85	30-015-44180	OXY USA INC	CEDAR CANYON 23 24 FEDERAL	032H	Oil	Active	520	N	172	E	A	22	24S	29E	6/19/2017	10169	14.750	10.750	422	385	Surf	Circ	10240-17475	5.5" frac string. Top of 4.5" liner 9244'. JUNO UNIT EOR PROJECT PENDING ORDER ISSUE. CASE 22183.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																	9.875	7.625	9495	1600	Surf	Circ			
																	6.750	4.500	17650	790	Surf	Circ			
86	30-015-44182	OXY USA INC	CEDAR CANYON 21 FEDERAL COM	031H	Gas	Active	339	N	368	E	A	21	24S	29E	7/31/2017	9950	14.750	10.750	456	674	Surf	Circ	9966-14562		[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	9.875	7.625	9295	1773	Surf	Circ			
																	6.750	4.500	14724	713	Surf	Circ			
87	30-015-44191	OXY USA INC	CEDAR CANYON 21 FEDERAL COM	023H	Oil	Active	1824	N	141	W	E	21	24S	29E	8/11/2017	8708	14.750	10.750	451	350	Surf	Circ	8569-13200	PERMITTED GAS STORAGE WELL. NOT ACTIVE. CASE 22150, R-22206.	[96238] CORRAL DRAW; BONE SPRING
																	9.875	7.625	8096	1661	Surf	Circ			
																	6.750	4.500	13347	660	Surf	Circ			
88	30-015-44435	OXY USA INC	CEDAR CANYON 27 28 FEDERAL	042H	Oil	Active	956	N	325	W	D	28	24S	29E	8/5/2018	9982	14.750	10.750	670	1000	Surf	Circ	9934-20031		[96473] PIERCE CROSSING; BONE SPRING, EAST
																	9.875	7.625	9382	817	Surf	Circ			
																	6.750	5.500	20122	864	Surf	Circ			
89	30-015-44437	OXY USA INC	CEDAR CANYON 27 28 FEDERAL	043H	Gas	Active	1275	S	465	E	P	29	24S	29E	9/28/2017	10097	17.500	13.375	765	965	Surf	Circ	10286-20110		[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.250	9.625	9485	3387	Surf	Circ			
																	8.500	5.500	20257	2312	Surf	Circ			
90	30-015-44438	OXY USA INC	CEDAR CANYON 27 28 FEDERAL	044H	Gas	Active	1245	S	465	E	P	29	24S	29E	9/27/2017	10106	17.500	13.375	784	965	Surf	Circ	10303-20127		[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.250	9.625	9354	3086	Surf	Circ			
																	8.500	5.500	20275	2286	Surf	Circ			
91	30-015-44439	OXY USA INC	CEDAR CANYON 28 FEDERAL COM	041H	Gas	Active	934	N	305	E	D	28	24S	29E	8/6/2018	10051	14.750	10.750	682	1000	Surf	Circ	10582-14546	5.5" to 4.5" cross over at 10006 ft	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	9.875	7.625	9368	1814	Surf	Circ			
																	6.75	5.500	10006	667	Surf	Circ			
																	6.750	4.500	14755	0	Surf	Circ			
92	30-015-44519	OXY USA INC	CEDAR CANYON 20 FEDERAL COM	025H	Oil	Active	110	N	1390	E	B	29	24S	29E	5/17/2018	8671	14.750	10.750	412	1138	Surf	Circ	8605-16042	5.5" to 4.5" cross over at 8557 ft	[50371] PIERCE CROSSING; BONE SPRING
																	9.875	7.625	8034	1547	Surf	Circ			
																	6.75	5.500	8557	943	Surf	Circ			
																	6.750	4.500	16188	0	Surf	Circ			
93	30-015-44520	OXY USA INC	CEDAR CANYON 20 FEDERAL COM	026H	Oil	Active	110	N	1360	E	B	29	24S	29E	5/20/2018	8662	14.750	10.750	572	862	Surf	Circ	8662-16213	5.5" to 4.5" cross over at 8626 ft	[50371] PIERCE CROSSING; BONE SPRING
																	9.875	7.625	8066	1582	Surf	Circ			
																	6.75	5.500	8626	957	Surf	Circ			
																	6.750	4.500	16353	0	Surf	Circ			
94	30-015-44521	OXY USA INC	CEDAR CANYON 29 FEDERAL COM	024H	Oil	Active	1670	N	420	W	L	29	24S	29E	11/11/2017	8600	14.750	10.750	454	526	Surf	Circ	8623-13221		[50371] PIERCE CROSSING; BONE SPRING
																	9.875	7.625	7938	1562	Surf	Circ			
																	6.75	5.500	7803	709	Surf	Circ			
																	6.750	4.500	13357	0	Surf	Circ			
95	30-015-44545	OXY USA INC	CEDAR CANYON 20 FEDERAL COM	024H	Oil	Active	110	N	1420	E	B	29	24S	29E	5/14/2018	8631	14.750	10.750	419	600	Surf	Circ	8365-16116		[50371] PIERCE CROSSING; BONE SPRING
																	9.875	7.625	8026	1566	Surf	Circ			
																	6.75	5.500	8685	980	Surf	Circ			
																	6.750	4.500	16222	0	Surf	Circ			
96	30-015-44947	OXY USA INC	SALT RIDGE CC 20 17 FEDERAL COM	023H	Oil	Active	2409	N	1352	W	F	17	24S	29E	6/3/2018	8538	14.750	10.750	525	575	Surf	Circ	8460-16091		[50371] PIERCE CROSSING; BONE SPRING
																	9.875	7.625	8019	1478	Surf	Circ			
																	6.75	5.500	8626	1033	Surf	Circ			
																	6.750	4.500	16278	0	Surf	Circ			
97	30-015-45048	OXY USA INC	SALT FLAT CC 20 29 FEDERAL COM	034H	Gas	Active	421	S	1271	E	P	17	24S	29E	9/26/2019	9981	17.5	13.375	419	550	Surf	Circ	10208-20185	5.5" frac string above 5.5" liner	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	9.875	7.625	9418	2735	Surf	Circ			
																	6.75	5.500	20447	831	Surf	Circ			
98	30-015-45049	OXY USA INC	SALT FLAT CC 20 29 FEDERAL COM	035H	Oil	Active	421	S	1236	E	P	17	24S	29E	9/27/2019	9772	17.5	13.375	420	650	Surf	Circ	9676-19857	5.5" frac string above 5.5" liner	[50371] PIERCE CROSSING; BONE SPRING
																	9.875	7.625	9242	2703	Surf	Circ			
																	6.75	5.500	20011	765	Surf	Circ			
99	30-015-45050	OXY USA INC	SALT FLAT CC 20 29 FEDERAL COM	036H	Gas	Active	421	S	1201	E	P	17	24S	29E	9/29/2019	10010	17.5	13.375	421	650	Surf	Circ	10158-20135	5.5" frac string above 5.5" liner	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	9.875	7.625	9535	2645	Surf	Circ			
																	6.75	5.500	20332	831	9291	Circ			
100	30-015-45080	OXY USA INC	SALT FLAT CC 20 29 FEDERAL COM	031H	Gas	Active	252	S	1222	W	M	17	24S	29E	10/31/2019	9796	14.750	10.750	449	440	Surf	Circ	10088-20065		[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	9.875	7.625	9300	2233	Surf	Circ			
																	6.75	5.500	20197	770	Surf	Circ			
101	30-015-45081	OXY USA INC	SALT FLAT CC 20 29 FEDERAL COM	032H	Gas	Active	252	S	1257	W	M	17	24S	29E	11/1/2019	9973	14.75	10.750	442	440	Surf	Circ	10648-20615		[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	9.875	7.625	9212	2373	Surf	Circ			
																	6.75	5.500	20753	860	Surf	Circ			
102	30-015-45082	OXY USA INC	SALT FLAT CC 20 29 FEDERAL COM	033H	Oil	Active	252	S	1292	W	M	17	24S	29E	11/2/2019	9763	14.75	10.750	449	440	Surf	Circ	9847-19828		[50371] PIERCE CROSS





169	30-015-44755	DEVON ENERGY PRODUCTION COMPANY, LP	SPUD MUFFIN 31 30	736H	Gas	Active	335	S	485	E	P	31	23S	29E	11/8/2019	10737	17.500	13.375	389	395	Surf	Circ	10857 - 20666	[98220] PURPLE SAGE; WOLFCAMP (GAS)	
																		9.875	8.625	9587	545	1059	Calc		
																		7.875	5.500	20770	2755	Surf	Circ		
170	30-015-44757	DEVON ENERGY PRODUCTION COMPANY, LP	SPUD MUFFIN 31 30	738H	Gas	Active	335	S	455	E	P	31	23S	29E	3/25/2019	10919	17.500	13.375	360	570	Surf	Circ	11012 - 20910	[98220] PURPLE SAGE; WOLFCAMP (GAS)	
																		12.250	9.625	9565	1580	Surf	Circ		
																		8.750	5.500	21084	6590	1022	Surf	Circ	
171	30-015-45266	DEVON ENERGY PRODUCTION COMPANY, LP	SPUD MUFFIN 31 30 COM	622H	Gas	Active	625	S	2375	W	N	31	23S	29E	1/20/2019	9830	17.500	13.375	361	632	Surf	Circ	10020 - 19951	[98220] PURPLE SAGE; WOLFCAMP (GAS)	
																		9.875	8.625	9212	676	Surf	Circ		
																		7.875	5.500	20106	2302	Surf	Circ		
172	30-015-45267	DEVON ENERGY PRODUCTION COMPANY, LP	SPUD MUFFIN 31 30	623H	Gas	Active	625	S	2435	W	N	31	23S	29E	1/22/2019	9930	17.500	13.375	363	632	Surf	Circ	10071 - 19983	[98220] PURPLE SAGE; WOLFCAMP (GAS)	
																		9.875	8.625	9250	976	Surf	Circ		
																		7.875	5.500	20142	1934	Surf	Circ		
173	30-015-45302	DEVON ENERGY PRODUCTION COMPANY, LP	SPUD MUFFIN 31 30	332H	Oil	Active	625	S	2405	W	N	31	23S	29E	1/21/2019	9695	17.500	13.375	364	632	Surf	Circ	9834 - 19769	[11520] CEDAR CANYON; BONE SPRING	
																		9.875	8.625	9017	843	Surf	Circ		
																		7.875	5.500	19931	1951	Surf	Circ		
174	30-015-45459	DEVON ENERGY PRODUCTION COMPANY, LP	SPUD MUFFIN 31 30 FEDERAL COM	331H	Oil	Active	270	S	1275	W	M	31	23S	29E	1/17/2019	9674	17.500	13.375	377	346	Surf	Circ	9782 - 19767	[11520] CEDAR CANYON; BONE SPRING	
																		9.875	8.625	8944	995	Surf	Circ		
																		7.875	5.500	19928	2435	Surf	Circ		
175	30-015-45460	DEVON ENERGY PRODUCTION COMPANY, LP	SPUD MUFFIN 31 30 FEDERAL COM	621H	Gas	Active	270	S	1245	W	M	31	23S	29E	1/20/2019	9793	17.500	13.375	415	720	Surf	Circ	10079 - 20063	[98220] PURPLE SAGE; WOLFCAMP (GAS)	
																		10.625	8.625	9241	1270	Surf	Circ		
																		7.875	5.500	20238	2635	Surf	Circ		
176	30-015-28127	EOG RESOURCES INC	KNOLL AOK FEDERAL	001	Oil	Active	1980	N	1980	E	G	3	24S	29E	10/25/1994	8250	20.000	20.000	40	999	Surf	Circ	7922 - 7939	[11520] CEDAR CANYON; BONE SPRING	
																		17.5	13.375	700	600	Surf	Circ		
																		8.625	8.625	3003	850	Surf	Circ		
177	30-015-40754	EOG RESOURCES INC	JUNIPER BIP FEDERAL COM	012H	Oil	Active	1296	N	587	E	A	8	24S	29E	1/12/2013	8782	17.500	13.375	627	0	Surf	Circ	9062 - 13302	[11520] CEDAR CANYON; BONE SPRING	
																		12.250	9.625	2874	0	Surf	Circ		
																		8.500	5.500	13434	0	Surf	Circ		
178	30-015-25658	KAISER-FRANCIS OIL CO	FORT 7 COM	001	Oil	Plugged, Not Released	660	S	2310	E	O	7	24S	29E	10/22/1986	12311	17.5	13.375	600	550	Surf	Circ			
																		12.25	9.625	2600	1550	Surf	Circ		
																		8.5	7	10600	1400	5000	Calc		
																		6.125	4.5	12300	250	10300	Circ		
179	30-015-27996	MARALO LLC	COCHITI 5 FEDERAL	001	Gas	Plugged, Site Released	660	S	1980	W	N	5	24S	29E	12/18/1994	12268	23.375	23.375	650	900	Surf	Circ			
																		9.625	9.625	2700	1250	Surf	Circ		
																		8.750	8.750	10660	2160	Surf	Circ		
180	30-015-26542	MATADOR PRODUCTION COMPANY	AMETHYST STATE COM	001	Gas	Plugged, Not Released	1880	N	990	W	E	32	24S	29E	12/1/1990	13489	17.500	13.375	600	650	Surf	Circ			
																		12.250	9.625	2808	1225	Surf	Circ		
																		7.875	5.500	6545	990	Surf	Circ		
181	30-015-43654	MATADOR PRODUCTION COMPANY	ZACH MCCORMICK FEDERAL COM 18 24S 29E	001	Gas	Active	716	N	380	W	D	18	24S	29E	3/24/2016		17.5	13.375	629	557	Surf	Circ	10070 - 10520	[98220] PURPLE SAGE; WOLFCAMP (GAS)	
																		12.25	9.625	2780	600	Surf	Circ		
																		8.75	7.000	11189	1052	Surf	Circ		
182	30-015-44241	MATADOR PRODUCTION COMPANY	ZACH MCCORMICK FEDERAL COM	221H	Gas	Active	712	N	351	W	D	18	24S	29E	1/12/2018	10945	17.500	13.375	650	400	Surf	Circ	11050 - 15479	[98220] PURPLE SAGE; WOLFCAMP (GAS)	
																		12.250	9.625	2750	820	Surf	Circ		
																		9.875	7.625	2450	710	Surf	Circ		
																		8.750	7.000	10794	0	Surf	Circ		
																		9.875	7.625	10000	0	Surf	Circ		
																		6.75	5.500	9900	510	Surf	Circ		
183	30-015-44244	MATADOR PRODUCTION COMPANY	ZACH MCCORMICK FEDERAL COM	121H	Oil	Active	712	N	321	W	D	18	24S	29E	1/26/2018	8522	17.500	13.375	515	614	Surf	Circ	8563 - 13001	[50371] PIERCE CROSSING; BONE SPRING	
																		12.250	9.625	2743	998	Surf	Circ		
																		8.750	7.625	13142	2387	Surf	Circ		
184	30-015-44247	MATADOR PRODUCTION COMPANY	ZACH MCCORMICK FEDERAL COM	201H	Gas	Active	742	N	351	W	D	18	24S	29E	12/28/2017	11377	17.500	13.375	522	614	Surf	Circ	10120 - 14342	[98220] PURPLE SAGE; WOLFCAMP (GAS)	
																		12.250	9.625	2758	285	Surf	Circ		
																		9.875	7.625	2401	788	Surf	Circ		
																		8.750	7.000	10085	0	Surf	Circ		
																		9.875	7.625	9129	0	Surf	Circ		
																		6.75	5.500	9042	503	Surf	Circ		
																		6.125	4.500	14484	0	Surf	Circ		
185	30-015-44256	MATADOR PRODUCTION COMPANY	GARRETT STATE COM	221H	Gas	Active	220	N	570	W	D	32	24S	29E	9/6/2017	11048	17.500	13.625	597	983	Surf	Circ	11051 - 15611	[98220] PURPLE SAGE; WOLFCAMP (GAS)	
																		12.250	9.625	2908	743	Surf	Circ		
																		8.750	7.000	10899	965	Surf	Circ		
																		6.125	4.500	15740	519	Surf	Circ		
186	30-015-44418	MATADOR PRODUCTION COMPANY	GARRETT STATE COM	201H	Oil	Active	250	N	570	W	D	32	24S	29E	9/8/2017	9949	17.500	13.375	605	957	Surf	Circ	10165 - 14444	[98220] PURPLE SAGE; WOLFCAMP (GAS)	
																		12.250	9.625	2895	961	Surf	Circ		
																		9.875	7.625	2762	796	Surf	Circ		
																		8.750	7.000	10153	0	Surf	Circ		
																		9.875	7.625	9129	0	Surf	Circ		

189	30-015-46446	MATADOR PRODUCTION COMPANY	RAY STATE COM	224H	Gas	Active	981	N	317	E	A	1	24S	28E	11/29/2019	10781	17.500	13.375	217	910	Surf	Circ	11081 - 12031	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.250	9.625	2740	1500	Surf	Circ		
																	8.750	7.625	10111	835	Surf	Circ		
																	6.750	5.500	21175	1350	Surf	Circ		
190	30-015-46449	MATADOR PRODUCTION COMPANY	RAY STATE COM	204H	Gas	Active	953	N	298	E	A	1	24S	28E	11/25/2019	9740	17.500	13.375	217	710	Surf	Circ	10118 - 20043	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.250	9.625	2775	1620	311	Calc		
																	8.750	7.625	9871	875	Surf	Circ		
																	6.750	5.500	20185	1100	Surf	Circ		
191	30-015-46450	MATADOR PRODUCTION COMPANY	RAY STATE COM	217H	Gas	Active	918	N	347	E	A	1	24S	28E	11/25/2019	9846	17.500	13.375	217	710	Surf	Circ	10396 - 20353	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.250	9.625	2772	1025	Surf	Circ		
																	8.750	7.625	9345	705	Surf	Circ		
																	6.750	5.500	20495	1210	Surf	Circ		
192	30-015-26865	MEWBOURNE OIL CO	PECOS VALLEY 7 FEDERAL COM	001	Gas	Active	534	N	1414	W	C	7	24S	29E	11/6/1991	12236	17.5	13.375	656	790	Surf	Circ	12074 - 12086	[80890] MALAGA; ATOKA (GAS)
																	9.625	9.625	2700	1250	Surf	Circ		
193	30-015-40287	MEWBOURNE OIL CO	MALAGA 30 FEDERAL COM	001H	Gas	Active	1700	S	350	E	I	30	24S	29E	7/31/2012	10683	17.500	13.375	380	0	Surf	Circ	10892-14600	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.250	9.625	2729	0	Surf	Circ		
																	8.750	7.000	10845	0	Surf	Circ		
																	6.75	4.500	14600	0	Surf	Circ		
194	30-015-45728	Murchison Oil and Gas, LLC	ROCK RIDGE FEDERAL WCB	001H	Gas	Active	310	N	300	E	A	30	24S	29E	4/24/2019	10784	16.000	13.375	352	355	Surf	Circ	10890-15355	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.25	9.625	6430	2525	Surf	Circ		
																	12.250	9.625	9536	0	Surf	Circ		
																	8.500	5.500	15423	1705	Surf	Circ		
195	30-015-45729	Murchison Oil and Gas, LLC	ROCK RIDGE FEDERAL WCXY	002H	Gas	Active	330	N	300	E	A	30	24S	29E	4/10/2019	9714	16.000	13.375	373	355	Surf	Circ	9850-14375	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.250	9.625	9016	2725	Surf	Circ		
																	8.500	5.500	14413	1585	Surf	Circ		
196	30-015-45730	Murchison Oil and Gas, LLC	ROCK RIDGE FEDERAL BSS	004H	Oil	Active	350	N	300	E	A	30	24S	29E	3/25/2019	8406	16.000	13.375	376	250	Surf	Circ	8495-12999	[96671] PIERCE CROSSING; BONE SPRING, SOUTH
																	12.250	9.625	2779	960	Surf	Circ		
																	8.500	5.500	13055	1730	Surf	Circ		
197	30-015-45731	Murchison Oil and Gas, LLC	ROCK RIDGE FEDERAL BSS	007H	Oil	Active	785	N	250	E	A	30	24S	29E	6/10/2019	8398	16.000	13.375	370	400	Surf	Circ	8560-13085	[96671] PIERCE CROSSING; BONE SPRING, SOUTH
																	12.250	9.625	2775	960	Surf	Circ		
																	8.500	5.500	13120	1790	Surf	Circ		
198	30-015-45872	Murchison Oil and Gas, LLC	ROCK RIDGE FEDERAL WCXY	005H	Gas	Active	745	N	250	E	A	30	24S	29E	7/12/2019	9732	16.000	13.375	359	355	Surf	Circ	9960-14485	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.250	9.625	9033	3015	Surf	Circ		
																	8.500	5.500	14523	1615	Surf	Circ		
199	30-015-45873	Murchison Oil and Gas, LLC	ROCK RIDGE FEDERAL WCXY	006H	Gas	Active	765	N	250	E	A	30	24S	29E	6/28/2019	9726	16.000	13.375	370	355	Surf	Circ	9875-14400	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.250	9.625	9023	820	Surf	Circ		
																	8.500	5.500	14438	1595	Surf	Circ		
200	30-015-45874	Murchison Oil and Gas, LLC	ROCK RIDGE FEDERAL BSS	008H	Oil	Active	805	N	250	E	A	30	24S	29E	6/8/2019	8409	16.000	13.375	370	355	Surf	Circ	8665-13160	[96671] PIERCE CROSSING; BONE SPRING, SOUTH
																	12.250	9.625	2771	965	Surf	Circ		
																	8.500	5.500	13194	1800	Surf	Circ		
201	30-015-46330	Murchison Oil and Gas, LLC	ROCK RIDGE FEDERAL WCB	009H	Gas	Active	2325	N	250	E	H	30	24S	29E	6/8/2021	10684	16.000	13.375	381	355	Surf	Circ	10870 - 15385	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.25	9.625	9594	2785	Surf	Circ		
																	6.75	5.500	15422	1639	Surf	Circ		
202	30-015-46331	Murchison Oil and Gas, LLC	ROCK RIDGE FEDERAL WCB	010H	Gas	Active	2345	N	250	E	H	30	24S	29E	6/23/2021	10804	17.5	13.375	370	355	Surf	Circ	10915 - 15425	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.25	9.625	9548	2790	Surf	Circ		
																	6.75	5.500	15462	1635	Surf	Circ		
203	30-015-46332	Murchison Oil and Gas, LLC	ROCK RIDGE FEDERAL WCB	011H	Gas	Active	2365	N	250	E	H	30	24S	29E	7/7/2021	10682	16.000	13.375	380	355	Surf	Circ	10804 - 15215	[98220] PURPLE SAGE; WOLFCAMP (GAS)
																	12.25	9.625	9528	2785	Surf	Circ		
																	6.75	5.500	15252	1625	Surf	Circ		
204	30-015-43867	NGL WATER SOLUTIONS PERMIAN, LLC	CYPRESS SWD	001	Salt Water Disposal	Active	1590	S	165	W	L	34	23S	29E	5/30/2018	15842	26.000	20.000	377	660	Surf	Circ	14787 - 15842	[96101] SWD; DEVONIAN
																	17.500	13.375	3090	1670	Surf	Circ		
																	12.250	9.625	10436	2225	Surf	Circ		
																	8.500	7.625	14787	330	Surf	Circ		
205	30-015-43895	NGL WATER SOLUTIONS PERMIAN, LLC	MOUTRAY SWD	001	Salt Water Disposal	Active	140	N	945	E	A	28	24S	29E	10/3/2016	16036	26.000	20.000	556	1100	Surf	Circ	14905-16036	[96101] SWD; DEVONIAN
																	17.500	13.375	2823	1990	Surf	Circ		
																	12.250	9.625	10204	2400	Surf	Circ		
																	8.500	7.875	14905	475	Surf	Circ		
206	30-015-44054	NGL WATER SOLUTIONS PERMIAN, LLC	CEDAR CANYON SWD	001	Salt Water Disposal	Active	1310	S	1153	E	P	8	24S	29E	2/12/2017	15764	26.000	20.000	530	1040	Surf	Circ	14686 - 15764	[96101] SWD; DEVONIAN
																	17.500	13.375	2380	1910	Surf	Circ		
																	12.250	9.625	9980	2000	Surf	Circ		
																	9.875	7.625	14686	410	Surf	Circ		
207	30-015-26797	OWL SWD OPERATING, LLC	RUBY 30 STATE	001	Gas	Plugged, Site Released	990	S	1980	E	O	30	24S	29E	11/20/1996	13400	17.5	13.375	598	600	Surf	Circ		
																	9.625	9.625	2760	1500	Surf	Circ		
																	7.000	7.000	10120	275	Surf	Circ		

215	30-015-23757	TEXACO EXPLORATION & PRODUCTION INC	MALAGA HARROUN 6	001	Gas	Plugged, Site Released	1980	N	1880	W	F	6	24S	29E	13300	20.000	20.000	461	1600	Unknown	NA				
																8.5	7	10385	800	Unknown	NA				
																8.5	4.5	13933	600	Unknown	NA				
																17.5	13.375	2762	2491	Surf	Circ				
																9.625	9.625	10400	3490	Surf	Circ				
																7.000	7.000	12571	575	Surf	Circ				
																5.000	5.000	13300	235	Surf	Circ				
216	30-015-44631	OXY USA INC	CORRAL CANYON 36 25 FEDERAL COM	021H	Oil	Active	381	N	1493	W	C	1	25S	29E	2/20/2018	9101	17.5	13.375	553	650	Surf	Circ	9361-20555	PERMITTED GAS STORAGE WELL. NOT ACTIVE. CASE 23501, R-22911.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																12.25	9.625	8621	3138	Surf	Circ				
																8.5	5.5	20716	2474	Surf	Calc				
217	30-015-44632	OXY USA INC	CORRAL CANYON 36 25 FEDERAL COM	022H	Oil	Active	381	N	1528	W	C	1	25S	29E	2/20/2018	9117	17.5	13.375	533	650	Surf	Circ	9546-20737	PERMITTED GAS STORAGE WELL. NOT ACTIVE. CASE 23501, R-22911.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																9.875	7.625	8588	2149	Surf	Circ				
																6.75	5.5	20880	775	Surf	CBL				
218	30-015-44633	OXY USA INC	CORRAL CANYON 36 25 FEDERAL COM	023H	Oil	Active	381	N	1563	W	C	1	25S	29E	2/21/2018	9138	17.5	13.375	554	685	Surf	Circ	9283-20476	PERMITTED GAS STORAGE WELL. ACTIVE. CASE 23501, R-22911.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																9.875	7.625	8579	1986	Surf	Circ				
																6.75	5.5	20635	923	Surf	CBL				
219	30-015-44683	OXY USA INC	CORRAL FLY 35 26 FEDERAL COM	025H	Oil	Active	314	N	1277	E	A	2	25S	29E	3/23/2018	9084	14.75	10.75	436	490	Surf	Circ	9358-19234	PERMITTED GAS STORAGE WELL. ACTIVE. CASE 23501, R-22911.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																9.875	7.625	8355	1611	Surf	Circ				
																6.75	5.5	19363	807	Surf	CBL				
220	30-015-44684	OXY USA INC	CORRAL FLY 35 26 FEDERAL COM	026H	Oil	Active	314	N	1247	E	A	2	25S	29E	3/24/2018	9050	14.75	10.75	444	490	Surf	Circ	9243-19169	PERMITTED GAS STORAGE WELL. ACTIVE. CASE 23501, R-22911.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																9.875	7.625	8454	1846	Surf	Circ				
																6.75	5.5	19303	821	Surf	Calc			DVT at 3391	
221	30-015-44702	OXY USA INC	CORRAL FLY 35 26 FEDERAL COM	021H	Oil	Active	694	N	1248	W	D	2	25S	29E	3/31/2018	8928	14.75	10.75	412	418	Surf	Circ	9509-19389	PERMITTED GAS STORAGE WELL. ACTIVE. CASE 23501, R-22911.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																9.875	7.625	8168	1885	Surf	Circ				
																6.75	5.5	19519	846	Surf	Calc				
222	30-015-44703	OXY USA INC	CORRAL FLY 35 26 FEDERAL COM	022H	Oil	Active	694	N	1278	E	D	2	25S	29E	3/31/2018	8930	14.75	10.75	382	836	Surf	Circ	9373-19248	PERMITTED GAS STORAGE WELL. ACTIVE. CASE 23501, R-22911.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																9.875	7.625	8302	1869	Surf	Circ				
																6.75	5.5	19394	882	Surf	Calc				
223	30-015-44704	OXY USA INC	CORRAL FLY 35 26 FEDERAL COM	023H	Oil	Active	694	N	1308	W	D	2	25S	29E	4/1/2018	8949	14.75	10.75	400	418	Surf	Circ	9463-19338	PERMITTED GAS STORAGE WELL. NOT ACTIVE. CASE 23501, R-22911.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																9.875	7.625	8405	1737	Surf	Circ				
																6.75	5.5	19470	850	Surf	Calc				
224	30-015-44705	OXY USA INC	CORRAL FLY 35 26 FEDERAL COM	024H	Oil	Active	314	N	1307	E	A	2	25S	29E	3/22/2018	9056	14.75	10.75	442	490	Surf	Circ	9643-19519	PERMITTED GAS STORAGE WELL. NOT ACTIVE. CASE 23501, R-22911.	[96473] PIERCE CROSSING; BONE SPRING, EAST
																9.875	7.625	8381	1841	Surf	Circ				
																6.75	5.5	19651	821	Surf	Calc				
225	30-015-42992	OXY USA INC	CEDAR CANYON 29 FEDERAL COM	002H	Oil	Active	230	N	320	E	A	29	24S	29E	10/21/2016	8531	14.750	10.750	410	462	Surf	Circ		PERMITTED GAS STORAGE WELL. ACTIVE. CASE 22150, R-22206.	[50371] PIERCE CROSSING; BONE SPRING
																9.875	7.625	8049	2963	Surf	Circ				
																6.750	4.500	13384	580	Surf	Circ				

# OFFSET EOR PROJECT AND PROPOSED CLGC WELL

BEFORE THE OIL CONSERVATION DIVISION

Santa Fe, New Mexico

Supplemental Exhibit No. H


Submitted by: Oxy USA Inc. & Occidental Permian LTD

Hearing Date: March 5, 2026

Case No. 24983

AOR ID Number

Boundary well



Map of 2BSS Wells in red

## Notes

- ④⑧ CEDAR CANYON 16 STATE #007H
  - Case 21996, R-21832
  - Active EOR injection well
- ⑤⑧ CEDAR CANYON 16 STATE #012H
  - Case 21996, R-21832
  - Not active EOR injection well
- ①① CEDAR CANYON 21 FED COM #021H
  - Proposed CLGC candidate well
  - Discussed with Examiner McClure at hearing 12/5/2024. Potential drop well
- ④⑥ CEDAR CANYON 16 STATE COM #002H
  - Active producer located between CLGC well and permitted injector
- Oxy proposal- Utilize Cedar Canyon 16 State #002H (46) as a “edge boundary” well that will separate the EOR project from the proposed CLGC project CEDAR CANYON 21 FED COM #021H (11).

**STATE OF NEW MEXICO  
ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT  
OIL CONSERVATION DIVISION**

**APPLICATION OF OXY USA INC. FOR A  
CLOSED LOOP GAS CAPTURE INJECTION  
PILOT PROJECT, EDDY COUNTY, NEW  
MEXICO.**

**CASE NO. 24983**

**SELF-AFFIRMED STATEMENT OF STEPHEN JANACEK**

1. My name is Stephen Janacek, and I am employed by OXY USA Inc. (“OXY”) as a petroleum engineer.

2. I have previously testified before the New Mexico Oil Conservation Division as an expert witness in petroleum engineering.

3. I am familiar with the application filed by OXY in this case, and the Division guidance and requirements regarding closed loop gas capture injection projects (CLGC Project) such as this one.

4. My statement and the supplemental exhibit included herein addresses Division concerns regarding overlapping project areas.

5. To address Division concerns, OXY first proposes to remove Cedar Canyn 23 Federal Com 5H (API No. 30-015-43282) from the list of proposed CLGC injectors in Case No. 24983. Oxy intends to continue using this well for EOR purposes under its existing injection authority.

6. Second, OXY proposes to amend the project area for Case No. 24983 to eliminate overlap with existing EOR projects and with its Cedar Canyon 2021 CLCG project area. **OXY Supplemental Exhibit I** depicts the proposed revised project area for Case No. 24983.

**BEFORE THE OIL CONSERVATION DIVISION  
Santa Fe, New Mexico  
Supplemental Exhibit No. I  
Submitted by: Oxy USA Inc. & Occidental Permian LTD  
Hearing Date: March 5, 2026  
Case No. 24983**

7. Slide 2 is an Unconventional EOR Project Area Map identifying five EOR projects in the Cedar Canyon area. Three are active (CC 16, CC 15-3H, CC 23-4H), one is pending an injection order (Juno Unit), and one was terminated due to non-injection (CC 27/28).

8. Slide 3 is a CLGC Project Area Map showing the three CLGC projects in the area: CC 2021 (active, pending order extension), Corral Canyon/Corral Fly (active), and CC 2024 (pending order, which is the case at issue).

9. Slide 4 is a Combined Audit Map overlaying all EOR and CLGC project areas to illustrate the overlap areas the Division flagged.


10. Slide 5 is a Proposed Solution Map showing the revised CC 2024 project area with all overlaps removed.

11. Slide 6 is a Proposed Project Area Description with a section-by-section comparison of the original 2024 project area and the proposed 2026 project area. Notable changes include completely removing Sections 15, 16, and 24, and reducing the acreage in Sections 17, 21, 23, 28, and 29, to the project area.

12. Slide 7 is the OCD-Requested Table cross-referencing all order numbers, case numbers, current status, and whether each project is CLGC or EOR.

13. **OXY Supplemental Exhibit I** was either prepared by me or compiled under my direction and supervision.

14. I affirm under penalty of perjury under the laws of the State of New Mexico that the foregoing statements are true and correct. I understand that this self-affirmed statement will be used as written testimony in this case. This statement is made on the date next to my signature below.

A rectangular image showing a handwritten signature in black ink on a light-colored background. The signature reads "Stephen Janacek" in a cursive script.

2/26/2026

---

Stephen Janacek

---

Date



# **CASE 24983, CEDAR CANYON 2024 CLGC PROJECT**

**SUPPLEMENTAL EXHIBITS- AUDIT AND PROPOSED CHANGES TO PROJECT AREA**

---

Stephen Janacek


**MARCH 2026**

**LEAD WITH PASSION • OUTPERFORM EXPECTATIONS • DELIVER RESULTS RESPONSIBLY • UNLEASH OPPORTUNITIES • COMMIT TO GOOD**

# UNCONVENTIONAL EOR PROJECT AREAS

Case Number	Project Name
1. 21996	CC 16
2. 20449	CC 15-3H
3. 20193	CC 23-4H
4. 22183	Juno Unit (pending order)
5. 20194	CC 27/28 (terminated)

- There are 5 EOR projects in the Cedar Canyon area.
- 3 are active projects
- 1 is pending an injection order
- 1 was terminated due to non-injection




# CLGC PROJECT AREAS

★ CLGC order of interest

Case Number	Project Name
6. 22150	CC 2021 (active, pending extension)
7. 23501	Corral Canyon/Corral Fly
8. 24983	CC 2024 (pending order)


- There are 3 CLGC project in the Cedar Canyon area.
- 1 is active
- 1 is active pending order extension
- 1 is pending order



# AUDIT- CEDAR CANYON ALL PROJECT AREAS

- Key**
- UEOR Projects
  - Terminated Projects
  - CLGC Projects
  - Dashed line = Pending Order
  - ★ CLGC Order of primary interest

Case Number	Project Name
1. 21996	CC 16
2. 20449	CC 15-3H
3. 20193	CC 23-4H
4. 22183	Juno Unit (pending order)
5. 20194	CC 27/28 (terminated)
6. 22150	CC 2021 (active, pending extension)
7. 23501	Corral Canyon/Corral Fly
★ 8. 24983	CC 2024 (pending order)




# PROPOSED SOLUTION

- Key**
- UEOR Projects
  - Terminated Projects
  - CLGC Projects
  - Dashed line = Pending Order

**Proposed Changes**

1. Remove CC 23-4H from case 24983 (CC 2024).
2. Amend project area of case 24983 so there is no overlap with EOR projects with orders issued or the CC 2021 project area.




# PROPOSED PROJECT AREA DESCRIPTION

## Key

CLGC Project

Dashed line = Pending Order

Original 2024 Project Area		Proposed 2026 Project Area	
UL or Q/Q	S-T-R	UL or Q/Q	S-T-R
All	3-24S-29E	All	3-24S-29E
W/2	6-24S-29E	W/2	6-24S-29E
W/2, SE/4	7-24S-29E	W/2, SE/4	7-24S-29E
W/2	8-24S-29E	W/2	8-24S-29E
All	10-24S-29E	All	10-24S-29E
All	15-24S-29E	None	15-24S-29E
S/2	16-24S-29E	None	16-24S-29E
NW/4, S/2	17-24S-29E	W/2	17-24S-29E
All	20-24S-29E	All	20-24S-29E
All	21-24S-29E	N/2 N/2, S/2	21-24S-29E
All	22-24S-29E	All	22-24S-29E
All	23-24S-29E	S/2	23-24S-29E
N/2 NW/4	24-24S-29E	None	24-24S-29E
N/2, N/2 S/2	27-24S-29E	N/2, N/2 S/2	27-24S-29E
All	28-24S-29E	S/2, S/2 N2	28-24S-29E
All	29-24S-29E	S/2, S/2 N2	29-24S-29E
		Proposed Change	



# OCD REQUESTED TABLE

- Oxy intends to keep using the EOR injection orders associated with active projects.
- There is 1 well found in multiple cases- CC 23-4H for both EOR and CLGC purposes. Oxy intends to keep using this well for EOR purposes.
- Oxy intends to use CLGC wells during gas takeaway upsets.

Ref No.	Order Number	Case Number(s)	Current Status
1	R-21832	21996	Active
2	R-21383	20449	Active
3	R-21356	20193	Active
4	pending	22183	Pending Order
5	R-21357	20194	Terminated
6	R-22206	22150	Active, pending extension
7	R-22911	23501	Active
8	pending	24983	Pending Order

**Updated CLGC Candidate Well List for Pilot Project**

#	API	Well Name	3/5/2026 Status
1	30-015-41194	CEDAR CANYON 23 002H	Candidate
2	30-015-42993	CEDAR CANYON 29 FEDERAL 003H	Candidate
3	30-015-43232	CEDAR CANYON 27 FEDERAL 006H	Candidate
4	30-015-43234	CEDAR CANYON 28 FEDERAL 006H	Candidate
5	30-015-43708	CEDAR CANYON 22 FEDERAL COM 004H	Candidate
6	30-015-43749	CEDAR CANYON 21 FEDERAL 005H	Candidate
7	30-015-43775	CEDAR CANYON 27 FEDERAL 005H	Candidate
8	30-015-44190	CEDAR CANYON 21 FEDERAL 022H	Candidate
9	30-015-44522	CEDAR CANYON 29 FED COM 25H	Candidate
10	30-015-44945	SALT RIDGE CC 20-17 FEDERAL COM 021H	Candidate
11	30-015-45551	LENGTH CC 6 7 FEDERAL COM 23H	Candidate
12	30-015-47957	TAILS CC 10 3 FEDERAL COM 22H	Candidate
13	30-015-47975	VAGABOND CC 8 17 FEDERAL COM 23H	Candidate

## Wells Removed from original application:

- **MORGAN FEE COM 001H (API No. 30-015-39968)**
  - Production cement not tied into intermediate string (cement top at 5,400 ft; intermediate casing set at 3,037 ft). Wellbore diagram may conflict with data table. Remediation required before injection. Separate Division approval via Notice of Intent needed before operational status. [Transcript pp. 125-126]
- **CEDAR CANYON 28 FEDERAL 007H (API No. 30-015-43238)**
  - Removed per Chevron's request
- **CEDAR CANYON 23 FEDERAL 005H (API No. 30-015-43282)**
  - Plan to remove from the project so there is no EOR project overlap
- **CEDAR CANYON 21 FEDERAL 021H (API No. 30-015-44181)**
  - Proximity concern from Examiner McClure with Cedar Canyon State 16 Pressure Maintenance Project (Order R21832). OXY confirmed currently injecting into Cedar Canyon 16 7H under that project. OXY prefers to maintain existing pressure maintenance permit and remove this well from CLGC project. [Transcript pp. 127-128, 139-140]
- **CEDAR CANYON 29 FED COM 26H (API No. 30-015-44523)**
  - Removed per Chevron's request