# STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF APPLICATION FOR COMPULSORY POOLING SUBMITTED BY MARATHON OIL PERMIAN

CASE NO. 24085 ORDER NO. R-23238

#### **ORDER**

The Director of the New Mexico Oil Conservation Division ("OCD"), having heard this matter through a Hearing Examiner on May 2, 2024, and after considering the testimony, evidence, and recommendation of the Hearing Examiner, issues the following Order.

#### FINDINGS OF FACT

- 1. Marathon Oil Permian ("Operator") submitted an application ("Application") to compulsory pool the uncommitted oil and gas interests within the spacing unit ("Unit") described in Exhibit A. Operator seeks to be designated the operator of the Unit.
- 2. Operator will dedicate the well(s) described in Exhibit A ("Well(s)") to the Unit.
- 3. Operator proposes the supervision and risk charges for the Well(s) described in Exhibit A.
- 4. Operator identified the owners of uncommitted interests in oil and gas minerals in the Unit and provided evidence that notice was given.
- 5. The Application was heard by the Hearing Examiner on the date specified above, during which Operator presented evidence through affidavits in support of the Application. No other party presented evidence at the hearing.

#### **CONCLUSIONS OF LAW**

- 6. OCD has jurisdiction to issue this Order pursuant to NMSA 1978, Section 70-2-17.
- 7. Operator is the owner of an oil and gas working interest within the Unit.
- 8. Operator satisfied the notice requirements for the Application and the hearing as required by 19.15.4.12 NMAC.
- 9. OCD satisfied the notice requirements for the hearing as required by 19.15.4.9 NMAC.
- 10. Operator has the right to drill the Well(s) to a common source of supply at the depth(s) and location(s) in the Unit described in Exhibit A.

- 11. The Unit contains separately owned uncommitted interests in oil and gas minerals.
- 12. Some of the owners of the uncommitted interests have not agreed to commit their interests to the Unit.
- 13. The pooling of uncommitted interests in the Unit will prevent waste and protect correlative rights, including the drilling of unnecessary wells.
- 14. This Order affords to the owner of an uncommitted interest the opportunity to produce his just and equitable share of the oil or gas in the pool.

### <u>ORDER</u>

- 15. The uncommitted interests in the Unit are pooled as set forth in Exhibit A.
- 16. The Unit shall be dedicated to the Well(s) set forth in Exhibit A.
- 17. Operator is designated as operator of the Unit and the Well(s).
- 18. If the location of a well will be unorthodox under the spacing rules in effect at the time of completion, Operator shall obtain the OCD's approval for a non-standard location in accordance with 19.15.16.15(C) NMAC.
- 19. If the Unit is a non-standard horizontal spacing unit which has not been approved under this Order, Operator shall obtain the OCD's approval for a non-standard horizontal spacing unit in accordance with 19.15.16.15(B)(5) NMAC.
- 20. The Operator shall commence drilling the Well(s) within one year after the date of this Order, and complete each Well no later than one (1) year after the commencement of drilling the Well.
- 21. This Order shall terminate automatically if Operator fails to comply with Paragraph 20 unless Operator obtains an extension by amending this Order for good cause shown.
- 22. The infill well requirements in 19.15.13.9 NMAC through 19.15.13.12 NMAC shall be applicable.
- 23. Operator shall submit each owner of an uncommitted working interest in the pool ("Pooled Working Interest") an itemized schedule of estimated costs to drill, complete, and equip the well ("Estimated Well Costs").
- 24. No later than thirty (30) days after Operator submits the Estimated Well Costs, the owner of a Pooled Working Interest shall elect whether to pay its share of the Estimated Well Costs or its share of the actual costs to drill, complete and equip the well ("Actual Well Costs") out of production from the well. An owner of a Pooled

Working Interest who elects to pay its share of the Estimated Well Costs shall render payment to Operator no later than thirty (30) days after the expiration of the election period, and shall be liable for operating costs, but not risk charges, for the well. An owner of a Pooled Working Interest who fails to pay its share of the Estimated Well Costs or who elects to pay its share of the Actual Well Costs out of production from the well shall be considered to be a "Non-Consenting Pooled Working Interest."

- 25. No later than one hundred eighty (180) days after Operator submits a Form C-105 for a well, Operator shall submit to each owner of a Pooled Working Interest an itemized schedule of the Actual Well Costs. The Actual Well Costs shall be considered to be the Reasonable Well Costs unless an owner of a Pooled Working Interest files a written objection no later than forty-five (45) days after receipt of the schedule. If an owner of a Pooled Working Interest files a timely written objection, OCD shall determine the Reasonable Well Costs after public notice and hearing.
- 26. No later than sixty (60) days after the expiration of the period to file a written objection to the Actual Well Costs or OCD's order determining the Reasonable Well Costs, whichever is later, each owner of a Pooled Working Interest who paid its share of the Estimated Well Costs shall pay to Operator its share of the Reasonable Well Costs that exceed the Estimated Well Costs, or Operator shall pay to each owner of a Pooled Working Interest who paid its share of the Estimated Well Costs its share of the Estimated Well Costs that exceed the Reasonable Well Costs.
- 27. The reasonable charges for supervision to drill and produce a well ("Supervision Charges") shall not exceed the rates specified in Exhibit A, provided however that the rates shall be adjusted annually pursuant to the COPAS form entitled "Accounting Procedure-Joint Operations."
- 28. No later than within ninety (90) days after Operator submits a Form C-105 for a well, Operator shall submit to each owner of a Pooled Working Interest an itemized schedule of the reasonable charges for operating and maintaining the well ("Operating Charges"), provided however that Operating Charges shall not include the Reasonable Well Costs or Supervision Charges. The Operating Charges shall be considered final unless an owner of a Pooled Working Interest files a written objection no later than forty-five (45) days after receipt of the schedule. If an owner of a Pooled Working Interest files a timely written objection, OCD shall determine the Operating Charges after public notice and hearing.
- 29. Operator may withhold the following costs and charges from the share of production due to each owner of a Pooled Working Interest who paid its share of the Estimated Well Costs: (a) the proportionate share of the Supervision Charges; and (b) the proportionate share of the Operating Charges.

- 30. Operator may withhold the following costs and charges from the share of production due to each owner of a Non-Consenting Pooled Working Interest: (a) the proportionate share of the Reasonable Well Costs; (b) the proportionate share of the Supervision and Operating Charges; and (c) the percentage of the Reasonable Well Costs specified as the charge for risk described in Exhibit A.
- 31. Operator shall distribute a proportionate share of the costs and charges withheld pursuant to paragraph 30 to each Pooled Working Interest that paid its share of the Estimated Well Costs.
- 32. Each year on the anniversary of this Order, and no later than ninety (90) days after each payout, Operator shall provide to each owner of a Non-Consenting Pooled Working Interest a schedule of the revenue attributable to a well and the Supervision and Operating Costs charged against that revenue.
- 33. Any cost or charge that is paid out of production shall be withheld only from the share due to an owner of a Pooled Working Interest. No cost or charge shall be withheld from the share due to an owner of a royalty interests. For the purpose of this Order, an unleased mineral interest shall consist of a seven-eighths (7/8) working interest and a one-eighth (1/8) royalty interest.
- 34. Except as provided above, Operator shall hold the revenue attributable to a well that is not disbursed for any reason for the account of the person(s) entitled to the revenue as provided in the Oil and Gas Proceeds Payment Act, NMSA 1978, Sections 70-10-1 *et seq.*, and relinquish such revenue as provided in the Uniform Unclaimed Property Act, NMSA 1978, Sections 7-8A-1 *et seq.*
- 35. The Unit shall terminate if (a) the owners of all Pooled Working Interests reach a voluntary agreement; or (b) the well(s) drilled on the Unit are plugged and abandoned in accordance with the applicable rules. Operator shall inform OCD no later than thirty (30) days after such occurrence.
- 36. OCD retains jurisdiction of this matter for the entry of such orders as may be deemed necessary.

**Date:** 5/30/2024

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

DYLAN M FUGE DIRECTOR (ACTING)

DMF/hat

## Exhibit A

Page 41 of 42

ALL INFORMATION IN THE APPLICATION MUST BI	SUPPORTED BY SIGNED AFFIDAVITS
Case: 24085	APPLICANT'S RESPONSE
Date	May 2, 2024
Applicant	Marathon Oil Permian LLC
Designated Operator & OGRID (affiliation if applicable)	Marathon Oil Permian LLC OGRID 372098
Applicant's Counsel:	Padilla Law Firm, P.A.
Case Title:	APPLICATION OF MARATHON OIL PERMIAN LLC FOR COMPULSORY POOLING AND, TO THE EXTENT NECESSARY, APPROVAL OF AN OVERLAPPIT SPACING UNIT, EDDY COUNTY, NEW MEXICO.
Entries of Appearance/Intervenors: Well Family	Coterra Energy Inc. and its subsidiaries, including Cimarex Energy Co. Cobra Cobretti
Formation/Pool	
Formation Name(s) or Vertical Extent:  Primary Product (Oil or Gas):	Bone Spring Oil
Pooling this vertical extent:	
Pool Name and Pool Code:	Bone Spring Willow Lake; Bone Spring Pool (Code: 64450)
Well Location Setback Rules:	Statewide Rules
	Statewide rules
Spacing Unit Type (Horizontal/Vertical)	Horizontal
Size (Acres)	800-acres
Building Blocks:	40-Acres
Orientation:	North/South
Description: TRS/County	SE/4 of Section 25, the E/2 of Section 36, Township 24 South, Range 28 East, and the E/2 of Section
Standard Horizontal Well Spacing Unit (Y/N), If No, describe <u>and</u> is <u>approval of non-standard unit requested in this application?</u>	Township 25 South, Range 28 East, N.M.P.M., Eddy County. Yes,
Other Situations	
Depth Severance: Y/N, If yes, description	No.
Proximity Tracts: If yes, description	Yes. The completed intervals of the Cobra Cobretti BS Federal Com 301H and the Cobra Cobretti B Federal Com 552H are each expected to be less than 330 feet from the adjoining tracts thereby allowing for the inclusion of the proximity tracts within the proposed spacing unit under Rule 19.15.16.15(B)(1)(b) NMAC.
Proximity Defining Well: if yes, description	Cobra Cobretti BS Federal Com 302H and Cobra Cobretti BS Federal Com 552H
Applicant's Ownership in Each Tract	Exhibit B.3
standard or non-standard) Well #1: Cobra Cobretti B5 Federal Com 301H	SHL: 276' FSL & 1,722' FEL, Section 1, T-25-5 R-28-E 100' FSL & 1,640' FEL Section 1, T-25-5 R-28-E 100' FSL & 1,640' FEL Section 1, T-25-5 R-28-E BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-5 R-28 Completion Target: First Bone Spring Completion Target: First Bone Spring Completion Status: Standard
	TVD: 7,490', MVD: 20,240'
Well #2: Cobra Cobretti BS Federal Com 302H	SHL: 277' FSL & 1,662' FEL, Section 1, T-25-\$ R-28-E FTP:
	100° FSL & 330° FEL Section 1, T-25-S R-28-E BHL: 2,540° FSL & 330° FEL Section 25, T-24-S R-28-E Orientation: North South Completion Target: First Bone Spring Completion Status: Standard TUD: 7,490°, MVD: 20,240°
Well #3: Cobra Cobretti BS Federal Com SS2H	Orientation: North South Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490', MVD: 20,240'  SHI: 275' FSL & 1,752' FEL, Section 1, T-25-S-R-28-E TIP: 100' FSL & 1,640' FEL Section 1, T-25-S-R-28-E BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-S R-28 Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring Completion Target: Third Bone Spring
Nell #3: Cobra Cobretti BS Federal Com 552H  Vell #4: Cobra Cobretti BS Federal Com 554H	Orientation: North South Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490', MVD: 20,240'  TVD: 7,490', MVD: 20,240'  FFP. 100' FSI. & 1,690' FEL Section 1, T-25-S R-28-E BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-S R-28-C Orientation: North South Completion Target: Third Bone Spring Cordination: North South Completion Target: Third Bone Spring
Well #3: Cobra Cobretti BS Federal Com SS2H  Vell #4: Cobra Cobretti BS Federal Com SS4H	Orientation: North South Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490', MVD: 20,240'  SHL: 275' FSL & 1,752' FEL, Section 1, T-25-S R-28-E TIO: FSL & 1,640' FEL Section 1, T-25-S R-28-E BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-S R-28-C Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring Completion Target: Third Bone Spring TVD: 8,825', MVD: 21,576'  SHL: 276' FSL & 1,692' FEL, Section 1, T-25-S R-28-E TIP: 100' FSL & 330' FEL Section 1, T-25-S R-28-E BHL: 2,540' FSL & 330' FEL Section 25, T-24-S R-28-E Orientation: North South
Well #3: Cobra Cobretti BS Federal Com 552H  Vell #4: Cobra Cobretti BS Federal Com 554H  Iorizontal Well First and Last Take Points	Orientation: North South Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490', MVD: 20,240'  SHL: 275' FSL & 1,752' FEL, Section 1, T-25-S R-28-E FTP: 100' FSL & 1,640' FEL Section 1, T-25-S R-28-E BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-S R-28-E Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring TVD: 8,825', MVD: 21,576'  SHL: 276' FSL & 1,692' FEL, Section 1, T-25-S R-28-E BHL: 2,540' FSL & 330' FEL Section 25, T-24-S R-28-E Orientation: North South Completion Target: Third Bone Spring Completion Status: Standard TVD: 8,825', MVD: 21,576'
Well #3: Cobra Cobretti BS Federal Com 552H  Vell #4: Cobra Cobretti BS Federal Com 554H  Iorizontal Well First and Last Take Points	Orientation: North South Completion Target: First Bone Spring Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490', MVD: 20,240'  SHL: 275' FSL & 1,752' FEL, Section 1, T-25-5 R-28-E FTP: 100' FSL & 1,640' FEL Section 1, T-25-5 R-28-E BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-5 R-28-E Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring Completion Target: Third Bone Spring TVD: 8,825', MVD: 21,576'  SHL: 276' FSL & 1,692' FEL, Section 1, T-25-5 R-28-E FTP: 100' FSL & 330' FEL Section 1, T-25-5 R-28-E BHL: 2,540' FSL & 330' FEL Section 25, T-24-5 R-28-E Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring Completion Status: Standard TVD: 8,825', MVD: 21,576' See above cells and Exhibit B-2 (C-102s)
Well #3: Cobra Cobretti BS Federal Com 552H  Vell #4: Cobra Cobretti BS Federal Com 554H  Iorizontal Well First and Last Take Points  ompletion Target (Formation, TVD and MD)  FE Capex and Operating Costs	Orientation: North South Completion Target: First Bone Spring Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490', MVD: 20,240'  SHL: 275' FSL & 1,752' FEL, Section 1, T-25-5 R-28-E FTP: 100' FSL & 1,640' FEL Section 1, T-25-5 R-28-E BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-5 R-28-E Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring Completion Target: Third Bone Spring TVD: 8,825', MVD: 21,576'  SHL: 276' FSL & 1,692' FEL, Section 1, T-25-5 R-28-E FTP: 100' FSL & 330' FEL Section 1, T-25-5 R-28-E BHL: 2,540' FSL & 330' FEL Section 25, T-24-5 R-28-E Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring Completion Status: Standard TVD: 8,825', MVD: 21,576' See above cells and Exhibit B-2 (C-102s)
Well #3: Cobra Cobretti BS Federal Corn 552H  Well #4: Cobra Cobretti BS Federal Corn 554H  Iorizontal Well First and Last Take Points  Ompletion Target (Formation, TVD and MD)  FE Capex and Operating Costs  rilling Supervision/Month S	Orientation: North South Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490', MVD: 20,240'  Shit: 275' FSL & 1,752' FEL, Section 1, T-25-S R-28-E  100' FSL & 1,640' FEL Section 1, T-25-S R-28-E  101' FSL & 1,640' FEL Section 1, T-25-S R-28-E  102' FSL & 1,640' FEL Section 1, T-25-S R-28-E  103' FSL & 1,640' FEL Section 1, T-25-S R-28-E  104' FSL & 1,640' FEL Section 25, T-24-S R-28-E  105' FSL & 1,640' FEL Section 1, T-25-S R-28-E  106' FSL & 330' FEL Section 1, T-25-S R-28-E  100' FSL & 330' FEL Section 1, T-25-S R-28-E  100' FSL & 330' FEL Section 1, T-25-S R-28-E  100' FSL & 330' FEL Section 1, T-25-S R-28-E  100' FSL & 330' FEL Section 25, T-24-S R-28-E  100' FSL & 330' FEL Section 1, T-25-S R-28-E  100' FSL & 330' FEL Section 25, T-24-S R-28-E  100' FSL & 330' FEL Section 1, T-25-S R-28-E  100' FSL & 330' FEL Section 25, T-24-S R-28-E  100' FSL & 330' FEL Section 1, T-25-S R-28-E  100' FSL & 330' FEL Section 25, T-24-S R-28-E  100' FSL & 330' FEL Section 1, T-25-S R-28-E  100' FSL & 330' FEL Section 25, T-24-S R-28-E  100' FSL & 330' FEL Section 25, T-24-S R-28-E  100' FSL & 330' FEL Section 1, T-25-S R-28-E  100' FSL & 330' FEL Section 25, T-24-S R-28-E  100' FSL & 330' FEL Section 25, T-24-S R-28-E  100' FSL & 330' FEL Section 25, T-24-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 25, T-24-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL & 330' FEL Section 3, T-25-S R-28-E  100' FSL &
Well #4: Cobra Cobretti BS Federal Corn 552H  Vell #4: Cobra Cobretti BS Federal Corn 554H  Iorizontal Well First and Last Take Points  ompletion Target (Formation, TVD and MD)  FE Capex and Operating Costs  rilling Supervision/Month \$  roduction Supervision/Month \$	Orientation: North South Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490', MVD: 20,240'  Shit: 275' FSL & 1,752' FEL, Section 1, T-25-S-R-28-E  FTP. 100' FSL & 1,540' FEL Section 1, T-25-S-R-28-E  BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-S-R-28-C Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring TVD: 8,825', MVD: 22,576'  SHL: 276' FSL & 1,692' FEL, Section 1, T-25-S-R-28-E  FTP: 100' FSL & 330' FEL Section 1, T-25-S-R-28-E  BHL: 2,540' FSL & 330' FEL Section 25, T-24-S-R-28-E  Orientation: North South Completion Target: Third Bone Spring Completion Ta
Well #3: Cobra Cobretti BS Federal Com SS2H  Vell #4: Cobra Cobretti BS Federal Com SS4H  Jorizontal Well First and Last Take Points  Jorizontal Well Firs	Orientation: North South Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490', MVD: 20,240'  SHI: 275' FSL & 1,752' FEL, Section 1, T-25-S R-28-E FTP: 100' FSL & 1,640' FEL Section 1, T-25-S R-28-E BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-S R-28 Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring TVD: 8,825', MVD: 21,576'  SHI: 276' FSL & 1,692' FEL, Section 1, T-25-S R-28-E BHL: 2,540' FSL & 330' FEL Section 25, T-24-S R-28-E TO0' FSL & 330' FEL Section 1, T-25-S R-28-E BHL: 2,540' FSL & 330' FEL Section 25, T-24-S R-28-E Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring TVD: 8,825', MVD: 21,576' See above cells and Exhibit 8-2 (C-1021) See above cells and Exhibit 8-5 (proposal letter)
Well #3: Cobra Cobretti BS Federal Com 552H  Well #4: Cobra Cobretti BS Federal Com 554H  orizontal Well First and East Take Points  ompletion Target (Formation, TVD and MD)  FE Capex and Operating Costs  rilling Supervision/Month 5  roduction Supervision/Month 5  satification for Supervision Costs  equested Risk Charge	Orientation: North South Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490', MVD: 20,240'  SHI: 275' FSL & 1,752' FEL, Section 1, T-25-S R-28-E FTP: 100' FSL & 1,640' FEL Section 1, T-25-S R-28-E BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-S R-28 Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring TVD: 8,825', MVD: 21,576'  SHI: 276' FSL & 1,692' FEL, Section 1, T-25-S R-28-E BHL: 2,540' FSL & 330' FEL Section 25, T-24-S R-28-E Orientation: North South Completion Target: Third Bone Spring Completion Status: Standard TVD: 8,825', MVD: 21,576' See above cells and Exhibit 8-2 (C-102s) See above cells and Exhibit 8-5 (proposal letter)  \$10,000 \$1,000 See Exhibit 8 Paragraph 25
Nell #3: Cobra Cobretti BS Federal Com SS2H  Vell #4: Cobra Cobretti BS Federal Com SS4H  Iorizontal Well First and Last Take Points Ompletion Target (Formation, TVD and MD)  FE Capex and Operating Costs  rilling Supervision/Month \$  roduction Supervision/Month \$  satification for Supervision Costs equested Risk Charge  otice of Hearing	Orientation: North South Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490', MVD: 20,240'  SHI: 275' FSL & 1,752' FEL, Section 1, T-25-S R-28-E FTP: 100' FSL & 1,640' FEL Section 1, T-25-S R-28-E BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-S R-28 Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring TVD: 8,825', MVD: 21,576'  SHI: 276' FSL & 1,692' FEL, Section 1, T-25-S R-28-E BHL: 2,540' FSL & 330' FEL Section 25, T-24-S R-28-E Orientation: North South Completion Target: Third Bone Spring Completion Status: Standard TVD: 8,825', MVD: 21,576' See above cells and Exhibit 8-2 (C-102s) See above cells and Exhibit 8-5 (proposal letter)  \$10,000 \$1,000 See Exhibit 8 Paragraph 25
Well #3: Cobra Cobretti BS Federal Corn 552H  Well #4: Cobra Cobretti BS Federal Corn 554H  Iorizontal Well First and Last Take Points  ompletion Target (Formation, TVD and MD)  FE Capex and Operating Costs  rilling Supervision/Month \$  roduction Supervision/Month \$  satification for Supervision Costs  equested Risk Charge  otice of Hearing  roposed Notice of Hearing	Orientation: North South Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490, MVD: 20,240'  Shit: 275' FSL & 1,752' FEL, Section 1, T-25-S-R-28-E  FFP. 1010' FSL & 1,690' FEL Section 1, T-25-S-R-28-E  BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-S-R-28-C Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring Completion Target: Third Bone Spring TVD: 8,825', MVD: 21,576'  SHL: 276' FSL & 1,692' FEL, Section 1, T-25-S-R-28-E  FFP: 100' FSL & 330' FEL Section 1, T-25-S-R-28-E  BHL: 2,540' FSL & 330' FEL Section 25, T-24-S-R-28-E  Orientation: North South Completion Target: Third Bone Spring Completion Ta
Well #3: Cobra Cobretti BS Federal Corn SS2H  Vell #4: Cobra Cobretti BS Federal Corn SS4H  Vell #4: Cobra	Orientation: North South Completion Target: First Bone Spring Completion Status: Standard TVD: 7,490, MVD: 20,240'  SHI: 275' FSL & 1,752' FEL, Section 1, T-25-S-R-28-E FTP. 100' FSL & 1,640' FEL Section 1, T-25-S-R-28-E BHL: 2,540' FSL & 1,640' FEL Section 25, T-24-S R-28-C Orientation: North South Completion Target: Third Bone Spring Completion Target: Third Bone Spring TVD: 8,825', MVD: 21,576'  SHL: 276' FSL & 1,692' FEL, Section 1, T-25-S R-28-E BHL: 2,540' FSL & 330' FEL Section 25, T-24-S R-28-E TIP: 100' FSL & 330' FEL Section 1, T-25-S R-28-E BHL: 2,540' FSL & 330' FEL Section 25, T-24-S R-28-E Orientation: North South Completion Target: Third Bone Spring Sompletion Target: Third Bone Spring Somp

Released to Imaging: 5/10/2024 8:13:54 AM

If approval of Non-Standard Spacing Unit is requested, Tract List (including lease numbers and owners) of Tracts subject to notice requirements.	
notice requirements.	N/A
Pooled Parties (including ownership type)	Exhibit 8-3
Uniocatable Parties to be Pooled	Exhibit B-3
Ownership Depth Severance (including percentage above &	NA NA
Joinder	
Sample Copy of Proposal Letter	Exhibit B-6
List of Interest Owners (ie Exhibit A of JOA)	Exhibit B-S
Chronology of Contact with Non-Joined Working Interests	Exhibt B-4
Overhead Rates in Proposal Letter	Exhibt B-6
Cost Estimate to Drill and Complete	Exhibit B-7
Cost Estimate to Equip Well	Exhibit 8-7
Cost Estimate for Production Facilities	Exhibit B-7
Geology	
Summary (including special considerations)	Exhibit C
Spacing Unit Schematic	Exhibit C-2
Gunbarrel/Lateral Trajectory Schematic	Exhibit C-2
Well Orientation (with rationale)	Exhibit C-15
Target Formation	Exhibits C-3 to C-14
HSU Cross Section	Exhibit C-5; C-9; C-13
Depth Severance Discussion	NA .
Forms, Figures and Tables	
C-102	Exhibit 8-2
Tracts	Exhibit B-3
Summary of Interests, Unit Recapitulation (Tracts)	Exhibit B-5
General Location Map (including basin)	Exhibit C-1
Well Bore Location Map	Exhibit C-2
Structure Contour Map - Subsea Depth	Exhibit C-3; C-7; C-11
Cross Section Location Map (including wells)	Exhibit C-4; C-8; C-12
Cross Section (including Landing Zone)	Exhibit C-5; C-9; C-13

#### Special Provision for Pooling Order in Case No. 24085

Operator has represented to the Oil Conservation Division ("OCD") that it will apply for its applications for permits to drill ("APDs") based on the surface and subsurface locations and depths of the wellbores as described in the OCD's Compulsory Pooling Checklist attached to this Pooling Order. The Operator acknowledges that the wellbore locations and depths described herein are the result of negotiations entered into with Coterra Energy, Inc. ("Party of Record"), a party of record to the hearing, to address operational concerns, and (1) if any of the APDs applied for by the Operator pursuant to this Pooling Order are rejected or denied by the issuing agency based on the specifications of the surface locations, subsurface locations or depths of the wellbores described herein such that the specifications have to be changed or altered to cure the APD's rejection or denial, or (2) if the Operator submits any APDs with wellbores surface locations or depths that have been changed or altered from the specifications described in this order, then the Operator shall promptly provide written notice to the Party of Record of the occurrence of (1) such rejection or denial of any such APD) or (2) (any submission of an APD with wellbore locations or depths changed or altered from the specifications described herein), whichever occurs and applies. This provision shall also apply to any other wells who Operator plans to drill in the pooled spacing unit as described herein, whichever occurs and applies. This provision shall also apply to any other wells who operator plans to drill in the pooled spacing unit as described herein, whichever occurs and applies. This provision shall also apply to any other wells who operator plans to drill in the pooled spacing unit as described herein, whichever occurs and applies. This provision shall also apply to any other wells who operator plans to drill in the Compulsory Pooling Checklist, Operator shall promptly provide written notice of the APD applications to Party of Record.

CERTIFICATION: I hereby certify that the information provided in this checklist is complete and assurate.

Printed Name (Attorney or Party Representative):

Signed Name (Attorney or Party Representative):

Date: May 9 AVY4

Released to Imaging: 5/10/2024 8:13:54 AM

Special Provisions/Stipulations