



LT Environmental, Inc.

3300 North "A" Street
Building 1, Unit 222
Midland, Texas 79705
432.704.5178

October 21, 2020

District 2
New Mexico Oil Conservation Division
811 South First Street
Artesia, New Mexico 88210

**RE: Closure Request Addendum
 WPX Energy Permian, LLC
 Longview Federal 1 #021H
 Incident Number NRM2000356004
 Eddy County, New Mexico**

To Whom It May Concern:

LT Environmental, Inc. (LTE), on behalf of WPX Energy Permian, Inc. (WPX), presents the following Closure Request detailing soil sampling and excavation activities at the Longview Federal 1 #021H (Site) in Unit D, Section 1, Township 23 South, Range 28 East, in Eddy County, New Mexico (Figure 1). The purpose of the soil sampling and excavation activities was to address impacts to soil following an event that resulted in the release of produced water and crude oil to the surface of the well pad.

On August 19, 2020, WPX was notified of the denial associated with an original Closure Request that was received by the New Mexico Oil Conservation Division (NMOCD) on May 28, 2020. The NMOCD required depth to groundwater data to be provided from a well within 0.5 mile from the Site and additional efforts to achieve lateral delineation to 600 mg/kg for chloride. WPX and LTE have included additional data to support a depth to water determination of greater than 50 feet below ground surface (bgs) at the Site and to define the periphery of horizontal impact associated with sidewall soil samples SW07 and SW08. Based on field observations, field screening, and final laboratory analytical results from soil sampling activities, WPX is submitting this Closure Request Addendum to provide a depth to water determination using a well within 0.5 mile from the Site and show horizontal delineation of chlorides on pad to the requested 600 mg/kg.

REVISIONS

The revised report addresses the following updates:

- Depth to water was initially determined to be greater than 50 feet below ground surface (bgs) based on a water well approximately 0.95 miles away. LTE researched the latest water well record data surrounding the Site and found a closer well approximately 0.30 miles north of the Site indicating depth to water is greater than 50 feet bgs. A New Mexico Office of State Engineers well record and log are included in the report.



- LTE conducted delineation activities onsite with a hand auger for horizontal delineation of sidewall soil samples SW07 and SW08 with two boreholes (BH01 and BH02) that were advanced to 1 foot bgs. Two samples were collected from each borehole at 0.2 to 0.5 feet bgs and 0.75 to 1 foot bgs. Laboratory analytical results from all borehole soil samples indicate that benzene, BTEX, TPH, and chloride concentrations are below the Closure Criteria. Detailed lithologic logs and laboratory analytical data are included in this addendum.
- This Closure Request Addendum only includes field summaries relevant to fulfilling the conditions issued by the NMOCD on August 19, 2020. All previous data can be referenced in the original report.

BACKGROUND

On October 31, 2019, a stainless line on a wellhead failed, resulting in the release of 5 barrels (bbls) of produced water and 5 bbls of crude oil to the well pad surface. Released liquids flowed south of the wellhead and an area north and west of the wellhead was affected by overspray. None of the released fluid was recovered. WPX reported the release to the New Mexico Oil Conservation Division (NMOCD) on a Release Notification and Corrective Action Form C-141 (Form C-141) on November 12, 2019 and was assigned Incident ID NRM2000356004 (Attachment 1).

SITE CHARACTERIZATION

LTE characterized the Site according to Table 1, *Closure Criteria for Soils Impacted by a Release*, of Title 19, Chapter 15, Part 29, Section 12 (19.15.29.12) of the New Mexico Administrative Code (NMAC):

- The closest significant watercourse to the Site is an unnamed stream located approximately 3,100 feet west-southwest of the Site;
- The Site is greater than 300 feet from any occupied residence, school, hospital, institution, church, or wetland¹;
- The Site is greater than 1,000 feet to a freshwater well or spring and is not within an unstable area, 100-year floodplain, or overlying a subsurface mine;
- The Site is located in a medium-potential karst area;
- Depth to groundwater at the Site is estimated to be greater than 55 feet below ground surface (bgs) based on known aquifer properties and an identified water well.

¹Although the NMOCD online database indicates the presence of a wetland area adjacent to the western area of the Site, WPX contracted SWCA Environmental Consultants (SWCA) to conduct a wetlands study. On February 6, 2020, SWCA conducted the field reconnaissance and determined that the area does not meet the United States Army Corps of Engineers' definition of a wetland. The Wetland Reconnaissance for the Longview 1-21 Well Spill Remediation Project is included as Attachment 2.



- The nearest permitted water well with depth to water data is New Mexico Office of the State Engineer (NMOSE) file number C-04417, located approximately 0.30 miles north of the Site. NMOSE well C-04417 was drilled by WPX on March 31, 2020 during a depth to water study of the area. Using a truck mounted drill rig equipped with hollow stem auger, the soil boring was advanced to a total depth of 55 feet bgs. No water was observed within the soil boring after 48 hours and the boring was plugged and abandoned. The NMOSE Well Record and Log of the well is included as Attachment 3.

Based on these criteria, the following NMOCD Table 1 closure criteria apply:

- 10 milligrams per kilogram (mg/kg) benzene;
- 50 mg/kg total benzene, toluene, ethylbenzene, and total xylenes (BTEX);
- 1,000 mg/kg total gasoline range organics (GRO) and diesel range organics (DRO);
- 2,500 mg/kg total petroleum hydrocarbons (TPH); and
- 10,000 mg/kg chloride.

DELINEATION AND SOIL SAMPLING ACTIVITIES

On October 7, 2020, LTE was onsite to investigate horizontal delineation of sidewall soil samples SW07 and SW08 to meet the NMOCD conditions provided on August 19, 2020. LTE utilized a hand auger to advance two boreholes, BH01 and BH02. Two soil samples were collected at depth intervals 0.2 to 0.5 feet bgs and 0.75 to 1 foot bgs at each borehole location. Delineation activities were directed by field screening soil samples for volatile aromatic hydrocarbons using a photoionization detector (PID) and chloride using Hach® chloride QuanTab® test strips. The borehole locations were mapped utilizing a handheld Global Positioning System (GPS) unit and have been added to Figure 2.

The soil samples were placed directly into a pre-cleaned glass jars, labeled with the location, date, time, sampler name, method of analysis, and immediately placed on ice. The soil samples were transported at or below 4 degrees Celsius (°C), under strict chain-of-custody (COC) procedures, to Xenco Laboratories (Xenco) in Carlsbad, New Mexico, for analysis of BTEX following United States EPA Method 8021B; TPH following EPA Method 8015M/D; and chloride following EPA Method 300.0. Field screening results and observations for the boreholes were recorded on a lithologic/soil sampling log and is presented in Attachment 4. Photographic documentation from additional delineation activities is included in Attachment 5.

Laboratory analytical results from all of the borehole samples indicate compliance with the Closure Criteria and defines the periphery of horizontal impact associated with sidewall soil samples SW07 and SW08 for the requested 600 mg/kg chloride. The final laboratory analytical report is included in Attachment 6.



District 2
Page 4

CLOSURE REQUEST

As documented in the original report, remediation of impacted soils associated with the subject release was successfully achieved to the Closure Criteria, which included excavation of approximately 460 cubic yards of soil. Based on the additional data provided that supports full lateral and vertical delineation to chloride concentrations to below 600 mg/kg and depth to water determination is greater than 55 feet bgs at the Site, WPX requests no further action and closure of Incident Number NRM2000356004. Since remediation events, the remaining excavations associated with subject release have been backfilled with locally sourced materials and recontoured to match pre-existing conditions.

If you have any questions or comments, please do not hesitate to contact Ms. Ashley Ager at (970) 385-1096 or aager@ltenv.com.

Sincerely,

LT ENVIRONMENTAL, INC.

A handwritten signature in black ink, appearing to read 'Joseph S. Hernandez'.

Joseph S. Hernandez
Project Geologist

A handwritten signature in black ink, appearing to read 'Ashley L. Ager'.

Ashley L. Ager, M.S., P.G.
Senior Geologist



District 2
Page 5


cc: Jim Raley, WPX
Robert Hamlet, NMOCD
Victoria Venegas, NMOCD
Bureau of Land Management

Attachments:


Figure 1	Site Location Map
Figure 2	Delineation Soil Sample Locations
Figure 3	Excavation Soil Sample Locations
Table 1	Soil Analytical Results
Attachment 1	Form C-141
Attachment 2	The Wetland Reconnaissance
Attachment 3	Well Record and Log
Attachment 4	Lithologic/Soil Sampling Log
Attachment 5	Photographic Log
Attachment 6	Laboratory Analytical Reports

FIGURES






P:\WPX\GIS\IMXD\034819082_LONGVIEW DEEP FEDERAL 1-21\034819082_FIG01_SL_RECEPTOR_2020.mxd



P:\WPX\GIS\MXD\034819082_LONGVIEW DEEP FEDERAL 1-21\034819082_FIG02_DELINEATION_2020_NEW_STANDARDS.mxd



P:\WPX\GIS\MXD\034819082_LONGVIEW DEEP FEDERAL 1-21\034819082_FIG03_EXCAVATION_NO_DATA_2020.mxd

TABLE



TABLE 1
LABORATORY ANALYTICAL RESULTS

LONGVIEW FEDERAL 1 #021H
INCIDENT NUMBER NRM2000356004
EDDY COUNTY, NEW MEXICO
WPX ENERGY PERMIAN, INC.

Sample Name	Sample Depth (feet bgs)	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)	Application
NMOCD Table 1 Closure Criteria														
SS01	Surface	11/20/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	NE	NE	NE	1,000	2,500	10,000	
SS02	Surface	11/20/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<49.9	<49.9	<49.9	<49.9	<49.9	31.6	IN
SS03	Surface	11/20/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<49.8	<49.8	<49.8	<49.8	<49.8	292	IN
PH01	0.5	11/05/2019	<0.000998	<0.000998	0.00108	0.0114	0.0125	<49.8	150	<50.0	117	117	203	EX
PH01A	1	11/05/2019	<0.000992	<0.000992	0.00529	0.00452	0.00981	<49.8	<49.8	<49.8	<49.8	<49.8	6,770	EX
PH01B	2	11/05/2019	<0.000998	<0.000998	<0.000998	<0.000998	<0.000998	<49.9	<49.9	<49.9	<49.9	<49.9	18.0	IN
BH01	0.2 - 0.5	10/07/2020	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<49.9	<49.9	<49.9	<49.9	<49.9	65.0	IN
BH01A	0.75 - 1	10/07/2020	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<50.1	<50.1	<50.1	<50.1	<50.1	38.8	IN
BH02	0.2 - 0.5	10/07/2020	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	<50.0	188	IN
BH02A	0.75 - 1	10/07/2020	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<50.2	<50.2	<50.2	<50.2	<50.2	91.3	IN
FS01	1	11/20/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<50.0	<50.0	<50.0	<50.0	<50.0	573	IN
FS02	1	11/20/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<49.8	<49.8	<49.8	<49.8	<49.8	118	IN
FS03	1	11/20/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<50.0	<50.0	<50.0	<50.0	<50.0	110	IN
FS04	1 - 1.5	11/20/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	<49.9	50.3	IN
FS05	1 - 1.5	11/20/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<49.9	52.0	<49.9	52.0	52.0	84.6	IN
FS06	1 - 2	11/20/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<50.0	264	53.8	264	318	90.6	EX
FS06A	2	01/02/2020	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<50.2	<50.2	<50.2	<50.2	<50.2	192	IN
FS07	1 - 2	11/20/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<49.9	70.8	<49.9	70.8	70.8	132	IN
FS08	2	11/20/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<49.9	<49.9	<49.9	<49.9	<49.9	97.4	IN
FS09	1.5 - 2	11/20/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	<50.0	101	IN
FS10	1.5 - 2	11/20/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<49.9	<49.9	<49.9	<49.9	<49.9	45.2	IN



TABLE 1
LABORATORY ANALYTICAL RESULTS
LONGVIEW FEDERAL 1 #021H
INCIDENT NUMBER NRM2000356004
EDDY COUNTY, NEW MEXICO
WPX ENERGY PERMIAN, INC.

Sample Name	Sample Depth (feet bgs)	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)	Application
NMOCD Table 1 Closure Criteria														
FS11	0.5	01/02/2020	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	NE	NE	NE	1,000	2,500	10,000	IN
FS12	0.5	01/02/2020	<0.00197	<0.00197	<0.00197	<0.00197	<0.00197	<50.2	<50.2	<50.2	<50.2	<50.2	285	IN
FS13	2	01/02/2020	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.2	<50.2	<50.2	<50.2	<50.2	285	IN
FS14	2	01/02/2020	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<49.8	<49.8	<49.8	<49.8	<49.8	252	IN
FS15	2	01/02/2020	<0.00196	<0.00196	<0.00196	<0.00196	<0.00196	<50.2	<50.2	<50.2	<50.2	<50.2	328	IN
FS15A	3	01/20/2020	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<50.1	<50.1	<50.1	<50.1	<50.1	1,900	EX
FS16	2	01/02/2020	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	<50.0	405	IN
FS17	6	01/20/2020	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<50.1	<50.1	<50.1	<50.1	<50.1	466	IN
FS18	6	01/20/2020	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<50.2	<50.2	<50.2	<50.2	<50.2	192	IN
FS19	0 - 0.3	01/20/2020	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	<49.9	201	IN
SW01	0 - 2	11/20/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<49.9	<49.9	<49.9	<49.9	<49.9	86.7	IN
SW02	0 - 2	11/20/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<49.8	<49.8	<49.8	<49.8	<49.8	125	IN
SW03	0 - 2	11/20/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	<50.0	101	IN
SW04	0 - 2	11/20/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<49.9	<49.9	<49.9	<49.9	<49.9	62.8	IN
SW05	0 - 2	01/02/2020	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	<49.9	76.1	IN
SW06	0 - 2	01/02/2020	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<50.2	<50.2	<50.2	<50.2	<50.2	147	IN
SW07	0 - 2	01/02/2020	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<50.3	93.6	<50.3	93.6	93.6	312	IN
SW08	0 - 6	01/20/2020	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<49.9	<49.9	<49.9	<49.9	<49.9	2,040	IN
SW09	0 - 6	01/20/2020	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.2	<50.2	<50.2	<50.2	<50.2	1,290	IN
SW10	0 - 6	01/20/2020	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<50.1	<50.1	<50.1	<50.1	<50.1	320	IN
SW11	0 - 6	01/20/2020	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<50.3	<50.3	<50.3	<50.3	<50.3	294	IN

Notes:

bgs - below ground surface

BTEX - benzene, toluene, ethylbenzene, and total xylenes

DRO - diesel range organics

GRO - gasoline range organics

mg/kg - milligrams per kilogram

MRO - motor oil range organics

NMAC - New Mexico Administrative Code

NMOCD - New Mexico Oil Conservation Division

NE - not established

TPH - total petroleum hydrocarbons

Bold - indicates result exceeds the applicable regulatory standard

< - indicates result is below laboratory reporting limits

Table 1 - closure criteria for soils impacted by a release per NMAC 19.15.29 August 2018

IN - In-situ

EX - Ex-situ

ATTACHMENT 1: FORM C-141



District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NRM2000356004
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

E7TVU-191112-C-1410

Responsible Party: WPX Energy Permian, LLC.	OGRID: 246289
Contact Name: Jim Raley	Contact Telephone: 575-689-7597
Contact email: james.ralej@wpxenergy.com	Incident # (assigned by OCD)
Contact mailing address: 5315 Buena Vista Dr., Carlsbad, NM 88220	

Location of Release Source

Latitude 32.3386574 _____ Longitude -104.0452118 _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name: LONGVIEW FEDERAL 1 #021H	Site Type: Production Facility
Date Release Discovered: 10/31/2019	API# (if applicable): 30-015-40651

Unit Letter	Section	Township	Range	County
D	01	23S	28E	Eddy

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☒ Crude Oil	Volume Released (bbls) 5	Volume Recovered (bbls) 0
☒ Produced Water	Volume Released (bbls) 5	Volume Recovered (bbls) 0
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☒ Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release: Stainless line on wellhead failed allowing fluids to impact pad surface.

Form C-141

Page 2

State of New Mexico
Oil Conservation Division

Incident ID	NRM2000356004
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? ☐ Yes ☒ No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? 	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☒ The source of the release has been stopped. ☒ The impacted area has been secured to protect human health and the environment. ☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. ☒ All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why: 	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: Jim Raley Signature:  email: james.raley@wpenergy.com	Title: Environmental Specialist Date: 11/12/2019 Telephone: 575-689-7597
<u>OCD Only</u> Received by: <u>Ramona Marcus</u> Date: <u>1/3/2020</u>	

Incident ID	NRM2000356004
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>55 (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☒ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☒ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☒ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☒ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	NRM2000356004
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Jim Raley Title: Environmental Specialist
Signature:  Date: 10-26-2020
email: james.raley@wpenergy.com Telephone: 575-689-7597

OCD Only

Received by: _____ Date: _____

Incident ID	NRM2000356004
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Jim Raley Title: Environmental Specialist
Signature:  Date: 10-26-2020
email: james.raley@wpenergy.com Telephone: 575-689-7597

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____

ATTACHMENT 2: THE WETLAND RECONNAISSANCE





ENVIRONMENTAL CONSULTANTS

Sound Science. Creative Solutions.®

4407 Monterey Oaks Boulevard
Building 1, Suite 110
Austin, Texas 78749
Tel 512.476.0891 Fax 512.476.0893
www.swca.com

TECHNICAL MEMORANDUM

To: Jim Raley
WPX Energy Permian, LLC
5315 Buena Vista Drive
Carlsbad, New Mexico 88220

From: Amber Ballman, Director – Natural Resources, Austin

Date: March 06, 2020

Re: **Wetland Reconnaissance for the Longview 1-21 Well Spill Remediation Project, Eddy County, New Mexico**

INTRODUCTION

WPX Energy Permian, LLC (WPX) had a spill from the existing Longview 1-21 well in January 2020. The well and associated well pad are located in Eddy County, New Mexico, approximately 10.5 miles southeast of the city of Carlsbad and 1.4 miles north-northwest of the U.S. Refinery Road–State Highway 31 intersection (Figure 1).

On behalf of WPX, SWCA Environmental Consultants (SWCA) conducted a wetland reconnaissance within a National Wetland Inventory (NWI)-mapped wetland (U.S. Fish and Wildlife Service 2019) located due west of the Longview 1-21 well pad. The purpose of the wetland reconnaissance was to determine if the NWI-mapped wetland met the parameters of a U.S. Army Corps of Engineers (USACE)-defined wetland. This technical memorandum describes the methods used to conduct the wetland reconnaissance and summarizes results of the reconnaissance. Results and conclusions provided in this report represent SWCA's professional opinion based on our experience in southeastern New Mexico.

METHODS

SWCA received the Longview 1-21 well location from WPX on February 4, 2020. SWCA used this information to conduct the wetland reconnaissance within the portion of the NWI-mapped wetland adjacent to the Longview 1-21 well pad (reconnaissance area) on February 6, 2020 (Figure 2). The wetland reconnaissance was conducted in accordance with the Corps of Engineers Wetlands Delineation Manual (1987 Manual) (Environmental Laboratory 1987) and Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0) (Arid West Supplemental Manual) (USACE 2008).¹ SWCA completed Arid West Supplement Manual data forms (Appendix A) for representative data points within the reconnaissance area (Figure 2).

¹ The Arid West Supplemental Manual presents wetland indicators, delineation guidance, and other information specific to the Arid West Region and takes precedence over the 1987 Manual for applications in this region where differences in the two manuals occur.

Wetland Reconnaissance for the Longview 1-21 Well Spill Remediation Project, Eddy County, New Mexico




Figure 1. Location map.



RECONNAISSANCE AREA DESCRIPTION

The reconnaissance area is located within the Chihuahuan Desert: Chihuahuan Basin and Playas Level IV ecoregion (Griffith et al. 2006). This ecoregion is comprised of desert shrublands and grasslands of creosotebush (*Larrea tridentata*), tarbush (*Flourensia cernua*), fourwing saltbush (*Atriplex canescens*), acacias (*Acacia* spp.), grama (*Bouteloua* spp.), and alkali sacaton (*Sporobolus airoides*) (Griffith et al. 2006).

The reconnaissance area is located within the Salt Lake watershed. Ground elevation within the reconnaissance area is approximately 3,055 feet above mean sea level. According to the Natural Resources Conservation Service (2019), there is one soil unit mapped within the reconnaissance area: Simona-Bippus complex, 0 to 5 percent slopes. This soil unit is a well-drained soil that is not categorized as hydric.

WETLAND RECONNAISSANCE RESULTS

SWCA completed Arid West Supplement Manual data forms (Appendix A) for three representative data points within the reconnaissance area, which are depicted on Figure 2. Photographs of these data point locations are provided in Appendix B. The reconnaissance area is comprised of a herbaceous upland and does not meet the USACE definition of a wetland. As a result, SWCA did not identify a USACE-defined wetland within the NWI-mapped wetland area adjacent to WPX's Longview 1-21 well pad.

REFERENCES

- Griffith, G.E., J.M. Omernik, M.M. McGraw, G.Z. Jacobi, C.M. Canavan, T.S. Schrader, D. Mercer, R. Hill, and B.C. Moran. 2006. Ecoregions of New Mexico (color poster with map, descriptive text, summary tables, and photographs). Map scale 1:1,400,000. Reston, Virginia, U.S. Geological Survey.
- Natural Resources Conservation Service. 2019. Web Soil Survey. Available at: <https://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm>. Accessed March 6, 2020.
- U.S. Army Corps of Engineers (USACE). 2008. *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0)*. ERDC/EL TR-08-28. Vicksburg, Mississippi: U.S. Army Research and Development Center, Wetlands Regulatory Assistance Program.
- U.S. Fish and Wildlife Service. 2019. National Wetlands Inventory. Available at: <https://www.fws.gov/wetlands/data/mapper.HTML>. Accessed February 4, 2020.

APPENDIX A

U.S. Army Corps of Engineers Wetland Determination Data Forms Arid West Region

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Longview 1-21 City/County: Eddy County Sampling Date: 02/06/20
 Applicant/Owner: WPX State: NM Sampling Point: Data Point 01
 Investigator(s): Joanna Franks Section, Township, Range: S 01, T 23S, R 28E
 Landform (hillslope, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): < 5%
 Subregion (LRR): LRR-D Lat: 32.338969 Long: -104.046855 Datum: NAD 83
 Soil Map Unit Name: Simona-Bippus complex, 0 to 5 percent slopes NWI classification: PEM1A
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No ☐ (If no, explain in Remarks.)
 Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☒ No ☐
 Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes ☐ No ☒	Is the Sampled Area within a Wetland? Yes ☐ No ☒
Hydric Soil Present? Yes ☐ No ☐	
Wetland Hydrology Present? Yes ☐ No ☒	
Remarks: No hydrophytic vegetation or wetland hydrology present. This data point is located within a herbaceous upland.	

VEGETATION – Use scientific names of plants.

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A/B)
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
_____ = Total Cover				Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species <u>0</u> x 1 = <u>0</u> FACW species <u>0</u> x 2 = <u>0</u> FAC species <u>0</u> x 3 = <u>0</u> FACU species <u>10</u> x 4 = <u>40</u> UPL species <u>32</u> x 5 = <u>160</u> Column Totals: <u>42</u> (A) <u>200</u> (B) Prevalence Index = B/A = <u>4.7</u>
<u>Sapling/Shrub Stratum</u> (Plot size: <u>10' x 10'</u>)				
1. <u>Prosopis glandulosa</u>	<u>10</u>	<u>Yes</u>	<u>FACU</u>	
2. <u>Gutierrezia sarothrae</u>	<u>2</u>	<u>No</u>	<u>UPL</u>	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
_____ = Total Cover				
<u>Herb Stratum</u> (Plot size: <u>10' x 10'</u>)				Hydrophytic Vegetation Indicators: ☐ Dominance Test is >50% ☐ Prevalence Index is ≤3.0 ¹ ☐ Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) ☐ Problematic Hydrophytic Vegetation ¹ (Explain)
1. <u>Muhlenbergia porteri</u>	<u>25</u>	<u>Yes</u>	<u>UPL</u>	
2. <u>Heterotheca subaxillaris</u>	<u>5</u>	<u>No</u>	<u>UPL</u>	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
_____ = Total Cover				
<u>Woody Vine Stratum</u> (Plot size: _____)				¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
_____ = Total Cover				
% Bare Ground in Herb Stratum <u>58</u> % Cover of Biotic Crust <u>n/a</u>				Hydrophytic Vegetation Present? Yes ☐ No ☒
Remarks: Hydrophytic vegetation is not present.				

SOIL

Sampling Point: Data Point

[illegible]

HYDROLOGY

Wetland Hydrology Indicators:		
Primary Indicators (minimum of one required; check all that apply)		Secondary Indicators (2 or more required)
☐ Surface Water (A1)	☐ Salt Crust (B11)	☐ Water Marks (B1) (Riverine)
☐ High Water Table (A2)	☐ Biotic Crust (B12)	☐ Sediment Deposits (B2) (Riverine)
☐ Saturation (A3)	☐ Aquatic Invertebrates (B13)	☐ Drift Deposits (B3) (Riverine)
☐ Water Marks (B1) (Nonriverine)	☐ Hydrogen Sulfide Odor (C1)	☐ Drainage Patterns (B10)
☐ Sediment Deposits (B2) (Nonriverine)	☐ Oxidized Rhizospheres along Living Roots (C3)	☐ Dry-Season Water Table (C2)
☐ Drift Deposits (B3) (Nonriverine)	☐ Presence of Reduced Iron (C4)	☐ Crayfish Burrows (C8)
☐ Surface Soil Cracks (B6)	☐ Recent Iron Reduction in Tilled Soils (C6)	☐ Saturation Visible on Aerial Imagery (C9)
☐ Inundation Visible on Aerial Imagery (B7)	☐ Thin Muck Surface (C7)	☐ Shallow Aquitard (D3)
☐ Water-Stained Leaves (B9)	☐ Other (Explain in Remarks)	☐ FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes ☐ No ☒ Depth (inches): _____ Water Table Present? Yes ☐ No ☒ Depth (inches): _____ Saturation Present? Yes ☐ No ☒ Depth (inches): _____ (includes capillary fringe)		Wetland Hydrology Present? Yes ☐ No ☒
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks:		
No field indicators of wetland hydrology are present.		

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Longview 1-21 City/County: Eddy County Sampling Date: 02/06/20
 Applicant/Owner: WPX State: NM Sampling Point: Data Point 02
 Investigator(s): Joanna Franks Section, Township, Range: S 01, T 23S, R 28E
 Landform (hillslope, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): < 5%
 Subregion (LRR): LRR-D Lat: 32.338476 Long: -104.046033 Datum: NAD 83
 Soil Map Unit Name: Simona-Bippus complex, 0 to 5 percent slopes NWI classification: PEM1A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No ☐ (If no, explain in Remarks.)
 Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☒ No ☐
 Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes ☐ No ☒	Is the Sampled Area within a Wetland? Yes ☐ No ☒
Hydric Soil Present? Yes ☐ No ☐	
Wetland Hydrology Present? Yes ☐ No ☒	
Remarks: No hydrophytic vegetation or wetland hydrology present. This data point is located within a herbaceous upland.	

VEGETATION – Use scientific names of plants.

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>1</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A/B)
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
_____ = Total Cover				Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species <u>0</u> x 1 = <u>0</u> FACW species <u>0</u> x 2 = <u>0</u> FAC species <u>0</u> x 3 = <u>0</u> FACU species <u>0</u> x 4 = <u>0</u> UPL species <u>60</u> x 5 = <u>300</u> Column Totals: <u>60</u> (A) <u>300</u> (B) Prevalence Index = B/A = <u>5.0</u>
Sapling/Shrub Stratum (Plot size: _____)				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
_____ = Total Cover				Hydrophytic Vegetation Indicators: ☐ Dominance Test is >50% ☐ Prevalence Index is ≤3.0 ¹ ☐ Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) ☐ Problematic Hydrophytic Vegetation ¹ (Explain) ¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Hydrophytic Vegetation Present? Yes ☐ No ☒
Herb Stratum (Plot size: <u>10' x 10'</u>)				
1. <u>Muhlenbergia porteri</u>	<u>55</u>	<u>Yes</u>	<u>UPL</u>	
2. <u>Heterotheca subaxillaris</u>	<u>5</u>	<u>No</u>	<u>UPL</u>	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	
8. _____	_____	_____	_____	
_____ = Total Cover				
Woody Vine Stratum (Plot size: _____)				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
_____ = Total Cover				
% Bare Ground in Herb Stratum <u>40</u> % Cover of Biotic Crust <u>n/a</u>				
Remarks: Hydrophytic vegetation is not present.				

SOIL

Sampling Point: Data Point

[illegible]

HYDROLOGY

Wetland Hydrology Indicators:		
Primary Indicators (minimum of one required; check all that apply)		Secondary Indicators (2 or more required)
☐ Surface Water (A1)	☐ Salt Crust (B11)	☐ Water Marks (B1) (Riverine)
☐ High Water Table (A2)	☐ Biotic Crust (B12)	☐ Sediment Deposits (B2) (Riverine)
☐ Saturation (A3)	☐ Aquatic Invertebrates (B13)	☐ Drift Deposits (B3) (Riverine)
☐ Water Marks (B1) (Nonriverine)	☐ Hydrogen Sulfide Odor (C1)	☐ Drainage Patterns (B10)
☐ Sediment Deposits (B2) (Nonriverine)	☐ Oxidized Rhizospheres along Living Roots (C3)	☐ Dry-Season Water Table (C2)
☐ Drift Deposits (B3) (Nonriverine)	☐ Presence of Reduced Iron (C4)	☐ Crayfish Burrows (C8)
☐ Surface Soil Cracks (B6)	☐ Recent Iron Reduction in Tilled Soils (C6)	☐ Saturation Visible on Aerial Imagery (C9)
☐ Inundation Visible on Aerial Imagery (B7)	☐ Thin Muck Surface (C7)	☐ Shallow Aquitard (D3)
☐ Water-Stained Leaves (B9)	☐ Other (Explain in Remarks)	☐ FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes ☐ No ☒ Depth (inches): _____ Water Table Present? Yes ☐ No ☒ Depth (inches): _____ Saturation Present? Yes ☐ No ☒ Depth (inches): _____ (includes capillary fringe)		Wetland Hydrology Present? Yes ☐ No ☒
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks:		
No field indicators of wetland hydrology are present.		

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Longview 1-21 City/County: Eddy County Sampling Date: 02/06/20
 Applicant/Owner: WPX State: NM Sampling Point: Data Point 03
 Investigator(s): Joanna Franks Section, Township, Range: S 01, T 23S, R 28E
 Landform (hillslope, terrace, etc.): Flat Local relief (concave, convex, none): None Slope (%): < 5%
 Subregion (LRR): LRR-D Lat: 32.338476 Long: -104.046033 Datum: NAD 83
 Soil Map Unit Name: Simona-Bippus complex, 0 to 5 percent slopes NWI classification: PEM1A
 Are climatic / hydrologic conditions on the site typical for this time of year? Yes ☒ No ☐ (If no, explain in Remarks.)
 Are Vegetation ☐, Soil ☐, or Hydrology ☐ significantly disturbed? Are "Normal Circumstances" present? Yes ☒ No ☐
 Are Vegetation ☐, Soil ☐, or Hydrology ☐ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ☐ No ☒	Is the Sampled Area within a Wetland?	Yes ☐ No ☒
Hydric Soil Present?	Yes ☐ No ☐		
Wetland Hydrology Present?	Yes ☐ No ☒		
Remarks: No hydrophytic vegetation or wetland hydrology present. This data point is located within a herbaceous upland.			

VEGETATION – Use scientific names of plants.

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status	Dominance Test worksheet: Number of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A) Total Number of Dominant Species Across All Strata: <u>2</u> (B) Percent of Dominant Species That Are OBL, FACW, or FAC: <u>0</u> (A/B)
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
_____ = Total Cover				Prevalence Index worksheet: Total % Cover of: _____ Multiply by: _____ OBL species <u>0</u> x 1 = <u>0</u> FACW species <u>0</u> x 2 = <u>0</u> FAC species <u>0</u> x 3 = <u>0</u> FACU species <u>5</u> x 4 = <u>20</u> UPL species <u>55</u> x 5 = <u>275</u> Column Totals: <u>60</u> (A) <u>295</u> (B) Prevalence Index = B/A = <u>4.9</u>
<u>Sapling/Shrub Stratum</u> (Plot size: <u>10' x 10'</u>)				
1. <u>Prosopis glandulosa</u>	<u>5</u>	<u>Yes</u>	<u>FACU</u>	
2. _____	_____	_____	_____	
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	Hydrophytic Vegetation Indicators: ☐ Dominance Test is >50% ☐ Prevalence Index is ≤3.0 ¹ ☐ Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet) ☐ Problematic Hydrophytic Vegetation ¹ (Explain)
5. _____	_____	_____	_____	
_____ = Total Cover				
<u>Herb Stratum</u> (Plot size: <u>10' x 10'</u>)				
1. <u>Muhlenbergia porteri</u>	<u>50</u>	<u>Yes</u>	<u>UPL</u>	
2. <u>Heterotheca subaxillaris</u>	<u>5</u>	<u>No</u>	<u>UPL</u>	¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
3. _____	_____	_____	_____	
4. _____	_____	_____	_____	
5. _____	_____	_____	_____	
6. _____	_____	_____	_____	
7. _____	_____	_____	_____	Hydrophytic Vegetation Present? Yes ☐ No ☒
8. _____	_____	_____	_____	
_____ = Total Cover				
<u>Woody Vine Stratum</u> (Plot size: _____)				
1. _____	_____	_____	_____	
2. _____	_____	_____	_____	
_____ = Total Cover				
% Bare Ground in Herb Stratum <u>40</u> % Cover of Biotic Crust <u>n/a</u>				
Remarks: Hydrophytic vegetation is not present.				

SOIL

Sampling Point: Data Point

[illegible]

HYDROLOGY

Wetland Hydrology Indicators:		
Primary Indicators (minimum of one required; check all that apply)		Secondary Indicators (2 or more required)
☐ Surface Water (A1)	☐ Salt Crust (B11)	☐ Water Marks (B1) (Riverine)
☐ High Water Table (A2)	☐ Biotic Crust (B12)	☐ Sediment Deposits (B2) (Riverine)
☐ Saturation (A3)	☐ Aquatic Invertebrates (B13)	☐ Drift Deposits (B3) (Riverine)
☐ Water Marks (B1) (Nonriverine)	☐ Hydrogen Sulfide Odor (C1)	☐ Drainage Patterns (B10)
☐ Sediment Deposits (B2) (Nonriverine)	☐ Oxidized Rhizospheres along Living Roots (C3)	☐ Dry-Season Water Table (C2)
☐ Drift Deposits (B3) (Nonriverine)	☐ Presence of Reduced Iron (C4)	☐ Crayfish Burrows (C8)
☐ Surface Soil Cracks (B6)	☐ Recent Iron Reduction in Tilled Soils (C6)	☐ Saturation Visible on Aerial Imagery (C9)
☐ Inundation Visible on Aerial Imagery (B7)	☐ Thin Muck Surface (C7)	☐ Shallow Aquitard (D3)
☐ Water-Stained Leaves (B9)	☐ Other (Explain in Remarks)	☐ FAC-Neutral Test (D5)
Field Observations: Surface Water Present? Yes ☐ No ☒ Depth (inches): _____ Water Table Present? Yes ☐ No ☒ Depth (inches): _____ Saturation Present? Yes ☐ No ☒ Depth (inches): _____ (includes capillary fringe)		Wetland Hydrology Present? Yes ☐ No ☒
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		
Remarks:		
No field indicators of wetland hydrology are present.		

APPENDIX B

Photographic Log

Wetland Reconnaissance for the Longview 1-21 Well Spill Remediation Project, Eddy County, New Mexico



Photograph 1. Overview photo of data point 1.



Photograph 2. Overview photo of data point 2.

Wetland Reconnaissance for the Longview 1-21 Well Spill Remediation Project, Eddy County, New Mexico



Photograph 3. Overview photo of data point 3.

ATTACHMENT 3: WELL RECORD AND LOG





WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) PODI		WELL TAG ID NO. Well Tag ID Not Issued		OSE FILE NO(S) C 04417			
	WELL OWNER NAME(S) WPX Energy				PHONE (OPTIONAL)			
	WELL OWNER MAILING ADDRESS 5315 Buena Vista Drive				CITY Carlsbad	STATE NM	ZIP 88220	
	WELL LOCATION (FROM GPS)	DEGREES 32		MINUTES 20	SECONDS 35.4	N		
		LONGITUDE -104		02	47.1	W		
* ACCURACY REQUIRED: ONE TENTH OF A SECOND * DATUM REQUIRED: WGS 84								
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE M-36-22S-28E; Pinnacle State #25								
2. DRILLING & CASING INFORMATION	LICENSE NO. 1789		NAME OF LICENSED DRILLER Mark Mumby			NAME OF WELL DRILLING COMPANY HRL Compliance Solutions		
	DRILLING STARTED 3/31/2020		DRILLING ENDED 3/31/2020		DEPTH OF COMPLETED WELL (FT) 55	BORE HOLE DEPTH (FT) 55	DEPTH WATER FIRST ENCOUNTERED (FT) Water was not encountered	
	COMPLETED WELL IS: ☐ ARTESIAN ☒ DRY HOLE ☐ SHALLOW (UNCONFINED)					STATIC WATER LEVEL IN COMPLETED WELL (FT) Water was not present in the well after 48-hours		
	DRILLING FLUID: ☐ AIR ☐ MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: ☐ ROTARY ☐ HAMMER ☐ CABLE TOOL ☒ OTHER - SPECIFY: Hollow Stem Auger							
	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
	0	45	6.25	Blank PVC	Flush Thread	2.0	0.154	0.010
	45	55	6.25	Factory Slotted PVC Screen	Flush Thread	2.0	0.154	0.010
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT		
	FROM	TO						
				No Annular Seal Material or Gravel Pack	None			

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 04/30/19)

FILE NO. C-4417	POD NO. 1	TRN NO. 670394
LOCATION 334 T22S R28E Sec 36	WELL TAG ID NO. NA	PAGE 1 OF 2

DEPTH (feet bgl)			THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONES (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)		ESTIMATED YIELD FOR WATER-BEARING ZONES (gpm)
	FROM	TO					
0	55	55	Silt/Sand with Interbedded caliche	Y	N	0.00	
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
				Y	N		
METHOD USED TO ESTIMATE YIELD OF WATER-BEARING STRATA:						TOTAL ESTIMATED WELL YIELD (gpm):	0.00
☐ PUMP ☐ AIR LIFT ☐ BAILER ☐ OTHER – SPECIFY: Water Not Encountered							

5. TEST; RIG SUPERVISION	WELL TEST	TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD.
	MISCELLANEOUS INFORMATION:	Well was drilled to determine depth to groundwater in the area. The well was a temporary well. The well was monitored for the presence of water 48-hours after drilling was complete; water was not encountered in the well at this time. The well was subsequently abandoned on 4/3/2020.
PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE: Kalvin (Kelly) Padilla		

6. SIGNATURE	BY SIGNING BELOW, I CERTIFY THAT TO THE BEST OF MY KNOWLEDGE AND BELIEF, THE FOREGOING IS A TRUE AND CORRECT RECORD OF THE ABOVE DESCRIBED WELL. I ALSO CERTIFY THAT THE WELL TAG, IF REQUIRED, HAS BEEN INSTALLED AND THAT THIS WELL RECORD WILL ALSO BE FILED WITH THE PERMIT HOLDER WITHIN 30 DAYS AFTER THE COMPLETION OF WELL DRILLING.	
	 SIGNATURE OF DRILLER / PRINT SIGNEE NAME	Mark Mumby  DATE

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 04/30/2019)	
FILE NO.	C-4417	POD NO.	1
LOCATION	334 T22S R28E S. 36	TRN NO.	670344
		WELL TAG ID NO.	NA
			PAGE 2 OF 2

John R. D Antonio, Jr., P.E.
State Engineer



Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

**STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 670344
File Nbr: C 04417
Well File Nbr: C 04417 POD1

May. 29, 2020

LYNDA LAUMBACH
WPX ENERGY
5315 BUENA VISTA DRIVE
CARLSBAD, NM 88220

Greetings:


The above numbered permit was issued in your name on 03/26/2020.

The Well Record was received in this office on 05/26/2020, stating that it had been completed on 03/31/2020, and was a dry well. The well is to be plugged according to 19.27.4.30 NMAC.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 03/26/2021.

If you have any questions, please feel free to contact us.

Sincerely,


Andrew Dennis
(575) 622-6521

drywell

ATTACHMENT 4: LITHOLOGIC/SOIL SAMPLING LOGS



 LT Environmental, Inc. 508 West Stevens Street Carlsbad, New Mexico 88220 A proud member of WSP Compliance · Engineering · Remediation					PH Name: PH01		Date: 11/05/19	
					Site Name: Longview Federal 1 #021H			
					Incident ID Number: NRM2000356004			
					LTE Job Number: 034819082			
LITHOLOGIC / SOIL SAMPLING LOG					Logged By: Anna Byers		Method: Track Hoe	
Lat/Long: 32.33850374N, 104.04547269W Mapped with Collector GPS					Field Screening: Chloride, PID		Hole Diameter: not applicable Total Depth: 2 feet bgs	
Comments: Chloride test conducted as 1:4 dilution of soil and distilled water. Chloride values reported do not include correction factor. BDL - Below Detection Limit of HACH Low Range Chloride Test Strips (< 112 ppm)								
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks
Moist	7,392	> 15,000	Yes	PH01	0.5	0	cche	Compacted pad surface caliche
Moist	132	27.6	No		1	1	SP-SM	Brown, poorly-graded sand (m.) with silt; low plasticity, odor with trace organics
Moist	BDL	9.2	No	PH01A	2	2	SP-SM	
						Total Depth		
						3		
						4		
						5		
						6		
						7		
						8		
						9		
						10		
						11		
						12		

 LT Environmental, Inc. 508 West Stevens Street Carlsbad, New Mexico 88220 A proud member of WSP Compliance · Engineering · Remediation		BH Name: BH01		Date: 10/07/2020				
		Site Name: Longview Federal 1 #021H						
		Incident ID Number: NRM2000356004						
		LTE Job Number: 034819082						
LITHOLOGIC / SOIL SAMPLING LOG								
Lat/Long: 32.33869216N, 104.04534738W Mapped with Collector GPS			Field Screening: Chloride, PID		Logged By: Anna Byers Method: Hand Auger Hole Diameter: 2.5 inches Total Depth: 1 foot bgs			
Comments: Chloride tests conducted as 1:4 dilution of soil to distilled water. Reported chloride values do not include a correction factor. BDL - Below Detection Limit of HACH Low Range Chloride Test Strips (< 120 ppm)								
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks
Drv	BDL	no odor	N	BH01	0.2-0.5	0	cche	Compacted pad surface caliche
Moist	BDL	no odor	N	BH01A	0.75-1	1	SP-SM	Brown, poorly-graded sand (m.) with silt; low plasticity, trace organics
						Total Depth		
						2		
						3		
						4		
						5		
						6		
						7		
						8		
						9		
						10		
						11		
						12		

 LT Environmental, Inc. 508 West Stevens Street Carlsbad, New Mexico 88220 A proud member of WSP Compliance · Engineering · Remediation						BH Name: BH02		Date: 10/07/2020	
						Site Name: Longview Federal 1 #021H			
						Incident ID Number: NRM2000356004			
						LTE Job Number: 034819082			
LITHOLOGIC / SOIL SAMPLING LOG						Logged By: Anna Byers		Method: Hand Auger	
Lat/Long: 32.33864447N, 104.04530648W Mapped with Collector GPS				Field Screening: Chloride, PID		Hole Diameter: 2.5 inches		Total Depth: 1 foot bgs	
Comments: Chloride tests conducted as 1:4 dilution of soil to distilled water. Reported chloride values do not include a correction factor. BDL - Below Detection Limit of HACH Low Range Chloride Test Strips (< 120 ppm)									
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithology/Remarks	
						0			
Drv	148	no odor	N	BH02	0.2-0.5		SP	Tan, poorly-graded sand (m.); no plasticity	
Moist	BDL	no odor	N	BH02A	0.75-1		SP-SM	Brown, poorly-graded sand (m.) with silt; low plasticity, trace organics	
						1			
						2			
						3			
						4			
						5			
						6			
						7			
						8			
						9			
						10			
						11			
						12			

ATTACHMENT 5: PHOTOGRAPHIC LOG





Eastern view of the release extent.

Project: 034819082	WPX Energy Permian, Inc. Longview Federal 1 #021H	 A proud member of WSP
October 31, 2019	Photographic Log	



Western view of overspray north of pumpjack.

Project: 034819082	WPX Energy Permian, Inc. Longview Federal 1 #021H	 A proud member of WSP
October 31, 2019	Photographic Log	



Western north of excavation area.

Project: 034819082	WPX Energy Permian, Inc. Longview Federal 1 #021H	 A proud member of WSP
December 18, 2019	Photographic Log	



Eastern view of the excavation area.

Project: 034819082	WPX Energy Permian, Inc. Longview Federal 1 #021H	 A proud member of WSP
December 18, 2019	Photographic Log	



Eastern view of BH01 sample location.

Project: 034819082	WPX Energy Permian, Inc. Longview Federal 1 #021H	 A proud member of WSP
October 7, 2020	Photographic Log	



Northern view of BH02 sample location.

Project: 034819082	WPX Energy Permian, Inc. Longview Federal 1 #021H	 A proud member of WSP
October 7, 2020	Photographic Log	

ATTACHMENT 6: LABORATORY ANALYTICAL REPORTS

Analytical Report 642601

for
LT Environmental, Inc.

Project Manager: Chris McKisson

Longview Deep Fed 1-21

034819082

12-NOV-19

Collected By: Client



1089 N Canal Street
Carlsbad, NM 88220

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



12-NOV-19

Project Manager: **Chris McKisson**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **642601**

Longview Deep Fed 1-21

Project Address: Rural Eddy County

Chris McKisson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 642601. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 642601 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'. The signature is written in a cursive, flowing style.

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 642601

LT Environmental, Inc., Arvada, CO

Longview Deep Fed 1-21

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
PH01	S	11-05-19 09:45	0.5 ft	642601-001
PH01A	S	11-05-19 09:47	1 ft	642601-002
PH0B	S	11-05-19 09:50	2 ft	642601-003



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: Longview Deep Fed 1-21

Project ID: 034819082

Work Order Number(s): 642601

Report Date: 12-NOV-19

Date Received: 11/08/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3106914 TPH by SW8015 Mod

Surrogate 1-Chlorooctane, Surrogate o-Terphenyl recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 642594-001 S.

Batch: LBA-3106973 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 642601

LT Environmental, Inc., Arvada, CO

Project Name: Longview Deep Fed 1-21

Project Id: 034819082
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Fri Nov-08-19 08:51 am
Report Date: 12-NOV-19
Project Manager: Jessica Kramer

Analysis Requested		Lab Id:	642601-001	642601-002	642601-003		
		Field Id:	PH01	PH01A	PH0B		
		Depth:	0.5- ft	1- ft	2- ft		
		Matrix:	SOIL	SOIL	SOIL		
		Sampled:	Nov-05-19 09:45	Nov-05-19 09:47	Nov-05-19 09:50		
BTEX by EPA 8021B		Extracted:	Nov-08-19 09:11	Nov-08-19 09:11	Nov-08-19 09:11		
		Analyzed:	Nov-11-19 20:59	Nov-08-19 14:34	Nov-08-19 14:54		
		Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL		
Benzene			<0.000998 0.000998	<0.000992 0.000992	<0.000998 0.000998		
Toluene			<0.000998 0.000998	<0.000992 0.000992	<0.000998 0.000998		
Ethylbenzene			0.00108 0.000998	0.00529 0.000992	<0.000998 0.000998		
m,p-Xylenes			0.00667 0.00200	0.00452 0.00198	<0.00200 0.00200		
o-Xylene			0.00473 0.000998	<0.000992 0.000992	<0.000998 0.000998		
Xylenes, Total			0.0114 0.000998	0.00452 0.000992	<0.000998 0.000998		
Total BTEX			0.0125 0.000998	0.00981 0.000992	<0.000998 0.000998		
Chloride by EPA 300		Extracted:	Nov-08-19 10:11	Nov-08-19 10:11	Nov-08-19 10:11		
		Analyzed:	Nov-08-19 13:31	Nov-08-19 13:13	Nov-08-19 13:19		
		Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL		
Chloride			6770 200	200 10.0	18.0 10.0		
TPH by SW8015 Mod		Extracted:	Nov-08-19 12:00	Nov-08-19 12:00	Nov-08-19 12:00		
		Analyzed:	Nov-08-19 15:43	Nov-08-19 16:03	Nov-08-19 16:23		
		Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL		
Gasoline Range Hydrocarbons (GRO)			<49.8 49.8	<49.8 49.8	<49.9 49.9		
Diesel Range Organics (DRO)			150 49.8	<49.8 49.8	<49.9 49.9		
Motor Oil Range Hydrocarbons (MRO)			<49.8 49.8	<49.8 49.8	<49.9 49.9		
Total GRO-DRO			150 49.8	<49.8 49.8	<49.9 49.9		
Total TPH			150 49.8	<49.8 49.8	<49.9 49.9		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analytical Results 642601

LT Environmental, Inc., Arvada, CO

Longview Deep Fed 1-21

Sample Id: **PH01** Matrix: Soil Date Received: 11.08.19 08.51
 Lab Sample Id: 642601-001 Date Collected: 11.05.19 09.45 Sample Depth: 0.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 11.08.19 10.11 Basis: Wet Weight
 Seq Number: 3106922

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	6770	200	mg/kg	11.08.19 13.31		20

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 11.08.19 12.00 Basis: Wet Weight
 Seq Number: 3106914

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	11.08.19 15.43	U	1
Diesel Range Organics (DRO)	C10C28DRO	150	49.8	mg/kg	11.08.19 15.43		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	11.08.19 15.43	U	1
Total GRO-DRO	PHC628	150	49.8	mg/kg	11.08.19 15.43		1
Total TPH	PHC635	150	49.8	mg/kg	11.08.19 15.43		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	103	%	70-135	11.08.19 15.43	
o-Terphenyl	84-15-1	113	%	70-135	11.08.19 15.43	



Certificate of Analytical Results 642601

LT Environmental, Inc., Arvada, CO

Longview Deep Fed 1-21

Sample Id: **PH01**
Lab Sample Id: 642601-001

Matrix: Soil
Date Collected: 11.05.19 09.45

Date Received: 11.08.19 08.51
Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 11.08.19 09.11

Basis: Wet Weight

Seq Number: 3106973

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.000998	0.000998	mg/kg	11.11.19 20.59	U	1
Toluene	108-88-3	<0.000998	0.000998	mg/kg	11.11.19 20.59	U	1
Ethylbenzene	100-41-4	0.00108	0.000998	mg/kg	11.11.19 20.59		1
m,p-Xylenes	179601-23-1	0.00667	0.00200	mg/kg	11.11.19 20.59		1
o-Xylene	95-47-6	0.00473	0.000998	mg/kg	11.11.19 20.59		1
Xylenes, Total	1330-20-7	0.0114	0.000998	mg/kg	11.11.19 20.59		1
Total BTEX		0.0125	0.000998	mg/kg	11.11.19 20.59		1
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	110		%	70-130	11.11.19 20.59	
1,4-Difluorobenzene	540-36-3	97		%	70-130	11.11.19 20.59	



Certificate of Analytical Results 642601

LT Environmental, Inc., Arvada, CO

Longview Deep Fed 1-21

Sample Id: **PH01A** Matrix: Soil Date Received: 11.08.19 08.51
 Lab Sample Id: 642601-002 Date Collected: 11.05.19 09.47 Sample Depth: 1 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 11.08.19 10.11 Basis: Wet Weight
 Seq Number: 3106922

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	200	10.0	mg/kg	11.08.19 13.13		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 11.08.19 12.00 Basis: Wet Weight
 Seq Number: 3106914

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	11.08.19 16.03	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	11.08.19 16.03	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	11.08.19 16.03	U	1
Total GRO-DRO	PHC628	<49.8	49.8	mg/kg	11.08.19 16.03	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	11.08.19 16.03	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	100	%	70-135	11.08.19 16.03	
o-Terphenyl	84-15-1	111	%	70-135	11.08.19 16.03	



Certificate of Analytical Results 642601

LT Environmental, Inc., Arvada, CO

Longview Deep Fed 1-21

Sample Id: **PH01A**
Lab Sample Id: 642601-002

Matrix: Soil
Date Collected: 11.05.19 09.47

Date Received: 11.08.19 08.51
Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 11.08.19 09.11

Basis: Wet Weight

Seq Number: 3106973

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.000992	0.000992	mg/kg	11.08.19 14.34	U	1
Toluene	108-88-3	<0.000992	0.000992	mg/kg	11.08.19 14.34	U	1
Ethylbenzene	100-41-4	0.00529	0.000992	mg/kg	11.08.19 14.34		1
m,p-Xylenes	179601-23-1	0.00452	0.00198	mg/kg	11.08.19 14.34		1
o-Xylene	95-47-6	<0.000992	0.000992	mg/kg	11.08.19 14.34	U	1
Xylenes, Total	1330-20-7	0.00452	0.000992	mg/kg	11.08.19 14.34		1
Total BTEX		0.00981	0.000992	mg/kg	11.08.19 14.34		1
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
1,4-Difluorobenzene	540-36-3	100		%	70-130	11.08.19 14.34	
4-Bromofluorobenzene	460-00-4	111		%	70-130	11.08.19 14.34	



Certificate of Analytical Results 642601

LT Environmental, Inc., Arvada, CO

Longview Deep Fed 1-21

Sample Id: **PH0B** Matrix: Soil Date Received: 11.08.19 08.51
 Lab Sample Id: 642601-003 Date Collected: 11.05.19 09.50 Sample Depth: 2 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 11.08.19 10.11 Basis: Wet Weight
 Seq Number: 3106922

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	18.0	10.0	mg/kg	11.08.19 13.19		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 11.08.19 12.00 Basis: Wet Weight
 Seq Number: 3106914

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	11.08.19 16.23	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	11.08.19 16.23	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	11.08.19 16.23	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	11.08.19 16.23	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	11.08.19 16.23	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	103	%	70-135	11.08.19 16.23	
o-Terphenyl	84-15-1	108	%	70-135	11.08.19 16.23	



Certificate of Analytical Results 642601

LT Environmental, Inc., Arvada, CO

Longview Deep Fed 1-21

Sample Id: **PH0B**
 Lab Sample Id: 642601-003

Matrix: Soil
 Date Collected: 11.05.19 09.50

Date Received: 11.08.19 08.51
 Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 11.08.19 09.11

Basis: Wet Weight

Seq Number: 3106973

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.000998	0.000998	mg/kg	11.08.19 14.54	U	1
Toluene	108-88-3	<0.000998	0.000998	mg/kg	11.08.19 14.54	U	1
Ethylbenzene	100-41-4	<0.000998	0.000998	mg/kg	11.08.19 14.54	U	1
m,p-Xylenes	179601-23-1	<0.00200	0.00200	mg/kg	11.08.19 14.54	U	1
o-Xylene	95-47-6	<0.000998	0.000998	mg/kg	11.08.19 14.54	U	1
Xylenes, Total	1330-20-7	<0.000998	0.000998	mg/kg	11.08.19 14.54	U	1
Total BTEX		<0.000998	0.000998	mg/kg	11.08.19 14.54	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	112	%	70-130	11.08.19 14.54		
1,4-Difluorobenzene	540-36-3	104	%	70-130	11.08.19 14.54		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

Longview Deep Fed 1-21

Analytical Method: Chloride by EPA 300

Seq Number: 3106922

MB Sample Id: 7689889-1-BLK

Matrix: Solid

LCS Sample Id: 7689889-1-BKS

Prep Method: E300P

Date Prep: 11.08.19

LCSD Sample Id: 7689889-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	249	100	250	100	90-110	0	20	mg/kg	11.08.19 12:07	

Analytical Method: Chloride by EPA 300

Seq Number: 3106922

Parent Sample Id: 642594-001

Matrix: Soil

MS Sample Id: 642594-001 S

Prep Method: E300P

Date Prep: 11.08.19

MSD Sample Id: 642594-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	272	200	456	92	458	93	90-110	0	20	mg/kg	11.08.19 12:25	

Analytical Method: Chloride by EPA 300

Seq Number: 3106922

Parent Sample Id: 642596-002

Matrix: Soil

MS Sample Id: 642596-002 S

Prep Method: E300P

Date Prep: 11.08.19

MSD Sample Id: 642596-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	2740	200	2950	105	2940	100	90-110	0	20	mg/kg	11.08.19 13:54	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3106914

MB Sample Id: 7689947-1-BLK

Matrix: Solid

LCS Sample Id: 7689947-1-BKS

Prep Method: SW8015P

Date Prep: 11.08.19

LCSD Sample Id: 7689947-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	905	91	921	92	70-135	2	35	mg/kg	11.08.19 12:21	
Diesel Range Organics (DRO)	<50.0	1000	1010	101	1030	103	70-135	2	35	mg/kg	11.08.19 12:21	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	107		120		121		70-135	%	11.08.19 12:21
o-Terphenyl	113		121		121		70-135	%	11.08.19 12:21

Analytical Method: TPH by SW8015 Mod

Seq Number: 3106914

Matrix: Solid

MB Sample Id: 7689947-1-BLK

Prep Method: SW8015P

Date Prep: 11.08.19

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	11.08.19 12:01	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C-A) / B$
 $RPD = 200 * |(C-E) / (C+E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



LT Environmental, Inc.

Longview Deep Fed 1-21

Analytical Method: TPH by SW8015 Mod

Seq Number: 3106914

Parent Sample Id: 642594-001

Matrix: Soil

MS Sample Id: 642594-001 S

Prep Method: SW8015P

Date Prep: 11.08.19

MSD Sample Id: 642594-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.1	1000	1100	110	892	89	70-135	21	35	mg/kg	11.08.19 13:20	
Diesel Range Organics (DRO)	<50.1	1000	1220	122	991	99	70-135	21	35	mg/kg	11.08.19 13:20	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	141	**	117		70-135	%	11.08.19 13:20
o-Terphenyl	139	**	118		70-135	%	11.08.19 13:20

Analytical Method: BTEX by EPA 8021B

Seq Number: 3106973

MB Sample Id: 7689952-1-BLK

Matrix: Solid

LCS Sample Id: 7689952-1-BKS

Prep Method: SW5030B

Date Prep: 11.08.19

LCSD Sample Id: 7689952-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00100	0.100	0.101	101	0.114	114	70-130	12	35	mg/kg	11.08.19 10:35	
Toluene	<0.00100	0.100	0.114	114	0.126	126	70-130	10	35	mg/kg	11.08.19 10:35	
Ethylbenzene	<0.00100	0.100	0.103	103	0.115	115	71-129	11	35	mg/kg	11.08.19 10:35	
m,p-Xylenes	<0.00200	0.200	0.209	105	0.232	116	70-135	10	35	mg/kg	11.08.19 10:35	
o-Xylene	<0.00100	0.100	0.105	105	0.118	118	71-133	12	35	mg/kg	11.08.19 10:35	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		102		106		70-130	%	11.08.19 10:35
4-Bromofluorobenzene	105		104		110		70-130	%	11.08.19 10:35

Analytical Method: BTEX by EPA 8021B

Seq Number: 3106973

Parent Sample Id: 642600-001

Matrix: Soil

MS Sample Id: 642600-001 S

Prep Method: SW5030B

Date Prep: 11.08.19

MSD Sample Id: 642600-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000994	0.0994	0.0702	71	0.0689	69	70-130	2	35	mg/kg	11.08.19 11:57	X
Toluene	<0.000994	0.0994	0.0726	73	0.0695	70	70-130	4	35	mg/kg	11.08.19 11:57	
Ethylbenzene	0.00345	0.0994	0.0738	71	0.0714	68	71-129	3	35	mg/kg	11.08.19 11:57	X
m,p-Xylenes	0.00295	0.199	0.154	76	0.146	72	70-135	5	35	mg/kg	11.08.19 11:57	
o-Xylene	0.00132	0.0994	0.0760	75	0.0727	72	71-133	4	35	mg/kg	11.08.19 11:57	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		103		70-130	%	11.08.19 11:57
4-Bromofluorobenzene	114		111		70-130	%	11.08.19 11:57

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C-A) / B$
 $RPD = 200 * |(C-E) / (C+E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Chain of Custody

Work Order No: 642601

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
 Midland, TX (432) 704-5440 EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296
 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 689-6701

www.xenco.com Page 1 of 1

Project Manager:	Chris McKisson	Bill to: (if different)	Chris McKisson
Company Name:	LT Environmental	Company Name:	LT Environmental
Address:	820 Megan Ave, Unit B	Address:	
City, State ZIP:	Rifle, CO 81650	City, State ZIP:	
Phone:	970 285 9985	Email:	cmckisson@ltenv.com and abyes@ltenv.com

Program: ☐ UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐
State of Project:
Reporting Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐
Deliverables: EDD ☐ ADAPT ☐ Other:

Project Name:	Lengvew Deep Fed 1-21	Turn Around	7 Days
Project Number:	034819082	Routine	
Project Location:	Rural Eddy Co.	Rush:	5 day
Sampler's Name:	Anna Byers	Due Date:	
PO #:		Quote #:	

SAMPLE RECEIPT	Temperature (°C):	Temp Blank:	Yes ☐ No ☒	Wet Ice:	Yes ☒ No ☐
	Received Intact:	Thermometer ID	T-NM-007		
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	-0.2	
	Sample Custody Seals:	Yes ☒ No ☐ N/A	Total Containers:	3	

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	ANALYSIS REQUEST	Preservative Codes	Sample Comments
PH01		S	11/5/19	0945	0.5'	1	TPH (EPA 8015)	MeOH: Me	
PH01A		S	11/5/19	0947	1'	1	BTEX (EPA 8021)	None: NO	
PH01B		S	11/5/19	0950	2'	1	Chloride (EPA 800.0)	HNO3: HN	
								H2SO4: H2	
								HCL: HL	
								NaOH: Na	
								Zn Acetate+ NaOH: Zn	
								TAT starts the day received by the lab, if received by 4:00pm	

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
 Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U
 1631 / 245.1 / 7470 / 7471 : Hg

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Anna Byers		11/8/19 85			

Revised Date 02/26/19 Rev. 2019.1



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.

Date/ Time Received: 11/08/2019 08:51:00 AM

Work Order #: 642601

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T-NM-007

Sample Receipt Checklist**Comments**

#1 *Temperature of cooler(s)?	2.5
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6 *Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Elizabeth McClellan

Date: 11/08/2019

Checklist reviewed by:

Jessica Kramer

Date: 11/08/2019

Analytical Report 644209

for
LT Environmental, Inc.

Project Manager: Chris McKisson

Longview Deep Federal 1-21

034819082

26-NOV-19

Collected By: Client



1089 N Canal Street
Carlsbad, NM 88220

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



26-NOV-19

Project Manager: **Chris McKisson**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **644209**

Longview Deep Federal 1-21

Project Address: Rural Eddy County

Chris McKisson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 644209. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 644209 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'. The signature is written in a cursive, flowing style.

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 644209****LT Environmental, Inc., Arvada, CO**

Longview Deep Federal 1-21

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FS01	S	11-20-19 17:05	1 ft	644209-001
FS02	S	11-20-19 17:07	1 ft	644209-002
FS03	S	11-20-19 17:10	1 ft	644209-003
FS04	S	11-20-19 17:15	1 - 1.5 ft	644209-004
FS05	S	11-20-19 17:20	1 - 1.5 ft	644209-005
FS06	S	11-20-19 17:25	1 - 2 ft	644209-006
FS07	S	11-20-19 17:30	1 - 2 ft	644209-007
FS08	S	11-20-19 17:35	2 ft	644209-008
FS09	S	11-20-19 17:40	1.5 - 2 ft	644209-009
FS10	S	11-20-19 17:45	1.5 - 2 ft	644209-010
SW01	S	11-20-19 17:50	0 - 2 ft	644209-011
SW02	S	11-20-19 17:52	0 - 2 ft	644209-012
SW03	S	11-20-19 17:55	0 - 2 ft	644209-013
SW04	S	11-20-19 17:57	0 - 2 ft	644209-014
SS01	S	11-20-19 18:10	ft	644209-015
SS02	S	11-20-19 18:15	ft	644209-016
SS03	S	11-20-19 18:20	ft	644209-017



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: Longview Deep Federal 1-21

Project ID: 034819082
Work Order Number(s): 644209

Report Date: 26-NOV-19
Date Received: 11/22/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3108556 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 644209

LT Environmental, Inc., Arvada, CO

Project Name: Longview Deep Federal 1-21

Project Id: 034819082
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Fri Nov-22-19 09:12 am
Report Date: 26-NOV-19
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	644209-001	644209-002	644209-003	644209-004	644209-005	644209-006
	Field Id:	FS01	FS02	FS03	FS04	FS05	FS06
	Depth:	1- ft	1- ft	1- ft	1-1.5 ft	1-1.5 ft	1-2 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
BTEX by EPA 8021B SUB: T104704400-19-19	Sampled:	Nov-20-19 17:05	Nov-20-19 17:07	Nov-20-19 17:10	Nov-20-19 17:15	Nov-20-19 17:20	Nov-20-19 17:25
	Extracted:	Nov-23-19 16:00	Nov-23-19 16:00	Nov-23-19 16:00	Nov-23-19 16:00	Nov-23-19 16:00	Nov-23-19 16:00
	Analyzed:	Nov-23-19 23:20	Nov-23-19 23:40	Nov-24-19 00:00	Nov-24-19 00:20	Nov-24-19 00:40	Nov-24-19 01:00
	Units/RL:	mg/kg RL <0.00201 0.00201	mg/kg RL <0.00198 0.00198	mg/kg RL <0.00199 0.00199	mg/kg RL <0.00200 0.00200	mg/kg RL <0.00200 0.00200	mg/kg RL <0.00202 0.00202
Benzene							
Toluene							
Ethylbenzene							
m,p-Xylenes							
o-Xylene							
Xylenes, Total							
Total BTEX							
Chloride by EPA 300 SUB: T104704400-19-19	Extracted:	Nov-25-19 08:15	Nov-25-19 08:15	Nov-25-19 08:15	Nov-25-19 08:15	Nov-25-19 08:15	Nov-25-19 08:15
	Analyzed:	Nov-25-19 10:59	Nov-25-19 11:05	Nov-25-19 11:12	Nov-25-19 11:19	Nov-25-19 11:25	Nov-25-19 11:32
	Units/RL:	mg/kg RL 573 4.99	mg/kg RL 118 4.95	mg/kg RL 110 4.95	mg/kg RL 50.3 5.05	mg/kg RL 84.6 4.98	mg/kg RL 90.6 5.00
	Chloride						
TPH by SW8015 Mod SUB: T104704400-19-19	Extracted:	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00
	Analyzed:	Nov-25-19 14:45	Nov-25-19 15:49	Nov-25-19 16:10	Nov-25-19 16:31	Nov-25-19 16:53	Nov-25-19 17:14
	Units/RL:	mg/kg RL <50.0 50.0	mg/kg RL <49.8 49.8	mg/kg RL <50.0 50.0	mg/kg RL <49.9 49.9	mg/kg RL <49.9 49.9	mg/kg RL <50.0 50.0
	Gasoline Range Hydrocarbons (GRO)						
Diesel Range Organics (DRO)							
Motor Oil Range Hydrocarbons (MRO)							
Total GRO-DRO							
Total TPH							

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1.1%

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 644209

LT Environmental, Inc., Arvada, CO

Project Name: Longview Deep Federal 1-21

Project Id: 034819082
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Fri Nov-22-19 09:12 am
Report Date: 26-NOV-19
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	644209-007	644209-008	644209-009	644209-010	644209-011	644209-012
	Field Id:	FS07	FS08	FS09	FS10	SW01	SW02
	Depth:	1-2 ft	2- ft	1.5-2 ft	1.5-2 ft	0-2 ft	0-2 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
BTEX by EPA 8021B SUB: T104704400-19-19	Sampled:	Nov-20-19 17:30	Nov-20-19 17:35	Nov-20-19 17:40	Nov-20-19 17:45	Nov-20-19 17:50	Nov-20-19 17:52
	Extracted:	Nov-23-19 16:00	Nov-23-19 16:00	Nov-23-19 16:00	Nov-23-19 16:00	Nov-23-19 16:00	Nov-23-19 16:00
	Analyzed:	Nov-24-19 01:20	Nov-24-19 01:40	Nov-24-19 02:01	Nov-24-19 02:21	Nov-24-19 03:39	Nov-24-19 03:59
	Units/RL:	mg/kg RL <0.00199 0.00199	mg/kg RL <0.00201 0.00201	mg/kg RL <0.00200 0.00200	mg/kg RL <0.00198 0.00198	mg/kg RL <0.00202 0.00202	mg/kg RL <0.00200 0.00200
Chloride by EPA 300 SUB: T104704400-19-19	Units/RL:	Benzene	Toluene	Ethylbenzene	m,p-Xylenes	o-Xylene	Xylenes, Total
		Total BTEX					
		Nov-25-19 08:15	Nov-25-19 11:55	Nov-25-19 12:22	Nov-25-19 12:38	Nov-25-19 11:55	Nov-25-19 11:55
		mg/kg RL 132 5.03	mg/kg RL 97.4 5.00	mg/kg RL 101 5.03	mg/kg RL 45.2 4.97	mg/kg RL 125 5.00	mg/kg RL 101 5.04
TPH by SW8015 Mod SUB: T104704400-19-19	Units/RL:	Chloride					
		Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00
		Nov-25-19 17:35	Nov-25-19 17:56	Nov-25-19 18:17	Nov-25-19 18:39	Nov-25-19 19:21	Nov-25-19 19:42
		mg/kg RL <49.9 49.9	mg/kg RL <49.9 49.9	mg/kg RL <50.0 50.0	mg/kg RL <49.9 49.9	mg/kg RL <49.9 49.9	mg/kg RL <49.8 49.8
Gasoline Range Hydrocarbons (GRO)	Units/RL:	Diesel Range Organics (DRO)	Motor Oil Range Hydrocarbons (MRO)	Total GRO-DRO	Total TPH		
		Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00
		Nov-25-19 17:35	Nov-25-19 17:56	Nov-25-19 18:17	Nov-25-19 18:39	Nov-25-19 19:21	Nov-25-19 19:42
		mg/kg RL <49.9 49.9	mg/kg RL <49.9 49.9	mg/kg RL <50.0 50.0	mg/kg RL <49.9 49.9	mg/kg RL <49.9 49.9	mg/kg RL <49.8 49.8

Jessica Kramer

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer
Project Assistant

Version: 1.1%



Certificate of Analysis Summary 644209
LT Environmental, Inc., Arvada, CO
Project Name: Longview Deep Federal 1-21

Project Id: 034819082
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Fri Nov-22-19 09:12 am
Report Date: 26-NOV-19
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	644209-013	644209-014	644209-015	644209-016	644209-017
	<i>Field Id:</i>	SW03	SW04	SS01	SS02	SS03
	<i>Depth:</i>	0-2 ft	0-2 ft			
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL
BTEX by EPA 8021B SUB: T104704400-19-19	<i>Sampled:</i>	Nov-20-19 17:55	Nov-20-19 17:57	Nov-20-19 18:10	Nov-20-19 18:15	Nov-20-19 18:20
	<i>Extracted:</i>	Nov-23-19 16:00	Nov-23-19 16:00	Nov-23-19 16:00	Nov-23-19 16:00	Nov-23-19 16:00
	<i>Analyzed:</i>	Nov-24-19 04:19	Nov-24-19 04:39	Nov-24-19 05:00	Nov-24-19 05:20	Nov-24-19 05:40
	<i>Units/RL:</i>	mg/kg RL <0.00200 0.00200	mg/kg RL <0.00199 0.00199	mg/kg RL <0.00200 0.00200	mg/kg RL <0.00201 0.00201	mg/kg RL <0.00201 0.00201
Benzene						
Toluene						
Ethylbenzene						
m,p-Xylenes						
o-Xylene						
Xylenes, Total						
Total BTEX						
Chloride by EPA 300 SUB: T104704400-19-19	<i>Extracted:</i>	Nov-25-19 11:55	Nov-25-19 11:55	Nov-25-19 11:55	Nov-25-19 11:55	Nov-25-19 11:55
	<i>Analyzed:</i>	Nov-25-19 13:10	Nov-25-19 13:15	Nov-25-19 13:20	Nov-25-19 13:26	Nov-25-19 13:36
	<i>Units/RL:</i>	mg/kg RL 62.8 4.96	mg/kg RL 76.1 5.05	mg/kg RL 31.6 4.98	mg/kg RL 292 25.0	mg/kg RL 203 5.00
	Chloride					
TPH by SW8015 Mod SUB: T104704400-19-19	<i>Extracted:</i>	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00	Nov-25-19 12:00
	<i>Analyzed:</i>	Nov-25-19 20:04	Nov-25-19 20:25	Nov-25-19 20:46	Nov-25-19 21:07	Nov-25-19 21:28
	<i>Units/RL:</i>	mg/kg RL <50.0 50.0	mg/kg RL <49.9 49.9	mg/kg RL <49.9 49.9	mg/kg RL <49.8 49.8	mg/kg RL <50.0 50.0
	Gasoline Range Hydrocarbons (GRO)					
Diesel Range Organics (DRO)						
Motor Oil Range Hydrocarbons (MRO)						
Total GRO-DRO						
Total TPH						

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1%

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS01**
Lab Sample Id: 644209-001

Matrix: Soil
Date Collected: 11.20.19 17.05

Date Received: 11.22.19 09.12
Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108590

Date Prep: 11.25.19 08.15

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	573	4.99	mg/kg	11.25.19 10.59		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	11.25.19 14.45	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	11.25.19 14.45	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	11.25.19 14.45	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	11.25.19 14.45	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	11.25.19 14.45	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	99	%	70-135	11.25.19 14.45	
o-Terphenyl	84-15-1	105	%	70-135	11.25.19 14.45	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS01**
Lab Sample Id: 644209-001

Matrix: Soil
Date Collected: 11.20.19 17.05

Date Received: 11.22.19 09.12
Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 11.23.19 16.00

Basis: Wet Weight

Seq Number: 3108556

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	11.23.19 23.20	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	11.23.19 23.20	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	11.23.19 23.20	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	11.23.19 23.20	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	11.23.19 23.20	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	11.23.19 23.20	U	1
Total BTEX		<0.00201	0.00201	mg/kg	11.23.19 23.20	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	112	%	70-130	11.23.19 23.20		
4-Bromofluorobenzene	460-00-4	104	%	70-130	11.23.19 23.20		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS02**
Lab Sample Id: 644209-002

Matrix: Soil
Date Collected: 11.20.19 17.07

Date Received: 11.22.19 09.12
Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108590

Date Prep: 11.25.19 08.15

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	118	4.95	mg/kg	11.25.19 11.05		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	11.25.19 15.49	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	11.25.19 15.49	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	11.25.19 15.49	U	1
Total GRO-DRO	PHC628	<49.8	49.8	mg/kg	11.25.19 15.49	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	11.25.19 15.49	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	113	%	70-135	11.25.19 15.49	
o-Terphenyl	84-15-1	119	%	70-135	11.25.19 15.49	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS02**
Lab Sample Id: 644209-002

Matrix: Soil
Date Collected: 11.20.19 17.07

Date Received: 11.22.19 09.12
Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Tech: KTL

Analyst: KTL

Seq Number: 3108556

Date Prep: 11.23.19 16.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	11.23.19 23.40	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	11.23.19 23.40	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	11.23.19 23.40	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	11.23.19 23.40	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	11.23.19 23.40	U	1
Xylenes, Total	1330-20-7	<0.00198	0.00198	mg/kg	11.23.19 23.40	U	1
Total BTEX		<0.00198	0.00198	mg/kg	11.23.19 23.40	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	103	%	70-130	11.23.19 23.40		
1,4-Difluorobenzene	540-36-3	114	%	70-130	11.23.19 23.40		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS03**
Lab Sample Id: 644209-003

Matrix: Soil
Date Collected: 11.20.19 17.10

Date Received: 11.22.19 09.12
Sample Depth: 1 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108590

Date Prep: 11.25.19 08.15

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	110	4.95	mg/kg	11.25.19 11.12		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	11.25.19 16.10	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	11.25.19 16.10	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	11.25.19 16.10	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	11.25.19 16.10	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	11.25.19 16.10	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	113	%	70-135	11.25.19 16.10	
o-Terphenyl	84-15-1	121	%	70-135	11.25.19 16.10	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS03**
Lab Sample Id: 644209-003

Matrix: Soil
Date Collected: 11.20.19 17.10

Date Received: 11.22.19 09.12
Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 11.23.19 16.00

Basis: Wet Weight

Seq Number: 3108556

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	11.24.19 00.00	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	11.24.19 00.00	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	11.24.19 00.00	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	11.24.19 00.00	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	11.24.19 00.00	U	1
Xylenes, Total	1330-20-7	<0.00199	0.00199	mg/kg	11.24.19 00.00	U	1
Total BTEX		<0.00199	0.00199	mg/kg	11.24.19 00.00	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	103	%	70-130	11.24.19 00.00		
1,4-Difluorobenzene	540-36-3	110	%	70-130	11.24.19 00.00		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS04**
Lab Sample Id: 644209-004

Matrix: Soil
Date Collected: 11.20.19 17.15

Date Received: 11.22.19 09.12
Sample Depth: 1 - 1.5 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108590

Date Prep: 11.25.19 08.15

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	50.3	5.05	mg/kg	11.25.19 11.19		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	11.25.19 16.31	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	11.25.19 16.31	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	11.25.19 16.31	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	11.25.19 16.31	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	11.25.19 16.31	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	111	%	70-135	11.25.19 16.31	
o-Terphenyl	84-15-1	117	%	70-135	11.25.19 16.31	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS04**
Lab Sample Id: 644209-004

Matrix: Soil
Date Collected: 11.20.19 17.15

Date Received: 11.22.19 09.12
Sample Depth: 1 - 1.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: KTL

Analyst: KTL

Seq Number: 3108556

Prep Method: SW5030B

% Moisture:

Date Prep: 11.23.19 16.00

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	11.24.19 00.20	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	11.24.19 00.20	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	11.24.19 00.20	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	11.24.19 00.20	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	11.24.19 00.20	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	11.24.19 00.20	U	1
Total BTEX		<0.00200	0.00200	mg/kg	11.24.19 00.20	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	113	%	70-130	11.24.19 00.20		
4-Bromofluorobenzene	460-00-4	105	%	70-130	11.24.19 00.20		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS05**
Lab Sample Id: 644209-005

Matrix: Soil
Date Collected: 11.20.19 17.20

Date Received: 11.22.19 09.12
Sample Depth: 1 - 1.5 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108590

Date Prep: 11.25.19 08.15

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	84.6	4.98	mg/kg	11.25.19 11.25		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	11.25.19 16.53	U	1
Diesel Range Organics (DRO)	C10C28DRO	52.0	49.9	mg/kg	11.25.19 16.53		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	11.25.19 16.53	U	1
Total GRO-DRO	PHC628	52.0	49.9	mg/kg	11.25.19 16.53		1
Total TPH	PHC635	52.0	49.9	mg/kg	11.25.19 16.53		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	111	%	70-135	11.25.19 16.53	
o-Terphenyl	84-15-1	118	%	70-135	11.25.19 16.53	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS05**
Lab Sample Id: 644209-005

Matrix: Soil
Date Collected: 11.20.19 17.20

Date Received: 11.22.19 09.12
Sample Depth: 1 - 1.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: KTL

Analyst: KTL

Seq Number: 3108556

Prep Method: SW5030B

% Moisture:

Date Prep: 11.23.19 16.00

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	11.24.19 00.40	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	11.24.19 00.40	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	11.24.19 00.40	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	11.24.19 00.40	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	11.24.19 00.40	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	11.24.19 00.40	U	1
Total BTEX		<0.00200	0.00200	mg/kg	11.24.19 00.40	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	104	%	70-130	11.24.19 00.40		
1,4-Difluorobenzene	540-36-3	112	%	70-130	11.24.19 00.40		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS06**
Lab Sample Id: 644209-006

Matrix: Soil
Date Collected: 11.20.19 17.25

Date Received: 11.22.19 09.12
Sample Depth: 1 - 2 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108590

Date Prep: 11.25.19 08.15

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	90.6	5.00	mg/kg	11.25.19 11.32		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	11.25.19 17.14	U	1
Diesel Range Organics (DRO)	C10C28DRO	264	50.0	mg/kg	11.25.19 17.14		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	53.8	50.0	mg/kg	11.25.19 17.14		1
Total GRO-DRO	PHC628	264	50.0	mg/kg	11.25.19 17.14		1
Total TPH	PHC635	318	50.0	mg/kg	11.25.19 17.14		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	114	%	70-135	11.25.19 17.14	
o-Terphenyl	84-15-1	125	%	70-135	11.25.19 17.14	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS06**
Lab Sample Id: 644209-006

Matrix: Soil
Date Collected: 11.20.19 17.25

Date Received: 11.22.19 09.12
Sample Depth: 1 - 2 ft

Analytical Method: BTEX by EPA 8021B

Tech: KTL

Analyst: KTL

Seq Number: 3108556

Prep Method: SW5030B

% Moisture:

Date Prep: 11.23.19 16.00

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	11.24.19 01.00	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	11.24.19 01.00	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	11.24.19 01.00	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	11.24.19 01.00	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	11.24.19 01.00	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	11.24.19 01.00	U	1
Total BTEX		<0.00202	0.00202	mg/kg	11.24.19 01.00	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	112	%	70-130	11.24.19 01.00		
4-Bromofluorobenzene	460-00-4	102	%	70-130	11.24.19 01.00		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS07**
Lab Sample Id: 644209-007

Matrix: Soil
Date Collected: 11.20.19 17.30

Date Received: 11.22.19 09.12
Sample Depth: 1 - 2 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108590

Date Prep: 11.25.19 08.15

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	132	5.03	mg/kg	11.25.19 11.39		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	11.25.19 17.35	U	1
Diesel Range Organics (DRO)	C10C28DRO	70.8	49.9	mg/kg	11.25.19 17.35		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	11.25.19 17.35	U	1
Total GRO-DRO	PHC628	70.8	49.9	mg/kg	11.25.19 17.35		1
Total TPH	PHC635	70.8	49.9	mg/kg	11.25.19 17.35		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-135	11.25.19 17.35	
o-Terphenyl	84-15-1	84	%	70-135	11.25.19 17.35	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS07**
Lab Sample Id: 644209-007

Matrix: Soil
Date Collected: 11.20.19 17.30

Date Received: 11.22.19 09.12
Sample Depth: 1 - 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 11.23.19 16.00

Basis: Wet Weight

Seq Number: 3108556

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	11.24.19 01.20	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	11.24.19 01.20	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	11.24.19 01.20	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	11.24.19 01.20	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	11.24.19 01.20	U	1
Xylenes, Total	1330-20-7	<0.00199	0.00199	mg/kg	11.24.19 01.20	U	1
Total BTEX		<0.00199	0.00199	mg/kg	11.24.19 01.20	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	114	%	70-130	11.24.19 01.20		
4-Bromofluorobenzene	460-00-4	109	%	70-130	11.24.19 01.20		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS08**
Lab Sample Id: 644209-008

Matrix: Soil
Date Collected: 11.20.19 17.35

Date Received: 11.22.19 09.12
Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108630

Date Prep: 11.25.19 11.55

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	97.4	5.00	mg/kg	11.25.19 12.22		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	11.25.19 17.56	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	11.25.19 17.56	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	11.25.19 17.56	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	11.25.19 17.56	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	11.25.19 17.56	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	85	%	70-135	11.25.19 17.56	
o-Terphenyl	84-15-1	85	%	70-135	11.25.19 17.56	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS08**
Lab Sample Id: 644209-008

Matrix: Soil
Date Collected: 11.20.19 17.35

Date Received: 11.22.19 09.12
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 11.23.19 16.00

Basis: Wet Weight

Seq Number: 3108556

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	11.24.19 01.40	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	11.24.19 01.40	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	11.24.19 01.40	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	11.24.19 01.40	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	11.24.19 01.40	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	11.24.19 01.40	U	1
Total BTEX		<0.00201	0.00201	mg/kg	11.24.19 01.40	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	108	%	70-130	11.24.19 01.40		
1,4-Difluorobenzene	540-36-3	107	%	70-130	11.24.19 01.40		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS09**
Lab Sample Id: 644209-009

Matrix: Soil
Date Collected: 11.20.19 17.40

Date Received: 11.22.19 09.12
Sample Depth: 1.5 - 2 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108630

Date Prep: 11.25.19 11.55

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	101	5.03	mg/kg	11.25.19 12.38		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	11.25.19 18.17	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	11.25.19 18.17	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	11.25.19 18.17	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	11.25.19 18.17	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	11.25.19 18.17	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-135	11.25.19 18.17	
o-Terphenyl	84-15-1	87	%	70-135	11.25.19 18.17	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS09**
Lab Sample Id: 644209-009

Matrix: Soil
Date Collected: 11.20.19 17.40

Date Received: 11.22.19 09.12
Sample Depth: 1.5 - 2 ft

Analytical Method: BTEX by EPA 8021B

Tech: KTL

Analyst: KTL

Seq Number: 3108556

Date Prep: 11.23.19 16.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	11.24.19 02.01	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	11.24.19 02.01	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	11.24.19 02.01	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	11.24.19 02.01	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	11.24.19 02.01	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	11.24.19 02.01	U	1
Total BTEX		<0.00200	0.00200	mg/kg	11.24.19 02.01	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	108	%	70-130	11.24.19 02.01		
1,4-Difluorobenzene	540-36-3	112	%	70-130	11.24.19 02.01		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS10**
Lab Sample Id: 644209-010

Matrix: Soil
Date Collected: 11.20.19 17.45

Date Received: 11.22.19 09.12
Sample Depth: 1.5 - 2 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108630

Date Prep: 11.25.19 11.55

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	45.2	4.97	mg/kg	11.25.19 12.43		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	11.25.19 18.39	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	11.25.19 18.39	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	11.25.19 18.39	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	11.25.19 18.39	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	11.25.19 18.39	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-135	11.25.19 18.39	
o-Terphenyl	84-15-1	86	%	70-135	11.25.19 18.39	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **FS10**
Lab Sample Id: 644209-010

Matrix: Soil
Date Collected: 11.20.19 17.45

Date Received: 11.22.19 09.12
Sample Depth: 1.5 - 2 ft

Analytical Method: BTEX by EPA 8021B

Tech: KTL

Analyst: KTL

Seq Number: 3108556

Date Prep: 11.23.19 16.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	11.24.19 02.21	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	11.24.19 02.21	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	11.24.19 02.21	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	11.24.19 02.21	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	11.24.19 02.21	U	1
Xylenes, Total	1330-20-7	<0.00198	0.00198	mg/kg	11.24.19 02.21	U	1
Total BTEX		<0.00198	0.00198	mg/kg	11.24.19 02.21	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	110	%	70-130	11.24.19 02.21		
1,4-Difluorobenzene	540-36-3	113	%	70-130	11.24.19 02.21		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **SW01**
Lab Sample Id: 644209-011

Matrix: Soil
Date Collected: 11.20.19 17.50

Date Received: 11.22.19 09.12
Sample Depth: 0 - 2 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108630

Date Prep: 11.25.19 11.55

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	125	5.00	mg/kg	11.25.19 12.48		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	11.25.19 19.21	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	11.25.19 19.21	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	11.25.19 19.21	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	11.25.19 19.21	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	11.25.19 19.21	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	89	%	70-135	11.25.19 19.21	
o-Terphenyl	84-15-1	88	%	70-135	11.25.19 19.21	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **SW01**
Lab Sample Id: 644209-011

Matrix: Soil
Date Collected: 11.20.19 17.50

Date Received: 11.22.19 09.12
Sample Depth: 0 - 2 ft

Analytical Method: BTEX by EPA 8021B

Tech: KTL

Analyst: KTL

Seq Number: 3108556

Date Prep: 11.23.19 16.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	11.24.19 03.39	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	11.24.19 03.39	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	11.24.19 03.39	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	11.24.19 03.39	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	11.24.19 03.39	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	11.24.19 03.39	U	1
Total BTEX		<0.00202	0.00202	mg/kg	11.24.19 03.39	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	98	%	70-130	11.24.19 03.39		
1,4-Difluorobenzene	540-36-3	110	%	70-130	11.24.19 03.39		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **SW02**
Lab Sample Id: 644209-012

Matrix: Soil
Date Collected: 11.20.19 17.52

Date Received: 11.22.19 09.12
Sample Depth: 0 - 2 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108630

Date Prep: 11.25.19 11.55

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	101	5.04	mg/kg	11.25.19 12.54		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	11.25.19 19.42	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	11.25.19 19.42	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	11.25.19 19.42	U	1
Total GRO-DRO	PHC628	<49.8	49.8	mg/kg	11.25.19 19.42	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	11.25.19 19.42	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	88	%	70-135	11.25.19 19.42	
o-Terphenyl	84-15-1	89	%	70-135	11.25.19 19.42	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **SW02**
Lab Sample Id: 644209-012

Matrix: Soil
Date Collected: 11.20.19 17.52

Date Received: 11.22.19 09.12
Sample Depth: 0 - 2 ft

Analytical Method: BTEX by EPA 8021B

Tech: KTL

Analyst: KTL

Seq Number: 3108556

Date Prep: 11.23.19 16.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	11.24.19 03.59	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	11.24.19 03.59	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	11.24.19 03.59	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	11.24.19 03.59	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	11.24.19 03.59	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	11.24.19 03.59	U	1
Total BTEX		<0.00200	0.00200	mg/kg	11.24.19 03.59	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	112	%	70-130	11.24.19 03.59		
4-Bromofluorobenzene	460-00-4	102	%	70-130	11.24.19 03.59		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **SW03**
Lab Sample Id: 644209-013

Matrix: Soil
Date Collected: 11.20.19 17.55

Date Received: 11.22.19 09.12
Sample Depth: 0 - 2 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108630

Date Prep: 11.25.19 11.55

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	62.8	4.96	mg/kg	11.25.19 13.10		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	11.25.19 20.04	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	11.25.19 20.04	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	11.25.19 20.04	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	11.25.19 20.04	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	11.25.19 20.04	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	90	%	70-135	11.25.19 20.04	
o-Terphenyl	84-15-1	91	%	70-135	11.25.19 20.04	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **SW03**
 Lab Sample Id: 644209-013

Matrix: Soil
 Date Collected: 11.20.19 17.55

Date Received: 11.22.19 09.12
 Sample Depth: 0 - 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 11.23.19 16.00

Basis: Wet Weight

Seq Number: 3108556

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	11.24.19 04.19	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	11.24.19 04.19	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	11.24.19 04.19	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	11.24.19 04.19	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	11.24.19 04.19	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	11.24.19 04.19	U	1
Total BTEX		<0.00200	0.00200	mg/kg	11.24.19 04.19	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	101	%	70-130	11.24.19 04.19		
1,4-Difluorobenzene	540-36-3	111	%	70-130	11.24.19 04.19		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **SW04**
Lab Sample Id: 644209-014

Matrix: Soil
Date Collected: 11.20.19 17.57

Date Received: 11.22.19 09.12
Sample Depth: 0 - 2 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108630

Date Prep: 11.25.19 11.55

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	76.1	5.05	mg/kg	11.25.19 13.15		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Date Prep: 11.25.19 12.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	11.25.19 20.25	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	11.25.19 20.25	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	11.25.19 20.25	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	11.25.19 20.25	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	11.25.19 20.25	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	108	%	70-135	11.25.19 20.25	
o-Terphenyl	84-15-1	113	%	70-135	11.25.19 20.25	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **SW04**
Lab Sample Id: 644209-014

Matrix: Soil
Date Collected: 11.20.19 17.57

Date Received: 11.22.19 09.12
Sample Depth: 0 - 2 ft

Analytical Method: BTEX by EPA 8021B

Tech: KTL

Analyst: KTL

Seq Number: 3108556

Prep Method: SW5030B

% Moisture:

Date Prep: 11.23.19 16.00

Basis: Wet Weight

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	11.24.19 04.39	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	11.24.19 04.39	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	11.24.19 04.39	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	11.24.19 04.39	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	11.24.19 04.39	U	1
Xylenes, Total	1330-20-7	<0.00199	0.00199	mg/kg	11.24.19 04.39	U	1
Total BTEX		<0.00199	0.00199	mg/kg	11.24.19 04.39	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	107	%	70-130	11.24.19 04.39		
1,4-Difluorobenzene	540-36-3	113	%	70-130	11.24.19 04.39		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **SS01**
Lab Sample Id: 644209-015

Matrix: Soil
Date Collected: 11.20.19 18.10

Date Received: 11.22.19 09.12

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3108630

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Date Prep: 11.25.19 11.55

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	31.6	4.98	mg/kg	11.25.19 13.20		1

Analytical Method: TPH by SW8015 Mod

Tech: DVM

Analyst: ARM

Seq Number: 3108710

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

SUB: T104704400-19-19

Date Prep: 11.25.19 12.00

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	11.25.19 20.46	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	11.25.19 20.46	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	11.25.19 20.46	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	11.25.19 20.46	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	11.25.19 20.46	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	113	%	70-135	11.25.19 20.46	
o-Terphenyl	84-15-1	120	%	70-135	11.25.19 20.46	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: **SS01**
Lab Sample Id: 644209-015

Matrix: Soil
Date Collected: 11.20.19 18.10

Date Received: 11.22.19 09.12

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 11.23.19 16.00

Basis: Wet Weight

Seq Number: 3108556

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	11.24.19 05.00	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	11.24.19 05.00	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	11.24.19 05.00	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	11.24.19 05.00	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	11.24.19 05.00	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	11.24.19 05.00	U	1
Total BTEX		<0.00200	0.00200	mg/kg	11.24.19 05.00	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	109	%	70-130	11.24.19 05.00		
4-Bromofluorobenzene	460-00-4	103	%	70-130	11.24.19 05.00		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: SS02
Lab Sample Id: 644209-016

Matrix: Soil
Date Collected: 11.20.19 18.15

Date Received: 11.22.19 09.12

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 11.25.19 11.55

Basis: Wet Weight

Seq Number: 3108630

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	292	25.0	mg/kg	11.25.19 13.26		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 11.25.19 12.00

Basis: Wet Weight

Seq Number: 3108710

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	11.25.19 21.07	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	11.25.19 21.07	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	11.25.19 21.07	U	1
Total GRO-DRO	PHC628	<49.8	49.8	mg/kg	11.25.19 21.07	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	11.25.19 21.07	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	110	%	70-135	11.25.19 21.07	
o-Terphenyl	84-15-1	116	%	70-135	11.25.19 21.07	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: SS02
Lab Sample Id: 644209-016

Matrix: Soil
Date Collected: 11.20.19 18.15

Date Received: 11.22.19 09.12

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 11.23.19 16.00

Basis: Wet Weight

Seq Number: 3108556

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	11.24.19 05.20	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	11.24.19 05.20	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	11.24.19 05.20	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	11.24.19 05.20	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	11.24.19 05.20	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	11.24.19 05.20	U	1
Total BTEX		<0.00201	0.00201	mg/kg	11.24.19 05.20	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	113	%	70-130	11.24.19 05.20		
1,4-Difluorobenzene	540-36-3	83	%	70-130	11.24.19 05.20		



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: SS03
Lab Sample Id: 644209-017

Matrix: Soil
Date Collected: 11.20.19 18.20

Date Received: 11.22.19 09.12

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 11.25.19 11.55

Basis: Wet Weight

Seq Number: 3108630

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	203	5.00	mg/kg	11.25.19 13.36		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 11.25.19 12.00

Basis: Wet Weight

Seq Number: 3108710

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	11.25.19 21.28	U	1
Diesel Range Organics (DRO)	C10C28DRO	117	50.0	mg/kg	11.25.19 21.28		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	11.25.19 21.28	U	1
Total GRO-DRO	PHC628	117	50.0	mg/kg	11.25.19 21.28		1
Total TPH	PHC635	117	50.0	mg/kg	11.25.19 21.28		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	113	%	70-135	11.25.19 21.28	
o-Terphenyl	84-15-1	118	%	70-135	11.25.19 21.28	



Certificate of Analytical Results 644209

LT Environmental, Inc., Arvada, CO

Longview Deep Federal 1-21

Sample Id: SS03
Lab Sample Id: 644209-017

Matrix: Soil
Date Collected: 11.20.19 18.20

Date Received: 11.22.19 09.12

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 11.23.19 16.00

Basis: Wet Weight

Seq Number: 3108556

SUB: T104704400-19-19

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	11.24.19 05.40	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	11.24.19 05.40	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	11.24.19 05.40	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	11.24.19 05.40	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	11.24.19 05.40	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	11.24.19 05.40	U	1
Total BTEX		<0.00201	0.00201	mg/kg	11.24.19 05.40	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	104	%	70-130	11.24.19 05.40		
1,4-Difluorobenzene	540-36-3	112	%	70-130	11.24.19 05.40		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.
Longview Deep Federal 1-21

Analytical Method: Chloride by EPA 300

Seq Number: 3108590

MB Sample Id: 7691081-1-BLK

Matrix: Solid

LCS Sample Id: 7691081-1-BKS

Prep Method: E300P

Date Prep: 11.25.19

LCSD Sample Id: 7691081-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<0.858	250	246	98	246	98	90-110	0	20	mg/kg	11.25.19 08:26	

Analytical Method: Chloride by EPA 300

Seq Number: 3108630

MB Sample Id: 7691116-1-BLK

Matrix: Solid

LCS Sample Id: 7691116-1-BKS

Prep Method: E300P

Date Prep: 11.25.19

LCSD Sample Id: 7691116-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	234	94	234	94	90-110	0	20	mg/kg	11.25.19 12:07	

Analytical Method: Chloride by EPA 300

Seq Number: 3108590

Parent Sample Id: 643943-002

Matrix: Soil

MS Sample Id: 643943-002 S

Prep Method: E300P

Date Prep: 11.25.19

MSD Sample Id: 643943-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	378	198	579	102	580	102	90-110	0	20	mg/kg	11.25.19 08:46	

Analytical Method: Chloride by EPA 300

Seq Number: 3108590

Parent Sample Id: 644291-002

Matrix: Soil

MS Sample Id: 644291-002 S

Prep Method: E300P

Date Prep: 11.25.19

MSD Sample Id: 644291-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	109	198	320	107	317	105	90-110	1	20	mg/kg	11.25.19 10:19	

Analytical Method: Chloride by EPA 300

Seq Number: 3108630

Parent Sample Id: 644209-008

Matrix: Soil

MS Sample Id: 644209-008 S

Prep Method: E300P

Date Prep: 11.25.19

MSD Sample Id: 644209-008 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	97.4	200	305	104	296	99	90-110	3	20	mg/kg	11.25.19 12:27	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.
Longview Deep Federal 1-21

Analytical Method: Chloride by EPA 300

Seq Number: 3108630

Parent Sample Id: 644209-017

Matrix: Soil

MS Sample Id: 644209-017 S

Prep Method: E300P

Date Prep: 11.25.19

MSD Sample Id: 644209-017 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	203	200	401	99	402	100	90-110	0	20	mg/kg	11.25.19 13:42	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3108710

MB Sample Id: 7691143-1-BLK

Matrix: Solid

LCS Sample Id: 7691143-1-BKS

Prep Method: SW8015P

Date Prep: 11.25.19

LCSD Sample Id: 7691143-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	987	99	965	97	70-135	2	20	mg/kg	11.25.19 12:42	
Diesel Range Organics (DRO)	<15.0	1000	1010	101	994	99	70-135	2	20	mg/kg	11.25.19 12:42	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	100		101		100		70-135	%	11.25.19 12:42
o-Terphenyl	110		100		88		70-135	%	11.25.19 12:42

Analytical Method: TPH by SW8015 Mod

Seq Number: 3108710

Matrix: Solid

MB Sample Id: 7691143-1-BLK

Prep Method: SW8015P

Date Prep: 11.25.19

Parameter

	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	11.25.19 12:21	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3108710

Matrix: Soil

Parent Sample Id: 644209-001

MS Sample Id: 644209-001 S

Prep Method: SW8015P

Date Prep: 11.25.19

MSD Sample Id: 644209-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	998	1040	104	1070	107	70-135	3	20	mg/kg	11.25.19 15:06	
Diesel Range Organics (DRO)	40.0	998	1070	103	1120	108	70-135	5	20	mg/kg	11.25.19 15:06	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	111		115		70-135	%	11.25.19 15:06
o-Terphenyl	110		116		70-135	%	11.25.19 15:06

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.
Longview Deep Federal 1-21

Analytical Method: BTEX by EPA 8021B

Seq Number: 3108556

MB Sample Id: 7691100-1-BLK

Matrix: Solid

LCS Sample Id: 7691100-1-BKS

Prep Method: SW5030B

Date Prep: 11.23.19

LCSD Sample Id: 7691100-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.107	107	0.115	115	70-130	7	35	mg/kg	11.23.19 21:20	
Toluene	<0.00200	0.100	0.100	100	0.107	107	70-130	7	35	mg/kg	11.23.19 21:20	
Ethylbenzene	<0.00200	0.100	0.103	103	0.110	110	70-130	7	35	mg/kg	11.23.19 21:20	
m,p-Xylenes	<0.00400	0.200	0.210	105	0.225	113	70-130	7	35	mg/kg	11.23.19 21:20	
o-Xylene	<0.00200	0.100	0.104	104	0.111	111	70-130	7	35	mg/kg	11.23.19 21:20	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	110		110		111		70-130	%	11.23.19 21:20
4-Bromofluorobenzene	97		102		102		70-130	%	11.23.19 21:20

Analytical Method: BTEX by EPA 8021B

Seq Number: 3108556

Parent Sample Id: 644209-001

Matrix: Soil

MS Sample Id: 644209-001 S

Prep Method: SW5030B

Date Prep: 11.23.19

MSD Sample Id: 644209-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.0998	0.0941	94	0.0990	99	70-130	5	35	mg/kg	11.23.19 22:00	
Toluene	<0.00200	0.0998	0.0878	88	0.0932	93	70-130	6	35	mg/kg	11.23.19 22:00	
Ethylbenzene	<0.00200	0.0998	0.0883	88	0.0942	94	70-130	6	35	mg/kg	11.23.19 22:00	
m,p-Xylenes	<0.00399	0.200	0.180	90	0.193	97	70-130	7	35	mg/kg	11.23.19 22:00	
o-Xylene	<0.00200	0.0998	0.0897	90	0.0958	96	70-130	7	35	mg/kg	11.23.19 22:00	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	113		114		70-130	%	11.23.19 22:00
4-Bromofluorobenzene	108		113		70-130	%	11.23.19 22:00

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C-A) / B$
 $RPD = 200 * |(C-E) / (C+E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Chain of Custody

Work Order No: 444209

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334

Midland, TX (432) 704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296 Corsland, NM (432) 704-5440
Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 689-6701

www.xenco.com

Page 1 of 2

Project Manager: Chris McKisson		Bill to: (if different) Chris McKisson	
Company Name: LT Environmental		Company Name: LT Environmental	
Address: 820 Megan Avenue B		Address:	
City, State ZIP: Kille, CO 81650		City, State ZIP:	
Phone: 970-285-9985		Email: cmckisson@ltenv.com	

Project Name: Longview Deep Federal 1-21	Turn Around	Pres. Code
Project Number: 03-19082	☐	
Project Location: Rural Eddy County	Rush: 5 DAY	
Sampler's Name: Anna Byes	Due Date:	
PO #:	Quote #:	

SAMPLE RECEIPT		Temp Blank: ☒ No ☐ Yes	Wet Ice: ☒ No ☐ Yes
Temperature (°C): 1.4	Thermometer ID: T-MM-007		
Received Inact: ☒ No ☐ Yes	Correction Factor: -0.2		
Cooler Custody Seals: Yes ☒ No ☐ N/A	Total Containers: 17		
Sample Custody Seals: Yes ☒ No ☐ N/A			

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	ANALYSIS REQUEST										Preservative Codes		Sample Comments
FS01		S	11/26/19	1705	1'	1	TPH (EPA 8015) BTEX (EPA 8021) Chloride (EPA 300.0)										MeOH: Me		
FS02				1707	1'	1											None: NO		
FS03				1710	1'	1											HNO3: HN		
FS04				1715	1-1.5'	1											H2SO4: H2		
FS05				1720	1-1.5'	1											HCL: HL		
FS06				1725	1-2'	1											NaOH: Na		
FS07				1730	1-2'	1	 (Analysis Request Section) 										Zn Acetate+ NaOH: Zn		
FS08				1735	2'	1													
FS09				1740	1.5-2'	1													
FS10				1745	1.5-2'	1													

Total 200.7 / 6010 200.8 / 6020:

Circle Method(s) and Metal(s) to be analyzed

8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Pb Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U

1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Chris Byes	Chris McKisson	11/26/19 18:50	Chris Byes	Chris McKisson	11/26/19 9:12



Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
Midland, TX (432) 704-5440 El Paso, TX (915) 565-3443 Lubbock, TX (806) 794-1296 Graslbad, NM (432) 704-5440
Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 689-67

Chain of Custody

Work Order No.:

10442009

Project Manager:	Chris McKisson	Bill to: (if different)	Chris McKisson
Company Name:	LT Environmental	Company Name:	LT Environmental
Address:	820 Megan Ave, Unit B Rifle, CO 81650	Address:	
City, State ZIP:		City, State ZIP:	
Phone:	970-285-9985	Email:	cmckisson@ltenv.com & chryes@ltenv.com

Work Order Comments

Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐

State of Project:

Reporting Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐

Deliverables: EDD ☐ ADaPT ☐ Other:

Project Name:	Longview Deep Federal-1-21		Turn Around
Project Number:	034819082	Routine	☐
Project Location	Rural Eddy County	Rush:	SDAY
Sampler's Name:	Myra Byers	Due Date:	
PO #:		Quote #:	

ANALYSIS REQUEST								Preservative Codes
Pres. Code								MeOH: Me None: NO HNO ₃ : HN H ₂ SO ₄ : H2
	(0.2)							

SAMPLE RECEIPT		Temp Blank:	Yes	No	Wet Ice:	Yes	No
Temperature ("C):							
Received intact:		Yes	No	Thermometer ID			
Cooler Custody Seals:	Yes	No	N/A	Correction Factor:			
Sample Custody Seals:	Yes	No	N/A	Total Containers:			

HCL: HL
NaOH: Na
Zn Acetate+ NaOH: Zn

TAT starts the day received by the lab, if received by 4:00pm

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number	TPH	BTE	Chlor	Sample Comments
SW01		S	11/20/19	1750	0-2'	1	X			
SW02		S		1752	0-2'	1				
SW03		S		1755	0-2'	1				
SW04		S		1757	0-2'	1				
SS01		S		1810	surface	1				
SS02		S		1815		1				discrete
SS03		S		1820		1				discrete

Total	200.7 / 6010	200.8 / 6020:
-------	--------------	---------------

Circle Method(s) and Metal(s) to be analyzed

8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn
TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U

a Sr Ti Sn U V Zn
1631 / 245.1 / 7470 / 7471 : Hg

notice: signature of the customer and reimbursement of samples constitutes a valid purchase order from client company to Xencio, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xencio will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xencio. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xencio, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		11/21/19 8:50			11/22/19 9:12
		11/22/19 9:05			

Inter-Office Shipment

OS Number : 52993

Date/Time: 11.22.2019

Lab# From: Carlsbad

Lab# To: Midland

Created by: Elizabeth McClellan

Delivery Priority:

Air Bill No.:

Please send report to: Jessica Kramer

Address: 1089 N Canal Street

E-Mail: jessica.kramer@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
644209-001	S	FS01	11.20.2019 17:05	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-001	S	FS01	11.20.2019 17:05	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-001	S	FS01	11.20.2019 17:05	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-002	S	FS02	11.20.2019 17:07	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-002	S	FS02	11.20.2019 17:07	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-002	S	FS02	11.20.2019 17:07	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-003	S	FS03	11.20.2019 17:10	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-003	S	FS03	11.20.2019 17:10	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-003	S	FS03	11.20.2019 17:10	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-004	S	FS04	11.20.2019 17:15	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-004	S	FS04	11.20.2019 17:15	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-004	S	FS04	11.20.2019 17:15	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-005	S	FS05	11.20.2019 17:20	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-005	S	FS05	11.20.2019 17:20	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-005	S	FS05	11.20.2019 17:20	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-006	S	FS06	11.20.2019 17:25	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-006	S	FS06	11.20.2019 17:25	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-006	S	FS06	11.20.2019 17:25	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-007	S	FS07	11.20.2019 17:30	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-007	S	FS07	11.20.2019 17:30	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-007	S	FS07	11.20.2019 17:30	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-008	S	FS08	11.20.2019 17:35	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-008	S	FS08	11.20.2019 17:35	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-008	S	FS08	11.20.2019 17:35	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-009	S	FS09	11.20.2019 17:40	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	

Inter-Office Shipment

OS Number : 52993

Date/Time: 11.22.2019

Lab# From: Carlsbad

Lab# To: Midland

Created by: Elizabeth McClellan

Delivery Priority:

Air Bill No.:

Please send report to: Jessica Kramer

Address: 1089 N Canal Street

E-Mail: jessica.kramer@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
644209-009	S	FS09	11.20.2019 17:40	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-009	S	FS09	11.20.2019 17:40	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-010	S	FS10	11.20.2019 17:45	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-010	S	FS10	11.20.2019 17:45	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-010	S	FS10	11.20.2019 17:45	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-011	S	SW01	11.20.2019 17:50	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-011	S	SW01	11.20.2019 17:50	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-011	S	SW01	11.20.2019 17:50	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-012	S	SW02	11.20.2019 17:52	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-012	S	SW02	11.20.2019 17:52	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-012	S	SW02	11.20.2019 17:52	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-013	S	SW03	11.20.2019 17:55	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-013	S	SW03	11.20.2019 17:55	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-013	S	SW03	11.20.2019 17:55	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-014	S	SW04	11.20.2019 17:57	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-014	S	SW04	11.20.2019 17:57	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-014	S	SW04	11.20.2019 17:57	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-015	S	SS01	11.20.2019 18:10	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-015	S	SS01	11.20.2019 18:10	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-015	S	SS01	11.20.2019 18:10	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-016	S	SS02	11.20.2019 18:15	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	
644209-016	S	SS02	11.20.2019 18:15	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	
644209-016	S	SS02	11.20.2019 18:15	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-017	S	SS03	11.20.2019 18:20	E300_CL	Chloride by EPA 300	11.29.2019	05.18.2020	JKR	CL	
644209-017	S	SS03	11.20.2019 18:20	SW8015MOD_NM	TPH by SW8015 Mod	11.29.2019	12.04.2019	JKR	GRO-DRO PHCC10C28	

Inter Office Shipment or Sample Comments:

Inter-Office Shipment

OS Number : 52993

Date/Time: 11.22.2019

Lab# From: Carlsbad

Lab# To: Midland

Created by: Elizabeth McClellan

Delivery Priority:

Air Bill No.:

Please send report to: Jessica Kramer

Address: 1089 N Canal Street

E-Mail: jessica.kramer@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
044209-017	S	SS03	11.20.2019 18:20	SW8021B	BTEX by EPA 8021B	11.29.2019	12.04.2019	JKR	BZ BZME EBZ XYLENE	

Inter Office Shipment or Sample Comments:

Relinquished By:



Received By:



Date Relinquished:

Elizabeth McClellan

Date Received:

Jessica Kramer

11.22.2019

11.25.2019

Cooler Temperature:



XENCO Laboratories

Inter Office Report- Sample Receipt Checklist

Sent To: Midland

IOS #: 52993

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used :

Sent By: Elizabeth McClellan

Date Sent: 11.22.2019 12.11 PM

Received By: Jessica Kramer

Date Received: 11.25.2019 08.00 AM

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	
#2 *Shipping container in good condition?	Yes
#3 *Samples received with appropriate temperature?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 *Custody Seals Signed and dated for Containers/coolers	Yes
#6 *IOS present?	Yes
#7 Any missing/extra samples?	No
#8 IOS agrees with sample label(s)/matrix?	Yes
#9 Sample matrix/ properties agree with IOS?	Yes
#10 Samples in proper container/ bottle?	Yes
#11 Samples properly preserved?	Yes
#12 Sample container(s) intact?	Yes
#13 Sufficient sample amount for indicated test(s)?	Yes
#14 All samples received within hold time?	Yes

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

NonConformance:

Corrective Action Taken:

Nonconformance Documentation

Contact: _____ Contacted by : _____ Date: _____

Checklist reviewed by:

Jessica Kramer

Date: 11.25.2019



Client: LT Environmental, Inc.

Date/ Time Received: 11/22/2019 09:12:00 AM

Work Order #: 644209

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T-NM-007

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	1.4	
#2 *Shipping container in good condition?	Yes	
#3 *Samples received on ice?	Yes	
#4 *Custody Seals intact on shipping container/ cooler?	Yes	
#5 Custody Seals intact on sample bottles?	Yes	
#6 *Custody Seals Signed and dated?	Yes	
#7 *Chain of Custody present?	Yes	
#8 Any missing/extra samples?	No	
#9 Chain of Custody signed when relinquished/ received?	Yes	
#10 Chain of Custody agrees with sample labels/matrix?	Yes	
#11 Container label(s) legible and intact?	Yes	
#12 Samples in proper container/ bottle?	Yes	
#13 Samples properly preserved?	Yes	
#14 Sample container(s) intact?	Yes	
#15 Sufficient sample amount for indicated test(s)?	Yes	
#16 All samples received within hold time?	Yes	
#17 Subcontract of sample(s)?	Yes	Subbed to Midland.
#18 Water VOC samples have zero headspace?	N/A	

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Elizabeth McClellan

Date: 11/22/2019

Checklist reviewed by:

Jessica Kramer

Date: 11/23/2019

Analytical Report 647862

for
LT Environmental, Inc.

Project Manager: Chris McKisson

Longview Federal 1-21

034819034

06-JAN-20

Collected By: Client



1089 N Canal Street
Carlsbad, NM 88220

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



06-JAN-20

Project Manager: **Chris McKisson**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **647862**

Longview Federal 1-21

Project Address: Rural Eddy County

Chris McKisson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 647862. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 647862 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Holly Taylor'. The signature is written in a cursive, flowing style.

Holly Taylor

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 647862****LT Environmental, Inc., Arvada, CO**

Longview Federal 1-21

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FS06A	S	01-02-20 12:45	2 ft	647862-001
SW05	S	01-02-20 12:50	0 - 2 ft	647862-002
SW06	S	01-02-20 12:55	0 - 2 ft	647862-003
SW07	S	01-02-20 13:00	0 - 2 ft	647862-004
FS11	S	01-02-20 13:05	0.5 ft	647862-005
FS12	S	01-02-20 13:10	0.5 ft	647862-006
FS13	S	01-02-20 13:15	2 ft	647862-007
FS14	S	01-02-20 13:20	2 ft	647862-008
FS15	S	01-02-20 13:25	2 ft	647862-009
FS16	S	01-02-20 13:30	2 ft	647862-010



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: Longview Federal 1-21

Project ID: 034819034
Work Order Number(s): 647862

Report Date: 06-JAN-20
Date Received: 01/03/2020

Sample receipt non conformance and comments:

None

Sample receipt non conformance and comments per sample:

None

Analytical non conformance and comments:

Batch: LBA-3112361 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3112379 TPH by SW8015 Mod

Surrogate o-Terphenyl recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 647862-002.



Certificate of Analysis Summary 647862

LT Environmental, Inc., Arvada, CO

Project Name: Longview Federal 1-21

Project Id: 034819034
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Fri Jan-03-20 11:40 am
Report Date: 06-JAN-20
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	647862-001	647862-002	647862-003	647862-004	647862-005	647862-006
	Field Id:	FS06A	SW05	SW06	SW07	FS11	FS12
	Depth:	2- ft	0-2 ft	0-2 ft	0-2 ft	0.5- ft	0.5- ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	Jan-02-20 12:45	Jan-02-20 12:50	Jan-02-20 12:55	Jan-02-20 13:00	Jan-02-20 13:05	Jan-02-20 13:10
BTEX by EPA 8021B	Extracted:	Jan-03-20 13:30	Jan-03-20 13:30	Jan-03-20 13:30	Jan-03-20 13:30	Jan-03-20 13:30	Jan-03-20 13:30
	Analyzed:	Jan-03-20 16:00	Jan-03-20 16:17	Jan-03-20 16:35	Jan-03-20 16:52	Jan-03-20 17:10	Jan-03-20 17:27
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	Benzene	<0.00198 0.00198	<0.00200 0.00200	<0.00199 0.00199	<0.00198 0.00198	<0.00199 0.00199	<0.00197 0.00197
	Toluene	<0.00198 0.00198	<0.00200 0.00200	<0.00199 0.00199	<0.00198 0.00198	<0.00199 0.00199	<0.00197 0.00197
	Ethylbenzene	<0.00198 0.00198	<0.00200 0.00200	<0.00199 0.00199	<0.00198 0.00198	<0.00199 0.00199	<0.00197 0.00197
Chloride by EPA 300	m,p-Xylenes	<0.00396 0.00396	<0.00399 0.00399	<0.00398 0.00398	<0.00397 0.00397	<0.00398 0.00398	<0.00394 0.00394
	o-Xylene	<0.00198 0.00198	<0.00200 0.00200	<0.00199 0.00199	<0.00198 0.00198	<0.00199 0.00199	<0.00197 0.00197
	Xylenes, Total	<0.00198 0.00198	<0.00200 0.00200	<0.00199 0.00199	<0.00198 0.00198	<0.00199 0.00199	<0.00197 0.00197
	Total BTEX	<0.00198 0.00198	<0.00200 0.00200	<0.00199 0.00199	<0.00198 0.00198	<0.00199 0.00199	<0.00197 0.00197
TPH by SW8015 Mod	Extracted:	Jan-03-20 14:17	Jan-03-20 14:17	Jan-03-20 14:17	Jan-03-20 14:17	Jan-03-20 14:17	Jan-03-20 14:17
	Analyzed:	Jan-03-20 16:50	Jan-03-20 16:56	Jan-03-20 17:01	Jan-03-20 17:07	Jan-03-20 17:13	Jan-03-20 17:19
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		192 9.98	147 9.92	312 10.0	2040 10.0	285 9.98	285 9.98
Gasoline Range Hydrocarbons (GRO)	Extracted:	Jan-03-20 13:00	Jan-03-20 13:00	Jan-03-20 13:00	Jan-03-20 13:00	Jan-03-20 13:00	Jan-03-20 13:00
	Analyzed:	Jan-03-20 18:14	Jan-03-20 18:34	Jan-03-20 18:34	Jan-03-20 18:54	Jan-03-20 18:54	Jan-03-20 19:14
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	Diesel Range Organics (DRO)	<50.2 50.2	<49.9 49.9	<50.2 50.2	<50.3 50.3	<50.2 50.2	<50.2 50.2
	Motor Oil Range Hydrocarbons (MRO)	<50.2 50.2	<49.9 49.9	<50.2 50.2	93.6 50.3	<50.2 50.2	<50.2 50.2
Total GRO-DRO		<50.2 50.2	<49.9 49.9	<50.2 50.2	93.6 50.3	<50.2 50.2	<50.2 50.2
Total TPH		<50.2 50.2	<49.9 49.9	<50.2 50.2	93.6 50.3	<50.2 50.2	<50.2 50.2

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Holly Taylor
Project Manager



Project Id: 034819034
Contact: Chris McKisson
Project Location: Rural Eddy County

Certificate of Analysis Summary 647862

LT Environmental, Inc., Arvada, CO
Project Name: Longview Federal 1-21

Date Received in Lab: Fri Jan-03-20 11:40 am
Report Date: 06-JAN-20
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	647862-007	647862-008	647862-009	647862-010
	Field Id:	FS13	FS14	FS15	FS16
	Depth:	2- ft	2- ft	2- ft	2- ft
	Matrix:	SOIL	SOIL	SOIL	SOIL
BTEX by EPA 8021B	Sampled:	Jan-02-20 13:15	Jan-02-20 13:20	Jan-02-20 13:25	Jan-02-20 13:30
	Extracted:	Jan-03-20 13:30	Jan-03-20 13:30	Jan-03-20 13:30	Jan-03-20 13:30
	Analyzed:	Jan-03-20 17:44	Jan-03-20 18:02	Jan-03-20 18:19	Jan-03-20 18:37
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00200 0.00200	<0.00198 0.00198	<0.00196 0.00196	<0.00200 0.00200
Toluene		<0.00200 0.00200	<0.00198 0.00198	<0.00196 0.00196	<0.00200 0.00200
Ethylbenzene		<0.00200 0.00200	<0.00198 0.00198	<0.00196 0.00196	<0.00200 0.00200
m,p-Xylenes		<0.00401 0.00401	<0.00395 0.00395	<0.00393 0.00393	<0.00399 0.00399
o-Xylene		<0.00200 0.00200	<0.00198 0.00198	<0.00196 0.00196	<0.00200 0.00200
Xylenes, Total		<0.00200 0.00200	<0.00198 0.00198	<0.00196 0.00196	<0.00200 0.00200
Total BTEX		<0.00200 0.00200	<0.00198 0.00198	<0.00196 0.00196	<0.00200 0.00200
Chloride by EPA 300	Extracted:	Jan-03-20 13:24	Jan-03-20 13:24	Jan-03-20 13:24	Jan-03-20 13:24
	Analyzed:	Jan-03-20 17:59	Jan-03-20 18:17	Jan-03-20 18:29	Jan-03-20 18:35
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		252 9.94	328 9.96	1900 10.0	466 10.0
TPH by SW8015 Mod	Extracted:	Jan-03-20 13:30	Jan-03-20 13:30	Jan-03-20 13:30	Jan-03-20 13:30
	Analyzed:	Jan-03-20 19:54	Jan-03-20 20:34	Jan-03-20 20:34	Jan-03-20 20:54
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<50.2 50.2	<49.8 49.8	<50.2 50.2	<50.0 50.0
Diesel Range Organics (DRO)		<50.2 50.2	<49.8 49.8	<50.2 50.2	<50.0 50.0
Motor Oil Range Hydrocarbons (MRO)		<50.2 50.2	<49.8 49.8	<50.2 50.2	<50.0 50.0
Total GRO-DRO		<50.2 50.2	<49.8 49.8	<50.2 50.2	<50.0 50.0
Total TPH		<50.2 50.2	<49.8 49.8	<50.2 50.2	<50.0 50.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Holly Taylor
Project Manager



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS06A**
Lab Sample Id: 647862-001

Matrix: Soil
Date Collected: 01.02.20 12.45

Date Received: 01.03.20 11.40
Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3112365

Date Prep: 01.03.20 14.17

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	192	9.98	mg/kg	01.03.20 16.50		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3112379

Date Prep: 01.03.20 13.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.03.20 18.14	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.03.20 18.14	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.03.20 18.14	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.03.20 18.14	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.03.20 18.14	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	104	%	70-135	01.03.20 18.14	
o-Terphenyl	84-15-1	105	%	70-135	01.03.20 18.14	



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS06A**
Lab Sample Id: 647862-001

Matrix: Soil
Date Collected: 01.02.20 12.45

Date Received: 01.03.20 11.40
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.03.20 13.30

Basis: Wet Weight

Seq Number: 3112361

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	01.03.20 16.00	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	01.03.20 16.00	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	01.03.20 16.00	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	01.03.20 16.00	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	01.03.20 16.00	U	1
Xylenes, Total	1330-20-7	<0.00198	0.00198	mg/kg	01.03.20 16.00	U	1
Total BTEX		<0.00198	0.00198	mg/kg	01.03.20 16.00	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	100	%	70-130	01.03.20 16.00		
1,4-Difluorobenzene	540-36-3	101	%	70-130	01.03.20 16.00		



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **SW05** Matrix: Soil Date Received: 01.03.20 11.40
 Lab Sample Id: 647862-002 Date Collected: 01.02.20 12.50 Sample Depth: 0 - 2 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.03.20 14.17 Basis: Wet Weight
 Seq Number: 3112365

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	147	9.92	mg/kg	01.03.20 16.56		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.03.20 13.00 Basis: Wet Weight
 Seq Number: 3112379

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	01.03.20 18.34	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	01.03.20 18.34	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	01.03.20 18.34	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	01.03.20 18.34	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	01.03.20 18.34	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	135	%	70-135	01.03.20 18.34	
o-Terphenyl	84-15-1	136	%	70-135	01.03.20 18.34	**



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **SW05**
Lab Sample Id: 647862-002

Matrix: Soil
Date Collected: 01.02.20 12.50

Date Received: 01.03.20 11.40
Sample Depth: 0 - 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.03.20 13.30

Basis: Wet Weight

Seq Number: 3112361

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.03.20 16.17	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.03.20 16.17	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.03.20 16.17	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	01.03.20 16.17	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.03.20 16.17	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	01.03.20 16.17	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.03.20 16.17	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	100	%	70-130	01.03.20 16.17		
4-Bromofluorobenzene	460-00-4	99	%	70-130	01.03.20 16.17		



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **SW06**
 Lab Sample Id: 647862-003

Matrix: Soil
 Date Collected: 01.02.20 12.55

Date Received: 01.03.20 11.40
 Sample Depth: 0 - 2 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.03.20 14.17

Basis: Wet Weight

Seq Number: 3112365

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	312	10.0	mg/kg	01.03.20 17.01		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DTH

% Moisture:

Analyst: DTH

Date Prep: 01.03.20 13.00

Basis: Wet Weight

Seq Number: 3112379

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.03.20 18.34	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.03.20 18.34	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.03.20 18.34	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.03.20 18.34	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.03.20 18.34	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	99	%	70-135	01.03.20 18.34	
o-Terphenyl	84-15-1	102	%	70-135	01.03.20 18.34	



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **SW06**
Lab Sample Id: 647862-003

Matrix: Soil
Date Collected: 01.02.20 12.55

Date Received: 01.03.20 11.40
Sample Depth: 0 - 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.03.20 13.30

Basis: Wet Weight

Seq Number: 3112361

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	01.03.20 16.35	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	01.03.20 16.35	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	01.03.20 16.35	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	01.03.20 16.35	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	01.03.20 16.35	U	1
Xylenes, Total	1330-20-7	<0.00199	0.00199	mg/kg	01.03.20 16.35	U	1
Total BTEX		<0.00199	0.00199	mg/kg	01.03.20 16.35	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	99	%	70-130	01.03.20 16.35		
4-Bromofluorobenzene	460-00-4	99	%	70-130	01.03.20 16.35		



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **SW07** Matrix: Soil Date Received: 01.03.20 11.40
 Lab Sample Id: 647862-004 Date Collected: 01.02.20 13.00 Sample Depth: 0 - 2 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.03.20 14.17 Basis: Wet Weight
 Seq Number: 3112365

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2040	10.0	mg/kg	01.03.20 17.07		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.03.20 13.00 Basis: Wet Weight
 Seq Number: 3112379

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.3	50.3	mg/kg	01.03.20 18.54	U	1
Diesel Range Organics (DRO)	C10C28DRO	93.6	50.3	mg/kg	01.03.20 18.54		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.3	50.3	mg/kg	01.03.20 18.54	U	1
Total GRO-DRO	PHC628	93.6	50.3	mg/kg	01.03.20 18.54		1
Total TPH	PHC635	93.6	50.3	mg/kg	01.03.20 18.54		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	118	%	70-135	01.03.20 18.54	
o-Terphenyl	84-15-1	114	%	70-135	01.03.20 18.54	



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **SW07**
Lab Sample Id: 647862-004

Matrix: Soil
Date Collected: 01.02.20 13.00

Date Received: 01.03.20 11.40
Sample Depth: 0 - 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.03.20 13.30

Basis: Wet Weight

Seq Number: 3112361

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	01.03.20 16.52	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	01.03.20 16.52	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	01.03.20 16.52	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	01.03.20 16.52	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	01.03.20 16.52	U	1
Xylenes, Total	1330-20-7	<0.00198	0.00198	mg/kg	01.03.20 16.52	U	1
Total BTEX		<0.00198	0.00198	mg/kg	01.03.20 16.52	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	101	%	70-130	01.03.20 16.52		
4-Bromofluorobenzene	460-00-4	101	%	70-130	01.03.20 16.52		



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS11** Matrix: Soil Date Received: 01.03.20 11.40
 Lab Sample Id: 647862-005 Date Collected: 01.02.20 13.05 Sample Depth: 0.5 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.03.20 14.17 Basis: Wet Weight
 Seq Number: 3112365

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	285	9.98	mg/kg	01.03.20 17.13		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.03.20 13.00 Basis: Wet Weight
 Seq Number: 3112379

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.03.20 18.54	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.03.20 18.54	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.03.20 18.54	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.03.20 18.54	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.03.20 18.54	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	104	%	70-135	01.03.20 18.54	
o-Terphenyl	84-15-1	104	%	70-135	01.03.20 18.54	



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS11**
 Lab Sample Id: 647862-005

Matrix: Soil
 Date Collected: 01.02.20 13.05

Date Received: 01.03.20 11.40
 Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.03.20 13.30

Basis: Wet Weight

Seq Number: 3112361

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	01.03.20 17.10	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	01.03.20 17.10	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	01.03.20 17.10	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	01.03.20 17.10	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	01.03.20 17.10	U	1
Xylenes, Total	1330-20-7	<0.00199	0.00199	mg/kg	01.03.20 17.10	U	1
Total BTEX		<0.00199	0.00199	mg/kg	01.03.20 17.10	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	103	%	70-130	01.03.20 17.10		
1,4-Difluorobenzene	540-36-3	103	%	70-130	01.03.20 17.10		



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS12**
Lab Sample Id: 647862-006

Matrix: Soil
Date Collected: 01.02.20 13.10

Date Received: 01.03.20 11.40
Sample Depth: 0.5 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3112365

Date Prep: 01.03.20 14.17

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	285	9.98	mg/kg	01.03.20 17.19		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3112379

Date Prep: 01.03.20 13.00

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.03.20 19.14	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.03.20 19.14	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.03.20 19.14	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.03.20 19.14	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.03.20 19.14	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	106	%	70-135	01.03.20 19.14	
o-Terphenyl	84-15-1	113	%	70-135	01.03.20 19.14	



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS12**
Lab Sample Id: 647862-006

Matrix: Soil
Date Collected: 01.02.20 13.10

Date Received: 01.03.20 11.40
Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.03.20 13.30

Basis: Wet Weight

Seq Number: 3112361

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00197	0.00197	mg/kg	01.03.20 17.27	U	1
Toluene	108-88-3	<0.00197	0.00197	mg/kg	01.03.20 17.27	U	1
Ethylbenzene	100-41-4	<0.00197	0.00197	mg/kg	01.03.20 17.27	U	1
m,p-Xylenes	179601-23-1	<0.00394	0.00394	mg/kg	01.03.20 17.27	U	1
o-Xylene	95-47-6	<0.00197	0.00197	mg/kg	01.03.20 17.27	U	1
Xylenes, Total	1330-20-7	<0.00197	0.00197	mg/kg	01.03.20 17.27	U	1
Total BTEX		<0.00197	0.00197	mg/kg	01.03.20 17.27	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	100	%	70-130	01.03.20 17.27		
4-Bromofluorobenzene	460-00-4	99	%	70-130	01.03.20 17.27		



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS13**
Lab Sample Id: 647862-007

Matrix: Soil
Date Collected: 01.02.20 13.15

Date Received: 01.03.20 11.40
Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3112367

Date Prep: 01.03.20 13.24

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	252	9.94	mg/kg	01.03.20 17.59		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3112398

Date Prep: 01.03.20 13.30

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.03.20 19.54	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.03.20 19.54	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.03.20 19.54	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.03.20 19.54	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.03.20 19.54	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	118	%	70-135	01.03.20 19.54	
o-Terphenyl	84-15-1	120	%	70-135	01.03.20 19.54	



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS13**
Lab Sample Id: 647862-007

Matrix: Soil
Date Collected: 01.02.20 13.15

Date Received: 01.03.20 11.40
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.03.20 13.30

Basis: Wet Weight

Seq Number: 3112361

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.03.20 17.44	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.03.20 17.44	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.03.20 17.44	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	01.03.20 17.44	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.03.20 17.44	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	01.03.20 17.44	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.03.20 17.44	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	107	%	70-130	01.03.20 17.44		
1,4-Difluorobenzene	540-36-3	103	%	70-130	01.03.20 17.44		



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS14**
Lab Sample Id: 647862-008

Matrix: Soil
Date Collected: 01.02.20 13.20

Date Received: 01.03.20 11.40
Sample Depth: 2 ft

Analytical Method: Chloride by EPA 300

Tech: MAB

Analyst: MAB

Seq Number: 3112367

Date Prep: 01.03.20 13.24

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	328	9.96	mg/kg	01.03.20 18.17		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3112398

Date Prep: 01.03.20 13.30

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	01.03.20 20.34	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	01.03.20 20.34	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	01.03.20 20.34	U	1
Total GRO-DRO	PHC628	<49.8	49.8	mg/kg	01.03.20 20.34	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	01.03.20 20.34	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	114	%	70-135	01.03.20 20.34	
o-Terphenyl	84-15-1	110	%	70-135	01.03.20 20.34	



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS14**
Lab Sample Id: 647862-008

Matrix: Soil
Date Collected: 01.02.20 13.20

Date Received: 01.03.20 11.40
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.03.20 13.30

Basis: Wet Weight

Seq Number: 3112361

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	01.03.20 18.02	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	01.03.20 18.02	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	01.03.20 18.02	U	1
m,p-Xylenes	179601-23-1	<0.00395	0.00395	mg/kg	01.03.20 18.02	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	01.03.20 18.02	U	1
Xylenes, Total	1330-20-7	<0.00198	0.00198	mg/kg	01.03.20 18.02	U	1
Total BTEX		<0.00198	0.00198	mg/kg	01.03.20 18.02	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	102	%	70-130	01.03.20 18.02		
4-Bromofluorobenzene	460-00-4	103	%	70-130	01.03.20 18.02		



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS15** Matrix: Soil Date Received: 01.03.20 11.40
 Lab Sample Id: 647862-009 Date Collected: 01.02.20 13.25 Sample Depth: 2 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.03.20 13.24 Basis: Wet Weight
 Seq Number: 3112367

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1900	10.0	mg/kg	01.03.20 18.29		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.03.20 13.30 Basis: Wet Weight
 Seq Number: 3112398

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.03.20 20.34	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.03.20 20.34	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.03.20 20.34	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.03.20 20.34	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.03.20 20.34	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	105	%	70-135	01.03.20 20.34	
o-Terphenyl	84-15-1	108	%	70-135	01.03.20 20.34	



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS15**
Lab Sample Id: 647862-009

Matrix: Soil
Date Collected: 01.02.20 13.25

Date Received: 01.03.20 11.40
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Tech: MAB

Analyst: MAB

Seq Number: 3112361

Date Prep: 01.03.20 13.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00196	0.00196	mg/kg	01.03.20 18.19	U	1
Toluene	108-88-3	<0.00196	0.00196	mg/kg	01.03.20 18.19	U	1
Ethylbenzene	100-41-4	<0.00196	0.00196	mg/kg	01.03.20 18.19	U	1
m,p-Xylenes	179601-23-1	<0.00393	0.00393	mg/kg	01.03.20 18.19	U	1
o-Xylene	95-47-6	<0.00196	0.00196	mg/kg	01.03.20 18.19	U	1
Xylenes, Total	1330-20-7	<0.00196	0.00196	mg/kg	01.03.20 18.19	U	1
Total BTEX		<0.00196	0.00196	mg/kg	01.03.20 18.19	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	103	%	70-130	01.03.20 18.19		
4-Bromofluorobenzene	460-00-4	106	%	70-130	01.03.20 18.19		



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS16** Matrix: Soil Date Received: 01.03.20 11.40
 Lab Sample Id: 647862-010 Date Collected: 01.02.20 13.30 Sample Depth: 2 ft
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: MAB % Moisture:
 Analyst: MAB Date Prep: 01.03.20 13.24 Basis: Wet Weight
 Seq Number: 3112367

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	466	10.0	mg/kg	01.03.20 18.35		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH % Moisture:
 Analyst: DTH Date Prep: 01.03.20 13.30 Basis: Wet Weight
 Seq Number: 3112398

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	01.03.20 20.54	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	01.03.20 20.54	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	01.03.20 20.54	U	1
Total GRO-DRO	PHC628	<50.0	50.0	mg/kg	01.03.20 20.54	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	01.03.20 20.54	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	114	%	70-135	01.03.20 20.54	
o-Terphenyl	84-15-1	112	%	70-135	01.03.20 20.54	



Certificate of Analytical Results 647862

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21

Sample Id: **FS16**
Lab Sample Id: 647862-010

Matrix: Soil
Date Collected: 01.02.20 13.30

Date Received: 01.03.20 11.40
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: MAB

% Moisture:

Analyst: MAB

Date Prep: 01.03.20 13.30

Basis: Wet Weight

Seq Number: 3112361

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.03.20 18.37	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.03.20 18.37	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.03.20 18.37	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	01.03.20 18.37	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.03.20 18.37	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	01.03.20 18.37	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.03.20 18.37	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	103	%	70-130	01.03.20 18.37		
1,4-Difluorobenzene	540-36-3	100	%	70-130	01.03.20 18.37		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.
Longview Federal 1-21

Analytical Method: Chloride by EPA 300

Seq Number: 3112365

MB Sample Id: 7693684-1-BLK

Matrix: Solid

LCS Sample Id: 7693684-1-BKS

Prep Method: E300P

Date Prep: 01.03.20

LCSD Sample Id: 7693684-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	230	92	247	99	90-110	7	20	mg/kg	01.03.20 14:20	

Analytical Method: Chloride by EPA 300

Seq Number: 3112367

MB Sample Id: 7693686-1-BLK

Matrix: Solid

LCS Sample Id: 7693686-1-BKS

Prep Method: E300P

Date Prep: 01.03.20

LCSD Sample Id: 7693686-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	257	103	257	103	90-110	0	20	mg/kg	01.03.20 17:42	

Analytical Method: Chloride by EPA 300

Seq Number: 3112365

Parent Sample Id: 647856-001

Matrix: Soil

MS Sample Id: 647856-001 S

Prep Method: E300P

Date Prep: 01.03.20

MSD Sample Id: 647856-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	4790	202	5060	134	5060	134	90-110	0	20	mg/kg	01.03.20 14:37	X

Analytical Method: Chloride by EPA 300

Seq Number: 3112365

Parent Sample Id: 647858-003

Matrix: Soil

MS Sample Id: 647858-003 S

Prep Method: E300P

Date Prep: 01.03.20

MSD Sample Id: 647858-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	845	200	1060	108	1060	108	90-110	0	20	mg/kg	01.03.20 16:09	

Analytical Method: Chloride by EPA 300

Seq Number: 3112367

Parent Sample Id: 647862-007

Matrix: Soil

MS Sample Id: 647862-007 S

Prep Method: E300P

Date Prep: 01.03.20

MSD Sample Id: 647862-007 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	252	200	465	107	469	109	90-110	1	20	mg/kg	01.03.20 18:05	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.

Longview Federal 1-21

Analytical Method: Chloride by EPA 300

Seq Number: 3112367

Parent Sample Id: 647906-007

Matrix: Soil

MS Sample Id: 647906-007 S

Prep Method: E300P

Date Prep: 01.03.20

MSD Sample Id: 647906-007 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	76.7	200	292	108	296	110	90-110	1	20	mg/kg	01.03.20 19:38	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3112379

MB Sample Id: 7693693-1-BLK

Matrix: Solid

LCS Sample Id: 7693693-1-BKS

Prep Method: SW8015P

Date Prep: 01.03.20

LCSD Sample Id: 7693693-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1170	117	1070	107	70-135	9	35	mg/kg	01.03.20 15:13	
Diesel Range Organics (DRO)	<50.0	1000	1290	129	1190	119	70-135	8	35	mg/kg	01.03.20 15:13	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	105		124		121		70-135	%	01.03.20 15:13
o-Terphenyl	108		119		114		70-135	%	01.03.20 15:13

Analytical Method: TPH by SW8015 Mod

Seq Number: 3112398

MB Sample Id: 7693705-1-BLK

Matrix: Solid

LCS Sample Id: 7693705-1-BKS

Prep Method: SW8015P

Date Prep: 01.03.20

LCSD Sample Id: 7693705-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1100	110	1120	112	70-135	2	35	mg/kg	01.03.20 19:34	
Diesel Range Organics (DRO)	<50.0	1000	1210	121	1220	122	70-135	1	35	mg/kg	01.03.20 19:34	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	119		125		130		70-135	%	01.03.20 19:34
o-Terphenyl	114		118		120		70-135	%	01.03.20 19:34

Analytical Method: TPH by SW8015 Mod

Seq Number: 3112379

Matrix: Solid

MB Sample Id: 7693693-1-BLK

Prep Method: SW8015P

Date Prep: 01.03.20

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	01.03.20 14:53	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C-A) / B$
 $RPD = 200 * |(C-E) / (C+E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



LT Environmental, Inc.

Longview Federal 1-21

Analytical Method: TPH by SW8015 Mod

Seq Number: 3112398

Matrix: Solid

Prep Method: SW8015P

Date Prep: 01.03.20

MB Sample Id: 7693705-1-BLK

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	01.03.20 19:34	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3112379

Matrix: Soil

Prep Method: SW8015P

Date Prep: 01.03.20

Parent Sample Id: 647856-001

MS Sample Id: 647856-001 S

MSD Sample Id: 647856-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1120	112	1160	116	70-135	4	35	mg/kg	01.03.20 15:33	
Diesel Range Organics (DRO)	<50.0	1000	1230	123	1280	128	70-135	4	35	mg/kg	01.03.20 15:33	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	126		124		70-135	%	01.03.20 15:33
o-Terphenyl	118		119		70-135	%	01.03.20 15:33

Analytical Method: TPH by SW8015 Mod

Seq Number: 3112398

Matrix: Soil

Prep Method: SW8015P

Date Prep: 01.03.20

Parent Sample Id: 647862-007

MS Sample Id: 647862-007 S

MSD Sample Id: 647862-007 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<49.9	997	1160	116	1060	106	70-135	9	35	mg/kg	01.03.20 20:14	
Diesel Range Organics (DRO)	<49.9	997	1250	125	1160	116	70-135	7	35	mg/kg	01.03.20 20:14	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	128		119		70-135	%	01.03.20 20:14
o-Terphenyl	125		116		70-135	%	01.03.20 20:14

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = $\text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.

Longview Federal 1-21

Analytical Method: BTEX by EPA 8021B

Seq Number: 3112361

MB Sample Id: 7693688-1-BLK

Matrix: Solid

LCS Sample Id: 7693688-1-BKS

Prep Method: SW5030B

Date Prep: 01.03.20

LCSD Sample Id: 7693688-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0921	92	0.0970	97	70-130	5	35	mg/kg	01.03.20 14:16	
Toluene	<0.00200	0.100	0.0928	93	0.0978	98	70-130	5	35	mg/kg	01.03.20 14:16	
Ethylbenzene	<0.00200	0.100	0.0911	91	0.0958	96	71-129	5	35	mg/kg	01.03.20 14:16	
m,p-Xylenes	<0.00400	0.200	0.189	95	0.199	100	70-135	5	35	mg/kg	01.03.20 14:16	
o-Xylene	<0.00200	0.100	0.0926	93	0.0973	97	71-133	5	35	mg/kg	01.03.20 14:16	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	100		99		100		70-130	%	01.03.20 14:16
4-Bromofluorobenzene	100		102		102		70-130	%	01.03.20 14:16

Analytical Method: BTEX by EPA 8021B

Seq Number: 3112361

Parent Sample Id: 647862-001

Matrix: Soil

MS Sample Id: 647862-001 S

Prep Method: SW5030B

Date Prep: 01.03.20

MSD Sample Id: 647862-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00198	0.0990	0.111	112	0.112	113	70-130	1	35	mg/kg	01.03.20 14:50	
Toluene	<0.00198	0.0990	0.108	109	0.109	110	70-130	1	35	mg/kg	01.03.20 14:50	
Ethylbenzene	<0.00198	0.0990	0.101	102	0.104	105	71-129	3	35	mg/kg	01.03.20 14:50	
m,p-Xylenes	<0.000746	0.198	0.206	104	0.212	107	70-135	3	35	mg/kg	01.03.20 14:50	
o-Xylene	<0.00198	0.0990	0.101	102	0.104	105	71-133	3	35	mg/kg	01.03.20 14:50	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	103		99		70-130	%	01.03.20 14:50
4-Bromofluorobenzene	102		99		70-130	%	01.03.20 14:50

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Chain of Custody

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334

Midland, TX (432) 704-5440 EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296 Crashpad, NM (432) 704-5440

Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 689-6701

www.xenco.com

Page 1 of 1

Work Order No:

47802

Project Manager:	Chris McKisson	Shift to: (if different)	→
Company Name:	LT Environmental	Company Name:	→
Address:	820 Megan Ave, Unit B	Address:	
City, State ZIP:	Rifle, CO 81650	City, State ZIP:	
Phone:	970-285-9985	Email:	cmckisson@ltenv.com labys@ltenv.com

Project Name:	Longview Federal 1-21	Turn Around	
Project Number:	034819038	Routine	☐
Project Location:	Rural Eddy County	Rush:	3 DAY
Sampler's Name:	Anna Byers	Due Date:	
PO #:	555-555555	Quote #:	

SAMPLE RECEIPT		Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Temperature (°C):	0.4	Thermometer ID	TMM-007		
Received Intact:	Yes ☒ No ☐	Correction Factor:	-0.2		
Cooler Custody Seals:	Yes ☒ No ☐	Total Containers:	10		
Sample Custody Seals:	Yes ☒ No ☐				

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers			ANALYSIS REQUEST										Preservative Codes		Sample Comments
FS06A		3	4/2/19	1245	2'	1	TPH (EPA 8015)														
SW05				1250	0-2'	1	BTEX (EPA 8021)														
SW06				1255	0-2'	1	Chloride (EPA 300.0)														
SW07				1300	0-2'	1	X														
FS11				1305	0.5'	1															
FS12				1310	0.5'	1															
FS13				1315	2'	1															
FS14				1320	2'	1															
FS15				1325	2'	1															
FS16				1330	2'	1															

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn

Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$7500 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Anna Byers		4/3/20 11:40			

Revised Date 02/25/19 Rev. 2019.1



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.

Date/ Time Received: 01/03/2020 11:40:00 AM

Work Order #: 647862

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T-NM-007

Sample Receipt Checklist**Comments**

#1 *Temperature of cooler(s)?	.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6 *Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Elizabeth McClellan

Date: 01/03/2020

Checklist reviewed by:

Holly Taylor

Date: 01/06/2020

Analytical Report 649625

for
LT Environmental, Inc.

Project Manager: Chris McKisson

Longview Federal 1-21H

034819082

23-JAN-20

Collected By: Client



1089 N Canal Street
Carlsbad, NM 88220

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



23-JAN-20

Project Manager: **Chris McKisson**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **649625**

Longview Federal 1-21H

Project Address: Rural Eddy County

Chris McKisson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 649625. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 649625 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads 'Jessica Kramer'. The signature is written in a cursive, flowing style.

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America

**Sample Cross Reference 649625****LT Environmental, Inc., Arvada, CO**

Longview Federal 1-21H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FS15A	S	01-20-20 10:50	3 ft	649625-001
FS17	S	01-20-20 11:00	6 ft	649625-002
FS18	S	01-20-20 11:02	6 ft	649625-003
FS19	S	01-20-20 11:10	0 - 0.3 ft	649625-004
SW08	S	01-20-20 11:20	0 - 6 ft	649625-005
SW09	S	01-20-20 11:22	0 - 6 ft	649625-006
SW10	S	01-20-20 11:25	0 - 6 ft	649625-007
SW11	S	01-20-20 11:27	0 - 6 ft	649625-008



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: Longview Federal 1-21H

Project ID: 034819082
Work Order Number(s): 649625

Report Date: 23-JAN-20
Date Received: 01/20/2020

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3113865 TPH by SW8015 Mod

Surrogate o-Terphenyl recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 649625-005,649625-003.

Batch: LBA-3113992 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 649625

LT Environmental, Inc., Arvada, CO

Project Name: Longview Federal 1-21H

Project Id: 034819082
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Mon Jan-20-20 12:46 pm
Report Date: 23-JAN-20
Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	649625-001	649625-002	649625-003	649625-004	649625-005	649625-006
	Field Id:	FS15A	FS17	FS18	FS19	SW08	SW09
	Depth:	3- ft	6- ft	6- ft	0-0.3 ft	0-6 ft	0-6 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	Jan-20-20 10:50	Jan-20-20 11:00	Jan-20-20 11:02	Jan-20-20 11:10	Jan-20-20 11:20	Jan-20-20 11:22
BTEX by EPA 8021B	Extracted:	Jan-20-20 13:06	Jan-20-20 13:06	Jan-20-20 13:06	Jan-20-20 13:06	Jan-20-20 13:06	Jan-20-20 13:06
	Analyzed:	Jan-20-20 20:31	Jan-20-20 20:51	Jan-20-20 21:12	Jan-20-20 21:32	Jan-20-20 21:52	Jan-20-20 22:13
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
		<0.00201 0.00201	<0.00202 0.00202	<0.00198 0.00198	<0.00200 0.00200	<0.00201 0.00201	<0.00200 0.00200
		<0.00201 0.00201	<0.00202 0.00202	<0.00198 0.00198	<0.00200 0.00200	<0.00201 0.00201	<0.00200 0.00200
Chloride by EPA 300	Extracted:	Jan-20-20 16:49	Jan-20-20 16:49	Jan-20-20 16:49	Jan-20-20 16:49	Jan-20-20 16:49	Jan-20-20 16:49
	Analyzed:	Jan-20-20 20:51	Jan-20-20 20:56	Jan-20-20 21:01	Jan-20-20 21:07	Jan-20-20 21:12	Jan-20-20 21:17
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
		405 10.1	192 9.98	201 9.90	86.7 10.0	1290 10.0	320 10.1
		Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36
TPH by SW8015 Mod	Extracted:	Jan-20-20 21:16	Jan-20-20 21:35	Jan-20-20 21:35	Jan-20-20 21:55	Jan-20-20 21:55	Jan-20-20 22:15
	Analyzed:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	Units/RL:	<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
		<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
		<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
Gasoline Range Hydrocarbons (GRO)	Extracted:	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36
	Analyzed:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	Units/RL:	<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
		<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
		<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
Diesel Range Organics (DRO)	Extracted:	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36
	Analyzed:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	Units/RL:	<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
		<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
		<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
Motor Oil Range Hydrocarbons (MRO)	Extracted:	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36
	Analyzed:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	Units/RL:	<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
		<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
		<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
Total GRO-DRO	Extracted:	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36
	Analyzed:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	Units/RL:	<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
		<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
		<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
Total TPH	Extracted:	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36	Jan-20-20 17:36
	Analyzed:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
	Units/RL:	<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
		<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2
		<50.1 50.1	<50.1 50.1	<50.2 50.2	<49.9 49.9	<49.9 49.9	<50.2 50.2

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1%

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analysis Summary 649625

LT Environmental, Inc., Arvada, CO

Project Name: Longview Federal 1-21H

Project Id: 034819082
Contact: Chris McKisson
Project Location: Rural Eddy County

Date Received in Lab: Mon Jan-20-20 12:46 pm
Report Date: 23-JAN-20
Project Manager: Jessica Kramer

Analysis Requested		Lab Id:	649625-007		649625-008				
		Field Id:	SW10		SW11				
		Depth:	0-6 ft		0-6 ft				
		Matrix:	SOIL		SOIL				
		Sampled:	Jan-20-20 11:25		Jan-20-20 11:27				
BTEX by EPA 8021B		Extracted:	Jan-20-20 13:06		Jan-20-20 13:06				
		Analyzed:	Jan-20-20 22:33		Jan-20-20 22:54				
		Units/RL:	mg/kg	RL	mg/kg	RL			
			<0.00200	0.00200	<0.00202	0.00202			
			<0.00200	0.00200	<0.00202	0.00202			
			<0.00200	0.00200	<0.00202	0.00202			
			<0.00401	0.00401	<0.00404	0.00404			
			<0.00200	0.00200	<0.00202	0.00202			
			<0.00200	0.00200	<0.00202	0.00202			
			<0.00200	0.00200	<0.00202	0.00202			
			<0.00200	0.00200	<0.00202	0.00202			
Chloride by EPA 300		Extracted:	Jan-20-20 16:10		Jan-20-20 16:10				
		Analyzed:	Jan-20-20 23:56		Jan-21-20 00:02				
		Units/RL:	mg/kg	RL	mg/kg	RL			
			294	10.1	225	10.1			
TPH by SW8015 Mod		Extracted:	Jan-20-20 17:36		Jan-20-20 17:36				
		Analyzed:	Jan-20-20 22:15		Jan-20-20 22:35				
		Units/RL:	mg/kg	RL	mg/kg	RL			
			<50.1	50.1	<50.3	50.3			
			<50.1	50.1	<50.3	50.3			
			<50.1	50.1	<50.3	50.3			
			<50.1	50.1	<50.3	50.3			
			<50.1	50.1	<50.3	50.3			
			<50.1	50.1	<50.3	50.3			
			<50.1	50.1	<50.3	50.3			

Jessica Kramer

Jessica Kramer
Project Assistant

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Version: 1%



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **FS15A**
Lab Sample Id: 649625-001

Matrix: Soil
Date Collected: 01.20.20 10.50

Date Received: 01.20.20 12.46
Sample Depth: 3 ft

Analytical Method: Chloride by EPA 300

Tech: JHB

Analyst: JHB

Seq Number: 3113985

Date Prep: 01.20.20 16.49

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	405	10.1	mg/kg	01.20.20 20.51		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113865

Date Prep: 01.20.20 17.36

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	01.20.20 21.16	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	01.20.20 21.16	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	01.20.20 21.16	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	01.20.20 21.16	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	01.20.20 21.16	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	107	%	70-135	01.20.20 21.16	
o-Terphenyl	84-15-1	109	%	70-135	01.20.20 21.16	



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **FS15A**
Lab Sample Id: 649625-001

Matrix: Soil
Date Collected: 01.20.20 10.50

Date Received: 01.20.20 12.46
Sample Depth: 3 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: JHB

% Moisture:

Analyst: JHB

Date Prep: 01.20.20 13.06

Basis: Wet Weight

Seq Number: 3113992

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.20.20 20.31	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.20.20 20.31	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.20.20 20.31	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.20.20 20.31	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.20.20 20.31	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	01.20.20 20.31	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.20.20 20.31	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	103	%	70-130	01.20.20 20.31		
4-Bromofluorobenzene	460-00-4	99	%	70-130	01.20.20 20.31		



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **FS17**
Lab Sample Id: 649625-002

Matrix: Soil
Date Collected: 01.20.20 11.00

Date Received: 01.20.20 12.46
Sample Depth: 6 ft

Analytical Method: Chloride by EPA 300

Tech: JHB

Analyst: JHB

Seq Number: 3113985

Date Prep: 01.20.20 16.49

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	192	9.98	mg/kg	01.20.20 20.56		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113865

Date Prep: 01.20.20 17.36

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	01.20.20 21.35	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	01.20.20 21.35	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	01.20.20 21.35	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	01.20.20 21.35	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	01.20.20 21.35	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	129	%	70-135	01.20.20 21.35	
o-Terphenyl	84-15-1	124	%	70-135	01.20.20 21.35	



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **FS17**
Lab Sample Id: 649625-002

Matrix: Soil
Date Collected: 01.20.20 11.00

Date Received: 01.20.20 12.46
Sample Depth: 6 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: JHB

% Moisture:

Analyst: JHB

Date Prep: 01.20.20 13.06

Basis: Wet Weight

Seq Number: 3113992

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.20.20 20.51	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.20.20 20.51	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.20.20 20.51	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	01.20.20 20.51	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.20.20 20.51	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.20.20 20.51	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.20.20 20.51	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	101	%	70-130	01.20.20 20.51		
4-Bromofluorobenzene	460-00-4	100	%	70-130	01.20.20 20.51		



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **FS18**
Lab Sample Id: 649625-003

Matrix: Soil
Date Collected: 01.20.20 11.02

Date Received: 01.20.20 12.46
Sample Depth: 6 ft

Analytical Method: Chloride by EPA 300

Tech: JHB

Analyst: JHB

Seq Number: 3113985

Date Prep: 01.20.20 16.49

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	201	9.90	mg/kg	01.20.20 21.01		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113865

Date Prep: 01.20.20 17.36

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.20.20 21.35	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.20.20 21.35	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.20.20 21.35	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.20.20 21.35	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.20.20 21.35	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	133	%	70-135	01.20.20 21.35	
o-Terphenyl	84-15-1	137	%	70-135	01.20.20 21.35	**



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **FS18**
Lab Sample Id: 649625-003

Matrix: Soil
Date Collected: 01.20.20 11.02

Date Received: 01.20.20 12.46
Sample Depth: 6 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: JHB

% Moisture:

Analyst: JHB

Date Prep: 01.20.20 13.06

Basis: Wet Weight

Seq Number: 3113992

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	01.20.20 21.12	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	01.20.20 21.12	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	01.20.20 21.12	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	01.20.20 21.12	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	01.20.20 21.12	U	1
Xylenes, Total	1330-20-7	<0.00198	0.00198	mg/kg	01.20.20 21.12	U	1
Total BTEX		<0.00198	0.00198	mg/kg	01.20.20 21.12	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	102	%	70-130	01.20.20 21.12		
4-Bromofluorobenzene	460-00-4	102	%	70-130	01.20.20 21.12		



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **FS19**
Lab Sample Id: 649625-004

Matrix: Soil
Date Collected: 01.20.20 11.10

Date Received: 01.20.20 12.46
Sample Depth: 0 - 0.3 ft

Analytical Method: Chloride by EPA 300

Tech: JHB

Analyst: JHB

Seq Number: 3113985

Date Prep: 01.20.20 16.49

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	86.7	10.0	mg/kg	01.20.20 21.07		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113865

Date Prep: 01.20.20 17.36

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	01.20.20 21.55	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	01.20.20 21.55	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	01.20.20 21.55	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	01.20.20 21.55	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	01.20.20 21.55	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	124	%	70-135	01.20.20 21.55	
o-Terphenyl	84-15-1	122	%	70-135	01.20.20 21.55	



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **FS19**
Lab Sample Id: 649625-004

Matrix: Soil
Date Collected: 01.20.20 11.10

Date Received: 01.20.20 12.46
Sample Depth: 0 - 0.3 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: JHB

% Moisture:

Analyst: JHB

Date Prep: 01.20.20 13.06

Basis: Wet Weight

Seq Number: 3113992

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.20.20 21.32	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.20.20 21.32	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.20.20 21.32	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	01.20.20 21.32	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.20.20 21.32	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	01.20.20 21.32	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.20.20 21.32	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	99	%	70-130	01.20.20 21.32		
1,4-Difluorobenzene	540-36-3	101	%	70-130	01.20.20 21.32		



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **SW08**

Matrix: Soil

Date Received: 01.20.20 12.46

Lab Sample Id: 649625-005

Date Collected: 01.20.20 11.20

Sample Depth: 0 - 6 ft

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: JHB

% Moisture:

Analyst: JHB

Date Prep: 01.20.20 16.49

Basis: Wet Weight

Seq Number: 3113985

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1290	10.0	mg/kg	01.20.20 21.12		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DTH

% Moisture:

Analyst: DTH

Date Prep: 01.20.20 17.36

Basis: Wet Weight

Seq Number: 3113865

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	01.20.20 21.55	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	01.20.20 21.55	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	01.20.20 21.55	U	1
Total GRO-DRO	PHC628	<49.9	49.9	mg/kg	01.20.20 21.55	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	01.20.20 21.55	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	135	%	70-135	01.20.20 21.55	
o-Terphenyl	84-15-1	139	%	70-135	01.20.20 21.55	**



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **SW08**
Lab Sample Id: 649625-005

Matrix: Soil
Date Collected: 01.20.20 11.20

Date Received: 01.20.20 12.46
Sample Depth: 0 - 6 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: JHB

% Moisture:

Analyst: JHB

Date Prep: 01.20.20 13.06

Basis: Wet Weight

Seq Number: 3113992

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	01.20.20 21.52	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	01.20.20 21.52	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	01.20.20 21.52	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	01.20.20 21.52	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	01.20.20 21.52	U	1
Xylenes, Total	1330-20-7	<0.00201	0.00201	mg/kg	01.20.20 21.52	U	1
Total BTEX		<0.00201	0.00201	mg/kg	01.20.20 21.52	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	98	%	70-130	01.20.20 21.52		
1,4-Difluorobenzene	540-36-3	103	%	70-130	01.20.20 21.52		



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **SW09**
Lab Sample Id: 649625-006

Matrix: Soil
Date Collected: 01.20.20 11.22

Date Received: 01.20.20 12.46
Sample Depth: 0 - 6 ft

Analytical Method: Chloride by EPA 300

Tech: JHB

Analyst: JHB

Seq Number: 3113985

Date Prep: 01.20.20 16.49

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	320	10.1	mg/kg	01.20.20 21.17		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113865

Date Prep: 01.20.20 17.36

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	01.20.20 22.15	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	01.20.20 22.15	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	01.20.20 22.15	U	1
Total GRO-DRO	PHC628	<50.2	50.2	mg/kg	01.20.20 22.15	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	01.20.20 22.15	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	132	%	70-135	01.20.20 22.15	
o-Terphenyl	84-15-1	128	%	70-135	01.20.20 22.15	



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **SW09**
Lab Sample Id: 649625-006

Matrix: Soil
Date Collected: 01.20.20 11.22

Date Received: 01.20.20 12.46
Sample Depth: 0 - 6 ft

Analytical Method: BTEX by EPA 8021B

Tech: JHB

Analyst: JHB

Seq Number: 3113992

Date Prep: 01.20.20 13.06

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.20.20 22.13	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.20.20 22.13	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.20.20 22.13	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	01.20.20 22.13	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.20.20 22.13	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	01.20.20 22.13	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.20.20 22.13	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	103	%	70-130	01.20.20 22.13		
4-Bromofluorobenzene	460-00-4	100	%	70-130	01.20.20 22.13		



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **SW10**
Lab Sample Id: 649625-007

Matrix: Soil
Date Collected: 01.20.20 11.25

Date Received: 01.20.20 12.46
Sample Depth: 0 - 6 ft

Analytical Method: Chloride by EPA 300

Tech: JHB

Analyst: JHB

Seq Number: 3113990

Date Prep: 01.20.20 16.10

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	294	10.1	mg/kg	01.20.20 23.56		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113865

Date Prep: 01.20.20 17.36

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	01.20.20 22.15	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	01.20.20 22.15	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	01.20.20 22.15	U	1
Total GRO-DRO	PHC628	<50.1	50.1	mg/kg	01.20.20 22.15	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	01.20.20 22.15	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	114	%	70-135	01.20.20 22.15	
o-Terphenyl	84-15-1	112	%	70-135	01.20.20 22.15	



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **SW10**
Lab Sample Id: 649625-007

Matrix: Soil
Date Collected: 01.20.20 11.25

Date Received: 01.20.20 12.46
Sample Depth: 0 - 6 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: JHB

% Moisture:

Analyst: JHB

Date Prep: 01.20.20 13.06

Basis: Wet Weight

Seq Number: 3113992

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	01.20.20 22.33	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	01.20.20 22.33	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	01.20.20 22.33	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	01.20.20 22.33	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	01.20.20 22.33	U	1
Xylenes, Total	1330-20-7	<0.00200	0.00200	mg/kg	01.20.20 22.33	U	1
Total BTEX		<0.00200	0.00200	mg/kg	01.20.20 22.33	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	102	%	70-130	01.20.20 22.33		
4-Bromofluorobenzene	460-00-4	99	%	70-130	01.20.20 22.33		



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **SW11**
Lab Sample Id: 649625-008

Matrix: Soil
Date Collected: 01.20.20 11.27

Date Received: 01.20.20 12.46
Sample Depth: 0 - 6 ft

Analytical Method: Chloride by EPA 300

Tech: JHB

Analyst: JHB

Seq Number: 3113990

Date Prep: 01.20.20 16.10

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	225	10.1	mg/kg	01.21.20 00.02		1

Analytical Method: TPH by SW8015 Mod

Tech: DTH

Analyst: DTH

Seq Number: 3113865

Date Prep: 01.20.20 17.36

Prep Method: SW8015P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.3	50.3	mg/kg	01.20.20 22.35	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.3	50.3	mg/kg	01.20.20 22.35	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.3	50.3	mg/kg	01.20.20 22.35	U	1
Total GRO-DRO	PHC628	<50.3	50.3	mg/kg	01.20.20 22.35	U	1
Total TPH	PHC635	<50.3	50.3	mg/kg	01.20.20 22.35	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	120	%	70-135	01.20.20 22.35	
o-Terphenyl	84-15-1	114	%	70-135	01.20.20 22.35	



Certificate of Analytical Results 649625

LT Environmental, Inc., Arvada, CO

Longview Federal 1-21H

Sample Id: **SW11**
Lab Sample Id: 649625-008

Matrix: Soil
Date Collected: 01.20.20 11.27

Date Received: 01.20.20 12.46
Sample Depth: 0 - 6 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: JHB

% Moisture:

Analyst: JHB

Date Prep: 01.20.20 13.06

Basis: Wet Weight

Seq Number: 3113992

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	01.20.20 22.54	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	01.20.20 22.54	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	01.20.20 22.54	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	01.20.20 22.54	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	01.20.20 22.54	U	1
Xylenes, Total	1330-20-7	<0.00202	0.00202	mg/kg	01.20.20 22.54	U	1
Total BTEX		<0.00202	0.00202	mg/kg	01.20.20 22.54	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	103	%	70-130	01.20.20 22.54		
4-Bromofluorobenzene	460-00-4	98	%	70-130	01.20.20 22.54		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

****** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

***** (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.
Longview Federal 1-21H

Analytical Method: Chloride by EPA 300

Seq Number: 3113985

MB Sample Id: 7694792-1-BLK

Matrix: Solid

LCS Sample Id: 7694792-1-BKS

Prep Method: E300P

Date Prep: 01.20.20

LCSD Sample Id: 7694792-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	1.39	250	252	101	252	101	90-110	0	20	mg/kg	01.20.20 18:13	

Analytical Method: Chloride by EPA 300

Seq Number: 3113990

MB Sample Id: 7694796-1-BLK

Matrix: Solid

LCS Sample Id: 7694796-1-BKS

Prep Method: E300P

Date Prep: 01.20.20

LCSD Sample Id: 7694796-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	258	103	258	103	90-110	0	20	mg/kg	01.20.20 21:39	

Analytical Method: Chloride by EPA 300

Seq Number: 3113985

Parent Sample Id: 649573-008

Matrix: Soil

MS Sample Id: 649573-008 S

Prep Method: E300P

Date Prep: 01.20.20

MSD Sample Id: 649573-008 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	79.7	193	333	131	316	122	90-110	5	20	mg/kg	01.20.20 18:53	X

Analytical Method: Chloride by EPA 300

Seq Number: 3113985

Parent Sample Id: 649573-018

Matrix: Soil

MS Sample Id: 649573-018 S

Prep Method: E300P

Date Prep: 01.20.20

MSD Sample Id: 649573-018 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	382	202	679	147	701	159	90-110	3	20	mg/kg	01.20.20 20:34	X

Analytical Method: Chloride by EPA 300

Seq Number: 3113990

Parent Sample Id: 649655-001

Matrix: Soil

MS Sample Id: 649655-001 S

Prep Method: E300P

Date Prep: 01.20.20

MSD Sample Id: 649655-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	29.2	189	287	136	288	137	90-110	0	20	mg/kg	01.20.20 21:50	X

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.

Longview Federal 1-21H

Analytical Method: Chloride by EPA 300

Seq Number: 3113990

Parent Sample Id: 649663-010

Matrix: Soil

MS Sample Id: 649663-010 S

Prep Method: E300P

Date Prep: 01.20.20

MSD Sample Id: 649663-010 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	285	198	553	135	495	107	90-110	11	20	mg/kg	01.20.20 23:44	X

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113865

MB Sample Id: 7694760-1-BLK

Matrix: Solid

LCS Sample Id: 7694760-1-BKS

Prep Method: SW8015P

Date Prep: 01.20.20

LCSD Sample Id: 7694760-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1050	105	1100	110	70-135	5	35	mg/kg	01.20.20 18:57	
Diesel Range Organics (DRO)	<50.0	1000	1060	106	1060	106	70-135	0	35	mg/kg	01.20.20 18:57	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	102		121		118		70-135	%	01.20.20 18:57
o-Terphenyl	100		114		114		70-135	%	01.20.20 18:57

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113865

Matrix: Solid

MB Sample Id: 7694760-1-BLK

Prep Method: SW8015P

Date Prep: 01.20.20

Parameter

	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	01.20.20 18:57	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3113865

Matrix: Soil

Parent Sample Id: 649573-008

MS Sample Id: 649573-008 S

Prep Method: SW8015P

Date Prep: 01.20.20

MSD Sample Id: 649573-008 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<49.9	997	1100	110	1080	108	70-135	2	35	mg/kg	01.20.20 19:37	
Diesel Range Organics (DRO)	<49.9	997	1230	123	1090	109	70-135	12	35	mg/kg	01.20.20 19:37	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	119		121		70-135	%	01.20.20 19:37
o-Terphenyl	108		114		70-135	%	01.20.20 19:37

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.
Longview Federal 1-21H

Analytical Method: BTEX by EPA 8021B

Seq Number: 3113992

MB Sample Id: 7694831-1-BLK

Matrix: Solid

LCS Sample Id: 7694831-1-BKS

Prep Method: SW5030B

Date Prep: 01.20.20

LCSD Sample Id: 7694831-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0978	98	0.0937	94	70-130	4	35	mg/kg	01.20.20 18:14	
Toluene	<0.00200	0.100	0.0943	94	0.0910	91	70-130	4	35	mg/kg	01.20.20 18:14	
Ethylbenzene	<0.00200	0.100	0.0915	92	0.0884	88	71-129	3	35	mg/kg	01.20.20 18:14	
m,p-Xylenes	<0.00400	0.200	0.189	95	0.183	92	70-135	3	35	mg/kg	01.20.20 18:14	
o-Xylene	<0.00200	0.100	0.0932	93	0.0905	91	71-133	3	35	mg/kg	01.20.20 18:14	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	101		102		101		70-130	%	01.20.20 18:14
4-Bromofluorobenzene	97		98		95		70-130	%	01.20.20 18:14

Analytical Method: BTEX by EPA 8021B

Seq Number: 3113992

Parent Sample Id: 649562-001

Matrix: Soil

MS Sample Id: 649562-001 S

Prep Method: SW5030B

Date Prep: 01.20.20

MSD Sample Id: 649562-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00199	0.0994	0.0800	80	0.0954	96	70-130	18	35	mg/kg	01.20.20 18:55	
Toluene	<0.00199	0.0994	0.0777	78	0.0924	93	70-130	17	35	mg/kg	01.20.20 18:55	
Ethylbenzene	<0.00199	0.0994	0.0749	75	0.0897	90	71-129	18	35	mg/kg	01.20.20 18:55	
m,p-Xylenes	<0.000749	0.199	0.155	78	0.185	93	70-135	18	35	mg/kg	01.20.20 18:55	
o-Xylene	<0.00199	0.0994	0.0767	77	0.0921	93	71-133	18	35	mg/kg	01.20.20 18:55	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	101		104		70-130	%	01.20.20 18:55
4-Bromofluorobenzene	99		98		70-130	%	01.20.20 18:55

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C-A) / B$
 $RPD = 200 * [(C-E) / (C+E)]$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
Midland, TX (432) 704-5440 EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296
Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8900 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 689-6701

Chain of Custody

Work Order No: 649625

Project Manager:	Chris McKisson	Blit to: (if different)	→
Company Name:	Anna Byers	Company Name:	→
Address:	820 Megan Ave, Unit B	Address:	
City, State ZIP:	Rifle TX 81650	City, State ZIP:	
Phone:	970-285-9985	Email:	cmckisson@henv.com tabyers@henv.com

Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐
State of Project:
Reporting Level: I ☐ Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐
Deliverables: EDD ☐ ADAPT ☐ Other:

Project Name:	Longview Federal 1-21 H	Turn Around	☐
Project Number:	034819082	Routine	☐
Project Location:	Rural Eddy County	Rush:	37PM
Sampler's Name:	Anna Byers	Due Date:	
PO #:	10/31/19 (DOE)	Quote #:	

SAMPLE RECEIPT	Temperature (°C):	0.2 / 0.0	Thermometer ID	CF 007
	Received In tact:	☒ Yes ☐ No	Correction Factor:	-0.2
	Cooler Custody Seals:	Yes ☒ No ☐ N/A	Total Containers:	8
	Sample Custody Seals:	Yes ☒ No ☐ N/A		

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	ANALYSIS REQUEST	Preservative Codes	Sample Comments
FS15A		S	1/30/20	1050	3'	1	TPH (EPA 8015)		
FS17		S		1100	6'	1	BTEX (EPA 8021)		
FS18		S		1102	6'	1	Chloride (EPA 800.0)		
FS19		S		1110	0-0.3'	1			
SW08		S		1120	0-6'	1			
SW09		S		1122	0-6'	1			
SW10		S		1125	0-6'	1			
SW11		S		1124	0-6'	1			

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed: TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Anna Byers	[Signature]	1/30/20 12:46			

Revised Date 02/26/19 Rev. 2019.1



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.

Date/ Time Received: 01/20/2020 12:46:00 PM

Work Order #: 649625

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T-NM-007

Sample Receipt Checklist**Comments**

#1 *Temperature of cooler(s)?	.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6 *Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Elizabeth McClellan

Date: 01/21/2020

Checklist reviewed by:

Jessica Kramer

Date: 01/22/2020

Certificate of Analysis Summary 674567
LT Environmental, Inc., Arvada, CO

Project Name: Longview 1-21H

Date Received in Lab: Wed 10.07.2020 12:53
Report Date: 10.08.2020 14:28
Project Manager: Jessica Kramer

Project Id: 034819082
Contact: Joseph Hernandez
Project Location: Eddy County



Analysis Requested		Lab Id: Field Id: Depth: Matrix: Sampled:	674567-001 BH01 0.2-0.5 ft SOIL 10.07.2020 10:00	674567-002 BH01 A 0.75-1 ft SOIL 10.07.2020 10:15	674567-003 BH02 0.2-0.5 ft SOIL 10.07.2020 10:50	674567-004 BH02 A 0.75-1 ft SOIL 10.07.2020 10:58
BTEX by EPA 8021B		Extracted:	10.07.2020 17:08	10.07.2020 17:08	10.07.2020 17:08	10.07.2020 17:08
		Analyzed:	10.08.2020 00:10	10.08.2020 00:33	10.08.2020 00:55	10.08.2020 01:18
		Units/RL:	mg/kg RL <0.00199 0.00199	mg/kg RL <0.00201 0.00201	mg/kg RL <0.00200 0.00200	mg/kg RL <0.00201 0.00201
Benzene						
Toluene						
Ethylbenzene						
m,p-Xylenes						
o-Xylene						
Total Xylenes						
Total BTEX						
Inorganic Anions by EPA 300		Extracted:	10.07.2020 16:00	10.07.2020 16:00	10.07.2020 16:00	10.07.2020 16:00
		Analyzed:	10.07.2020 17:18	10.07.2020 17:24	10.07.2020 17:30	10.07.2020 17:36
		Units/RL:	mg/kg RL 65.0 10.0	mg/kg RL 38.8 10.1	mg/kg RL 188 10.0	mg/kg RL 91.3 9.92
Chloride						
TPH by SW8015 Mod		Extracted:	10.07.2020 16:00	10.07.2020 16:00	10.07.2020 16:00	10.07.2020 16:00
		Analyzed:	10.07.2020 17:19	10.07.2020 17:39	10.07.2020 17:59	10.07.2020 18:19
		Units/RL:	mg/kg RL <49.9 49.9	mg/kg RL <50.1 50.1	mg/kg RL <50.0 50.0	mg/kg RL <50.2 50.2
Gasoline Range Hydrocarbons (GRO)						
Diesel Range Organics (DRO)						
Motor Oil Range Hydrocarbons (MRO)						
Total TPH						

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer



Analytical Report 674567

for

LT Environmental, Inc.

Project Manager: Joseph Hernandez

Longview 1-21H

034819082

10.08.2020

Collected By: Client

**1089 N Canal Street
Carlsbad, NM 88220**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-20-38), Arizona (AZ0765), Florida (E871002-33), Louisiana (03054)
Oklahoma (2020-014), North Carolina (681), Arkansas (20-035-0)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-20-26), Arizona (AZ0809)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-20-18)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-20-23)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-21)
Xenco-Carlsbad (LELAP): Louisiana (05092)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-20-8)
Xenco-Tampa: Florida (E87429), North Carolina (483)



10.08.2020

Project Manager: **Joseph Hernandez**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: Eurofins Xenco, LLC Report No(s): **674567**

Longview 1-21H

Project Address: Eddy County

Joseph Hernandez:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the Eurofins Xenco, LLC Report Number(s) 674567. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by Eurofins Xenco, LLC. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 674567 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting Eurofins Xenco, LLC to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer

Project Manager

A Small Business and Minority Company

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico



Sample Cross Reference 674567

LT Environmental, Inc., Arvada, CO

Longview 1-21H

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
BH01	S	10.07.2020 10:00	0.2 - 0.5 ft	674567-001
BH01 A	S	10.07.2020 10:15	0.75 - 1 ft	674567-002
BH02	S	10.07.2020 10:50	0.2 - 0.5 ft	674567-003
BH02 A	S	10.07.2020 10:58	0.75 - 1 ft	674567-004



CASE NARRATIVE

Client Name: *LT Environmental, Inc.*

Project Name: *Longview 1-21H*

Project ID: 034819082
Work Order Number(s): 674567

Report Date: 10.08.2020
Date Received: 10.07.2020

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



Certificate of Analytical Results 674567

LT Environmental, Inc., Arvada, CO

Longview 1-21H

Sample Id: **BH01** Matrix: Soil Date Received: 10.07.2020 12:53
 Lab Sample Id: 674567-001 Date Collected: 10.07.2020 10:00 Sample Depth: 0.2 - 0.5 ft
 Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P
 Tech: MAB
 Analyst: MAB Date Prep: 10.07.2020 16:00 % Moisture:
 Seq Number: 3139135 Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	65.0	10.0	mg/kg	10.07.2020 17:18		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH
 Analyst: DTH Date Prep: 10.07.2020 16:00 % Moisture:
 Seq Number: 3139072 Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	10.07.2020 17:19	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	10.07.2020 17:19	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	10.07.2020 17:19	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	10.07.2020 17:19	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	123	%	70-135	10.07.2020 17:19	
o-Terphenyl	84-15-1	95	%	70-135	10.07.2020 17:19	



Certificate of Analytical Results 674567

LT Environmental, Inc., Arvada, CO

Longview 1-21H

Sample Id: **BH01**
Lab Sample Id: 674567-001

Matrix: Soil
Date Collected: 10.07.2020 10:00

Date Received: 10.07.2020 12:53
Sample Depth: 0.2 - 0.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: MAB

Analyst: MAB

Date Prep: 10.07.2020 17:08

% Moisture:
Basis: Wet Weight

Seq Number: 3139134

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	10.08.2020 00:10	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	10.08.2020 00:10	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	10.08.2020 00:10	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	10.08.2020 00:10	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	10.08.2020 00:10	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	10.08.2020 00:10	U	1
Total BTEX		<0.00199	0.00199	mg/kg	10.08.2020 00:10	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	114	%	70-130	10.08.2020 00:10		
1,4-Difluorobenzene	540-36-3	101	%	70-130	10.08.2020 00:10		



Certificate of Analytical Results 674567

LT Environmental, Inc., Arvada, CO

Longview 1-21H

Sample Id: **BH01 A** Matrix: Soil Date Received: 10.07.2020 12:53
 Lab Sample Id: 674567-002 Date Collected: 10.07.2020 10:15 Sample Depth: 0.75 - 1 ft
 Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P
 Tech: MAB
 Analyst: MAB Date Prep: 10.07.2020 16:00 % Moisture:
 Seq Number: 3139135 Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	38.8	10.1	mg/kg	10.07.2020 17:24		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH
 Analyst: DTH Date Prep: 10.07.2020 16:00 % Moisture:
 Seq Number: 3139072 Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.1	50.1	mg/kg	10.07.2020 17:39	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.1	50.1	mg/kg	10.07.2020 17:39	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.1	50.1	mg/kg	10.07.2020 17:39	U	1
Total TPH	PHC635	<50.1	50.1	mg/kg	10.07.2020 17:39	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	123	%	70-135	10.07.2020 17:39	
o-Terphenyl	84-15-1	102	%	70-135	10.07.2020 17:39	



Certificate of Analytical Results 674567

LT Environmental, Inc., Arvada, CO

Longview 1-21H

Sample Id: **BH01 A**
Lab Sample Id: 674567-002

Matrix: Soil
Date Collected: 10.07.2020 10:15

Date Received: 10.07.2020 12:53
Sample Depth: 0.75 - 1 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: MAB

Analyst: MAB

Date Prep: 10.07.2020 17:08

% Moisture:
Basis: Wet Weight

Seq Number: 3139134

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	10.08.2020 00:33	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	10.08.2020 00:33	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	10.08.2020 00:33	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	10.08.2020 00:33	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	10.08.2020 00:33	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	10.08.2020 00:33	U	1
Total BTEX		<0.00201	0.00201	mg/kg	10.08.2020 00:33	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	114	%	70-130	10.08.2020 00:33	
1,4-Difluorobenzene	540-36-3	98	%	70-130	10.08.2020 00:33	



Certificate of Analytical Results 674567

LT Environmental, Inc., Arvada, CO

Longview 1-21H

Sample Id: **BH02** Matrix: Soil Date Received: 10.07.2020 12:53
 Lab Sample Id: 674567-003 Date Collected: 10.07.2020 10:50 Sample Depth: 0.2 - 0.5 ft
 Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P
 Tech: MAB
 Analyst: MAB Date Prep: 10.07.2020 16:00 % Moisture:
 Seq Number: 3139135 Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	188	10.0	mg/kg	10.07.2020 17:30		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH
 Analyst: DTH Date Prep: 10.07.2020 16:00 % Moisture:
 Seq Number: 3139072 Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	10.07.2020 17:59	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	10.07.2020 17:59	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	10.07.2020 17:59	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	10.07.2020 17:59	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	121	%	70-135	10.07.2020 17:59		
o-Terphenyl	84-15-1	95	%	70-135	10.07.2020 17:59		



Certificate of Analytical Results 674567

LT Environmental, Inc., Arvada, CO

Longview 1-21H

Sample Id: **BH02**
Lab Sample Id: 674567-003

Matrix: Soil
Date Collected: 10.07.2020 10:50

Date Received: 10.07.2020 12:53
Sample Depth: 0.2 - 0.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: MAB

Analyst: MAB

Date Prep: 10.07.2020 17:08

% Moisture:
Basis: Wet Weight

Seq Number: 3139134

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	10.08.2020 00:55	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	10.08.2020 00:55	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	10.08.2020 00:55	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	10.08.2020 00:55	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	10.08.2020 00:55	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	10.08.2020 00:55	U	1
Total BTEX		<0.00200	0.00200	mg/kg	10.08.2020 00:55	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	107	%	70-130	10.08.2020 00:55		
4-Bromofluorobenzene	460-00-4	113	%	70-130	10.08.2020 00:55		



Certificate of Analytical Results 674567

LT Environmental, Inc., Arvada, CO

Longview 1-21H

Sample Id: **BH02 A** Matrix: Soil Date Received: 10.07.2020 12:53
 Lab Sample Id: 674567-004 Date Collected: 10.07.2020 10:58 Sample Depth: 0.75 - 1 ft
 Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P
 Tech: MAB
 Analyst: MAB Date Prep: 10.07.2020 16:00 % Moisture:
 Seq Number: 3139135 Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	91.3	9.92	mg/kg	10.07.2020 17:36		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DTH
 Analyst: DTH Date Prep: 10.07.2020 16:00 % Moisture:
 Seq Number: 3139072 Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.2	50.2	mg/kg	10.07.2020 18:19	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.2	50.2	mg/kg	10.07.2020 18:19	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.2	50.2	mg/kg	10.07.2020 18:19	U	1
Total TPH	PHC635	<50.2	50.2	mg/kg	10.07.2020 18:19	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1-Chlorooctane	111-85-3	114	%	70-135	10.07.2020 18:19		
o-Terphenyl	84-15-1	88	%	70-135	10.07.2020 18:19		



Certificate of Analytical Results 674567

LT Environmental, Inc., Arvada, CO

Longview 1-21H

Sample Id: **BH02 A**
Lab Sample Id: 674567-004

Matrix: Soil
Date Collected: 10.07.2020 10:58

Date Received: 10.07.2020 12:53
Sample Depth: 0.75 - 1 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: MAB

Analyst: MAB

Date Prep: 10.07.2020 17:08

% Moisture:
Basis: Wet Weight

Seq Number: 3139134

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	10.08.2020 01:18	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	10.08.2020 01:18	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	10.08.2020 01:18	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	10.08.2020 01:18	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	10.08.2020 01:18	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	10.08.2020 01:18	U	1
Total BTEX		<0.00201	0.00201	mg/kg	10.08.2020 01:18	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	120	%	70-130	10.08.2020 01:18	
1,4-Difluorobenzene	540-36-3	103	%	70-130	10.08.2020 01:18	



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit. **ND** Not Detected.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



LT Environmental, Inc.

Longview 1-21H

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3139135

Matrix: Solid

Prep Method: E300P

Date Prep: 10.07.2020

MB Sample Id: 7712801-1-BLK

LCS Sample Id: 7712801-1-BKS

LCSD Sample Id: 7712801-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	250	260	104	262	105	90-110	1	20	mg/kg	10.07.2020 15:07	

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3139135

Matrix: Soil

Prep Method: E300P

Date Prep: 10.07.2020

Parent Sample Id: 674482-003

MS Sample Id: 674482-003 S

MSD Sample Id: 674482-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	58.0	199	264	104	264	103	90-110	0	20	mg/kg	10.07.2020 15:25	

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3139135

Matrix: Soil

Prep Method: E300P

Date Prep: 10.07.2020

Parent Sample Id: 674482-013

MS Sample Id: 674482-013 S

MSD Sample Id: 674482-013 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	1060	201	1250	95	1250	95	90-110	0	20	mg/kg	10.07.2020 16:49	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3139072

Matrix: Solid

Prep Method: SW8015P

Date Prep: 10.07.2020

MB Sample Id: 7712800-1-BLK

LCS Sample Id: 7712800-1-BKS

LCSD Sample Id: 7712800-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	1210	121	1170	117	70-135	3	35	mg/kg	10.07.2020 10:37	
Diesel Range Organics (DRO)	<50.0	1000	1340	134	1310	131	70-135	2	35	mg/kg	10.07.2020 10:37	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	108		129		124		70-135	%	10.07.2020 10:37
o-Terphenyl	104		113		111		70-135	%	10.07.2020 10:37

Analytical Method: TPH by SW8015 Mod

Seq Number: 3139072

Matrix: Solid

Prep Method: SW8015P

Date Prep: 10.07.2020

MB Sample Id: 7712800-1-BLK

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	10.07.2020 10:17	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



LT Environmental, Inc.
Longview 1-21H

Analytical Method: TPH by SW8015 Mod

Seq Number: 3139072

Parent Sample Id: 674465-004

Matrix: Soil

MS Sample Id: 674465-004 S

Prep Method: SW8015P

Date Prep: 10.07.2020

MSD Sample Id: 674465-004 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.2	1000	968	97	1110	110	70-135	14	35	mg/kg	10.07.2020 12:18	
Diesel Range Organics (DRO)	<50.2	1000	1150	115	1290	128	70-135	11	35	mg/kg	10.07.2020 12:18	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	127		131		70-135	%	10.07.2020 12:18
o-Terphenyl	120		129		70-135	%	10.07.2020 12:18

Analytical Method: BTEX by EPA 8021B

Seq Number: 3139134

MB Sample Id: 7712803-1-BLK

Matrix: Solid

LCS Sample Id: 7712803-1-BKS

Prep Method: SW5035A

Date Prep: 10.07.2020

LCSD Sample Id: 7712803-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.107	107	0.104	104	70-130	3	35	mg/kg	10.07.2020 16:39	
Toluene	<0.00200	0.100	0.0988	99	0.0994	99	70-130	1	35	mg/kg	10.07.2020 16:39	
Ethylbenzene	<0.00200	0.100	0.105	105	0.101	101	71-129	4	35	mg/kg	10.07.2020 16:39	
m,p-Xylenes	<0.00400	0.200	0.209	105	0.206	103	70-135	1	35	mg/kg	10.07.2020 16:39	
o-Xylene	<0.00200	0.100	0.105	105	0.102	102	71-133	3	35	mg/kg	10.07.2020 16:39	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	100		98		103		70-130	%	10.07.2020 16:39
4-Bromofluorobenzene	106		106		107		70-130	%	10.07.2020 16:39

Analytical Method: BTEX by EPA 8021B

Seq Number: 3139134

Parent Sample Id: 674482-003

Matrix: Soil

MS Sample Id: 674482-003 S

Prep Method: SW5035A

Date Prep: 10.07.2020

MSD Sample Id: 674482-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.108	108	0.0961	96	70-130	12	35	mg/kg	10.07.2020 17:24	
Toluene	<0.00200	0.100	0.0996	100	0.0901	90	70-130	10	35	mg/kg	10.07.2020 17:24	
Ethylbenzene	<0.00200	0.100	0.102	102	0.0908	91	71-129	12	35	mg/kg	10.07.2020 17:24	
m,p-Xylenes	<0.00400	0.200	0.209	105	0.184	92	70-135	13	35	mg/kg	10.07.2020 17:24	
o-Xylene	<0.00200	0.100	0.103	103	0.0914	91	71-133	12	35	mg/kg	10.07.2020 17:24	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		104		70-130	%	10.07.2020 17:24
4-Bromofluorobenzene	110		109		70-130	%	10.07.2020 17:24

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Chain of Custody

Work Order No. 674567

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
 Midland, TX (432) 704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296
 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000 West Palm Beach, FL (561) 688-6701

www.xenco.com

Page 1 of 1

Project Manager:	JOSEPH HERVANDER	Bill to: (if different)	JIM RALEY
Company Name:	LT ENVIRONMENTAL	Company Name:	WPX ENERGY
Address:	3300 N A St, Bldg 1	Address:	5315 BUENA VISTA DR
City, State ZIP:	MIDLAND, TX 79705	City, State ZIP:	CARLSBAD, NM 88220
Phone:	(281) 702-2329	Email:	jherandez@ltenv.com + abeyse@ltenv.com

Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐
State of Project:
Reporting Level: ☐ Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐
Deliverables: EDD ☐ ADAPT ☐ Other:

ANALYSIS REQUEST

Project Name:	Longview 1-21H	Turn Around	☐
Project Number:	034819082	Routine	☐
Project Location:	Eddy County	Rush:	3 DAY TAT
Sampler's Name:	Anna Byers	Due Date:	
PO #:	201908230001	Quote #:	

SAMPLE RECEIPT	Temperature (°C):	0.4 / 0.2	Temp Blank:	☒ Yes ☐ No	Wet Ice:	☒ Yes ☐ No
	Received intact:	☒ Yes ☐ No	Thermometer ID	T-NUM-007		
	Cooler Custody Seals:	☒ Yes ☐ No	Correction Factor:	-0.2		
	Sample Custody Seals:	☒ Yes ☐ No	Total Containers:	4		

Lab ID	Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers
--------	-----------------------	--------	--------------	--------------	-------	----------------------

BTH01		3	10/12/20	10:00	0.2-0.5'	1
BTH01A				10:15	0.75-1'	1
BTH02				10:50	0.2-0.5'	1
BTH02A				10:58	0.75-1'	1

BTEX (EPA 8021B)																			
TPH (EPA 8015)																			
Chloride (EPA 300.0)																			

Preservative Codes	MeOH: Me
	None: NO
	HNO3: HN
	H2SO4: H2
	HCL: HL
	NaOH: Na
	Zn Acetate+ NaOH: Zn
Sample Comments	TAT starts the day received by the lab, if received by 4:00pm

Total 200.7 / 6010 200.8 / 6020:

Circle Method(s) and Metal(s) to be analyzed

8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
 TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U
 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Anna Byers	Joe D'Amico	10-7-20 1053			

Eurofins Xenco, LLC

Prelogin/Nonconformance Report- Sample Log-In

Client: LT Environmental, Inc.

Date/ Time Received: 10.07.2020 12.53.00 PM

Work Order #: 674567

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : T_NM_007

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 Custody Seals intact on sample bottles?	Yes
#6 *Custody Seals Signed and dated?	Yes
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

Samples received in bulk containers.

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:



Cloe Clifton

Date: 10.07.2020

Checklist reviewed by:



Jessica Kramer

Date: 10.08.2020

Incident ID	NRM2000356004
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities


I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Jim Raley Title: Environmental Specialist
Signature:  Date: 10-26-2020
email: james.raley@wpenergy.com Telephone: 575-689-7597

OCD Only

Received by: Robert Hamlet Date: 3/24/2021

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by:  Date: 3/24/2021
Printed Name: Robert Hamlet Title: Environmental Specialist - Advanced

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 10838

CONDITIONS OF APPROVAL

Operator: WPX ENERGY PERMIAN, LLC 3500 One Williams Center Tulsa, OK74172			OGRID: 246289	Action Number: 10838	Action Type: C-141
OCD Reviewer	Condition				
rhamlet	We have received your closure report and final C-141 for Incident #NRM2000356004 LONGVIEW FEDERAL 1 #021H, thank you. This closure is approved.				