SITE INFORMATION

| R | eport Type: 0 | Closure Re | eport nRM2 | 20226453 | 367 & nR | M20345 | 61113 | | |
|-----------------------|--------------------|--|-------------------------------|-----------------------|--------------|---------|---------|--|--|
| General Site Info | ormation: | | - | | | | | | |
| Site: | | White City Tr | White City Trunk Line Release | | | | | | |
| Company: | | Cimarex Ene | Cimarex Energy | | | | | | |
| Section, Towns | hip and Range | Unit J | Sec. 1 | T 25S | R 26E | | | | |
| Lease Number: | | | | | | | | | |
| County: | | Eddy County | | | | | | | |
| GPS: | | | 32.158230° N | | | -104.24 | 3715° W | | |
| Surface Owner: | | Federal | | | | | | | |
| Mineral Owner: | | | | | | | | | |
| Directions: | | From the intersection of HWY 128 & CR 1 (J-1), travel EAST on HWY 128 for approximately 3.0 miles, turn SOUTH onto lease road for 1.10 mi, turn WEST onto lease road for 0.60 mi to location on north side of lease road | | | | | | | |
| Release Data: | | | | | | | | | |
| Date Released: | | 8/3/2020 & 11/30/2020 | | | | | | | |
| Type Release: | | Produced Water | | | | | | | |
| Source of Contar | nination: | Line Breaks | | | | | | | |
| Fluid Released: | 1 | 179 bbls | | | | | | | |
| Fluids Recovered | | 100 bbls | | | | | | | |
| Official Commu | nication: | | | | | | | | |
| Name: | Gloria Garza | | | | Brittany Lor | ng | | | |
| Company: | Cimarex Energy | | | | Tetra Tech | | | | |
| Address: | 600 N. Marienfield | St. | | | 901 W. Wa | ll St. | | | |
| | Ste 600 | | | Ste 100 | | | | | |
| City: | Midland Texas, 797 | 01 | | Midland, Texas, 79701 | | | | | |
| Phone number: | | | (432) 741-5813 | | | | | | |
| Fax: | | | | | | | | | |
| Email: GGarza@Cimare | | x.com Brittany.Long@TetraTech.com | | | | | | | |
| | | | | | <u> </u> | | | | |
| Site Characteriz | | | | | | | | | |
| Depth to Groundwater: | | Less than 50' below surface | | | | | | | |

| Karst Potential: | | High | | |
|------------------|--------------------|---------------|-------------------|-----------|
| Recommended R | Remedial Action Le | evels (RRALs) | | |
| Benzene | Total BTEX | TPH (GRO+DRO) | TPH (GRO+DRO+MRO) | Chlorides |
| 10 mg/kg | 50 mg/kg | 100 mg/kg | 100 mg/kg | 600 mg/kg |



January 12, 2021

Environmental Specialist Oil Conservation Division 1220 South St. Francis Drive Santa Fe, New Mexico 87505

Re: Closure Report for the Cimarex, White City Trunk Line Release(s), Unit J, Section 1, Township 25 South, Range 26 East, Eddy County, New Mexico. OCD Incident ID# nRM2022645367 OCD Incident ID# nRM2034561113

Oil Conservation Division:

Tetra Tech, Inc. (Tetra Tech) was contacted by Cimarex Energy (Cimarex) to assess and remediate a release that occurred at the Cimarex, White City Trunk Line, Unit J, Section 1, Township 25 South, Range 26 East, Eddy County, New Mexico (Site). The site coordinates are 32.158230°, -104.243715°. The site location is shown on Figures 1 and 2.

Background

According to the State of New Mexico C-141 Initial Report's the releases were discovered on August 3, 2020 and November 30, 2020. On August 3, 2020, a main water line leaked due to corrosion of a valve, releasing approximately 24 barrels of produced water. None of the produced water was recovered. On November 30, 2020, during remediation activities of OCD ID (nRM2022645367), a fusion weld of a polyline broke, releasing approximately 155 barrels of produced water, creating another release, OCD ID (nRM2034561113). Approximately 100 barrels of the produced water was recovered. The release occurred along a right-of-way (ROW) and impacted areas measuring approximately 80' x 20'. The C-141 form is included in Appendix A.

Site Characterization

A site characterization was performed for the site and no watercourses, lakebeds, sinkholes, playa lakes, residences, schools, hospitals, institutions, churches, springs, private domestic water wells, springs, wetlands, incorporated municipal boundaries, subsurface mines, or floodplains are located within the specified distances. However, the site is in a high karst potential area. The nearest well is listed in the USGS National Water Information Database website in Section 13, approximately 2.24 miles South of the site, and has a reported depth to groundwater of 6.24 feet below ground surface. Additionally, the releases were remediated to 7.0' below surface and no groundwater was encountered. Site characterization data is included in Appendix B.

Tetra Tech

901 W Wall Street, Suite 100, Midland, TX 79701 Tel 432.682.4559 Fax 432.682.3946 www.tetratech.com



Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, updated August 14, 2018. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of benzene, toluene, ethylbenzene, and xylene). Based upon the site characterization, the proposed RRAL for TPH is 100 mg/kg (GRO+DRO+MRO). Additionally, based on the site characterization, the proposed RRAL for chlorides is 600 mg/kg.

Remediation and Reclamation Activities

Tetra Tech personnel were onsite in November 30, 2020 through December 2, 2020, to supervise the remediation and reclamation activities as well as to collect confirmation samples. During remediation activities, a fusion weld of a surface line failed, and an additional release occurred (nRM2034561113). This release was contained, hydrovacced, and remediated along with the original release (nRM2022645367). The impacted areas were excavated to a total depth ranging from 1.0'- 7.0' below surface, as shown on Figure 3 and Table 1.

Confirmation bottom hole and sidewall samples were collected every 200 square feet, a total of 13 bottom hole samples (Bottom Hole 1 through Bottom Hole 13) and 12 sidewall samples (Sidewall 1 through Sidewall 12) were collected to ensure proper removal of the impacted soils. The samples were submitted to the laboratory to be analyzed for TPH method 8015 extended, BTEX method 8021B, and Chloride by EPA Method 300.0. The sampling results are summarized in Table 1. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix C. The excavation depths and sample locations are shown in Figure 3.

Referring to Table 1, all final confirmation samples collected showed benzene, total BTEX, and TPH concentrations below the laboratory reporting limits. Additionally, all final samples, showed chloride concentrations below the 600 mg/kg threshold.

Approximately 454 cubic yards of material was excavated and transported offsite for proper disposal. The areas were then backfilled with clean material to surface grade.



Conclusion

Based on the laboratory results and remediation activities performed, Cimarex requests closure of this spill issue. The final C-141 is enclosed in Appendix A. If you have any questions or comments concerning the assessment or remediation activities for this site, please call at (432) 741-5813.

Respectfully submitted, TETRA TECH

Brittany Long, Project Manager

cc: Gloria Garza-Cimarex Laci Luig-Cimarex Stewart Wittenbach-Cimarex

mgalos

Clair Gonzales, Senior Project Manager

Figures

Released to Imaging: 4/7/2021 2:39:18 PM



Released to Imaging: 4/7/2021 2:39:18 PM





•

Tables

Released to Imaging: 4/7/2021 2:39:18 PM

Table 1 Cimarex Energy Crescent Hale 10 Fed 3H Eddy County, New Mexico

| | | Excavtion | Soil | Status | | TPH (m | g/kg) | | _ | | Ethlybenzene | | | Chloride |
|-----------|----------------------------|------------|---------|---------|-------|--------|-------|-------|-----------------|-----------------|--------------|----------------|--------------------|----------|
| Sample ID | Sample Date | Depth (ft) | In-Situ | Removed | GRO | DRO | MRO | Total | Benzene (mg/kg) | Toluene (mg/kg) | (mg/kg) | Xylene (mg/kg) | Total BTEX (mg/kg) | (mg/kg) |
| BH-1 | 12/2/2020 | 7.0' | Х | - | <26.3 | <26.3 | <26.3 | <26.3 | <0.00105 | <0.00105 | <0.00105 | <0.00105 | <0.00105 | 302 |
| BH-2 | 12/2/2020 | 7.0' | Х | - | <26.9 | <26.9 | <26.9 | <26.9 | <0.00108 | <0.00108 | <0.00108 | <0.00108 | <0.00108 | 196 |
| BH-3 | 12/2/2020 | 7.0' | Х | - | <27.2 | <27.2 | <27.2 | <27.2 | <0.00109 | <0.00109 | <0.00109 | <0.00109 | <0.00109 | 299 |
| BH-4 | 12/2/2020 | 7.0' | Х | - | <27.5 | <27.5 | <27.5 | <27.5 | <0.00110 | <0.00110 | <0.00110 | <0.00110 | <0.00110 | 463 |
| BH-5 | 12/2/2020 | 7.0' | Х | - | <27.8 | <27.8 | <27.8 | <27.8 | <0.00111 | <0.00111 | <0.00111 | <0.00111 | <0.00111 | 277 |
| BH-6 | 12/2/2020 | 7.0' | Х | - | <26.9 | <26.9 | <26.9 | <26.9 | <0.00108 | <0.00108 | <0.00108 | <0.00108 | <0.00108 | 341 |
| BH-7 | 12/2/2020 | 7.0' | Х | - | <27.5 | <27.5 | <27.5 | <27.5 | <0.00110 | <0.00110 | <0.00110 | <0.00110 | <0.00110 | 366 |
| BH-8 | 12/2/2020 | 7.0' | Х | - | <27.8 | <27.8 | <27.8 | <27.8 | <0.00111 | <0.00111 | <0.00111 | <0.00111 | <0.00111 | 11.1 |
| BH-9 | 12/2/2020 | 1.0' | Х | - | <31.2 | <31.2 | <31.2 | <31.2 | <0.00125 | <0.00125 | <0.00125 | <0.00125 | <0.00125 | 363 |
| BH-10 | 12/2/2020 | 1.0' | Х | - | <31.2 | <31.2 | <31.2 | <31.2 | <0.00125 | <0.00125 | <0.00125 | <0.00125 | <0.00125 | 399 |
| BH-11 | 12/2/2020 | 1.0' | Х | - | <31.2 | <31.2 | <31.2 | <31.2 | <0.00125 | <0.00125 | <0.00125 | <0.00125 | <0.00125 | 500 |
| BH-12 | 12/2/2020 | 1.0' | Х | - | <31.6 | <31.6 | <31.6 | <31.6 | <0.00127 | <0.00127 | <0.00127 | <0.00127 | <0.00127 | 398 |
| BH-13 | 12/2/2020 | 1.0' | Х | - | <25.8 | <25.8 | <25.8 | <25.8 | <0.00103 | <0.00103 | <0.00103 | <0.00103 | <0.00103 | 26.9 |
| SW-1 | 12/2/2020 | - | Х | - | <27.2 | <27.2 | <27.2 | <27.2 | <0.00109 | <0.00109 | <0.00109 | <0.00109 | <0.00109 | 8.95 |
| SW-2 | 12/2/2020 | - | Х | - | <27.2 | <27.2 | <27.2 | <27.2 | <0.00109 | <0.00109 | <0.00109 | <0.00109 | <0.00109 | 59.6 |
| SW-3 | 12/2/2020 | - | Х | - | <27.5 | <27.5 | <27.5 | <27.5 | <0.00110 | <0.00110 | <0.00110 | <0.00110 | <0.00110 | 2.45 |
| SW-4 | 12/2/2020 | - | Х | - | <27.2 | <27.2 | <27.2 | <27.2 | <0.00109 | <0.00109 | <0.00109 | <0.00109 | <0.00109 | 7.46 |
| SW-5 | 12/2/2020 | - | Х | - | <27.5 | <27.5 | <27.5 | <27.5 | <0.00110 | <0.00110 | <0.00110 | <0.00110 | <0.00110 | 7.32 |
| SW-6 | 12/2/2020 | - | Х | - | <27.5 | <27.5 | <27.5 | <27.5 | <0.00110 | <0.00110 | <0.00110 | <0.00110 | <0.00110 | 9.62 |
| SW-7 | 12/2/2020 | - | Х | - | <27.2 | <27.2 | <27.2 | <27.2 | <0.00109 | <0.00109 | <0.00109 | <0.00109 | <0.00109 | 5.39 |
| SW-8 | 12/2/2020 | - | Х | - | <27.5 | <27.5 | <27.5 | <27.5 | <0.00110 | <0.00110 | <0.00110 | <0.00110 | <0.00110 | 219 |
| SW-9 | 12/2/2020 | - | Х | - | <25.8 | <25.8 | <25.8 | <25.8 | <0.00103 | <0.00103 | <0.00103 | <0.00103 | <0.00103 | 126 |
| SW-10 | 12/2/2020 | - | Х | - | <25.8 | <25.8 | <25.8 | <25.8 | <0.00103 | <0.00103 | <0.00103 | <0.00103 | <0.00103 | 49.1 |
| SW-11 | 12/2/2020 | - | Х | - | <25.8 | <25.8 | <25.8 | <25.8 | <0.00103 | <0.00103 | <0.00103 | <0.00103 | <0.00103 | 38.6 |
| SW-12 | 12/2/2020 | - | Х | - | <25.8 | <25.8 | <25.8 | <25.8 | <0.00103 | <0.00103 | <0.00103 | <0.00103 | <0.00103 | 58.1 |
| (-) | Not Analyzed Exceedance | | | | | | | | | | | | | |

Exceedance

.

•

Photos

Released to Imaging: 4/7/2021 2:39:18 PM



View of Remediation Activities - View South



View of Remediation Activities - View Northwest

TETRA TECH

Cimarex Energy White City Trunk Line Eddy County, New Mexico



View of Remediation Activities – View East



View of Remediation Activities – View West

Appendix A

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Page 15 bf 75

Revised August 24, 2018 Submit to appropriate OCD District office

| Incident ID | NRM2022645367 |
|----------------|---------------|
| District RP | |
| Facility ID | |
| Application ID | |

Release Notification

Responsible Party

| Responsible Party: Cimarex Energy Co. | OGRID: 215099 |
|---|-----------------------------------|
| Contact Name: Laci Luig | Contact Telephone: (432) 571-7800 |
| Contact email: lluig@cimarex.com | Incident # (assigned by OCD) |
| Contact mailing address: 600 N Marienfeld Street, Ste. 600 Midland, TX 79701 | |

Location of Release Source

Latitude 32.158230_

(NAD 83 in decimal degrees to 5 decimal places)

| Site Name: White City SWD Line | Site Type: ROW |
|-----------------------------------|----------------------|
| Date Release Discovered: 8/3/2020 | API# (if applicable) |

| Unit Letter | Section | Township | Range | County |
|-------------|---------|----------|-------|--------|
| J | 1 | 258 | 26E | Eddy |

Surface Owner: State Federal Tribal Private (Name: _____

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

| Crude Oil | Volume Released (bbls) | Volume Recovered (bbls) |
|------------------|--|---|
| Produced Water | Volume Released (bbls) 24 | Volume Recovered (bbls) 0 |
| | Is the concentration of dissolved chloride in the produced water >10,000 mg/l? | Yes No |
| Condensate | Volume Released (bbls) | Volume Recovered (bbls) |
| Natural Gas | Volume Released (Mcf) | Volume Recovered (Mcf) |
| Other (describe) | Volume/Weight Released (provide units) | Volume/Weight Recovered (provide units) |

Cause of Release: Corrosion

We had a leak in a main water transfer line on a ROW between a butterfly valve and Victaulic clamp due to corrosion. We temporarily repaired the leak until the new Stainless Steel Warren valve, stainless check valve, and poly flanges can be installed. We released 24 barrels of produced water on the ROW and lease road but were not able to recover any fluids. All carbon steel valves and Victaulic clamps will be removed. We will delineate the impacted soil to determine pathway forward.

| Oil | Conserv | ation | Div | vision |
|------------------------|---------|-------|----------------------------|--------|
| $\mathbf{O}\mathbf{n}$ | CONSCIV | anon | $\mathcal{D}_{\mathbf{I}}$ | 131011 |

| Incident ID | NRM2022645367 |
|----------------|---------------|
| District RP | |
| Facility ID | |
| Application ID | |

| Was this a major release as defined by 19.15.29.7(A) NMAC? | If YES, for what reason(s) does the responsible party consider this a major release? |
|--|---|
| 🗌 Yes 🖾 No | |
| | |
| | |
| | otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? |
| By: Gloria Garza | |
| To: Mike Bratcher, Rober | rt Hamlet, Victoria Venegas and BLM NM CFO Spill |
| By: Email | |
| | |

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

 \boxtimes The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

| Printed Name: Laci Luig | Title: Engineer Tech |
|----------------------------|---------------------------|
| Signature: <u>Ac</u> . | _ Date: 8/7/2020 |
| email: lluig@cimarex.com | Telephone: (432) 571-7810 |
| | |
| OCD Only | |
| Received by: Ramona Marcus | Date: 8/13/2020 |

Page 2

Received by OCD: 2/23/2021 10:53:44 AM Form C-141 State of New Mexico

Oil Conservation Division

| | I use I / Uj / |
|----------------|----------------|
| Incident ID | |
| District RP | |
| Facility ID | |
| Application ID | |

Page 17 of 75

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

| What is the shallowest depth to groundwater beneath the area affected by the release? | (ft bgs) |
|---|------------|
| Did this release impact groundwater or surface water? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within 1000 feet of any other fresh water well or spring? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within 300 feet of a wetland? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release overlying a subsurface mine? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release overlying an unstable area such as karst geology? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within a 100-year floodplain? | 🗌 Yes 🗌 No |
| Did the release impact areas not on an exploration, development, production, or storage site? | 🗌 Yes 🗌 No |

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

| Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells. |
|---|
| Field data |
| Data table of soil contaminant concentration data |
| Depth to water determination |
| Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release |
| Boring or excavation logs |
| Photographs including date and GIS information |
| Topographic/Aerial maps |

Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

| Corm C-141 | 2021 10:53:44 AM State of New Mexico | Page 18 of 7 Incident ID |
|--|---|--|
| Page 4 | Oil Conservation Division | District RP |
| | | Facility ID |
| | | Application ID |
| regulations all operators a public health or the envir failed to adequately inves addition, OCD acceptanc and/or regulations. Printed Name: Signature: | Title: | ny knowledge and understand that pursuant to OCD rules and a and perform corrective actions for releases which may endanger is not relieve the operator of liability should their operations have bundwater, surface water, human health or the environment. In fibility for compliance with any other federal, state, or local laws |
| OCD Only Received by: Cristina | Eads | Date:04/03/2021 |

Oil Conservation Division

| Incident | ID | |
|------------|-------|--|
| District R | P | |
| Facility I | D | |
| Applicati | on ID | |

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

| <u>Closure Report Attachment Checklist</u>: Each of the following it | items must be included in the closure report. | |
|---|--|--|
| A scaled site and sampling diagram as described in 19.15.29.11 NMAC | | |
| Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection) | | |
| Laboratory analyses of final sampling (Note: appropriate OD | C District office must be notified 2 days prior to final sampling) | |
| Description of remediation activities | | |
| | | |
| and regulations all operators are required to report and/or file certai may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and re- human health or the environment. In addition, OCD acceptance of | ations. The responsible party acknowledges they must substantially inditions that existed prior to the release or their final land use in | |
| Printed Name: | Title: | |
| Signature: | Date: | |
| email: | Telephone: | |
| | | |
| OCD Only | | |
| Received by: Cristina Eads | Date: | |
| | of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible for regulations. | |
| Closure Approved by: | Date:04/07/2021 | |
| Cristina Eads Printed Name: | Title: | |
| | | |

•

Page 6

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Page 20 bf 75

Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

| Incident ID | NRM2034561113 |
|----------------|---------------|
| District RP | |
| Facility ID | |
| Application ID | |

Release Notification

Responsible Party

| Responsible Party: Cimarex Energy Co. | OGRID: 215099 |
|---|-----------------------------------|
| Contact Name: Laci Luig | Contact Telephone: (432) 571-7800 |
| Contact email: lluig@cimarex.com | Incident # (assigned by OCD) |
| Contact mailing address: 600 N Marienfeld Street, Ste. 600 Midland, TX 79701 | |

Location of Release Source

Latitude 32.158230_

(NAD 83 in decimal degrees to 5 decimal places)

| Site Name: White City SWD Line | Site Type: ROW |
|-------------------------------------|----------------------|
| Date Release Discovered: 11/30/2020 | API# (if applicable) |

| Unit Letter | Section | Township | Range | County |
|-------------|---------|----------|-------|--------|
| J | 1 | 258 | 26E | Eddy |

Surface Owner: State Federal Tribal Private (Name:

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

| Volume Released (bbls) | Volume Recovered (bbls) | |
|--|--|--|
| Volume Released (bbls) 155 | Volume Recovered (bbls) 100 | |
| Is the concentration of dissolved chloride in the produced water >10,000 mg/l? | Yes No | |
| Volume Released (bbls) | Volume Recovered (bbls) | |
| Volume Released (Mcf) | Volume Recovered (Mcf) | |
| Volume/Weight Released (provide units) | Volume/Weight Recovered (provide units) | |
| | Volume Released (bbls) 155 Is the concentration of dissolved chloride in the produced water >10,000 mg/l? Volume Released (bbls) Volume Released (Mcf) | |

Cause of Release: Corrosion

We had a release from a main water transfer line on a ROW. The release occurred during the remediation work for Incident nRM2022645367. We were in the process of moving the polyline out of the dig zone using a skid steer and nylon strap. The fusion point broke causing a release of 155 barrels of produced water. The water ran into an area that had already been dug out. We were able to recover 100 barrels of water. Tetra Tech will assist with the delineation and remediation.

| Incident ID | NRM2034561113 |
|----------------|---------------|
| District RP | |
| Facility ID | |
| Application ID | |

| Was this a major release as defined by | If YES, for what reason(s) does the responsible party consider this a major release? The amount of the release is greater than 25 barrels. |
|---|---|
| 19.15.29.7(A) NMAC? | |
| | |
| | |
| - | otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? |
| By: Gloria Garza | t Hamlet, Cristina Eads and BLM NM CFO Spill |
| By: Email | t Hannet, Cristina Laus and DEM NW CrO Spin |
| | Initial Response |

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

 \square The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

| Printed Name: Laci Luig | Title: Engineer Tech |
|--------------------------|---------------------------|
| Signature: | Date: 12/1/2020 |
| email: lluig@cimarex.com | Telephone: (432) 571-7810 |
| | |
| | |
| OCD Only | |

Received by OCD: 2/23/2021 10:53:44 AM Form C-141 State of New Mexico

Page 3

Oil Conservation Division

| | NRM2034561 | 1 Rage | <i>22</i> | of | 75 |
|--|------------|---------------|-----------|----|----|
|--|------------|---------------|-----------|----|----|

| Incident ID | |
|----------------|--|
| District RP | |
| Facility ID | |
| Application ID | |

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

| What is the shallowest depth to groundwater beneath the area affected by the release? | (ft bgs) |
|---|------------|
| Did this release impact groundwater or surface water? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within 1000 feet of any other fresh water well or spring? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within 300 feet of a wetland? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release overlying a subsurface mine? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release overlying an unstable area such as karst geology? | 🗌 Yes 🗌 No |
| Are the lateral extents of the release within a 100-year floodplain? | 🗌 Yes 🗌 No |
| Did the release impact areas not on an exploration, development, production, or storage site? | 🗌 Yes 🗌 No |

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

| <u>Characterization Report Checklist</u> : Each of the following items must be included in the report |
|---|
|---|

| Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells. |
|---|
| Field data |
| Data table of soil contaminant concentration data |
| Depth to water determination |
| Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release |
| Boring or excavation logs |
| Photographs including date and GIS information |
| Topographic/Aerial maps |

Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

| eceived by OCD: 2/23/202 orm C-141 | 1 10:53:44 AM State of New Mexico | NRM2034561113 Page 23 of 7 |
|--|--|--|
| age 4 | Oil Conservation Division | Incident ID District RP Facility ID |
| regulations all operators are r public health or the environm failed to adequately investiga | equired to report and/or file certain release noti- ent. The acceptance of a C-141 report by the C te and remediate contamination that pose a thre | Application ID best of my knowledge and understand that pursuant to OCD rules and fications and perform corrective actions for releases which may endanger OCD does not relieve the operator of liability should their operations have at to groundwater, surface water, human health or the environment. In responsibility for compliance with any other federal, state, or local laws |
| Printed Name: | | Title: |
| Signature: gloria | garza | Date: |
| email: | | Telephone: |
| OCD Only Cristina Eac Received by: | | 04/3/2021 Date: |

Received by OCD: 2/23/2021 10:53:44 AM Form C-141 State of New Mexico

Page 6

Oil Conservation Division

| Incident ID – | |
|----------------|--|
| District RP | |
| Facility ID | |
| Application ID | |

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

| <u>Closure Report Attachment Checklist</u>: Each of the following in | tems must be included in the closure report. |
|--|---|
| A scaled site and sampling diagram as described in 19.15.29.1 | 1 NMAC |
| Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection) | of the liner integrity if applicable (Note: appropriate OCD District office |
| Laboratory analyses of final sampling (Note: appropriate ODC | C District office must be notified 2 days prior to final sampling) |
| Description of remediation activities | |
| | |
| and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of | tions. The responsible party acknowledges they must substantially nditions that existed prior to the release or their final land use in |
| Printed Name: | Title: |
| Signature: <u>gloria garza</u> | Date: |
| email: | Telephone: |
| | |
| OCD Only | |
| Cristina Eads Received by: | Date:04/03/2021 |
| | of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations. |
| Closure Approved by: Auto 2 | Date: 04/07/2021 |
| Cristina Eads Printed Name: | Title:Environmental Specialist |

•

Appendix B

Released to Imaging: 4/7/2021 2:39:18 PM

New Mexico NFHL Data





nmflood.org is made possible through a collaboration with NMDHSEM, EDAC, and FEMA This is a non-regulatory product for informational use only. Please consult your local floodplain administrator for further information.



Received by OCD: 2/23/2021 10:53:44 AM

USGS Home **Contact USGS** Search USGS

National Water Information System: Web Interface USGS Water Resources

Data Category: hic Area Groundwater ✓ New Mexico ✓ GO

Click to hideNews Bulletins

• Explore the NEW USGS National Water Dashboard to access real-time data from over 13,500 stations nationwide.

• Full News 🔊

Groundwater levels for New Mexico

Click to hide state-specific text

Search Results -- 1 sites found

Agency code = usqs

site_no list = • 320737104140601

Minimum number of levels = 1

Save file of selected sites to local disk for future upload

USGS 320737104140601 25S.26E.13.44222

Eddy County, New Mexico Latitude 32°07'33.9", Longitude 104°14'19.1" NAD83 Land-surface elevation 3,205.00 feet above NGVD29

This well is completed in the Alluvium, Bolson Deposits and Other Surface Deposits (110AVMB) local aquifer.

Output formats

| Table of data | |
|--------------------|--|
| Tab-separated data | |
| Graph of data | |
| Reselect period | |

| Date | Time | ? Water- level date- time accuracy | Water level, feet below land surface | Water level, feet above specific vertical datum | Referenced vertical datum | ? Water- level accuracy | ? Status | ? Method of measurement | ? Measuring agency | ? Source of measurement | ? Water- level approval status |
|------------|-----------|---|---|---|---------------------------------|----------------------------------|-------------|-------------------------------|--------------------------|-------------------------------|--|
| | | | | | | | | | | | |
| 1983-02-01 | | D | 8.42 | | | 2 | | U | | U | Α |
| 1987-10-08 | | D | 8.13 | | | 2 | | U | | U | А |
| 1992-11-04 | | D | 8.94 | | | 2 | | S | | U | А |
| 1998-01-07 | | D | 11.46 | | | 2 | | S | | U | А |
| 2003-02-10 | | D | 13.47 | | | 2 | | S | USGS | A | А |
| 2013-01-09 | 16:00 MST | m | 12.81 | | | 2 | R | S | USGS | R | А |
| 2018-02-01 | 13:30 MST | m | 6.24 | | | 2 | | S | USGS | S | А |

| Explanation |
|-------------|
|-------------|

| Section | Code | Description |
|--------------------------------|------|---|
| Water-level date-time accuracy | D | Date is accurate to the Day |
| Water-level date-time accuracy | m | Date is accurate to the Minute |
| Water-level accuracy | 2 | Water level accuracy to nearest hundredth of a foot |
| Status | | The reported water-level measurement represents a static level |
| Status | R | Site had been pumped recently. |
| Method of measurement | S | Steel-tape measurement. |
| Method of measurement | U | Unknown method. |
| Measuring agency | | Not determined |
| Measuring agency | USGS | U.S. Geological Survey |
| Source of measurement | А | Reported by another government agency (do not use "A" if reported by owner, use "O"). |
| Source of measurement | R | Reported by person other than the owner, driller, or another government agency. |
| Source of measurement | S | Measured by personnel of reporting agency. |
| Source of measurement | U | Source is unknown. |
| Water-level approval status | А | Approved for publication Processing and review completed. |

Rottins: Invis water of the user of the us

New Mexico Office of the State Engineer Water Column/Average Depth to Water

| (A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.) | D suffix indicates the been replace D has been replaced O=orphaned, to longer serves a C=the file is | | | | | | | IE 3=SW | , | 3 UTM in meters) | | (In feet |) |
|---|--|--------|------|----|---|-----|-------|---------|--------|------------------|-------|----------|--------|
| | POD Sub- | | Q | Q | Q | | | | | | Depth | Depth | Water |
| POD Number | Code basin (| County | / 64 | 16 | 4 | Sec | : Tws | Rng | Х | Y | | | Column |
| <u>C 01013</u> | С | ED | | | 4 | 25 | 25S | 26E | 571505 | 3551456* 🌍 | 245 | | |
| <u>C 01089</u> | С | ED | 3 | 4 | 1 | 03 | 25S | 26E | 567505 | 3558398* 🌍 | 96 | 45 | 51 |
| <u>C 01368</u> | С | ED | | 1 | 1 | 22 | 25S | 26E | 567261 | 3554059* 🌍 | 143 | 118 | 25 |
| <u>C 02220</u> | CUB | ED | 3 | 1 | 2 | 26 | 25S | 26E | 569598 | 3552352* 🌍 | 35 | | |
| <u>C 02221</u> | CUB | ED | 4 | 3 | 2 | 25 | 25S | 26E | 571412 | 3551961* 🌍 | 35 | | |
| <u>C 02675</u> | С | ED | 1 | 4 | 1 | 09 | 25S | 26E | 565907 | 3556978* 🌍 | 180 | 45 | 135 |
| <u>C 03258</u> | С | ED | 1 | 1 | 4 | 07 | 25S | 26E | 563073 | 3556546* 🌍 | 360 | | |
| <u>C 03285</u> | С | ED | 4 | 4 | 2 | 07 | 25S | 26E | 563713 | 3556658 🌍 | 84 | 60 | 24 |
| C 03569 POD1 | CUB | ED | 2 | 1 | 1 | 14 | 25S | 26E | 568862 | 3555746 🌍 | 30 | 0 | 30 |
| C 03654 POD1 | CUB | ED | 2 | 3 | 1 | 24 | 25S | 26E | 570654 | 3553773 🌍 | | | |
| C 03654 POD2 | CUB | ED | 2 | 3 | 1 | 24 | 25S | 26E | 554766 | 3562304 🌍 | | | |
| C 03655 POD1 | CUB | ED | | | 4 | 22 | 25S | 26E | 550692 | 3561324 🌍 | | | |
| C 03655 POD2 | CUB | ED | | | 4 | 22 | 25S | 26E | 550732 | 3561337 🌍 | | | |
| C 03655 POD3 | CUB | ED | 1 | 4 | 4 | 22 | 25S | 26E | 568458 | 3553019 🌍 | | | |
| C 03655 POD4 | CUB | ED | | | 4 | 22 | 25S | 26E | 550684 | 3561362 🌍 | | | |
| C 04036 POD1 | С | ED | 1 | 4 | 3 | 06 | 25S | 26E | 562745 | 3557733 🌍 | 160 | 125 | 35 |
| C 04049 POD1 | CUB | ED | 3 | 2 | 3 | 06 | 25S | 26E | 562592 | 3557864 🌍 | 165 | 120 | 45 |
| C 04050 POD1 | CUB | ED | 1 | 4 | 3 | 06 | 25S | 26E | 562695 | 3557776 🌍 | 165 | 125 | 40 |
| C 04329 POD1 | С | ED | 2 | 2 | 2 | 27 | 25S | 26E | 568577 | 3552567 🌍 | 57 | 14 | 43 |

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

1/5/21 7:43 PM

Page 29 of 75

Average Depth to Water: **72 feet**Minimum Depth: **0 feet**Maximum Depth: **125 feet**

Record Count: 19

Basin/County Search:

County: Eddy

PLSS Search:

Township: 25S Range: 26E



Water Well Data Average Depth to Groundwater (ft) White City SWD Line Eddy County, New Mexico

| | 24 So | outh | 2 | 5 East | | | | 24 So | outh | : | 26 East | | | 24 S | outh | 2 | 27 East | |
|-----|-------------------|-------------|---------|--------|---------------------|---|-----------------------|---------|----------|----------------|---------------------------|-------------|--------------------|-------------|------|-----------------|-------------|------|
| 6 | 5 14 209 | 4 440 44 | 3 | 2 | 1 | | 6 <mark>6</mark> 3 | 5 | 4 | 3 | 2 | 1 | 6 | 5 | 4 | 3 | 2 | 1 |
| 7 | 8 | 9 | 10 | 11 | 12 | | 7 25 | 0 8 450 | 9 | 10 | 11 | 12 | 7 | 8 17 | 9 | 10 | 11 | 12 |
| | | | | | 27 | | | | | | | | | 26 | 43 | | | 27 |
| 18 | 17 | 16 | 15 | 14 | 13 7 | | 18 | 17 | 16 | 15 | 14 30 | 13 | 18 <mark>30</mark> | 17 | 16 | 15 | 14 | 13 3 |
| | | | | | 163 | | 650 | | } | | | | 34 | | | | | 31 |
| 19 | 20 | 21 | 22 | 23 | 24 | | 19 | 20 | 21 | 22 | 23 38 37 | 24 28 30 | 19 | 20 | 21 | 22 70 | 23 | 24 |
| 0 | 29 | 28 | 27 | 26 | 25 <mark>540</mark> | | 30 | 29 46 | 28 | 27 | 30 26 | 25 | 30 | 29 | 28 | 27 | 26 | 25 |
| 1 | 32 | 33 | 34 | 35 | 57 36 | | <mark>70</mark> 31 | 32 111 | 33 | 34 | 35 | 36 | 31 | 32 | 33 | 34 | 35 | 36 |
| , , | 52 | 55 | 150 | 500 | 50 | | 51 | 109 | 00 | 54 | 55 | 50 | 51 | 52 | 55 | 04 | 55 | 50 |
| | 05.0 | | - | | | 3 | | ~ • | | 1 | 00 5 | | | 05.0 | | | 7 5 | |
| | 25 So | | | 5 East | 1. | | | 25 So | | | 26 East | | | | outh | | 27 East | т. |
| i | 5 <mark>30</mark> | 4 46 | 3 20 | 2 | 1 | | 6 | | 4 | 3 45 | 2 | 1 | 6 | 5 | 4 | 3 | 2 33 | 1 |
| | 8 | 9 | 10 | 11 | 12 | | 2 | 8 | 9 45 | 10 | 11 | 12 | 7 | 8 | 9 | 10 | 11 | 12 |
| | | | | 43 | 39 | | 60 | | | | | | | | | | | 92 |
| 8 | 17 | 16 | 15 | 14 | 13 | | 18 | 17 | 16 | 15 | 14 | 13 | 18 | 17 | 16 | 15 | 14 | 13 |
| 9 | 20 | 21 | 22 | 23 | 24 | | 19 | 20 | 21 | 22 | 23 | 24 | 19 | 20 | 21 | 22 | 23 | 24 |
| | | | | | 70 | | | | | 118 | | | | | | | | |
| 80 | 29 | 28 | 27 | 26 | 25 | 1 | 30 | 29 | 28 | 27 | 26 | 25 | 30 | 29 | 28 | 27 | 26 | 25 |
| 1 | 32 | 33 | 34 | 35 | 36 | | 31 | 32 | 33 | 34 | 35 | 36 | 31 | 32 | 33 | 34 | 35 | 36 |
| | | | | | | | | | | | | | | | 19 | | | |
| | 26 So | outh | 2 | 5 East | | | | 26 So | outh | | 26 East | | | 26 S | outh | 2 | 27 East | |
| ; | 5 | 4 | 3 | 2 | Î | | 6 | 15 | 4 | 3 | 2 | 1 | 6 | 5 | 4 | 3 | 2 | 1 |
| | | | | | | | 1 | Б | 1 | | | | | 12 | | | | |
| | 8 | 9 | 10 | 11 | 12 | | 7 | 8 22 | 9 | 10 | 11 | 12 | 7 | 8 | 9 | 10 | 11 | 12 |
| | | | | | 150 | | J | | | | | | | | | | | |
| 8 | 17 | 16 | 15 | 14 | 13 | | 18 | 17 | 16 | 15 | 14 | 13 | 18 | 17 | 16 | 15 | 14 | 13 |
| 0 | 29 | 6 | | | | | | | <u> </u> | 31 | | | | | | | | 35 |
| 9 | 20 | 21 | 22 | 23 | 24 | (| 19 | 20 | 21 | 22 | 23 | 24 | 19 | 20 | 21 | 22 50 | 23 | 24 |
| 30 | 29 | 28 | 27 | 26 | 25 | 1 | 30 | 29 | 28 | 27 | 26 | 25 | 30 | 29 | 28 | 27 | 26 | 25 |
| 31 | 32 | 33 | 34 | 35 | 36 | | 31 | 32 | 33 | 34 | 35 | 36 | 31 | 32 | 33 | 34 | 35 | 36 |

88 New Mexico State Engineers Well Reports

105 USGS Well Reports

90 Geology and Groundwater Conditions in Southern Lea, County, NM (Report 6) Geology and Groundwater Resources of Eddy County, NM (Report 3)

- 34 NMOCD Groundwater Data
- 123 Tetra Tech installed temporary wells and field water level
- 143 NMOCD Groundwater map well location

•

Appendix C

Released to Imaging: 4/7/2021 2:39:18 PM

PERMIAN BASIN ENVIRONMENTAL LAB, LP 1400 Rankin Hwy Midland, TX 79701



Analytical Report

Prepared for:

Brittany Long Tetra Tech 901 W Wall Street, Ste 100 Midland, TX 79705

Project: White City Trunk Line Project Number: 212C-MD-02370.100 Location: Eddy County, NM

Lab Order Number: 0L03002



NELAP/TCEQ # T104704516-17-8

Report Date: 12/17/20

Tetra Tech

901 W Wall Street, Ste 100

Midland TX, 79705

Fax: (432) 686-8085

ANALYTICAL REPORT FOR SAMPLES

Project Manager: Brittany Long

Project: White City Trunk Line

Project Number: 212C-MD-02370.100

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received |
|--------------------|---------------|--------|----------------|------------------|
| Bottomhole-1 @ 7' | 0L03002-01 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| Bottomhole-2 @ 7' | 0L03002-02 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| Bottomhole-3 @ 7' | 0L03002-03 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| Bottomhole-4 @ 7' | 0L03002-04 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| Bottomhole-5 @ 7' | 0L03002-05 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| Bottomhole-6 @ 7' | 0L03002-06 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| Bottomhole-7 @ 7' | 0L03002-07 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| Bottomhole-8 @ 7' | 0L03002-08 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| Bottomhole-9 @ 1' | 0L03002-09 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| Bottomhole-10 @ 1' | 0L03002-10 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| Bottomhole-11 @ 1' | 0L03002-11 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| Bottomhole-12 @ 1' | 0L03002-12 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| Bottomhole-13 @ 1' | 0L03002-13 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| SW-1 | 0L03002-14 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| SW-2 | 0L03002-15 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| SW-3 | 0L03002-16 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| SW-4 | 0L03002-17 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| SW-5 | 0L03002-18 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| SW-6 | 0L03002-19 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| SW-7 | 0L03002-20 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| SW-8 | 0L03002-21 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| SW-9 | 0L03002-22 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| SW-10 | 0L03002-23 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| SW-11 | 0L03002-24 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| SW-12 | 0L03002-25 | Soil | 12/02/20 00:00 | 12-03-2020 09:03 |
| | | | | |

| Tetra Tech | Project: | White City Trunk Line | Fax: (432) 686-8085 |
|----------------------------|------------------|-----------------------|---------------------|
| 901 W Wall Street, Ste 100 | Project Number: | 212C-MD-02370.100 | |
| Midland TX, 79705 | Project Manager: | Brittany Long | |

Bottomhole-1 @ 7' 0L03002-01 (Soil)

| | 0L03002-01 (Soil) | | | | | | | | | | | |
|--|-------------------|--------------------|------------|-------------|---------|----------|----------|------------|------|--|--|--|
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Note | | | |
| | Peri | mian Basin I | Environmer | ital Lab, I | L.P. | | | | | | | |
| BTEX by 8021B | | | | | | | | | | | | |
| Benzene | ND | 0.00105 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | | | | |
| Toluene | ND | 0.00105 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | | | | |
| Ethylbenzene | ND | 0.00105 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | | | | |
| Xylene (p/m) | ND | 0.00211 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | | | | |
| Xylene (o) | ND | 0.00105 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | | | | |
| Surrogate: 4-Bromofluorobenzene | | 99.0 % | 80-1 | 20 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | | | | |
| Surrogate: 1,4-Difluorobenzene | | 102 % | 80-1 | 20 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | | | | |
| General Chemistry Parameters by EPA / | Standard Metho | ds | | | | | | | | | | |
| Chloride | 302 | 10.5 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | | | | |
| % Moisture | 5.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | | | | |
| <u>Total Petroleum Hydrocarbons C6-C35 b</u> | y EPA Method 8(| 015M | | | | | | | | | | |
| C6-C12 | ND | 26.3 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | | | | |
| >C12-C28 | ND | 26.3 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | | | | |
| >C28-C35 | ND | 26.3 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | | | | |
| Surrogate: 1-Chlorooctane | | 92.4 % | 70-1 | 30 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | | | | |
| Surrogate: o-Terphenyl | | 97.2 % | 70-1 | 30 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | | | | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 26.3 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/03/20 | calc | | | | |

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.
| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Fax: (432) 68 | 6-8085 | | | | | | | |
|---|------------------|--------------------|------------------------------|-----------|---------|----------|----------|------------|-------|
| | | | mhole-2 @ 7 002-02 (Soil) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Pern | nian Basin F | Environmenta | al Lab, I | L.P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00108 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Toluene | ND | 0.00108 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00108 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00215 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00108 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 102 % | 80-120 |) | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 97.2 % | 80-120 |) | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | |
| Chloride | 196 | 10.8 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | |
| % Moisture | 7.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 b | ov EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 26.9 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C12-C28 | ND | 26.9 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C28-C35 | ND | 26.9 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 91.3 % | 70-130 |) | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 94.4 % | 70-130 |) | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 26.9 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/03/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Fax: (432) 68 | 86-8085 | | | | | | | |
|---|-----------------|--------------------|----------------------------|-----------|--------------|----------|----------|------------|-------|
| | | | nhole-3 @ 002-03 (Soil) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Pern | nian Basin F | Environment | al Lab, l | L .P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00109 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Toluene | ND | 0.00109 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00109 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00217 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00109 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 103 % | 80-12 | 0 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 95.2 % | 80-12 | 0 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | |
| Chloride | 299 | 10.9 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | |
| % Moisture | 8.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 b | y EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 27.2 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C12-C28 | ND | 27.2 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C28-C35 | ND | 27.2 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 95.8 % | 70-13 | 0 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 95.0 % | 70-13 | 0 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 27.2 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/03/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Fax: (432) 68 | 86-8085 | | | | | | | |
|---|------------------|--------------------|----------------------------|-----------|--------------|----------|----------|------------|-------|
| | | | mhole-4 @ 002-04 (Soil) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Pern | nian Basin F | Environment | al Lab, l | L .P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00110 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Toluene | ND | 0.00110 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00110 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00220 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00110 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 106 % | 80-12 | 0 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 98.4 % | 80-12 | 0 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | |
| Chloride | 463 | 11.0 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | |
| % Moisture | 9.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 I | oy EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 27.5 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C12-C28 | ND | 27.5 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C28-C35 | ND | 27.5 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 95.6 % | 70-13 | 0 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 97.5 % | 70-13 | 0 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 27.5 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/03/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Fax: (432) 68 | 86-8085 | | | | | | | |
|---|------------------|--------------------|----------------------------|-----------|--------------|----------|----------|------------|-------|
| | | | nhole-5 @ 002-05 (Soil) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Perr | nian Basin F | Environment | al Lab, l | L .P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00111 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Toluene | ND | 0.00111 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00111 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00222 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00111 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 104 % | 80-12 | 0 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 99.4 % | 80-12 | 0 | P0L0708 | 12/07/20 | 12/07/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | |
| Chloride | 277 | 11.1 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | |
| % Moisture | 10.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 b | oy EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 27.8 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C12-C28 | ND | 27.8 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C28-C35 | ND | 27.8 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 101 % | 70-13 | 0 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 103 % | 70-13 | 0 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 27.8 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/03/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Fax: (432) 68 | 36-8085 | | | | | | | |
|---|------------------|--------------------|------------------------------|-----------|---------|----------|----------|------------|-------|
| | | | nhole-6 @ 7 002-06 (Soil) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Pern | nian Basin F | Environmenta | al Lab, I | L.P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00108 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Toluene | ND | 0.00108 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00108 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00215 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00108 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 95.5 % | 80-120 |) | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 96.3 % | 80-120 |) | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | S | | | | | | | |
| Chloride | 341 | 10.8 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | |
| % Moisture | 7.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 k | oy EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 26.9 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C12-C28 | ND | 26.9 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C28-C35 | ND | 26.9 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 99.3 % | 70-130 |) | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 101 % | 70-130 |) | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 26.9 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/03/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Fax: (432) 68 | 6-8085 | | | | | | | |
|---|------------------|--------------------|------------------------------|-----------|---------|----------|----------|------------|-------|
| | | | nhole-7 @ 7 002-07 (Soil) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Pern | 1ian Basin H | Environment | al Lab, l | L.P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00110 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Toluene | ND | 0.00110 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00110 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00220 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00110 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 97.5 % | 80-120 |) | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 93.3 % | 80-120 |) | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | S | | | | | | | |
| Chloride | 366 | 11.0 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | |
| % Moisture | 9.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 b | oy EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 27.5 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C12-C28 | ND | 27.5 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C28-C35 | ND | 27.5 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 94.2 % | 70-130 |) | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 98.6 % | 70-130 |) | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 27.5 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/03/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Fax: (432) 68 | 86-8085 | | | | | | | |
|---|------------------|--------------------|----------------------------|-----------|--------------|----------|----------|------------|-------|
| | | | mhole-8 @ 002-08 (Soil) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Pern | 1ian Basin H | Environment | al Lab, l | L .P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00111 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Toluene | ND | 0.00111 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00111 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00222 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00111 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 101 % | 80-12 | 0 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 96.9 % | 80-12 | 0 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | S | | | | | | | |
| Chloride | 365 | 11.1 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | |
| % Moisture | 10.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 b | ov EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 27.8 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C12-C28 | ND | 27.8 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C28-C35 | ND | 27.8 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 100 % | 70-13 | 0 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 100 % | 70-13 | 0 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 27.8 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/03/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Fax: (432) 68 | 6-8085 | | | | | | | |
|---|-----------------|--------------------|----------------------------|-----------|---------|----------|----------|------------|-------|
| | | | nhole-9 @ 002-09 (Soil] | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Perr | nian Basin F | Environment | al Lab, l | L.P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00125 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Toluene | ND | 0.00125 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00125 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00250 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00125 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 99.3 % | 80-12 | 0 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 97.1 % | 80-12 | 0 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | |
| Chloride | 363 | 12.5 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | |
| % Moisture | 20.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 b | y EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 31.2 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C12-C28 | ND | 31.2 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C28-C35 | ND | 31.2 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 99.1 % | 70-13 | 0 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 102 % | 70-13 | 0 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 31.2 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/03/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Fax: (432) 68 | 86-8085 | | | | | | | |
|---|-----------------|--------------------|-------------------------------|----------|---------|----------|----------|------------|-------|
| | | | 1hole-10 @ 1 002-10 (Soil) | 1' | | | | | |
| Analyte | Result | Reporting Limit | Units I | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Pern | nian Basin F | Invironmenta | l Lab, I | L.P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00125 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Toluene | ND | 0.00125 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00125 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00250 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00125 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 98.1 % | 80-120 | | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 98.1 % | 80-120 | | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | |
| Chloride | 399 | 12.5 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | |
| % Moisture | 20.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 b | v EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 31.2 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C12-C28 | ND | 31.2 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C28-C35 | ND | 31.2 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 93.4 % | 70-130 | | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 95.5 % | 70-130 | | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 31.2 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/03/20 | calc | |

| Tetra TechProject:White City Trunk Line901 W Wall Street, Ste 100Project Number:212C-MD-02370.100Midland TX, 79705Project Manager:Brittany Long | | | | | | | | | |
|---|------------------|--------------------|-----------------------------|-----------|---------|----------|----------|------------|-------|
| | | | nhole-11 @ 002-11 (Soil) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Perr | nian Basin F | Invironment | al Lab, l | L.P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00125 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Toluene | ND | 0.00125 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00125 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00250 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00125 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 96.1 % | 80-12 |) | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 98.8 % | 80-12 |) | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | |
| Chloride | 500 | 12.5 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | |
| % Moisture | 20.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 b | oy EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 31.2 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C12-C28 | ND | 31.2 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| >C28-C35 | ND | 31.2 | mg/kg dry | 1 | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 94.4 % | 70-13 |) | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 96.2 % | 70-13 |) | P0L0302 | 12/03/20 | 12/03/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 31.2 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/03/20 | calc | |

| Tetra TechProject:White City Trunk Line901 W Wall Street, Ste 100Project Number:212C-MD-02370.100Midland TX, 79705Project Manager:Brittany Long | | | | | | | | | |
|---|-----------------|--------------------|-----------------------------|-----------|--------------|----------|----------|------------|-------|
| | | | nhole-12 @ 002-12 (Soil) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Pern | nian Basin F | Environment | al Lab, l | L .P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00127 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Toluene | ND | 0.00127 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00127 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00253 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00127 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 96.6 % | 80-120 |) | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 97.3 % | 80-120 |) | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | |
| Chloride | 398 | 12.7 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | |
| % Moisture | 21.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 b | y EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 31.6 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C12-C28 | ND | 31.6 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C28-C35 | ND | 31.6 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 89.2 % | 70-130 |) | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 91.8 % | 70-130 |) | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 31.6 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Fax: (432) 68 | 86-8085 | | | | | | | |
|---|-----------------|--------------------|-----------------------------|-----------|---------|----------|----------|------------|-------|
| | | | 1hole-13 @ 002-13 (Soil) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Perr | nian Basin F | Environment | al Lab, l | L.P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00103 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Toluene | ND | 0.00103 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00103 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00206 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00103 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 91.9 % | 80-12 |) | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 99.9 % | 80-12 |) | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | |
| Chloride | 26.9 | 5.15 | mg/kg dry | 5 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | |
| % Moisture | 3.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 b | y EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C12-C28 | ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C28-C35 | ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 85.1 % | 70-13 |) | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 86.6 % | 70-13 |) | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 25.8 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Project: White City Trunk Line Project Number: 212C-MD-02370.100 Project Manager: Brittany Long | | | | | | | | 6-8085 |
|---|---|--------------------|---------------|------------|--------------|----------|----------|------------|--------|
| Midialid 1A, 79705 | | | ger. Brittany | Long | | | | | |
| | | 01.02 | SW-1 | | | | | | |
| | | 0L03 | 002-14 (Soi | 1) | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Peri | nian Basin H | Environmen | tal Lab, l | L .P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00109 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Toluene | ND | 0.00109 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00109 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00217 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00109 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 97.1 % | 80-12 | 20 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 96.8 % | 80-12 | 20 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | |
| Chloride | 8.95 | 1.09 | mg/kg dry | 1 | P0L0705 | 12/07/20 | 12/08/20 | EPA 300.0 | |
| % Moisture | 8.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 h | oy EPA Method 8(|)15M | | | | | | | |
| C6-C12 | ND | 27.2 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C12-C28 | ND | 27.2 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C28-C35 | ND | 27.2 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 86.2 % | 70-1. | 30 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 88.8 % | 70-1. | 30 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 27.2 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | 1 W Wall Street, Ste 100 Project Number: 212C-MD-02370.100 | | | | | | | | | |
|---|--|--------------------|-----------------------|-----------|--------------|----------|----------|------------|-------|--|
| | | 0L03 | SW-2 002-15 (Soil) |) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes | |
| | Perr | nian Basin F | Environment | al Lab, l | L .P. | | | | | |
| BTEX by 8021B | | | | | | | | | | |
| Benzene | ND | 0.00109 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | | |
| Toluene | ND | 0.00109 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | | |
| Ethylbenzene | ND | 0.00109 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | | |
| Xylene (p/m) | ND | 0.00217 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | | |
| Xylene (o) | ND | 0.00109 | mg/kg dry | 1 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | | |
| Surrogate: 1,4-Difluorobenzene | | 95.5 % | 80-12 | 0 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | | |
| Surrogate: 4-Bromofluorobenzene | | 93.8 % | 80-12 | 0 | P0L0708 | 12/07/20 | 12/11/20 | EPA 8021B | | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | | |
| Chloride | 59.6 | 10.9 | mg/kg dry | 10 | P0L0705 | 12/07/20 | 12/07/20 | EPA 300.0 | | |
| % Moisture | 8.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | | |
| Total Petroleum Hydrocarbons C6-C35 b | y EPA Method 80 | 15M | | | | | | | | |
| C6-C12 | ND | 27.2 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| >C12-C28 | ND | 27.2 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| >C28-C35 | ND | 27.2 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| Surrogate: 1-Chlorooctane | | 86.9 % | 70-13 | 0 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| Surrogate: o-Terphenyl | | 89.3 % | 70-13 | 0 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 27.2 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | | Project:White City Trunk LineProject Number:212C-MD-02370.100Project Manager:Brittany Long | | | | | | | 86-8085 |
|---|------------------|--|-----------------------|-----------|--------------|----------|----------|------------|---------|
| | | 0L03 | SW-3 002-16 (Soil) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Pern | nian Basin H | Environment | al Lab, I | L .P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Toluene | ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00220 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 92.2 % | 80-120 |) | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 99.1 % | 80-120 |) | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | |
| Chloride | 2.45 | 1.10 | mg/kg dry | 1 | P0L0705 | 12/07/20 | 12/08/20 | EPA 300.0 | |
| % Moisture | 9.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 k | oy EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 27.5 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C12-C28 | ND | 27.5 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C28-C35 | ND | 27.5 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 89.5 % | 70-130 |) | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 91.9 % | 70-130 |) | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 27.5 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Fax: (432) 68 | 6-8085 | | | | | | | |
|---|------------------|--------------------|----------------------|---------------|--------------|----------|----------|------------|-------|
| | | 0L03 | SW-4 002-17 (Soil |) | | | | | |
| Analyte | Result | Reporting Limit | Units | , Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Perr | nian Basin H | Environment | al Lab, l | L .P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00109 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Toluene | ND | 0.00109 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00109 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00217 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00109 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 98.8 % | 80-12 | 0 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 96.8 % | 80-12 | 0 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| General Chemistry Parameters by EPA | Standard Method | ls | | | | | | | |
| Chloride | 7.46 | 1.09 | mg/kg dry | 1 | P0L0705 | 12/07/20 | 12/08/20 | EPA 300.0 | |
| % Moisture | 8.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 I | oy EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 27.2 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C12-C28 | ND | 27.2 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C28-C35 | ND | 27.2 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 94.6 % | 70-13 | 0 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 96.4 % | 70-13 | 0 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 27.2 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Project Number: 212C-MD-02370.100 | | | | | | | | | |
|---|-----------------------------------|--------------------|----------------------|------------|--------------|----------|----------|------------|-------|--|
| | | 0L03 | SW-5 002-18 (Soil | l) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes | |
| | Peri | nian Basin H | Environmen | tal Lab, l | L .P. | | | | | |
| BTEX by 8021B | | | | | | | | | | |
| Benzene | ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| Toluene | ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| Ethylbenzene | ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| Xylene (p/m) | ND | 0.00220 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| Xylene (o) | ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| Surrogate: 1,4-Difluorobenzene | | 94.3 % | 80-12 | 20 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| Surrogate: 4-Bromofluorobenzene | | 96.9 % | 80-12 | 20 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| General Chemistry Parameters by EPA/S | Standard Method | ls | | | | | | | | |
| Chloride | 7.32 | 1.10 | mg/kg dry | 1 | P0L0705 | 12/07/20 | 12/08/20 | EPA 300.0 | | |
| % Moisture | 9.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | | |
| Total Petroleum Hydrocarbons C6-C35 by | v EPA Method 80 | 015M | | | | | | | | |
| C6-C12 | ND | 27.5 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| >C12-C28 | ND | 27.5 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| >C28-C35 | ND | 27.5 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| Surrogate: 1-Chlorooctane | | 93.4 % | 70-13 | 30 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| Surrogate: o-Terphenyl | | 95.9 % | 70-13 | 30 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 27.5 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | | |

| | ProjectProject:White City Trunk LineWall Street, Ste 100Project Number:212C-MD-02370.100d TX, 79705Project Manager:Brittany Long | | | | | | | | | |
|--|--|-----------------------|-----------|--------------|----------|----------|------------|-------|--|--|
| | 0L03 | SW-6 002-19 (Soil) | | | | | | | | |
| Analyte Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes | | |
| F | ermian Basin F | Environmenta | al Lab, l | L .P. | | | | | | |
| 3TEX by 8021B | | | | | | | | | | |
| Benzene ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | | |
| Toluene ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | | |
| Cthylbenzene ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | | |
| Kylene (p/m) ND | 0.00220 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | | |
| Xylene (o) ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | | |
| urrogate: 1,4-Difluorobenzene | 96.0 % | 80-120 |) | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | | |
| urrogate: 4-Bromofluorobenzene | 100 % | 80-120 |) | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | | |
| General Chemistry Parameters by EPA / Standard Met | hods | | | | | | | | | |
| Chloride 9.62 | 1.10 | mg/kg dry | 1 | P0L0705 | 12/07/20 | 12/08/20 | EPA 300.0 | | | |
| % Moisture 9.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | | | |
| Fotal Petroleum Hydrocarbons C6-C35 by EPA Method | 1 8015M | | | | | | | | | |
| C6-C12 ND | 27.5 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | | |
| -C12-C28 ND | 27.5 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | | |
| C28-C35 ND | 27.5 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | | |
| urrogate: 1-Chlorooctane | 90.4 % | 70-130 |) | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | | |
| urrogate: o-Terphenyl | 91.7 % | 70-130 |) | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | | |
| Yotal Petroleum Hydrocarbon C6-C35 ND | 27.5 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | | | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | · · · · · · · · · · · · · · · · · · · | | | | | | | | | |
|---|---------------------------------------|--------------------|---------------------|-------------|--------------|----------|----------|------------|-------|--|
| | | 0L03 | SW-7 002-20 (Soi | l) | | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes | |
| | Perr | nian Basin H | Environmer | ıtal Lab, l | L .P. | | | | | |
| BTEX by 8021B | | | | | | | | | | |
| Benzene | ND | 0.00109 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| Toluene | ND | 0.00109 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| Ethylbenzene | ND | 0.00109 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| Xylene (p/m) | ND | 0.00217 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| Xylene (o) | ND | 0.00109 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| Surrogate: 1,4-Difluorobenzene | | 104 % | 80-1 | 20 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| Surrogate: 4-Bromofluorobenzene | | 99.0 % | 80-1 | 20 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | | |
| Chloride | 5.39 | 1.09 | mg/kg dry | 1 | P0L0705 | 12/07/20 | 12/08/20 | EPA 300.0 | | |
| % Moisture | 8.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | | |
| Total Petroleum Hydrocarbons C6-C35 h | oy EPA Method 80 | 15M | | | | | | | | |
| C6-C12 | ND | 27.2 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| >C12-C28 | ND | 27.2 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| >C28-C35 | ND | 27.2 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| Surrogate: 1-Chlorooctane | | 93.8 % | 70-1 | 30 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| Surrogate: o-Terphenyl | | 95.0 % | 70-1 | 30 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 27.2 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Line 00 | | | Fax: (432) 68 | 6-8085 | | | | |
|---|-------------------|--------------------|----------------------|---------------|---------|----------|----------|------------|-------|
| | | 0L03 | SW-8 002-21 (Soil |) | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Pern | ian Basin F | Environmen | tal Lab, l | L.P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Toluene | ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00220 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00110 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 105 % | 80-12 | 20 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 99.9 % | 80-12 | 20 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| General Chemistry Parameters by EPA | / Standard Method | s | | | | | | | |
| Chloride | 219 | 11.0 | mg/kg dry | 10 | P0L0706 | 12/07/20 | 12/10/20 | EPA 300.0 | |
| % Moisture | 9.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 | by EPA Method 80 | 15M | | | | | | | |
| C6-C12 | ND | 27.5 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C12-C28 | ND | 27.5 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C28-C35 | ND | 27.5 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 96.1 % | 70-13 | 80 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 97.8 % | 70-13 | 80 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 27.5 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | |

| Analyte Result | 0L03 Reporting Limit Permian Basin F | SW-9 002-22 (Soil) Units | | | | | | |
|--|---|--------------------------------|----------|-----------|----------|----------|------------|-------|
| | Limit | Units | | | | | | |
| р | ermian Basin H | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | | Cnvironmenta | l Lab, I | P. | | | | |
| 3TEX by 8021B | | | | | | | | |
| Benzene ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Toluene ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Sthylbenzene ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (p/m) ND | 0.00206 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (o) ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| urrogate: 4-Bromofluorobenzene | 103 % | 80-120 | | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| urrogate: 1,4-Difluorobenzene | 102 % | 80-120 | | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / Standard Met | hods | | | | | | | |
| Chloride 126 | 5.15 | mg/kg dry | 5 | P0L0706 | 12/07/20 | 12/09/20 | EPA 300.0 | |
| % Moisture 3.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Fotal Petroleum Hydrocarbons C6-C35 by EPA Method | l 8015M | | | | | | | |
| C6-C12 ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| -C12-C28 ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| -C28-C35 ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| urrogate: 1-Chlorooctane | 94.7 % | 70-130 | | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| urrogate: o-Terphenyl | 94.1 % | 70-130 | | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Yotal Petroleum Hydrocarbon C6-C35 ND | 25.8 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | Fax: (432) 68 | 6-8085 | | | | | | | |
|---|---------------|--------------------|----------------------|-------------|-----------|----------|----------|------------|-------|
| | | | SW-10 002-23 (Soi | il) | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Per | nian Basin F | Environmer | ntal Lab, I | P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Toluene | ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00206 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 98.0 % | 80-1 | 20 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 105 % | 80-1 | 20 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / Stan | dard Metho | ds | | | | | | | |
| Chloride | 49.1 | 5.15 | mg/kg dry | 5 | P0L0706 | 12/07/20 | 12/09/20 | EPA 300.0 | |
| % Moisture | 3.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 by EP | A Method 8 |)15M | | | | | | | |
| C6-C12 | ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C12-C28 | ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C28-C35 | ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 95.4 % | 70-1 | 30 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 94.8 % | 70-1 | 30 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 25.8 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | | Fax: (432) 68 | 6-8085 | | | | | | |
|---|-----------------|--------------------|----------------------|-------------|--------------|----------|----------|------------|-------|
| | | | SW-11 002-24 (Soi | il) | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Perr | nian Basin H | Environmer | ntal Lab, l | L .P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Toluene | ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00206 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 100 % | 80-1 | 20 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 97.0 % | 80-1 | 20 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| General Chemistry Parameters by EPA / | Standard Method | ls | | | | | | | |
| Chloride | 38.6 | 1.03 | mg/kg dry | 1 | P0L0706 | 12/07/20 | 12/10/20 | EPA 300.0 | |
| % Moisture | 3.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 b | y EPA Method 80 | 015M | | | | | | | |
| C6-C12 | ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C12-C28 | ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C28-C35 | ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 96.4 % | 70-1 | 30 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 95.7 % | 70-1 | 30 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 25.8 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | |

| Tetra Tech 901 W Wall Street, Ste 100 Midland TX, 79705 | | Fax: (432) 68 | 6-8085 | | | | | | |
|---|------------------|--------------------|----------------------|-------------|--------------|----------|----------|------------|-------|
| | | | SW-12 002-25 (Soi | l) | | | | | |
| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
| | Perr | nian Basin H | Invironmer | ital Lab, I | L .P. | | | | |
| BTEX by 8021B | | | | | | | | | |
| Benzene | ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Toluene | ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Ethylbenzene | ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (p/m) | ND | 0.00206 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Xylene (o) | ND | 0.00103 | mg/kg dry | 1 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Surrogate: 4-Bromofluorobenzene | | 101 % | 80-1 | 20 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| Surrogate: 1,4-Difluorobenzene | | 103 % | 80-1 | 20 | P0L1003 | 12/10/20 | 12/10/20 | EPA 8021B | |
| General Chemistry Parameters by EPA | Standard Method | ls | | | | | | | |
| Chloride | 58.1 | 5.15 | mg/kg dry | 5 | P0L0706 | 12/07/20 | 12/09/20 | EPA 300.0 | |
| % Moisture | 3.0 | 0.1 | % | 1 | P0L0404 | 12/04/20 | 12/04/20 | ASTM D2216 | |
| Total Petroleum Hydrocarbons C6-C35 | by EPA Method 80 |)15M | | | | | | | |
| C6-C12 | ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C12-C28 | ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| >C28-C35 | ND | 25.8 | mg/kg dry | 1 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: 1-Chlorooctane | | 94.1 % | 70-1 | 30 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Surrogate: o-Terphenyl | | 93.7 % | 70-1 | 30 | P0L0307 | 12/03/20 | 12/04/20 | TPH 8015M | |
| Total Petroleum Hydrocarbon C6-C35 | ND | 25.8 | mg/kg dry | 1 | [CALC] | 12/03/20 | 12/04/20 | calc | |

| Tetra Tech | Project: | White City Trunk Line | Fax: (432) 686-8085 |
|----------------------------|------------------|-----------------------|---------------------|
| 901 W Wall Street, Ste 100 | Project Number: | 212C-MD-02370.100 | |
| Midland TX, 79705 | Project Manager: | Brittany Long | |

Permian Basin Environmental Lab, L.P.

| | N 1. | Reporting | TT . | Spike | Source | A/DEC | %REC | DDD | RPD | NT . |
|---------------------------------------|-------------|-----------|-------------|------------|-----------|----------|--------|------|-------|-------------|
| Analyte | Result | Limit | Units | Level | Result | %REC | Limits | RPD | Limit | Notes |
| Batch P0L0708 - General Preparation (| GC) | | | | | | | | | |
| Blank (P0L0708-BLK1) | | | | Prepared & | Analyzed: | 12/07/20 | | | | |
| Benzene | ND | 0.00100 | mg/kg wet | | | | | | | |
| Toluene | ND | 0.00100 | " | | | | | | | |
| Ethylbenzene | ND | 0.00100 | " | | | | | | | |
| Xylene (p/m) | ND | 0.00200 | " | | | | | | | |
| Xylene (o) | ND | 0.00100 | " | | | | | | | |
| Surrogate: 1,4-Difluorobenzene | 0.118 | | " | 0.120 | | 98.2 | 80-120 | | | |
| Surrogate: 4-Bromofluorobenzene | 0.116 | | " | 0.120 | | 96.7 | 80-120 | | | |
| LCS (P0L0708-BS1) | | | | Prepared & | Analyzed: | 12/07/20 | | | | |
| Benzene | 0.104 | 0.00100 | mg/kg wet | 0.100 | | 104 | 70-130 | | | |
| Toluene | 0.0963 | 0.00100 | " | 0.100 | | 96.3 | 70-130 | | | |
| Ethylbenzene | 0.102 | 0.00100 | " | 0.100 | | 102 | 70-130 | | | |
| Xylene (p/m) | 0.192 | 0.00200 | " | 0.200 | | 96.1 | 70-130 | | | |
| Xylene (o) | 0.0932 | 0.00100 | " | 0.100 | | 93.2 | 70-130 | | | |
| Surrogate: 4-Bromofluorobenzene | 0.116 | | " | 0.120 | | 96.3 | 80-120 | | | |
| Surrogate: 1,4-Difluorobenzene | 0.122 | | " | 0.120 | | 102 | 80-120 | | | |
| LCS Dup (P0L0708-BSD1) | | | | Prepared & | Analyzed: | 12/07/20 | | | | |
| Benzene | 0.113 | 0.00100 | mg/kg wet | 0.100 | | 113 | 70-130 | 7.72 | 20 | |
| Toluene | 0.108 | 0.00100 | " | 0.100 | | 108 | 70-130 | 11.8 | 20 | |
| Ethylbenzene | 0.117 | 0.00100 | " | 0.100 | | 117 | 70-130 | 13.9 | 20 | |
| Xylene (p/m) | 0.220 | 0.00200 | " | 0.200 | | 110 | 70-130 | 13.6 | 20 | |
| Xylene (o) | 0.106 | 0.00100 | " | 0.100 | | 106 | 70-130 | 13.1 | 20 | |
| Surrogate: 4-Bromofluorobenzene | 0.114 | | " | 0.120 | | 95.2 | 80-120 | | | |
| Surrogate: 1,4-Difluorobenzene | 0.121 | | " | 0.120 | | 101 | 80-120 | | | |
| Calibration Check (P0L0708-CCV1) | | | | Prepared & | Analyzed: | 12/07/20 | | | | |
| Benzene | 0.115 | 0.00100 | mg/kg wet | 0.100 | | 115 | 80-120 | | | |
| Toluene | 0.109 | 0.00100 | " | 0.100 | | 109 | 80-120 | | | |
| Ethylbenzene | 0.115 | 0.00100 | " | 0.100 | | 115 | 80-120 | | | |
| Xylene (p/m) | 0.227 | 0.00200 | " | 0.200 | | 113 | 80-120 | | | |
| Xylene (o) | 0.112 | 0.00100 | " | 0.100 | | 112 | 80-120 | | | |
| Surrogate: 4-Bromofluorobenzene | 0.122 | | " | 0.120 | | 102 | 75-125 | | | |
| Surrogate: 1,4-Difluorobenzene | 0.123 | | " | 0.120 | | 103 | 75-125 | | | |

Permian Basin Environmental Lab, L.P.

| Tetra Tech | Project: | White City Trunk Line | Fax: (432) 686-8085 |
|----------------------------|------------------|-----------------------|---------------------|
| 901 W Wall Street, Ste 100 | Project Number: | 212C-MD-02370.100 | |
| Midland TX, 79705 | Project Manager: | Brittany Long | |

Permian Basin Environmental Lab, L.P.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|--|--------|--------------------|-----------|----------------|------------------|----------|----------------|-----|--------------|-------|
| Batch P0L0708 - General Preparation (GC) | | | | | | | | | | |
| Calibration Check (P0L0708-CCV2) | | | | Prepared & | Analyzed: | 12/07/20 | | | | |
| Benzene | 0.107 | 0.00100 | mg/kg wet | 0.100 | | 107 | 80-120 | | | |
| Toluene | 0.0952 | 0.00100 | " | 0.100 | | 95.2 | 80-120 | | | |
| Ethylbenzene | 0.0997 | 0.00100 | " | 0.100 | | 99.7 | 80-120 | | | |
| Xylene (p/m) | 0.177 | 0.00200 | " | 0.200 | | 88.6 | 80-120 | | | |
| Xylene (o) | 0.0896 | 0.00100 | " | 0.100 | | 89.6 | 80-120 | | | |
| Surrogate: 4-Bromofluorobenzene | 0.113 | | " | 0.120 | | 94.3 | 75-125 | | | |
| Surrogate: 1,4-Difluorobenzene | 0.128 | | " | 0.120 | | 107 | 75-125 | | | |

Batch P0L1003 - General Preparation (GC)

| Blank (P0L1003-BLK1) | | Prepared & Analyzed: 12/10/20 | | | | | | | |
|---------------------------------|-------|-------------------------------|-----------|-----------------|-----------------|--------|--|--|--|
| Benzene | ND | 0.00100 | mg/kg wet | | | | | | |
| Toluene | ND | 0.00100 | " | | | | | | |
| Ethylbenzene | ND | 0.00100 | " | | | | | | |
| Xylene (p/m) | ND | 0.00200 | " | | | | | | |
| Xylene (o) | ND | 0.00100 | " | | | | | | |
| Surrogate: 1,4-Difluorobenzene | 0.111 | | " | 0.120 | 92.8 | 80-120 | | | |
| Surrogate: 4-Bromofluorobenzene | 0.114 | | " | 0.120 | 95.2 | 80-120 | | | |
| LCS (P0L1003-BS1) | | | | Prepared & Anal | lyzed: 12/10/20 | | | | |
| | | | | | | | | | |

| Benzene | 0.112 | 0.00100 mg/kg wet | 0.100 | 112 | 70-130 | |
|---------------------------------|--------|-------------------|-------|------|--------|--|
| Toluene | 0.104 | 0.00100 " | 0.100 | 104 | 70-130 | |
| Ethylbenzene | 0.114 | 0.00100 " | 0.100 | 114 | 70-130 | |
| Xylene (p/m) | 0.206 | 0.00200 " | 0.200 | 103 | 70-130 | |
| Xylene (o) | 0.0988 | 0.00100 " | 0.100 | 98.8 | 70-130 | |
| Surrogate: 1,4-Difluorobenzene | 0.124 | " | 0.120 | 103 | 80-120 | |
| Surrogate: 4-Bromofluorobenzene | 0.116 | " | 0.120 | 96.9 | 80-120 | |
| | | | | | | |

Permian Basin Environmental Lab, L.P.

| Tetra Tech | Project: | White City Trunk Line | Fax: (432) 686-8085 |
|----------------------------|------------------|-----------------------|---------------------|
| 901 W Wall Street, Ste 100 | Project Number: | 212C-MD-02370.100 | |
| Midland TX, 79705 | Project Manager: | Brittany Long | |

Permian Basin Environmental Lab, L.P.

| | | Reporting | | Spike | Source | | %REC | | RPD | |
|--|--------|-----------|-----------|-------------|------------|-------------|--------|-------|-------|-------|
| Analyte | Result | Limit | Units | Level | Result | %REC | Limits | RPD | Limit | Notes |
| Batch P0L1003 - General Preparation (C | GC) | | | | | | | | | |
| LCS Dup (P0L1003-BSD1) | | | | Prepared & | Analyzed: | 12/10/20 | | | | |
| Benzene | 0.101 | 0.00100 | mg/kg wet | 0.100 | | 101 | 70-130 | 10.2 | 20 | |
| Toluene | 0.0922 | 0.00100 | " | 0.100 | | 92.2 | 70-130 | 12.2 | 20 | |
| Ethylbenzene | 0.113 | 0.00100 | " | 0.100 | | 113 | 70-130 | 0.563 | 20 | |
| Xylene (p/m) | 0.184 | 0.00200 | " | 0.200 | | 91.8 | 70-130 | 11.6 | 20 | |
| Xylene (o) | 0.0908 | 0.00100 | " | 0.100 | | 90.8 | 70-130 | 8.50 | 20 | |
| Surrogate: 4-Bromofluorobenzene | 0.132 | | " | 0.120 | | 110 | 80-120 | | | |
| Surrogate: 1,4-Difluorobenzene | 0.118 | | " | 0.120 | | 98.3 | 80-120 | | | |
| Calibration Check (P0L1003-CCV1) | | | | Prepared & | Analyzed: | 12/10/20 | | | | |
| Benzene | 0.108 | 0.00100 | mg/kg wet | 0.100 | | 108 | 80-120 | | | |
| Toluene | 0.101 | 0.00100 | " | 0.100 | | 101 | 80-120 | | | |
| Ethylbenzene | 0.106 | 0.00100 | " | 0.100 | | 106 | 80-120 | | | |
| Xylene (p/m) | 0.196 | 0.00200 | " | 0.200 | | 98.2 | 80-120 | | | |
| Xylene (o) | 0.0963 | 0.00100 | " | 0.100 | | 96.3 | 80-120 | | | |
| Surrogate: 4-Bromofluorobenzene | 0.113 | | " | 0.120 | | 93.8 | 75-125 | | | |
| Surrogate: 1,4-Difluorobenzene | 0.121 | | " | 0.120 | | 101 | 75-125 | | | |
| Calibration Check (P0L1003-CCV2) | | | | Prepared & | Analyzed: | 12/10/20 | | | | |
| Benzene | 0.111 | 0.00100 | mg/kg wet | 0.100 | | 111 | 80-120 | | | |
| Toluene | 0.101 | 0.00100 | " | 0.100 | | 101 | 80-120 | | | |
| Ethylbenzene | 0.104 | 0.00100 | " | 0.100 | | 104 | 80-120 | | | |
| Xylene (p/m) | 0.189 | 0.00200 | " | 0.200 | | 94.4 | 80-120 | | | |
| Xylene (o) | 0.0972 | 0.00100 | " | 0.100 | | 97.2 | 80-120 | | | |
| Surrogate: 1,4-Difluorobenzene | 0.128 | | " | 0.120 | | 107 | 75-125 | | | |
| Surrogate: 4-Bromofluorobenzene | 0.117 | | " | 0.120 | | 97.1 | 75-125 | | | |
| Calibration Check (P0L1003-CCV3) | | | | Prepared: 1 | 2/10/20 Ai | nalyzed: 12 | /11/20 | | | |
| Benzene | 0.111 | 0.00100 | mg/kg wet | 0.100 | | 111 | 80-120 | | | |
| Toluene | 0.100 | 0.00100 | " | 0.100 | | 100 | 80-120 | | | |
| Ethylbenzene | 0.110 | 0.00100 | " | 0.100 | | 110 | 80-120 | | | |
| Xylene (p/m) | 0.199 | 0.00200 | " | 0.200 | | 99.4 | 80-120 | | | |
| Xylene (o) | 0.104 | 0.00100 | " | 0.100 | | 104 | 80-120 | | | |
| Surrogate: 4-Bromofluorobenzene | 0.124 | | " | 0.120 | | 103 | 75-125 | | | |
| Surrogate: 1,4-Difluorobenzene | 0.120 | | " | 0.120 | | 99.8 | 75-125 | | | |

Permian Basin Environmental Lab, L.P.

| Tetra Tech | Project: | White City Trunk Line | Fax: (432) 686-8085 |
|----------------------------|------------------|-----------------------|---------------------|
| 901 W Wall Street, Ste 100 | Project Number: | 212C-MD-02370.100 | |
| Midland TX, 79705 | Project Manager: | Brittany Long | |

Permian Basin Environmental Lab, L.P.

| Analyte Result Limit Units Level Result %REC | Limits RPD Limit | Notes |
|--|------------------|-------|

Batch P0L1003 - General Preparation (GC)

| Matrix Spike (P0L1003-MS1) | Sour | ce: 0L03002- | -16 | Prepared: 1 | 2/10/20 A | nalyzed: 12 | 2/11/20 | | | |
|---------------------------------|--------|--------------|-----------|-------------|-----------|-------------|---------|------|----|-------|
| Benzene | 0.0778 | 0.00110 | mg/kg dry | 0.110 | ND | 70.8 | 80-120 | | | QM-05 |
| Toluene | 0.0643 | 0.00110 | " | 0.110 | ND | 58.5 | 80-120 | | | QM-05 |
| Ethylbenzene | 0.0766 | 0.00110 | " | 0.110 | ND | 69.8 | 80-120 | | | QM-05 |
| Xylene (p/m) | 0.117 | 0.00220 | " | 0.220 | ND | 53.1 | 80-120 | | | QM-05 |
| Xylene (o) | 0.0587 | 0.00110 | " | 0.110 | ND | 53.4 | 80-120 | | | QM-05 |
| Surrogate: 4-Bromofluorobenzene | 0.145 | | " | 0.132 | | 110 | 80-120 | | | |
| Surrogate: 1,4-Difluorobenzene | 0.143 | | " | 0.132 | | 109 | 80-120 | | | |
| Matrix Spike Dup (P0L1003-MSD1) | Sour | ce: 0L03002- | -16 | Prepared: 1 | 2/10/20 A | nalyzed: 12 | 2/11/20 | | | |
| Benzene | 0.0812 | 0.00110 | mg/kg dry | 0.110 | ND | 73.9 | 80-120 | 4.23 | 20 | QM-05 |
| Toluene | 0.0650 | 0.00110 | " | 0.110 | ND | 59.1 | 80-120 | 1.12 | 20 | QM-05 |
| Ethylbenzene | 0.0797 | 0.00110 | " | 0.110 | ND | 72.5 | 80-120 | 3.91 | 20 | QM-05 |
| Xylene (p/m) | 0.118 | 0.00220 | " | 0.220 | ND | 53.9 | 80-120 | 1.43 | 20 | QM-05 |
| Xylene (o) | 0.0617 | 0.00110 | " | 0.110 | ND | 56.2 | 80-120 | 5.08 | 20 | QM-05 |
| Surrogate: 4-Bromofluorobenzene | 0.143 | | " | 0.132 | | 109 | 80-120 | | | |
| Surrogate: 1,4-Difluorobenzene | 0.138 | | " | 0.132 | | 105 | 80-120 | | | |

Permian Basin Environmental Lab, L.P.

| Tetra Tech | Project: | White City Trunk Line | Fax: (432) 686-8085 | |
|----------------------------|------------------|-----------------------|---------------------|--|
| 901 W Wall Street, Ste 100 | Project Number: | 212C-MD-02370.100 | | |
| Midland TX, 79705 | Project Manager: | Brittany Long | | |

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

| | Donortino | | Smilto | Course | | 0/DEC | | מתת | |
|----------------------|---|---|--|--|--|--|---|--|---|
| Result | Limit | Units | Level | Result | %REC | %REC Limits | RPD | Limit | Notes |
| | | | | | | | | | |
| | | | Prepared & | Analyzed: | 12/04/20 | | | | |
| ND | 0.1 | % | | | | | | | |
| | | | Prepared & | Analyzed: | 12/04/20 | | | | |
| ND | 0.1 | % | | | | | | | |
| Sou | rce: 0L03002- | -10 | Prepared & | Analyzed: | 12/04/20 | | | | |
| 20.0 | 0.1 | % | | 20.0 | | | 0.00 | 20 | |
| Source: 0L03002-20 P | | | Prepared & | Analyzed: | 12/04/20 | | | | |
| 9.0 | 0.1 | % | | 8.0 | | | 11.8 | 20 | |
| | | | | | | | | | |
| | | | Prepared: 1 | 2/07/20 Ar | nalyzed: 12 | /17/20 | | | |
| ND | 1.00 | mg/kg wet | | | | | | | |
| | | | Prepared & | Analyzed: | 12/07/20 | | | | |
| 433 | 1.00 | mg/kg wet | 400 | | 108 | 80-120 | | | |
| | | | Prepared & | Analyzed: | 12/07/20 | | | | |
| 435 | 1.00 | mg/kg wet | 400 | | 109 | 80-120 | 0.507 | 20 | |
| 455 | | | | | | | | | |
| -35 | | | Prepared & | Analyzed: | 12/07/20 | | | | |
| 20.6 | | mg/kg | Prepared & 20.0 | Analyzed: | 12/07/20 103 | 0-200 | | | |
| | | mg/kg | 20.0 | z Analyzed: z Analyzed: | 103 | 0-200 | | | |
| | ND ND 20.0 Sou 9.0 ND 433 | ND 0.1 ND 0.1 Source: 0L03002- 20.0 0.1 Source: 0L03002- 9.0 0.1 ND 1.00 433 1.00 | Result Limit Units ND 0.1 % ND 0.1 % Source: 0L03002-10 20.0 0.1 % Source: 0L03002-20 9.0 0.1 % ND 1.00 mg/kg wet 433 1.00 mg/kg wet | Result Limit Units Level Prepared & Prepared & ND 0.1 % Prepared & Prepared & ND 0.1 % Source: 0L03002-10 Prepared & Source: 0L03002-20 Prepared & 9.0 0.1 % Prepared & Prepared & 9.0 0.1 % Prepared & Prepared & 9.0 0.1 % | Result Limit Units Level Result ND 0.1 % Prepared & Analyzed: 20.0 0.1 % 20.0 Source: 0L03002-10 Prepared & Analyzed: 20.0 20.0 0.1 % 20.0 Source: 0L03002-20 Prepared & Analyzed: 9.0 0.1 % 8.0 MD 1.00 mg/kg wet Prepared & Analyzed: 433 1.00 mg/kg wet 400 | Result Limit Units Level Result %REC Prepared & Analyzed: 12/04/20 ND 0.1 % Prepared & Analyzed: 12/04/20 ND 0.1 % Source: 0L03002-10 Prepared & Analyzed: 12/04/20 20.0 0.1 % 20.0 Source: 0L03002-20 Prepared & Analyzed: 12/04/20 9.0 0.1 % 8.0 Prepared & Analyzed: 12/07/20 MD 1.00 mg/kg wet Prepared & Analyzed: 12/07/20 433 1.00 mg/kg wet 400 108 Prepared & Analyzed: 12/07/20 12/07/20 108 | Result Limit Units Level Result %REC Limits Prepared & Analyzed: 12/04/20 ND 0.1 % Prepared & Analyzed: 12/04/20 ND 0.1 % Source: 0L03002-10 Prepared & Analyzed: 12/04/20 20.0 0.1 % 20.0 Source: 0L03002-20 Prepared & Analyzed: 12/04/20 Prepared & Analyzed: 12/04/20 9.0 0.1 % 8.0 Prepared & Analyzed: 12/07/20 ND 1.00 mg/kg wet Prepared & Analyzed: 12/07/20 433 1.00 mg/kg wet 400 108 80-120 | Result Limit Units Level Result %REC Limits RPD ND 0.1 % | ResultLimitUnitsLevelResult%RECLimitsRPDLimitResultLimitsUnitsLevelResult%RECLimitsRPDLimitND0.1%Prepared & Analyzed: 12/04/20 </td |

| Tetra Tech | Project: | White City Trunk Line | Fax: (432) 686-8085 |
|----------------------------|------------------|-----------------------|---------------------|
| 901 W Wall Street, Ste 100 | Project Number: | 212C-MD-02370.100 | |
| Midland TX, 79705 | Project Manager: | Brittany Long | |

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

| | | Reporting | | Spike | Source | | %REC | | RPD | |
|--------------------------------------|--------|--------------|-----------|-------------|------------|-------------|--------|------|-------|-------|
| Analyte | Result | Limit | Units | Level | Result | %REC | Limits | RPD | Limit | Notes |
| Batch P0L0705 - *** DEFAULT PREP *** | | | | | | | | | | |
| Calibration Check (P0L0705-CCV3) | | | | Prepared & | Analyzed: | 12/07/20 | | | | |
| Chloride | 22.2 | | mg/kg | 20.0 | | 111 | 0-200 | | | |
| Matrix Spike (P0L0705-MS1) | Sou | ce: 0L03002 | -01 | Prepared & | Analyzed: | 12/07/20 | | | | |
| Chloride | 1420 | 10.5 | mg/kg dry | 1050 | 302 | 106 | 80-120 | | | |
| Matrix Spike (P0L0705-MS2) | Sou | rce: 0L03002 | -11 | Prepared & | Analyzed: | 12/07/20 | | | | |
| Chloride | 1790 | 12.5 | mg/kg dry | 1250 | 500 | 103 | 80-120 | | | |
| Matrix Spike Dup (P0L0705-MSD1) | Sou | -ce: 0L03002 | -01 | Prepared & | Analyzed: | 12/07/20 | | | | |
| Chloride | 1470 | 10.5 | mg/kg dry | 1050 | 302 | 111 | 80-120 | 3.48 | 20 | |
| Matrix Spike Dup (P0L0705-MSD2) | Sou | ce: 0L03002 | -11 | Prepared & | Analyzed: | 12/07/20 | | | | |
| Chloride | 1810 | 12.5 | mg/kg dry | 1250 | 500 | 105 | 80-120 | 1.16 | 20 | |
| Batch P0L0706 - *** DEFAULT PREP *** | | | | | | | | | | |
| Blank (P0L0706-BLK1) | | | | Prepared: 1 | 2/07/20 Ai | nalyzed: 12 | /09/20 | | | |
| Chloride | ND | 1.00 | mg/kg wet | | | | | | | |
| LCS (P0L0706-BS1) | | | | Prepared: 1 | 2/07/20 Ai | nalyzed: 12 | /09/20 | | | |
| Chloride | 452 | 1.00 | mg/kg wet | 400 | | 113 | 80-120 | | | |
| LCS Dup (P0L0706-BSD1) | | | | Prepared: 1 | 2/07/20 Ai | nalyzed: 12 | /09/20 | | | |
| Chloride | 447 | 1.00 | mg/kg wet | 400 | | 112 | 80-120 | 1.07 | 20 | |
| Calibration Check (P0L0706-CCV1) | | | | Prepared: 1 | 2/07/20 Ai | nalyzed: 12 | /09/20 | | | |
| Chloride | 21.6 | | mg/kg | 20.0 | | 108 | 0-200 | | | |

| Tetra Tech | Project: | White City Trunk Line | Fax: (432) 686-8085 |
|----------------------------|------------------|-----------------------|---------------------|
| 901 W Wall Street, Ste 100 | Project Number: | 212C-MD-02370.100 | |
| Midland TX, 79705 | Project Manager: | Brittany Long | |

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

| | | Reporting | | Spike | Source | | %REC | | RPD | |
|--------------------------------------|--------|-------------|-----------|-----------|----------|--------------|--------|------|-------|-------|
| Analyte | Result | Limit | Units | Level | Result | | Limits | RPD | Limit | Notes |
| | | | | | | | | | | |
| Batch P0L0706 - *** DEFAULT PREP *** | | | | | | | | | | |
| Calibration Check (P0L0706-CCV2) | | | | Prepared: | 12/07/20 | Analyzed: 12 | /09/20 | | | |
| Chloride | 22.2 | | mg/kg | 20.0 | | 111 | 0-200 | | | |
| Calibration Check (P0L0706-CCV3) | | | | Prepared: | 12/07/20 | Analyzed: 12 | /09/20 | | | |
| Chloride | 22.4 | | mg/kg | 20.0 | | 112 | 0-200 | | | |
| Matrix Spike (P0L0706-MS1) | Sour | ce: 0L03002 | -21 | Prepared: | 12/07/20 | Analyzed: 12 | /10/20 | | | |
| Chloride | 1230 | 11.0 | mg/kg dry | 1100 | 219 | 91.7 | 80-120 | | | |
| Matrix Spike (P0L0706-MS2) | Sour | ce: 0L07007 | -04 | Prepared: | 12/07/20 | Analyzed: 12 | /09/20 | | | |
| Chloride | 675 | 1.05 | mg/kg dry | 526 | 202 | 90.0 | 80-120 | | | |
| Matrix Spike Dup (P0L0706-MSD1) | Sour | ce: 0L03002 | -21 | Prepared: | 12/07/20 | Analyzed: 12 | /10/20 | | | |
| Chloride | 1310 | 11.0 | mg/kg dry | 1100 | 219 | 99.5 | 80-120 | 6.68 | 20 | |
| Matrix Spike Dup (P0L0706-MSD2) | Sour | ce: 0L07007 | -04 | Prepared: | 12/07/20 | Analyzed: 12 | /09/20 | | | |
| Chloride | 688 | 1.05 | mg/kg dry | 526 | 202 | 92.4 | 80-120 | 1.89 | 20 | |

| Tetra Tech | Project: | White City Trunk Line | Fax: (432) 686-8085 |
|----------------------------|------------------|-----------------------|---------------------|
| 901 W Wall Street, Ste 100 | Project Number: | 212C-MD-02370.100 | |
| Midland TX, 79705 | Project Manager: | Brittany Long | |

Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M - Quality Control

Permian Basin Environmental Lab, L.P.

| | | Reporting | | Spike | Source | | %REC | | RPD | |
|----------------------------------|--------|-----------|-----------|------------|-----------|----------|--------|--------|-------|-------|
| Analyte | Result | Limit | Units | Level | Result | %REC | Limits | RPD | Limit | Notes |
| Batch P0L0302 - TX 1005 | | | | | | | | | | |
| Blank (P0L0302-BLK1) | | | | Prepared & | Analyzed: | 12/03/20 | | | | |
| C6-C12 | ND | 25.0 | mg/kg wet | | | | | | | |
| >C12-C28 | ND | 25.0 | " | | | | | | | |
| >C28-C35 | ND | 25.0 | " | | | | | | | |
| Surrogate: 1-Chlorooctane | 97.8 | | " | 100 | | 97.8 | 70-130 | | | |
| Surrogate: o-Terphenyl | 48.5 | | " | 50.0 | | 97.0 | 70-130 | | | |
| LCS (P0L0302-BS1) | | | | Prepared & | Analyzed: | 12/03/20 | | | | |
| C6-C12 | 1040 | 25.0 | mg/kg wet | 1000 | | 104 | 75-125 | | | |
| >C12-C28 | 1140 | 25.0 | " | 1000 | | 114 | 75-125 | | | |
| Surrogate: 1-Chlorooctane | 125 | | " | 100 | | 125 | 70-130 | | | |
| Surrogate: o-Terphenyl | 49.1 | | " | 50.0 | | 98.2 | 70-130 | | | |
| LCS Dup (P0L0302-BSD1) | | | | Prepared & | Analyzed: | 12/03/20 | | | | |
| C6-C12 | 1050 | 25.0 | mg/kg wet | 1000 | | 105 | 75-125 | 0.0383 | 20 | |
| >C12-C28 | 1130 | 25.0 | " | 1000 | | 113 | 75-125 | 0.867 | 20 | |
| Surrogate: 1-Chlorooctane | 124 | | " | 100 | | 124 | 70-130 | | | |
| Surrogate: o-Terphenyl | 48.5 | | " | 50.0 | | 97.0 | 70-130 | | | |
| Calibration Check (P0L0302-CCV1) | | | | Prepared & | Analyzed: | 12/03/20 | | | | |
| C6-C12 | 523 | 25.0 | mg/kg wet | 500 | · | 105 | 85-115 | | | |
| >C12-C28 | 570 | 25.0 | " | 500 | | 114 | 85-115 | | | |
| Surrogate: 1-Chlorooctane | 108 | | " | 100 | | 108 | 70-130 | | | |
| Surrogate: o-Terphenyl | 47.4 | | " | 50.0 | | 94.8 | 70-130 | | | |
| Calibration Check (P0L0302-CCV2) | | | | Prepared & | Analyzed: | 12/03/20 | | | | |
| C6-C12 | 530 | 25.0 | mg/kg wet | 500 | | 106 | 85-115 | | | |
| >C12-C28 | 561 | 25.0 | " | 500 | | 112 | 85-115 | | | |
| Surrogate: 1-Chlorooctane | 108 | | " | 100 | | 108 | 70-130 | | | |
| Surrogate: o-Terphenyl | 47.4 | | " | 50.0 | | 94.8 | 70-130 | | | |

Permian Basin Environmental Lab, L.P.

Fax: (432) 686-8085

| Tetra Tech | Project: | White City Trunk Line |
|----------------------------|------------------|-----------------------|
| 901 W Wall Street, Ste 100 | Project Number: | 212C-MD-02370.100 |
| Midland TX, 79705 | Project Manager: | Brittany Long |

Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M - Quality Control

Permian Basin Environmental Lab, L.P.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------------------------------|--------|--------------------|-----------|----------------|------------------|-------------|----------------|------|--------------|-------|
| Batch P0L0302 - TX 1005 | | | | | | | | | | |
| Matrix Spike (P0L0302-MS1) | Sourc | e: 0L02021 | -13 | Prepared & | z Analyzed: | 12/03/20 | | | | |
| C6-C12 | 984 | 27.2 | mg/kg dry | 1090 | ND | 90.5 | 75-125 | | | |
| >C12-C28 | 1110 | 27.2 | " | 1090 | 36.0 | 99.2 | 75-125 | | | |
| Surrogate: 1-Chlorooctane | 111 | | " | 109 | | 102 | 70-130 | | | |
| Surrogate: o-Terphenyl | 48.6 | | " | 54.3 | | 89.4 | 70-130 | | | |
| Matrix Spike Dup (P0L0302-MSD1) | Sourc | e: 0L02021 | -13 | Prepared & | Analyzed: | 12/03/20 | | | | |
| C6-C12 | 962 | 27.2 | mg/kg dry | 1090 | ND | 88.5 | 75-125 | 2.22 | 20 | |
| >C12-C28 | 1060 | 27.2 | " | 1090 | 36.0 | 94.3 | 75-125 | 5.04 | 20 | |
| Surrogate: 1-Chlorooctane | 112 | | " | 109 | | 103 | 70-130 | | | |
| Surrogate: o-Terphenyl | 43.0 | | " | 54.3 | | 79.1 | 70-130 | | | |
| Batch P0L0307 - TX 1005 | | | | | | | | | | |
| Blank (P0L0307-BLK1) | | | | Prepared: 1 | 2/03/20 Ai | nalyzed: 12 | /04/20 | | | |
| C6-C12 | ND | 25.0 | mg/kg wet | | | | | | | |
| >C12-C28 | ND | 25.0 | " | | | | | | | |
| >C28-C35 | ND | 25.0 | " | | | | | | | |
| Surrogate: 1-Chlorooctane | 95.2 | | " | 100 | | 95.2 | 70-130 | | | |
| Surrogate: o-Terphenyl | 47.1 | | " | 50.0 | | 94.2 | 70-130 | | | |
| LCS (P0L0307-BS1) | | | | Prepared: 1 | 2/03/20 A1 | nalyzed: 12 | /04/20 | | | |
| C6-C12 | 1050 | 25.0 | mg/kg wet | 1000 | | 105 | 75-125 | | | |
| >C12-C28 | 1130 | 25.0 | " | 1000 | | 113 | 75-125 | | | |
| Surrogate: 1-Chlorooctane | 126 | | " | 100 | | 126 | 70-130 | | | |
| Surrogate: o-Terphenyl | 53.9 | | " | 50.0 | | 108 | 70-130 | | | |
| LCS Dup (P0L0307-BSD1) | | | | Prepared: 1 | 2/03/20 Ai | nalyzed: 12 | /04/20 | | | |
| C6-C12 | 1030 | 25.0 | mg/kg wet | 1000 | | 103 | 75-125 | 1.57 | 20 | |
| >C12-C28 | 1110 | 25.0 | " | 1000 | | 111 | 75-125 | 1.59 | 20 | |
| Surrogate: 1-Chlorooctane | 125 | | " | 100 | | 125 | 70-130 | | | |
| Surrogate: o-Terphenyl | 52.1 | | " | 50.0 | | 104 | 70-130 | | | |

Permian Basin Environmental Lab, L.P.

| Tetra Tech | Project: | White City Trunk Line | Fax: (432) 686-8085 |
|----------------------------|------------------|-----------------------|---------------------|
| 901 W Wall Street, Ste 100 | Project Number: | 212C-MD-02370.100 | |
| Midland TX, 79705 | Project Manager: | Brittany Long | |

Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M - Quality Control

Permian Basin Environmental Lab, L.P.

| | | Reporting | | Spike | Source | | %REC | | RPD | |
|----------------------------------|--------|--------------|-----------|-----------|------------|-------------|--------|-------|-------|-------|
| Analyte | Result | Limit | Units | Level | Result | %REC | Limits | RPD | Limit | Notes |
| Batch P0L0307 - TX 1005 | | | | | | | | | | |
| Calibration Check (P0L0307-CCV1) | | | | Prepared: | 12/03/20 A | nalyzed: 12 | /04/20 | | | |
| C6-C12 | 522 | 25.0 | mg/kg wet | 500 | | 104 | 85-115 | | | |
| >C12-C28 | 565 | 25.0 | " | 500 | | 113 | 85-115 | | | |
| Surrogate: 1-Chlorooctane | 109 | | " | 100 | | 109 | 70-130 | | | |
| Surrogate: o-Terphenyl | 48.8 | | " | 50.0 | | 97.7 | 70-130 | | | |
| Calibration Check (P0L0307-CCV2) | | | | Prepared: | 12/03/20 A | nalyzed: 12 | /04/20 | | | |
| C6-C12 | 514 | 25.0 | mg/kg wet | 500 | | 103 | 85-115 | | | |
| >C12-C28 | 539 | 25.0 | " | 500 | | 108 | 85-115 | | | |
| Surrogate: 1-Chlorooctane | 105 | | " | 100 | | 105 | 70-130 | | | |
| Surrogate: o-Terphenyl | 45.4 | | " | 50.0 | | 90.9 | 70-130 | | | |
| Matrix Spike (P0L0307-MS1) | Sou | rce: 0L03002 | 2-20 | Prepared: | 12/03/20 A | nalyzed: 12 | /05/20 | | | |
| C6-C12 | 1070 | 27.2 | mg/kg dry | 1090 | ND | 98.3 | 75-125 | | | |
| >C12-C28 | 1160 | 27.2 | " | 1090 | ND | 106 | 75-125 | | | |
| Surrogate: 1-Chlorooctane | 124 | | " | 109 | | 114 | 70-130 | | | |
| Surrogate: o-Terphenyl | 49.8 | | " | 54.3 | | 91.7 | 70-130 | | | |
| Matrix Spike Dup (P0L0307-MSD1) | Sou | rce: 0L03002 | 2-20 | Prepared: | 12/03/20 A | nalyzed: 12 | /05/20 | | | |
| C6-C12 | 1080 | 27.2 | mg/kg dry | 1090 | ND | 99.4 | 75-125 | 1.14 | 20 | |
| >C12-C28 | 1150 | 27.2 | " | 1090 | ND | 105 | 75-125 | 0.925 | 20 | |
| Surrogate: 1-Chlorooctane | 128 | | " | 109 | | 118 | 70-130 | | | |
| Surrogate: o-Terphenyl | 52.4 | | " | 54.3 | | 96.4 | 70-130 | | | |

Permian Basin Environmental Lab, L.P.

| Tetra Tech | Project: | White City Trunk Line | Fax: (432) 686-8085 |
|----------------------------|------------------|-----------------------|---------------------|
| 901 W Wall Street, Ste 100 | Project Number: | 212C-MD-02370.100 | |
| Midland TX, 79705 | Project Manager: | Brittany Long | |

Notes and Definitions

| QM-05 | The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were |
|-------|---|
| | within acceptance limits showing that the laboratory is in control and the data is acceptable. |

- BULK Samples received in Bulk soil containers
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- LCS Laboratory Control Spike
- MS Matrix Spike
- Dup Duplicate

Report Approved By:

Bun Barron

12/17/2020

Brent Barron, Laboratory Director/Technical Director

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-686-7235.

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

Date:

| Rece | ived by (| CD: Minquished by: | 23/20 In Iquisited by | | Winquished by: | :44 | AM | | | | | | | | | LAB USE) | LAB # | | Comments: | Receiving Laboratory: | Invoice to: | Project Location: (county, state) | Project Name: | Client Name: | Pa R | 2 of 75 |
|------|---|---|-----------------------|----------------------|------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--|---|---|-----------------------------------|-----------------------|----------------------|--------------------------------------|-----------------------|------------------|--|--|
| | | Date: Time: | | | Date: Time: | Bottomhole-10 (1') | Bottomhole-9 (1') | Bottomhole-8 (7') | Bottomhole-7 (7') | Bottomhole-6 (7') | Bottomhole-5 (7') | Bottomhole-4 (7') | Bottomhole-3 (7') | Bottomhole-2 (7') | Bottomhole-1 (7') | | SAMPLE IDENTIFICATION | | | PBE Lab | Cimarex/Gloria Garza | Eddy County, New Mexico | White City Trunk Line | Cimarex | Tetra Tech, Inc. | 72 of 75 Palysis Request of Chain of Custody Record |
| | ORIGINAL COPY | Received by: | negurea by. | Mina/Su | Received by: | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | DATE TIME | YEAR: 2020 | SAMPLING | | Sampler Signature: | | Project #: | | Site Manager: | | |
| • | | Date: lime: | | | | | | × | X | | | | | | | WATE SOIL HCL HNO ₃ ICE None | R | MATRIX PRESERVATIVE METHOD | | Devin Dominguez | | 212C-MD-02370.100 | | Brittany Long | 900 West Wall Street, Ste 100 Midland,Texas 79701 Tel (432) 682-4559 Fax (432) 682-3946 | |
| | | er d | Sample | E) | | 1 N X | 1 N X | 1 N X | 1 N X | 1 N X | 1 N X | 1 N X | 1 N X | 1 N X | × | # CONT FILTER BTEX & TPH TX | ED (Y 8021B (1005 | //N) BTE (Ext to | | | | | | | | |
| |), HAND DELIVERED FEDEX UPS Tracking #: | Ct 2 Special Report Limits or TRRP Report | narges Authorized | RUSH: Same Dav 24 hr | LAB USE REMARKS: | | | | | | | | | x | | TPH 80 PAH 82 Total M TCLP M TCLP V TCLP S RCI GC/MS GC/MS PCB's NORM PLM (A Chloride Chlorid | 15M (270C etals A letals A olatile emi V Vol. & Semi. 3082 / sbesto | GRO Ag As E Ag As s s olatiles 3260B Vol. 8 608 os) | - DRO - C Ba Cd Cr Ba Cd Cr | Pb Se Pb Se 5 | Hg Hg | | | ANALYSIS REQUEST | 0103002 | Page |
| | | ⁹ Report | | 48 hr 72 hr | | | | | | | | | | | | Anion/C TPH 80 Hold | Cation | | | | | | `` | | Page 2 | -1 of |

Page 39 of 4

| Receiv | ed hv (| CD | 223/ | 200 | 1 10.5 | •44 | AN | 1 | ····- | 1.1 | | | | | | | | ō | 고 | 5 | Ωp | ע | 0 | Po | ge 73 of 75 |
|--------|------------------------|--------------------------------------|-------------------------|---------------------|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------------|--------------------|--------------------|-----------------------------------|--|-----------------------|-----------------------|----------------------|--------------------------------------|-----------------------|------------------|--|---|
| Accen | eu by C | CD: | incliched | inquished by: | 10:3 Inquished by: | | <u> </u> | | | [| | | | | | LAB USE ONLY | LAB # | Comments: | Receiving Laboratory: | Invoice to: | Project Location: (county, state) | Project Name: | Client Name: | ۲. اج | nalysis R |
| | | | Wr Date Time | y: Date: Time: | | SW-7 | SW-6 | SW-5 | SW-4 | SW-3 | SW-2 | SW-1 | Bottomhole-13 (1') | Bottomhole-12 (1') | Bottomhole-11 (1') | | SAMPLE IDENTIFICATION | | ratory: PBE Lab | Cimarex/Gloria Garza | ": Eddy County, New Mexico | White City Trunk Line | Cimarex | Tetra Tech, Inc. | 73 of 75 Analysis Request of Chain of Custody Record |
| | ORIGINAL COPY | | Bocolyped by: | Received by: | Alwna B | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | DATE | SAMPLING YEAR: 2020 | | Sampler Signature: | | Project #: | | Site Manager: | : | |
| | γ | | Pater | Date: | Sudne 12/320 | | X | X | x | X | X | X | X | | X | WATEF SOIL HCL HNO₃ | MATRIX | | Devin Dominguez | | 212C-MD-02370.10 | | Brittany Long | 900 West Wall Street, Ste 1 Midland,Texas 79701 Tel (432) 682-4559 Fax (432) 682-3946 | |
| | | - inter- | Tima | Time: | 11me: 9:03 | -1 Z | 1 1 | 1 N | 1 N | 1 N | 1 N | 1 N | 1 N | 1 N | Z | ICE None # CONT. FILTERE | D (Y/N) | | guez | | 370.100 | | | Sie 100 1701 559 346 | |
| | (Circe) HAND DELIVERED | a.Fr | S.I. | Sample Temperature | LAB USE | x x | XX | X X | | X X X | X X X | X X | x x 1 | X X I | | TPH 801 PAH 827 Total Met | 1005 (Ext to 5M (GRO 70C als Ag As I tals Ag As | - DRO - (Ba Cd Cr | DRO - Pb Se | Hg | | | A | 0103002 | |
| • | D DEX UPS Tracking | Special Report Limits or TRRP Report | Rush Charges Authorized | RUSH: Same Day | | | | | | | | | | | | TCLP Se RCI GC/MS V | mi Volatiles /ol. 8260B semi. Vol. 1 082 / 608 | / 624 | 5 | | | | ANALYSIS REQUEST | ,002 | T |
| | ng #: | its or TRRP Report | Iorized | / 24 hr 48 hr 72 hr | - - - - | × | × | X | × | | | X | | X | | Chloride Chloride General | Sulfate Water Che Ition Balar | emistry (s | ee atta | ached I | ist) | | ST od No.) | | Page2 of |
| | | | | | | | | | | | | | | | | Hold | | | | | | | | | (|

| Reco | eived by (| CD: PCD: PCD: PCD: PCD: PCD: PCD: PCD: P | 23/20 | Soling liebod by: | 10: Selinquished by: | :44 | AM | | | | | | | | | LAB # | | | Comments: | Receiving Laboratory: | Invoice to: | Project Location: (county, state) | Project Name: | Client Name: | Pa F | 274 of 7: 27 alysis Request | 5 |
|------|---------------|--|-------------------------|-------------------|----------------------|-----|--------------------|---|-------|-----------|-----------|-----------|-----------|-----------|-------------------|-----------------------|------------|--------------|------------------|-----------------------|----------------------|--------------------------------------|-----------------------|------------------|---|--------------------------------|---|
| | | Date: Time: | | Date: Time: | Date: Time: | | | | | SW-12 | SW-11 | SW-10 | SM-9 | SW-8 | | SAMPLE IDENTIFICATION | X | | | PBE Lab | Cimarex/Gloria Garza | Eddy County, New Mexico | White City Trunk Line | Cimarex | Tetra Tech, Inc. | 74 of 73 | |
| , | ORIGINAL COPY | Received by: | | Received hv | AWDA | | | | | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | 12/2/2020 | DATE | | YEAR: 2020 | SAMPLING | | Sampler Signature: | | Project #: | | Site Manager: | | | |
| | СОРҮ | | | | Awnal Sudsoc | | | - | | - . i | | | | | TIME WAT | | | | | ure: | | | | Ψ | | | |
| • | | Da | | | X | | | | | × | X | × | × | × | SOIL | | | MATRIX | | Devin D | | 212C-N | | Brittany Long | 900 West Wall Street, Ste 100 Midland, Texas 79701 Tel (432) 682-4559 Fax (432) 682-3946 | | |
| | | Date: Tir | 1 | | | | | | | | | | | | HCL HNC ICE | 3 | | PRESERVATIVE | | Devin Dominguez | | 212C-MD-02370.10 | | ŋġ | all Street, Ste ,Texas 79701 (2) 682-4559 (2) 682-3946 | | |
| | | Time: | <u></u> ק | Time | Time: 9:03 | | | | | | | | | | None |) | | | | 9Z | | 0.100 | - | | 100 | | |
| | | | | | | | | | | T N | 1 V | 1 | - z | | # CO | | | | | | Į | | | | | | |
| | (Oirc | | | | | | | | | × | X | × | × | | BTEX | 802 | 1B | BTE | X 8260E | 3 | <u> </u> | | <u> </u> | | | | |
| | | CT- | Sample Temperature | | LAB USE | | | | | X | X | X | × | × | | 8015 | M (G | | - DRO - (| DRO - | MRO) | | | | | | |
| | | 5 | berature | | JSE _Y | | | _ | | | | | | | | Metal | s Ag | | Ba Cd Cr | | | | | Circ | 0 | | |
| | VERED | | | | RE | ļ | | | | | | | | | TCLP | Volat | tiles | | Ba Cd Cr | Pb Se | Hg | | | ie oA, | 0603002 | | |
| | FEDEX | | | | REMARKS: | | $\left - \right $ | | | | | | <u> </u> | <u> </u> | TCLP RCI | Sem | i Vola | atiles | | | | | (| ANALYSIS REQUEST | 8 N | ł | |
| | | ecial F | Ish Ch | RUSH: | S: STA | | | | - | | | | | | GC/M | | | | / 624 270C/62 | 5 | | | | SIS F | 7 | | |
| | UPS T | Report | Rush Charges Authorized | Same Dav | s: STANDARD | | | | | | | | | | PCB's | 808 | _ | _ | | | | | | | | | |
| | Tracking | Limits | Author | | RD | | | | | | | | | | PLM | (Asbe | stos) | | | | | | | EST | | Page | |
| | !# | Special Report Limits or TRRP Report | zed | 24 hr | ÷. | | | | | × | × | × | × | × | Chlor Chlor | ide | Sulf | | TDS | | | | | ANALYSIS REQUEST | | je | |
| | | אר Hej | | 48 hr | | | | | | | | | | <u> </u> | Gene Anior | | | | mistry (s ce | ee atta | ached | list) | | ت ا | | | |
| | | port | | 72 hr | | | | | | | | | | <u> </u> | TPH | | | | | | | | | | | မ of | |
| | | | | 5 | | | | | | | | | | | | | | | | | | | | | | [| |
| | Ĺ | L | | _ | | | | | | | | | | | Hold | | | | | | | | | ا ۲۲ | Page | ω 1 - 5 4 1 | I |

Page 41 of 4⁻

CONDITIONS

Action 18578

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS OF APPROVAL

| Operator: CIMAREX ENERGY CO. 600 N. Marienfeld Street Suite 600 Midland, TX79701 | OGRID: 215099 | Action Number: 18578 | Action Type: C-141 |
|--|---------------|-------------------------|-----------------------|
| OCD Reviewer | Condition | | |
| ceads | None | | |