

Jason Michelson Project Manager Chevron Environmental Management Company 1500 Louisiana Street, #38116 Houston, Texas 77002 Work: 832-854-5601 Cell: 281-660-8564 jmichelson@chevron.com

November 15, 2019

New Mexico Oil Conservation Division, District 1 1625 N. French Drive Hobbs, NM 88240

Re: Central Vacuum Unit #96 Site Closure Report Case No. 1RP-3247 & 1RP-2763 Lea County, New Mexico

Dear whom it concerns,

Please find enclosed for your files, a copy of the following report:

• Central Vacuum Unit #96 - Site Closure Report

The submittal was prepared by Arcadis U.S., Inc. (Arcadis) on behalf of Chevron Environmental Management Company (CEMC).

Please do not hesitate to call Scott Foord with Arcadis at 713-953-4853 or myself at 832-854-5601, should you have any questions.

Sincerely,

ere Mill Jason Michelson

Encl. Central Vacuum Unit #96 - Site Closure Report

C.C. Amy Barnhill, Chevron/MCBU

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505 Release Notification and Corrective Action OPERATOR Initial Report Final Rep Name of Company: CHEVRON U.S.A. Inc. Contact: Luke Welch Address: 56 Texas Camp Road, Lovington, NM 88260 Telephone No.: Office: (713) 372-0292 Mobile: (832) 627-9171 Facility Yame: Vacuum Central Vacuum Unit #96 Facility Type: Production Well Surface Owner: State of New Mexico Mexico API No. 3002534944 LOCATION OF RELEASE Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County A 6 18.0S 35.0E 649 N 980 E Lea NATURE OF RELEASE Type of Release: Produced Water & Oil Spill to land Volume of Release 21.27 bbls of Oil & 7.86 bbls of Produced Water Volume Recovered: 20bbls mostly oil Oil & 7.86 bbls of Produced Water Date and Hour of Discovery: 11/5/11.1:30 AM II/5/11.8:30 AM WATURE OF RELEASE Date and Hour of Discovery: 11/5/11.1:30 AM Volume Recovered: 20bbls mostly oil Oil &
OPERATOR Initial Report ∑ Final Report Name of Company: CHEVRON U.S.A. Inc. Contact: Luke Welch Address: 56 Texas Camp Road, Lovington, NM 88260 Telephone No.: Office: (713) 372-0292 Mobile: (832) 627-9171 Facility Name: Vacuum Central Vacuum Unit #96 Facility Type: Production Well Surface Owner: State of New Mexico Mineral Owner: State of New Mexico API No. 3002534944 LOCATION OF RELEASE Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County A 6 18.0S 35.0E 649 N 980 E Lea NATURE OF RELEASE Type of Release: Produced Water & Oil Spill to land Volume of Release 21.27 bbls of Oil & 7.86 bbls of Produced Water Volume Recovered: 20bbls mostly oil Oil & 7.86 bbls of Produced Water Source of Release: Produced Water & Oil Spill to land Volume of Occurrence: Date and Hour of Discovery: 11/5/11 8:30 AM Was Immediate Notice Given? If YES, To Whom? If YES, Volume Impacting the Watercourse. If YES, Volume Impacting the Watercourse. If YES, Volume Impacting the Watercourse. By Whom? David Pagano Date and Hour:
Name of Company: CHEVRON U.S.A. Inc. Contact: Luke Welch Address: 56 Texas Camp Road, Lovington, NM 88260 Telephone No.: Office: (713) 372-0292 Mobile: (832) 627-9171 Facility Name: Vacuum Central Vacuum Unit #96 Facility Type: Production Well Facility Type: Production Well Surface Owner: State of New Mexico Mineral Owner: State of New Mexico API No. 3002534944 LOCATION OF RELEASE Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County A 6 18.08 35.0E 649 N 980 E Lea Latitude 32.78246392° Longitude -103.497213° NATURE OF RELEASE Type of Release: Produced Water & Oil Spill to land Volume of Release 21.27 bbls of Oil & 7.86 bbls of Produced Water Volume Recovered: 20bbls mostly oil Oil & 7.86 bbls of Produced Water Source of Release: Pressure Relief Valve blew out gage Date and Hour of Occurrence: Date and Hour of Discovery: 11/5/11 8:30 AM 11/5/11 8:30 AM Was Immediate Notice Given? Yes No Not Required Matercourse By Whom? David Pagano Date and Hour: If YES, Volume Impacting the Watercourse.
Facility Name: Vacuum Central Vacuum Unit #96 Facility Type: Production Well Surface Owner: State of New Mexico Mineral Owner: State of New Mexico API No. 3002534944 Surface Owner: State of New Mexico Mineral Owner: State of New Mexico API No. 3002534944 Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County A 6 18.0S 35.0E 649 N 980 E Lea Latitude 32.78246392° Longitude -103.497213° NATURE OF RELEASE Type of Release: Produced Water & Oil Spill to land Volume of Release 21.27 bbls of Oil & 7.86 bbls of Produced Water Volume Recovered: 20bbls mostly oil Oil & 7.86 bbls of Produced Water Source of Release: Pressure Relief Valve blew out gage Date and Hour of Occurrence: 11/5/11 1:30 AM Date and Hour of Discovery: 11/5/11 8:30 AM Was Immediate Notice Given? Yes No Not Required Date and Hour: Unit Yes, Volume Impacting the Watercourse. If YES, Volume Impacting the Watercourse. If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* Unit Yes, Volume Imp
Surface Owner: State of New Mexico Mineral Owner: State of New Mexico API No. 3002534944 LOCATION OF RELEASE Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County A 6 18.0S 35.0E 649 N 980 E Lea Latitude 32.78246392° Longitude -103.497213° NATURE OF RELEASE Type of Release: Produced Water & Oil Spill to land Volume of Release 21.27 bbls of Oil & 7.86 bbls of Produced Water Volume Recovered: 20bbls mostly oil Oil & 7.86 bbls of Produced Water Source of Release: Pressure Relief Valve blew out gage Date and Hour of Occurrence: 11/5/11 8:30 AM Date and Hour of Discovery: 11/5/11 8:30 AM Was Immediate Notice Given? Yes No Not Required If YES, To Whom? If YES, Volume Impacting the Watercourse. Was a Watercourse was Impacted, Describe Fully.* N/A Date and Remedial Action Taken.* If a Watercourse of Problem and Remedial Action Taken.*
LOCATION OF RELEASE Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County A 6 18.0S 35.0E 649 N 980 E Lea Latitude 32.78246392° Longitude -103.497213° NATURE OF RELEASE Type of Release: Produced Water & Oil Spill to land Volume of Release 21.27 bbls of Oil & 7.86 bbls of Produced Water Volume Recovered: 20bbls mostly oil Source of Release: Pressure Relief Valve blew out gage Date and Hour of Occurrence: Date and Hour of Discovery: 11/5/11 1:30 AM Date and Hour of Discovery: 11/5/11 8:30 AM Was Immediate Notice Given? If YES, To Whom? If YES, Volume Impacting the Watercourse. If YES, Volume Impacting the Watercourse. If a Watercourse was Impacted, Describe Fully.* N/A N/A If a Watercourse of Problem and Remedial Action Taken.*
Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County A 6 18.0S 35.0E 649 N 980 E Lea Latitude 32.78246392° Longitude -103.497213° NATURE OF RELEASE Type of Release: Produced Water & Oil Spill to land Volume of Release 21.27 bbls of Oil & 7.86 bbls of Produced Water Volume Recovered: 20bbls mostly oil Source of Release: Pressure Relief Valve blew out gage Date and Hour of Occurrence: 11/5/11 1:30 AM Date and Hour of Discovery: 11/5/11 8:30 AM Was Immediate Notice Given? Yes No Not Required Date and Hour: Was a Watercourse Reached? Yes No Date and Hour: If YES, Volume Impacting the Watercourse. If a Watercourse was Impacted, Describe Fully.* N/A Jescribe Cause of Problem and Remedial Action Taken.* Source of Problem and Remedial Action Taken.*
Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County A 6 18.0S 35.0E 649 N 980 E Lea Latitude 32.78246392° Longitude -103.497213° NATURE OF RELEASE Type of Release: Produced Water & Oil Spill to land Volume of Release 21.27 bbls of Oil & 7.86 bbls of Produced Water Volume Recovered: 20bbls mostly oil Source of Release: Pressure Relief Valve blew out gage Date and Hour of Occurrence: 11/5/11 1:30 AM Date and Hour of Discovery: 11/5/11 8:30 AM Was Immediate Notice Given? Yes No Not Required Date and Hour: Was a Watercourse Reached? Yes No Date and Hour: If YES, Volume Impacting the Watercourse. If a Watercourse was Impacted, Describe Fully.* N/A Jescribe Cause of Problem and Remedial Action Taken.* Source of Problem and Remedial Action Taken.*
Latitude 32.78246392° Longitude -103.497213° NATURE OF RELEASE Type of Release: Produced Water & Oil Spill to land Volume of Release 21.27 bbls of Oil & 7.86 bbls of Produced Water Volume Recovered: 20bbls mostly oil Source of Release: Pressure Relief Valve blew out gage Date and Hour of Occurrence: Int/5/11 1:30 AM Date and Hour of Discovery: Int/5/11 8:30 AM Was Immediate Notice Given? If YES, To Whom? If YES, To Whom? Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* Example Action Taken.*
Latitude 32.78246392° Longitude -103.497213° NATURE OF RELEASE Type of Release: Produced Water & Oil Spill to land Volume of Release 21.27 bbls of Oil & 7.86 bbls of Produced Water Volume Recovered: 20bbls mostly oil Source of Release: Pressure Relief Valve blew out gage Date and Hour of Occurrence: Int/5/11 1:30 AM Date and Hour of Discovery: Int/5/11 8:30 AM Was Immediate Notice Given? If YES, To Whom? If YES, To Whom? Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* Example Action Taken.*
NATURE OF RELEASE Type of Release: Produced Water & Oil Spill to land Volume of Release 21.27 bbls of Oil & 7.86 bbls of Produced Water Volume Recovered: 20bbls mostly oil Source of Release: Pressure Relief Valve blew out gage Date and Hour of Occurrence: 11/5/11 1:30 AM Date and Hour of Discovery: 11/5/11 8:30 AM Was Immediate Notice Given? Yes No Not Required By Whom? David Pagano Date and Hour: If YES, To Whom? Was a Watercourse Reached? If Yes No If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* Source of Release 21.27 bbls of Produced Water
Type of Release: Produced Water & Oil Spill to land Volume of Release 21.27 bbls of Oil & 7.86 bbls of Produced Water Volume Recovered: 20bbls mostly oil Source of Release: Pressure Relief Valve blew out gage Date and Hour of Occurrence: 11/5/11 1:30 AM Date and Hour of Discovery: 11/5/11 8:30 AM Was Immediate Notice Given? Yes No Not Required By Whom? David Pagano Date and Hour: If YES, To Whom? Was a Watercourse Reached? Yes No If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* Volume Impacting the Watercourse
Oil & 7.86 bbls of Produced Water Source of Release: Pressure Relief Valve blew out gage Date and Hour of Occurrence: 11/5/11 1:30 AM Date and Hour of Discovery: 11/5/11 8:30 AM Was Immediate Notice Given? If YES, To Whom? If YES, To Whom? By Whom? David Pagano Date and Hour: Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.*
11/5/11 1:30 AM Was Immediate Notice Given? If YES, To Whom? If YES, To Whom? If YES, To Whom? By Whom? David Pagano Date and Hour: Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* If a Watercourse was Impacted, Describe Fully.*
Yes No Not Required By Whom? David Pagano Date and Hour: Was a Watercourse Reached? Yes Yes Yes No If YES, Volume Impacting the Watercourse. If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.*
Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* If YES, Volume Impacting the Watercourse.
Yes No If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.*
N/A Describe Cause of Problem and Remedial Action Taken.*
Describe Cause of Problem and Remedial Action Taken.*
In the early morning of 11/5/11, stuffing boy blew out due to back pressure value being plugged with stuffing boy rubbars. Spill was measured with MCA
Calc Spreadsheet. At 8:15 a.m., well was shut in and cleanup efforts commenced. Calculated spill volumes were 21.27bbls oil and 7.86bbls water. Cleanup efforts initiated and 20bbls fluid mostly oil recovered. Describe Area Affected and Cleanup Action Taken.*
Shut in well to repair back pressure valve and gauge. Spill contained, liquid was vacuumed, excavated down to 2 ft bgs, and impacted soil was disposed.
Five discrete soil confirmation samples were collected from the base of the excavation. These sampling results indicated the presence of chloride concentrations in shallow soils at levels of regulatory concern.
In response to the sampling results, an additional site assessment was conducted to confirm the extent of soil impacts. Results of the additional assessment are provided in the attached report.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Signature: Lube Lube Lube

Signature: Velet Printed Name: Luke Welch	Approved by Environmental Specialist: Brack	ford Billings
Title: Project Manager	Approval Date: 07/20/2021 Expiration	0
E-mail Address: LWelch@chevron.com Date: 11 -19 - 14 Phone: (713) 372-0292	Conditions of Approval:	Attached

* Attach Additional Sheets If Necessary

Released to Imaging: 7/20/2021 11:28:43 AM

For closure of nGRL1132155015

Report in nTO1423031518



Mr. Luke Welch Project Manager Chevron Environmental Management Company 1400 Smith Street, Room 07069B Houston, Texas 77002

Subject:

Site Assessment Report Central Vacuum Unit #96 Lea County, New Mexico

Dear Mr. Welch:

On behalf of Chevron Environmental Management Company (CEMC), ARCADIS U.S., Inc. (ARCADIS) prepared this Site Assessment Report (report) to document cleanup actions and soil sampling activities performed at Central Vacuum Unit (CVU) #96 located in Lea County, New Mexico (site; Figure 1). These activities were conducted in response to a release of approximately 29.13 barrels (bbls) of produced water and oil that occurred at the site on November 5, 2011.

To evaluate the potential for this release to impact groundwater, ARCADIS developed a Site Conceptual Model (SCM; Attachment 1). Based on the SCM, potential impacts to groundwater are not considered possible due to the following:

- The small volume of material released (29.13 bbls).
- Response activities included removal of liquids and impacted soil.
- Local conditions include low rainfall and high evapotranspiration which minimize potential infiltration.
- The presence of a caliche layer impedes the vertical migration of liquids; and
- Groundwater is encountered at significant depth (93 feet below ground surface [bgs]).
- Geochemical modeling using United States Environmental Protection Agency (USEPA) Multimedia Exposure Assessment Model (MULTIMED) Version 2.0

ARCADIS U.S., Inc. 2929 Briarpark Drive Suite 300 Houston Texas 77042 Tel 713 953 4800 Fax 713 977 4620 www.arcadis-us.com

ENVIRONMENT

Date: December 2, 2014

Contact: Jonathan Olsen

Phone: 713.953.4874

Email: Jonathan.Olsen@ arcadis-us.com

Our ref: B0048610.0000

Imagine the result



(USEPA 1996) indicates that a significantly larger release would be necessary to cause an exceedance of regulatory criteria in groundwater.

This report describes spill response activities for the November 5, 2011 release and follow-up soil assessment activities conducted on May 8, 2013.

Background Information

This section summarizes the site location and description, as well as the regional setting including geology, hydrogeology, nearby drinking water wells, surface water, and climate.

Site Location and Description

The site is located within the Chevron-operated Vacuum Unit, approximately 14 miles southwest of Lovington, New Mexico. New Mexico Highway 238 is located approximately 0.4 mile southwest of the site.

The site is located in the western edge of the Permian Basin, a 75,000-square-mile area in west Texas and New Mexico that is populated by numerous oil and gas production wells. In New Mexico, the Permian Basin extends to Roosevelt County to the north and Chaves County to the west. Lovington (the closest town) is approximately 14 miles northeast of the site and the closest agricultural area is 7 miles northeast of the site.

The site is located directly northwest of the CVU #96 wellhead. The release described below occurred primarily on the well pad and northwest of the well pad. A photolog of the site is included as Attachment 2.

Nearby Water Wells and Surface Water

Based on review of satellite imagery, no surface-water bodies have been identified within 5 miles of the site (GoogleEarth 2014). In May 2013, ARCADIS field verified that there are no surface-water bodies located within 1,000 feet of the site.

In September 2014, ARCADIS reviewed information obtained from the New Mexico Office of the State Engineer (NMOSE) online database (NMOSE 2011), which indicates that no water-supply wells are located within 1,000 feet of the site. The NMOSE online database identified 323 water-supply wells within a 5-mile radius of the site (NMOSE 2011). A petroleum-industry-related water supply well, located



approximately 1,500 feet southeast (i.e., hydraulically downgradient) of the site, was identified as the closest designated-use well to the site.

Climate

Monthly average temperatures near the site vary from a minimum of 27.9 degrees Fahrenheit (°F) in January to a maximum of 93.9°F in July (Western Regional Climate Center [WRCC] Hobs, New Mexico (294026) weather station). Total average precipitation recorded for the area of the site from the available WRCC period of record between 1912 and 2013 was approximately 15.75 inches per year (WRCC 2014a).

Due to the arid climate, the site experiences low precipitation and high evapotranspiration rates. The total average evapotranspiration from the available WRCC period of record between 1914 and 2005 was approximately 87.68 inches per year (WRCC 2014b).

Regional Geology and Hydrogeology

The site elevation is approximately 3,980 feet above mean sea level. The site is located in the Querecho Plains immediately west of the Mescalero Ridge, which demarcates the western boundary of the (Miocene to Pliocene) High Plains Ogallala Formation (Reeves 1972). A rapid drop in elevation of 200 to 250 feet occurs west of the northwest-trending Mescalero Ridge. The Ogallala Formation east of the ridge is predominantly composed of unconsolidated alluvial fan deposits of sand and gravel near the base, overlain by interbedded sand and clay in the upper portion (Seni 1980). Repeated depositional events on the High Plains surface beginning approximately 7 million years ago, followed by aerial exposure, generated a thick sequence of caliche horizons that are competent enough to act as a cliff for the expression of Mescalero Ridge. These hard caliche deposits form the upper portion of the stratigraphic sequence. In the site area, the Ogallala Formation is underlain by red beds of the Upper Triassic-age Dockum Group. The nearest area where the Ogallala is underlain by the Cretaceous-age Trinity Group is approximately 45 miles to the northwest (Fallin 1988).

The Querecho Plain is 80 percent covered by a moderately stable dune field (Reeves 1972) that is deposited on top of Triassic Dockum red beds. The red bed surface, which is 400,000 to 500,000 years old, is relatively flat with minor erosional incisions and a 3- to 13-foot-thick near-surface caliche layer (Bachman 1980). Deposition of sand and formation of the dune field began 60,000 years ago, with additional development beginning 9,000 years ago (Hall 2002). The surface and interior of



these dunes do not contain caliche; however, a 1-foot layer of caliche is common at the bottom of the dunes at the contact with the red bed surface. Groundwater in the area is in the Dockum Group at a depth of approximately 100 feet (Summers 1972). Compared to the Ogallala Formation to the west of the site, the Dockum Group groundwater is not a major resource in the area, with poor potential water production rates and elevated natural dissolved solids.

Water-supply wells located on the southern High Plains east of Mescalero Ridge in central Lea County and near the site, as discussed in the Nearby Water Wells and Surface Water section of this report, are completed in the High Plains Aquifer (HPA). The HPA consists primarily of the Ogallala Formation, and in localized areas, alluvial sediment of Quaternary age. Near the site, the HPA is present directly above the Triassic-age Dockum Group, which occurs at a depth of approximately 140 feet bgs (Ash 1963, Fahlquist 2003, Nativ 1988, Nicholson and Clebsch 1961, Tillery 2008). The regional groundwater flow direction is to the east-southeast (Tillery 2008).

Groundwater near the site is encountered at a depth of approximately 93 feet bgs (NMOSE 2014; Attachment 3).

Initial Release Response Activities

A release of approximately 7.86 bbls of produced water and 21.27 bbls of oil occurred at the site on November 5, 2011, due to the failure of a stuffing box. Chevron personnel from the Mid-Continent Business Unit (MCBU) stopped the release and recovered approximately 20 bbls of fluids (primarily oil) using a vacuum truck. On November 17, 2011, Chevron MCBU personnel excavated visually impacted soil in the area to a depth of approximately 2 feet bgs and collected five discrete confirmation soil samples from the base of the excavation. Information regarding the disposal of the excavated soil was not available to ARCADIS.

Pursuant to New Mexico Oil Conservation Division (NMOCD) requirements (NMOCD 1993), David Pagano (Chevron MCBU) submitted a Notification of Release and Correction (Form C-141) to the NMOCD, detailing the location, volume of release, and initial and planned cleanup efforts taken. The original and updated C-141 forms are included as Attachment 4.

Confirmation Soil Sampling

Five discrete confirmation soil samples were collected from the base of the excavation on November 17, 2011. As reported in the laboratory analytical report (Attachment 5), soil sample containers were transported on ice, under chain of



custody procedures, to Cardinal Laboratories Environmental Analytical Services for the following analyses:

- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) by USEPA Method 8021B
- Total petroleum hydrocarbons as gasoline range organics (TPH-GRO) and total petroleum hydrocarbons as diesel range organics (TPH-DRO) by USEPA Method 8015M
- Chloride by USEPA Method SM4500CI-B

Confirmation soil sample results are presented in Table 1. The complete laboratory analytical results with chain of custody documentation are included in Attachment 5.

Data Evaluation Approach

Chevron MCBU personnel compared data from the five confirmation soil samples collected in November 2011 to regulatory criteria to provide context for the concentrations of analytes detected and to evaluate if additional sampling was necessary. The regulatory criteria selected are based on potential receptors near the site and consist of the following:

 NMOCD risk-based soil remediation action levels (SRALs) for benzene, total BTEX, and total petroleum hydrocarbons (TPH) for leaks, spills, and releases (NMOCD 1993). SRALs were calculated using the NMOCD criteria presented in the tables below.

Criteria	Site-Specific Result	Ranking Score
Depth to groundwater	50 to 99 feet	10
Wellhead protection area	No	0
Distance to surface-water body	>1,000 feet	0
Tota	10	

SRALs	Benzene	Total BTEX	TPH
	(mg/kg)	(mg/kg)	(mg/kg)
	10	50	1,000

Note:

mg/kg = milligrams per kilogram



 New Mexico Administrative Code (NMAC) closure criteria for soil beneath belowgrade tanks, drying pads associated with closed-loop systems, and pits where contents have been removed (NMAC 2009).

Criteria	Site-Specific Result	Chloride (mg/kg)
Depth below bottom of pit to groundwater	50 to 100 feet	500

Confirmation Soil Sample Results

The analytical results for BTEX, TPH-GRO, TPH-DRO, and chloride for the five discrete confirmation soil samples collected in November 2011 are provided in Table 1 and summarized below:

- Of the five confirmation soil samples collected, BTEX results were below laboratory reporting limits (LRLs) with one exception: total xylenes was detected above the LRL in the soil sample collected from CVU #96 SP#1 (0.187 mg/kg). Benzene and total BTEX were not detected above the SRALs of 10 and 50 mg/kg, respectively.
- TPH-GRO was not detected above LRLs. TPH-DRO was detected in all five confirmation samples at concentrations ranging from 12.2 mg/kg (CVU #96 SP#2) to 237 mg/kg (CVU #96 SP#3).
- TPH (TPH-DRO and TPH-GRO) was detected in all five confirmation samples at concentrations ranging from 12.2 mg/kg (CVU #96 SP#2) to 237 mg/kg (CVU #96 SP#3). TPH was not detected above the SRAL of 1,000 mg/kg in the five confirmation soil samples that were collected.
- Chloride was detected in all five confirmation samples collected, at concentrations ranging from 1,150 mg/kg (CVU #96 SP#5) to 6,880 mg/kg (CVU #96 SP#3).
 Chloride was detected above the NMAC closure criterion of 500 mg/kg in all five confirmation soil samples.

The complete laboratory analytical results with chain of custody documentation are included in Attachment 5. Chloride concentrations in all five confirmation soil samples were above the regulatory criteria, which prompted additional site assessment activities.

ARCADIS

Mr. Luke Welch December 2, 2014

Site Assessment Activities

In May 2013, ARCADIS conducted site assessment activities to characterize the lateral and vertical extent of potential impacts at the site. Soil boring locations were selected based on the results of confirmation soil sampling completed at the site in November 2011, locations of pipelines and other equipment at the site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. The site assessment activities and results are discussed below.

Pre-Field Activities

Prior to initiating field activities, ARCADIS updated the site-specific Health and Safety Plan in accordance with state and federal requirements. Prior to initiating drilling activities, underground utilities and other potential subsurface obstructions near the proposed boring locations were located and marked. A New Mexico One Call ticket was issued for the site, and a private third-party utility locator cleared all proposed boring locations for potential on- and off-site utilities that were not otherwise identified. Finally, ARCADIS staff conducted a visual inspection of the site to identify potential utility lines. Boring locations were flagged during the utility locate and coordinates were recorded using a Trimble[®] global positioning unit with differential capability.

Soil Sampling

To evaluate the potential extent of impacts to soil at the site, ARCADIS advanced six soil borings (CVU96-01, CVU96-02, CVU96-03, CVU96-04, CVU96-06, and CVU295-07) on May 8, 2013. Soil sampling locations are shown on Figure 2.

Prior to conducting drilling activities, each boring location was cleared for subsurface utilities with an air knife. The air knife could not be advanced more than 2 to 3 inches bgs due to the presence of a thick caliche layer. Each soil boring was then advanced to a total depth of approximately 25 feet bgs using air rotary drilling equipment.

Soil was continuously logged for stratigraphic characteristics. The soil samples were field screened for the presence of volatile organic compounds using a photo ionization detector (PID), in combination with visual and olfactory screening methods, for evidence of petroleum hydrocarbons. The PID used during this investigation was calibrated daily with fresh air and isobutylene gas. Field personnel recorded PID readings, soil types, and other pertinent geologic data on the boring logs (Attachment 6). No staining or elevated PID readings were observed.



Lithologic data indicate that the subsurface material primarily consists of caliche (soil carbonate) profiles including "caprock," nodular, and sandy caliche layers from approximately 0 to 25 feet bgs (Attachment 6).

Soil Assessment Sampling

Six soil samples were collected from each boring location beginning at a depth of 2 feet bgs (the approximate depth of the soil excavation in the initial release response activities) and continuing at 5-foot intervals from 5 to 25 feet bgs. A total of 36 samples were collected from the site and submitted to the lab for analysis.

The soil samples were retained in clean, laboratory-supplied glass jars, labeled, placed in an ice-chilled cooler, and submitted under appropriate chain of custody protocols to TestAmerica Laboratories.

Soil Assessment Sample Analysis

Soil samples collected from each boring were analyzed for chloride by USEPA Method 9056.

Boring Abandonment

Following sampling, the boreholes were filled with soil cuttings from the total depth to ground surface. The ground surface was restored to match the surrounding conditions.

Soil Assessment Comparison Criteria

ARCADIS evaluated soil assessment analytical results for benzene, total BTEX, and TPH by comparing the data with the NMOCD SRALs (NMOCD 1993), as presented in the Data Evaluation Approach section of this report.

As additional evidence in support of site closure, ARCADIS developed a site-specific soil screening level (SSL) for chloride by simulating unsaturated zone flow, transport, and saturated zone mixing of chloride using the MULTIMED model Version 2.0 (USEPA 1996). The NMAC chloride standard for domestic water supply of 250 milligrams per liter (NMAC 2001) was used to estimate a maximum allowable concentration of chloride in soil that would not leach to groundwater at concentrations above the standard. The NMAC chloride standard is consistent with the National Secondary Drinking Water Standard for chloride, addressing taste and odor concerns (USEPA 2010).



Conservative site-specific input parameters were used in the MULTIMED (USEPA 1996) simulations compared to actual site and release conditions. Specifically:

- Modeled source lengths and areas modeled are generally significantly larger than the actual chloride-impacted soil areas.
- Chloride-impacted soil was modeled as having a uniform chloride concentration for the entire volume (i.e., area x depth) of specified soil.
- A reduction in chloride concentrations in subsurface soil due to soil chemical transformation or adsorption mechanisms was not included in the model calculations.

Based on the depth to groundwater and the aerial and vertical extents of each of the MULTIMED (USEPA 1996) simulations, with these conservative site-specific input parameters, modeled peak chloride concentrations will reach groundwater in approximately 540 to 860 years.

The Chloride MULTIMED Simulated Soil Screening Levels for the Protection of Groundwater memo is included as Attachment 7. The site-specific SSL was calculated using the input parameters presented in the table below.

Site-Specific Input Parameters						
Source length (m)	45					
Source area (m ²)	2,000					
Source depth (m)	0 to 1					
Depth to groundwater (m)	20					
Chloride SSL (mg/kg)	38,800 ¹					

¹ A chloride SSL of 38,800 mg/kg was calculated using MUTLTIMED (USEPA 1996) m = meter

m² = square meter



Soil Assessment Sample Results

The analytical results for chloride for the 36 soil assessment samples are provided in Table 1 and summarized below. Laboratory analytical results with chain of custody documentation are provided in Attachment 5.

Chloride was detected in 26 soil assessment samples at concentrations ranging from 32 mg/kg (CVU96-02 at 2 feet bgs) to 720 mg/kg (CVU096-01 at 25 feet bgs). Chloride concentrations were not detected above the site-specific SSL of 38,800 mg/kg.

Summary and Conclusions

A release of produced water and oil occurred at the site on November 5, 2011 due to the failure of a stuffing box. Chevron MCBU personnel stopped the release and recovered approximately 20 bbls of fluids (primarily oil) using a vacuum truck. Impacted soil was excavated to a depth of approximately 2 feet bgs and five discrete confirmation soil samples were collected from the base of the excavation in November 2011. All five confirmation soil samples had chloride concentrations above regulatory criteria, which prompted an additional investigation. In May 2013, additional soil samples were collected to assess soil impacts within the observed aerial extent of the release. None of the soil samples collected during the 2013 assessment exceeded the NMOCD SRALs. In addition, chloride concentrations were measured below the site-specific SSL which was calculated using the MULTIMED model (USEPA 1996).

Although not all chloride concentrations were reported below the NMAC closure criterion of 500 mg/kg (Table 1; NMAC 2009), all chloride concentrations in samples collected during the 2013 assessment were below 1,000 mg/kg and the site-specific SSL (Attachment 6). Chloride impacts in shallow soil potentially associated with the release were delineated.

Potential migration of remaining petroleum hydrocarbons or chloride to groundwater is not expected due to the small size of the release, low precipitation (WRCC 2014a), and high evapotranspiration rates (WRCC 2014b), and the fine-grained nature of caliche layers present beneath the site. MULTIMED model results demonstrate that the remaining soil concentrations associated with the release do not pose a significant risk to groundwater resources or other receptors.

Soil data presented in this report support a conclusion that impacted soil associated with the November 5, 2011 release at the site poses no significant threat to



groundwater resources or other receptors. ARCADIS recommends that CEMC submit a request to the NMOCD that no further investigations or additional cleanup actions need to be performed at the site and that the NMOCD grant No Further Action status to the site.

If you have any questions or comments regarding the information presented in this report, please contact Jonathan Olsen at 713.953.4874 or Jonathan.Olsen@arcadis-us.com, or Kathleen Abbott at 925.296.7827 or Kathleen.Abbott@arcadis-us.com.

Sincerely,

ARCADIS U.S., Inc.

buthen Olsen

Jonathan Olsen Certified Project Manager

Amaldo

Kathleen M. Abbott, PG Program Manager

Enclosures: Table 1 Soil Sampling Analytical Results

Figure 1Site Location Map – CVU #96Figure 2Release and Soil Boring Locations – CVU #96

Attachments:

- Attachment 1 Site Conceptual Model
- Attachment 2 Photolog
- Attachment 3 New Mexico Office of the State Engineer Depth to Water
- Attachment 4 Release Notification and Corrective Action (C-141 Form)
- Attachment 5 Laboratory Analytical Reports
- Attachment 6 Boring Logs (May 2013)
- Attachment 7 Chloride Multimedia Exposure Assessment Model Simulated Soil Screening Levels for the Protection of Groundwater Memo

References:

Ash, S.R. 1963. Ground-water conditions in northern Lea County, New Mexico. New Mexico Bureau of Mines and Mineral Resources, Atlas HA-62.

CVU 96_ Site Assessment Report_FINAL_12022014

ARCADIS

Mr. Luke Welch December 2, 2014

- Bachman, George O. 1980. Regional Geology and Cenozoic History of Pecos Region, Southeastern New Mexico, US Dept. of Interior Geological Survey, Open File Report 80-1099, 120 pp.
- Fahlquist, L. 2003. Ground-water quality of the southern High Plains Aquifer, Texas and New Mexico, 2001. U. S. Geological Survey Open-File Report 03-345, 69 p.
- Fallin, J.A. Tony. 1988. Hydrogeology of Lower Cretaceous Strata Under the Southern High Plains of New Mexico, New Mexico Geology, Vol. 10, No. 1, pp. 6-9, February 1988.
- Google Earth. 2014. Lovington, New Mexico, 32_46_57.76N, 103_29_26.55W, elev 3913 feet, Google Earth Imagery. February 13.
- Hall, Stephen A. 2002. Field Guide to the Geoarcaeology of the Mescalero Sands, Southeastern New Mexico, Report Submitted to the State of New Mexico Historic Preservation Division and New Mexico Bureau of Land Management, Project No. 35-00-15334.11,, October 2002.
- Nativ, R. 1988. Hydrogeology and hydrochemistry of the Ogallala aquifer, Southern High Plains, Texas Panhandle and eastern New Mexico: The University of Texas at Austin, Bureau of Economic Geology Report of Investigations no. 177, 64 p.
- New Mexico Administrative Code. 2001. Title 20, Chapter 6 of the New Mexico Administrative Code for Environmental Protection, Water Quality, Ground and Surface Water Protection, 20.6.2.3103 NMAC. January.
- New Mexico Administrative Code. 2009. Title 19, Chapter 15 of the New Mexico Administrative Code concerning pits, closed-loop systems, below grade tanks and sumps, and other alternative methods, 19.15.17 NMAC. July.
- New Mexico Office of the State Engineer. 2011. Water Information, Maps and Data, Geospatial Data, OSE Well Data, <u>http://www.ose.state.nm.us/water_info_data.html</u>, July.
- New Mexico Office of the State Engineer. 2014. New Mexico Water Rights Reporting System, <u>http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html</u>, May.
- New Mexico Oil Conservation Division. 1993. Guidelines for Remediation of Leaks, Spills and Releases. August 13.



- Nicholson, A., Jr., and A. Clebsch, Jr. 1961. Geology and Ground-Water Conditions in Southern Lea County, New Mexico. ERMS 241583. Ground-Water Report 6. Socorro, NM: New Mexico Bureau of Mines and Mineral Resources.
- Reeves, C.C. Jr. 1972. Tertiary-Quaternary stratigraphy and geomorphology of West Texas and southeastern New Mexico: New Mexico Geological Society, Guidebook 23, p. 108-117.
- Seni, S.J. 1980. Sand-body geometry and depositional systems, Ogallala Formation, Texas. University of Texas, Bureau of Economic Geology, Report of Investigations No.105, 40 p.
- Summers, W.K. 1972. Geology and Regional Hydrology of the Pecos River Basin, New Mexico, New Mexico Bureau of Geology and Mineral Resources, Open File Report No. 37, 393 pp. June 1972.
- Tillery, A. 2008. Current (2004-07) conditions and changes in ground-water levels from predevelopment to 2007, Southern High Plains Aquifer, Southeast New Mexico-Lea County Underground Water Basin. U.S. Geological Survey, Scientific Investigations Map 3044.
- United States Environmental Protection Agency. 1996. Multimedia Exposure Assessment Model for exposure assessment, MULTIMED 2.0 Beta. October.
- United States Environmental Protection Agency. 2010. List of Contaminants and their Maximum Contaminant Levels, List of National Secondary Drinking Water Regulations. Online at: http://water.epa.gov/drink/contaminants/#List. July 1.
- Western Regional Climate Center. 2014a. Hobbs, New Mexico (294026) weather station. <u>http://www.wrcc.dri.edu/cgi-bin/cliMAIN.pl?nm4026</u>. Viewed on May 5.
- Western Regional Climate Center. 2014b. Artesia, New Mexico, monthly average pan evaporation. <u>http://www.wrcc.dri.edu/htmlfiles/westevap.final.html#NEW MEXICO</u>. Viewed on May 6.



Table

Table 1 Soil Sampling Analytical Results

Site Assessment Report Cental Vacuum Unit 96 Lea County, New Mexico

Boring Location ID	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylben zene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH-GRO (mg/kg)	TPH-DRO (mg/kg)	Chloride (mg/kg)	% Moisture
		SRALs ^(a)	10				50	1,0	000		
		NMAC Closure Criteria ^(b)								500	
	MUL	TIMED Site-Specific SSL ^(c)								38,800	
CVU #96 SP#1	11/17/2011	0	<0.050	0.085	<0.050	0.187		<10.0	14.3	2,520	
CVU #96 SP#2	11/17/2011	0	<0.050	<0.050	<0.050	<0.150		<10.0	12.2	2,440	
CVU #96 SP#3	11/17/2011	0	<0.050	0.052	<0.050	<0.150		<10.0	237	6,880	
CVU #96 SP#4	11/17/2011	0	<0.050	<0.050	<0.050	<0.150		<10.0	56.1	4,000	
CVU #96 SP#5	11/17/2011	0	<0.050	<0.050	<0.050	<0.150		<10.0	194	1,150	
	5/8/2013	2								496	
	5/8/2013	5								144	
CVU 96 - 1	5/8/2013	10								336	
	5/8/2013	15								656	
	5/8/2013	20								560	
	5/8/2013	25								720	
	5/8/2013	2								32	
	5/8/2013	5								<16	
CVU 96 - 2	5/8/2013	10								<16	
	5/8/2013	15								<16	
	5/8/2013	20								<16	
	5/8/2013	25								<16	
	5/8/2013	2								320	
	5/8/2013	5								208	
CVU 96 - 3	5/8/2013	10								144	
	5/8/2013	15								64	
	5/8/2013 5/8/2013	20 25								96 128	
	5/8/2013	25								80	
	5/8/2013	5								48	
	5/8/2013	5 10								48	
CVU 96 - 4	5/8/2013	10								48 32	
	5/8/2013	20								64	
	5/8/2013	20								64	
	5/8/2013	23								80	
	5/8/2013	5								48	
	5/8/2013	10								272	
CVU 96 - 6	5/8/2013	15								352	
	5/8/2013	20								304	
	5/8/2013	25								304	
	5/8/2013	2								320	
	5/8/2013	5								304	
	5/8/2013	10								240	
CVU 96 - 7	5/8/2013	15								128	
	5/8/2013	20								160	
	5/8/2013	25								224	

Notes:

10000.	
%	Percent
mg/kg	Miligram(s) per kilogram
<	Analyte was not detected above the specified method reporting limit
*	Information regarding the depth of these samples is not available.
	Not Analyzed/Not Listed
bgs	Below ground surface
BTEX	Benzene, toluene, ethylbenzene, and total xylenes
MULTIMED	Multimedia Exposure Assessment Model
NMAC	New Mexico Administrative Code
TPH-GRO	Total Petroleum Hydrocarbons as Gasoline Range Organics
TPH-DRO	Total Petroleum Hydrocarbons as Diesel Range Organics
SRAL	Soil remediation action level
SSL	Soil screening level


(a) SRALs, for leaks, spills, and releases, New Mexico Oil Conservation Division, August 1993


(b) Title 19, Chapter 15 of the NMAC concerning pits, closed-loop systems, below grade tanks and sumps, and other alternative methods, 19.15.17 NMAC, July 2009 (c) MULTIMED exposure assessment, 2.0 Beta, United States Environmental Protection Agency, October 1996


۰.



Figures








CITY: MANCHESTER DIV/GROUP: ENVCAD DB: B.SMALL PM: TM G\ENVCAD\Emeryville\RETURN-TO\Manchester-CT\B0048601\Final\B00486010000-B02.dwg LAYOUT: 7 SAVED: 11/15/2013 4:26 PM ACADVER: 18.1S (LMS TECH) PAGESETUP: ---- PLOTSTYLETABLE: ---- PLOTTED: 11/15/2013 4:54 PM BY: REYES, ALEC

Released to Imaging: 7/20/2021 11:28:43 AM




Attachment 1


Site Conceptual Model



The site is located in the western edge of the Permian Basin with Lovington (the closest town) located approximately 14 miles northeast of the site. Due to the arid climate, the site experiences low precipitation and high evapotranspiration rates. According to information obtained from the NMOSE online database, groundwater near the site is encountered at a depth of approximately 93 feet bgs.



A release of approximately 7.86 bbls of produced water and 21.27 bbls of oil occurred at the site on November 5, 2011 due to the failure of a stuffing box. Chevron personnel from the MidContinent Business Unit (MCBU) stopped the release and recovered an approximately 20 bbls of fluids consisting mostly of oil using a vacuum truck. Chevron MCBU personnel excavated visually impacted soil in the area to a depth of approximately 2 feet bgs and collected five discrete confirmation soil samples from the base of the excavation. Analyte concentrations in one or more confirmation soil samples were above regulatory criteria, which prompted additional site assessment activities.



In May 2013, ARCADIS conducted site assessment activities to characterize the lateral and vertical extents of soil impacts at the site. Soil boring locations were selected based on the results of confirmation soil sampling completed at the site in November 2011, locations of pipelines and other equipment at the site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. Analyte concentrations in samples collected during the 2013 assessment were reported below site-specific criteria. Site assessment activities demonstrate that remaining soil concentrations associated with the release do not pose significant risk to groundwater resources or other receptors.

VACUUM/LOVINGTON FUNCTIONAL MANAGEMENT TEAM UNITS LEA COUNTY, NEW MEXICO SITE ASSESSMENT REPORT

> Site Conceptual Model CVU #96



FIGURE

1



Attachment 2

Photolog



Central Vacuum Unit 96 Site Assessment Report Photolog Lea County, New Mexico



Photograph 1 – Central Vacuum Unit 96 release area; Facing East



Photograph 2 – Central Vacuum Unit 96 release area; Facing Southeast



Attachment 3

New Mexico Office of the State Engineer – Depth to Water



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)	(R=POD has been replaced, O=orphaned, C=the file is closed)	(3=SW 4=S gest) (SE) NAD83 UTM in me	eters)	(In feet)	
	POD		_	_	_							_		
POD Number	Sub- Code basin Co	ountv	-	Q 16		Sec	Tws	Rna	х	κ γ	Distance	-	-	Water Column
L 13041 POD1	L	LE					18S	•	641152	-	268	130		
L 13041 POD2	L	LE		2	2	06	18S	35E	641152	2 3628026 🌍	268	140		
L 13041 POD3	L	LE		2	2	06	18S	35E	641152	2 3628026 🌍	268	140		
L 13041 POD4	L	LE		2	2	06	18S	35E	641152	2 3628026 🌍	268	140		
L 07119 S	L	LE	1	2	1	06	18S	35E	64044	5 3628259* 🌍	493	233	95	138
L 05523	L	LE	3	3	2	06	18S	35E	640855	5 3627660* 🌍	528	147	85	62
L 10337	L	LE	4	1	1	06	18S	35E	640268	8 3628055* 🌍	677	190	100	90
<u>L 07119</u>	L	LE	1	1	1	06	18S	35E	640068	8 3628255* 🌍	868	233	95	138
										Avera	ge Depth to	Water:	93	feet
											Minimum	Depth:	85	feet
											Maximum	Depth:	100	feet
Record Count: 8														

UTMNAD83 Radius Search (in meters):

Easting (X): 640933.12

Northing (Y): 3628183.12

Radius: 1000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

5/30/14 11:36 AM



Attachment 4

Release Notification and Corrective Action (C-141 Form)

District 1
625 N. French Dr., Hobbs, NM 88240
District II
301 W. Grand Avenue, Artesia, NM 88210
District III
000 Rio Brazos Road, Aztec, NM 87410
District IV
220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised March 17, 1999

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification and Corrective Action

	OPERATOR X Initial Report Fi	nal Repor
Name of Company CHEVRON	Contact David Pagano	
Address 56 Texas Camp Road, Lovington NM 88260	Telephone No. Office: 575-396-4414X275 Cellular: 505-787-9	9816
Facility Name: Central Vacuum Unit 96	Facility Type: Active Oil Well	

Surface Owner:	Mineral Owner:	Lease No.

LOCATION OF RELEASE

Closest Well is CVU No. 96 (API No. 30-025-0308) Lat: 32.78246392 / Lon: -103.497213

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
								Lea
В	06	18S	35E	649	North	980	East	

NATURE OF RELEASE

Type of Release Spill to land	Volume of Release 21.27bbls oil & 7.86bbls water	Volume Re	covered 20bbls mostly oil
Source of Release Pressure Relief Valve blew out gage.	Date and Hour of Occurrence November 5th, 2011 @ 1:30		our of Discovery r 5th, 2011 @ 8:30 a.m.
	a.m.		
Was Immediate Notice Given?	If YES, To Whom?		
By Whom?	Date and Hour		
Was a Watercourse Reached? NA	If YES, Volume Impacting the Wa	tercourse.	
If a Watercourse was Impacted, Describe Fully.*	Anne an anna an		
Describe Cause of Problem and Remedial Action Taken.*			
In the early morning of 11/5/11 stuffing box blew out due to back measured with MCA Calc Spreadsheet. At 8:15a.m., well was shu 21.27bbls oil & 7.86bbls water. Cleanup efforts initiated and 20bl	it in and cleanup efforts commence	n stuffing bo ed. Calculat	x rubbers. Spill was ed spill volumes were
Describe Area Affected and Cleanup Action Taken.*			
Shut in well to repair back pressure valve and gauge. Spill contain disposed of contaminated soil. Soil samples will be taken on 11/1	ed, liquid was vacuumed up with 7/11 and results shared with OCD	Hydrovac, e	excavated down 2ft. and
I hereby certify that the information given above is true and complete to t regulations all operators are required to report and/or file certain release n public health or the environment. The acceptance of a C-141 report by th should their operations have failed to adequately investigate and remediat or the environment. In addition, NMOCD acceptance of a C-141 report d federal, state, or local laws and/or regulations.	otifications and perform corrective ac e NMOCD marked as "Final Report" e contamination that pose a threat to g oes not relieve the operator of respon	tions for relea does not relie ground water, sibility for con	uses which may endanger ve the operator of liability surface water, human health npliance with any other
Signature De sil P	OIL CONSERY	VATION I	DIVISION
Printed Name: David Pagano	Approved by District Supervisor:		
Title: Health & Environmental Specialist	Approval Date:	Expiration D	ate:
	Conditions of Approval:		Attached

* Attach Additional Sheets If Necessary

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

-

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ease Notific	atio	n and Co	orrective A	ction	1	100-10-		
						OPERA	FOR		🗌 Initia	al Report	\boxtimes	Final Report
Name of Co						Contact: Lu						
		mp Road, L					No.: Office: (713		0292 Mol	bile: (832)	627-9	171
Facility Nar	ne: Vacuu	m Central V	acuum U	<u>nit #96</u>		Facility Typ	e: Production V	Vell				
Surface Ow	ner: State	of New Mex	lico	Mineral C	wner:	State of Nev	v Mexico		API No	. 30025349	944	
					TIO	N OF REI	LEASE					
Unit Letter	Section	Township	Range	Feet from the	North	South Line	Feet from the	East/V	Vest Line	County		
A	6	18.0S	35.0E	649	N		980	E		Lea		
			Lat	itude <u>32.782463</u>	92°	Longitude <u>- 1</u>	03.497213°					
				NAT	URE	OF RELI	EASE					
Type of Relea	ase: Produc	ed Water & C	Dil Spill to			Volume of F	Release 21.27 bbls		Volume F	Recovered: 2	Obbls i	mostly oil
Source of Release: Pressure Relief Valve blew out gage						bls of Produced V		Data				
					11/5/11 1:30	ur of Occurrence	1	11/5/11 8:	Hour of Dis :30 AM	covery		
Was Immedia	te Notice C		/es 🗆 1	No 🔲 Not Requ	ired	If YES, To V	Whom?					
By Whom? I	David Paga					Date and Ho						
Was a Watero		ched?					ume Impacting th	e Water	course.			
			Yes 🛛 1	No								
If a Watercou N/A	rse was Im	pacted, Descr	ibe Fully.*	¢								
Describe Cau	se of Proble	em and Reme	dial Action	n Taken.*								
Calc Spreadsl efforts initiate	neet. At 8:1	5 a.m., well v ols fluid mostl	vas shut in y oil recov		pressu ts com	re valve being menced. Calcu	plugged with stu llated spill volum	ffing bo les were	x rubbers. 21.27bbls	Spill was mo oil and 7.86	easurec	l with MCA ater. Cleanup
Describe Area	a Affected a	and Cleanup A	Action Tak	en.*								
Shut in well to	o repair bac	ck pressure va	lve and ga	uge. Spill contain	ed, liqu	id was vacuur	ned, excavated do	own to 2	ft bgs, and	l impacted s	oil was	disposed.
Five discrete concentration	soil confirn s in shallov	nation sample v soils at level	s were col s of regula	lected from the ba atory concern.	se of th	ne excavation.	These sampling r	esults in	ndicated the	e presence o	f chlori	de
In response to are provided i			additional	site assessment v	vas con	ducted to conf	irm the extent of	soil imp	oacts. Resu	lts of the ad	ditiona	l assessment
regulations al public health should their o	l operators or the envir perations h ment. In a	are required to conment. The ave failed to a ddition, NMC	o report an acceptanc adequately OCD accep	is true and compl d/or file certain re e of a C-141 repo investigate and re tance of a C-141 r	elease n rt by th emediat	otifications ar e NMOCD ma e contamination	nd perform correct arked as "Final Re on that pose a three	tive acti eport" d eat to gr	ons for rele oes not reli ound water	eases which eve the oper , surface wa	may er ator of ter, hu	danger liability man health
							OIL CONS	SERV	ATION	DIVISIC	N	
Signature: 🥧	Lul	in h	Del	L								
Printed Name		ch				Approved by	Environmental Sp	pecialist	:			
Title: Project	Manager					Approval Dat	e:	I	Expiration I	Date:		
E-mail Addre	ss: LWelch	n@chevron.co	m			Conditions of	Approval:			Attached		



Attachment 5

Laboratory Analytical Reports



November 28, 2011

DAVID PAGANO Chevron - Lovington HCR 60 Box 423 Lovington, NM 88260

RE: SOIL SAMPLES

Enclosed are the results of analyses for samples received by the laboratory on 11/18/11 12:00.

Cardinal Laboratories is accredited through Texas NELAP for:

Method SW-846 8021	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method SW-846 8260	Benzene, Toluene, Ethyl Benzene, and Total Xylenes
Method TX 1005	Total Petroleum Hydorcarbons

Certificate number T104704398-08-TX. Accreditation applies to solid and chemical materials and non-potable water matrices.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celeg D. Keine

Celey D. Keene Lab Director/Quality Manager



		Chevron - DAVID PA	5		
		HCR 60 Bo	ox 423		
		Fax To:	None		
Received:	11/18/2011			Sampling Date:	11/17/2011
Reported:	11/28/2011			Sampling Type:	Soil
Project Name:	SOIL SAMPLES			Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN			Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN				

Sample ID: CVU #96 SP #1 (H102518-01)

BTEX 8021B	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/23/2011	ND	2.09	104	2.00	0.977	
Toluene*	0.085	0.050	11/23/2011	ND	1.98	99.2	2.00	0.795	
Ethylbenzene*	<0.050	0.050	11/23/2011	ND	2.26	113	2.00	0.221	
Total Xylenes*	0.187	0.150	11/23/2011	ND	6.51	109	6.00	0.0467	
Surrogate: 4-Bromofluorobenzene (PIL	113 9	% 64.4-13	4						
Chloride, SM4500Cl-B	mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2520	16.0	11/22/2011	ND	432	108	400	3.64	
TPH 8015M	mg/	/kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	11/20/2011	ND	217	108	200	6.01	
DRO >C10-C28	14.3	10.0	11/20/2011	ND	188	94.2	200	8.91	
Surrogate: 1-Chlorooctane	77.9	% 55.5-15	4						
Surrogate: 1-Chlorooctadecane	98.5	% 57.6-15	8						

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



		Chevron - Lovingtor	1	
		DAVID PAGANO		
		HCR 60 Box 423		
		Lovington NM, 8826	0	
		Fax To: None		
Received:	11/18/2011		Sampling Date:	11/17/2011
Reported:	11/28/2011		Sampling Type:	Soil
Project Name:	SOIL SAMPLES		Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN		Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN			
Reported: Project Name: Project Number:	11/28/2011 SOIL SAMPLES NONE GIVEN	Fax To: None	Sampling Condition:	Soil Cool & Intact

Sample ID: CVU #96 SP #2 (H102518-02)

BTEX 8021B	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/23/2011	ND	2.09	104	2.00	0.977	
Toluene*	<0.050	0.050	11/23/2011	ND	1.98	99.2	2.00	0.795	
Ethylbenzene*	<0.050	0.050	11/23/2011	ND	2.26	113	2.00	0.221	
Total Xylenes*	<0.150	0.150	11/23/2011	ND	6.51	109	6.00	0.0467	
Surrogate: 4-Bromofluorobenzene (PIL	112 9	64.4-13	4						
Chloride, SM4500Cl-B mg/kg		Analyze	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2440	16.0	11/22/2011	ND	432	108	400	3.64	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	11/20/2011	ND	217	108	200	6.01	
DRO >C10-C28	12.2	10.0	11/20/2011	ND	188	94.2	200	8.91	
Surrogate: 1-Chlorooctane	83.9	% 55.5-15	4						
Surrogate: 1-Chlorooctadecane	106 9	57.6-15	8						

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



		Chevron - L DAVID PAG HCR 60 Box	ANO		
		Lovington N	IM, 88260		
		Fax To:	None		
Received:	11/18/2011			Sampling Date:	11/17/2011
Reported:	11/28/2011			Sampling Type:	Soil
Project Name:	SOIL SAMPLES			Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN			Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN				

Sample ID: CVU #96 SP #3 (H102518-03)

BTEX 8021B	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/23/2011	ND	2.09	104	2.00	0.977	
Toluene*	0.052	0.050	11/23/2011	ND	1.98	99.2	2.00	0.795	
Ethylbenzene*	<0.050	0.050	11/23/2011	ND	2.26	113	2.00	0.221	
Total Xylenes*	<0.150	0.150	11/23/2011	ND	6.51	109	6.00	0.0467	
Surrogate: 4-Bromofluorobenzene (PIL	115 9	64.4-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyze	Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	6880	16.0	11/22/2011	ND	432	108	400	3.64	
TPH 8015M	mg/	kg	Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	11/20/2011	ND	217	108	200	6.01	
DRO >C10-C28	237	10.0	11/20/2011	ND	188	94.2	200	8.91	
Surrogate: 1-Chlorooctane	81.8	% 55.5-15	4						
Surrogate: 1-Chlorooctadecane	110 \$	57.6-15	8						

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



		Chevron -	Lovington		
		DAVID PA	GANO		
		HCR 60 Bo	ox 423		
		Lovington	NM, 88260		
		Fax To:	None		
Received:	11/18/2011			Sampling Date:	11/17/2011
Reported:	11/28/2011			Sampling Type:	Soil
Project Name:	SOIL SAMPLES			Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN			Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN				

Sample ID: CVU #96 SP #4 (H102518-04)

BTEX 8021B	mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/23/2011	ND	2.09	104	2.00	0.977	
Toluene*	<0.050	0.050	11/23/2011	ND	1.98	99.2	2.00	0.795	
Ethylbenzene*	<0.050	0.050	11/23/2011	ND	2.26	113	2.00	0.221	
Total Xylenes*	<0.150	0.150	11/23/2011	ND	6.51	109	6.00	0.0467	
Surrogate: 4-Bromofluorobenzene (PIL	112 9	64.4-13	4						
Chloride, SM4500Cl-B	mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4000	16.0	11/22/2011	ND	432	108	400	3.64	
TPH 8015M	mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	11/20/2011	ND	217	108	200	6.01	
DRO >C10-C28	56.1	10.0	11/20/2011	ND	188	94.2	200	8.91	
Surrogate: 1-Chlorooctane	77.6 % 55.5-15		4						
Surrogate: 1-Chlorooctadecane	99.7	% 57.6-15	8						

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



		Chevron - Loving	ton	
		DAVID PAGANO		
		HCR 60 Box 423		
		Lovington NM, 88	3260	
		Fax To: Non	e	
Received:	11/18/2011		Sampling Date:	11/17/2011
Reported:	11/28/2011		Sampling Type:	Soil
Project Name:	SOIL SAMPLES		Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN		Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN			
Reported: Project Name: Project Number:	11/28/2011 SOIL SAMPLES NONE GIVEN	Fax To: Non	Sampling Date: Sampling Type: Sampling Condition:	Soil Cool & Intact

Sample ID: CVU #96 SP #5 (H102518-05)

BTEX 8021B	mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/23/2011	ND	2.09	104	2.00	0.977	
Toluene*	<0.050	0.050	11/23/2011	ND	1.98	99.2	2.00	0.795	
Ethylbenzene*	<0.050	0.050	11/23/2011	ND	2.26	113	2.00	0.221	
Total Xylenes*	<0.150	0.150	11/23/2011	ND	6.51	109	6.00	0.0467	
Surrogate: 4-Bromofluorobenzene (PIL	113 9	64.4-13	4						
Chloride, SM4500Cl-B	mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1150	16.0	11/22/2011	ND	432	108	400	3.64	
TPH 8015M	mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	11/21/2011	ND	169	84.4	200	21.3	
DRO >C10-C28	194	10.0	11/21/2011	ND	163	81.4	200	9.53	
Surrogate: 1-Chlorooctane	68.4 % 55.5-15		4						
Surrogate: 1-Chlorooctadecane	77.3	% 57.6-15	8						

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below $6^{\circ}C$
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waved unless made in writing and received by claim(), without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This reproduced except in full with writen approval of Cardinal Laboratories.

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

(575) 393-2326 FAX (575) 393-2476 Company Name: BILL TO Chevron ANALYSIS REQUEST Project Manager: David Pagano P.O. #: Address: 56 Texas Camp Rd. Company: Chevron Lovington State: NM Zip: 88260 Attn: Nick Moschetti City: Phone #: 505.787.9816 Fax #: Address: 56 Texas Camp Rd City: Louington Project #: Project Owner: State: N/M Zip: 88260 Project Name: Project Location: Phone #: 575-396-4414 x201 Fax #: Sampler Name: FOR LAB USE ONLY MATRIX PRESERV. SAMPLING ż < (G)RAB OR (C)OMF # CONTAINERS GROUNDWATER les. WASTEWATER Soll OIL SLUDGE OTHER : × ACID/BASE: ICE / COOL OTHER : Lab I.D. Sample I.D. TPH St E 5 1 H102518 DATE TIME CV4 #96 SP #1 11/11/1 17:00 1 1 V V CVN #96 SP #2 1 1 2 11/17/11 17:05 N 7 1 3 CV4 #96 50 #3 V 1/17/11 17:06 V V 5 CVU #96 58 #4 1 1 0 4 11/17/11 17:10 V V 2 H 1 CV4 #96 51 #5 4 11111117.15 PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in courtact or tort, shall be invited to the amount put by the client for the analyses. All claims including those for negligence and any other cause whatseever shall be deemed waived unless made in writing and receiven by Cardinal within 30 days after completion of the applicable service. In no event shall Catchnal be liable for incidental or consequental damages, including without limitation, business interruptional loss of use, or loss of profits incurred by client, its subsidiaries affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise

Relinquished By: Date: D	Phone Result: Ves No Add'I Phone #:
	Fax Result: Dyes DNo Add'I Fax #: REMARKS: EMA: (results to dran to chevron.com
Time:	
Delivered By: (Circle One) Sample Condition CHECKED BY:	
Sampler - UPS - Bus - Other:	
† Cardinal cannot accept verbal changes. Please fax written changes to 505-893-2476	Page

Page 8 of 8



June 14, 2013

JONATHAN OLSEN ARCADIS U.S., INC. - HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH, CO 80129

RE: CHEVRON BUCKEYE

Enclosed are the results of analyses for samples received by the laboratory on 05/10/13 17:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.qov/field/qa/lab accredited analytes and matrices visit the TCEQ website at www.tceq.texas.qov/field/qa/lab accredited analytes and matrices visit the TCEQ website at www.tceq.texas.qov/field/qa/lab accredited analytes and matrices visit the TCEQ website at www.tceq.texas.qov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celeg D. Keine

Celey D. Keene Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEV Project Number: B0048 Project Manager: JONA Fax To: (713)	ATHAN OLSEN	Reported: 14-Jun-13 11:38
--	--	-------------	------------------------------

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
VGW U85 - 1 (5')	H301130-01	Soil	09-May-13 14:41	10-May-13 17:00
VGW U85 - 1 (10')	H301130-02	Soil	09-May-13 14:45	10-May-13 17:00
VGW U85 - 1 (15')	H301130-03	Soil	09-May-13 14:47	10-May-13 17:00
VGW U85 - 1 (20')	H301130-04	Soil	09-May-13 14:54	10-May-13 17:00
VGW U85 - 1 (25')	H301130-05	Soil	09-May-13 14:56	10-May-13 17:00
VGW U85 - 1 (30')	H301130-06	Soil	09-May-13 14:58	10-May-13 17:00
VGW U85 - 2 (2')	H301130-07	Soil	09-May-13 15:12	10-May-13 17:00
VGW U85 - 2 (5')	H301130-08	Soil	09-May-13 15:17	10-May-13 17:00
VGW U85 - 2 (10')	H301130-09	Soil	09-May-13 15:21	10-May-13 17:00
VGW U85 - 2 (15')	H301130-10	Soil	09-May-13 15:25	10-May-13 17:00
VGW U85 - 2 (20')	H301130-11	Soil	09-May-13 15:30	10-May-13 17:00
VGW U85 - 2 (25')	H301130-12	Soil	09-May-13 15:37	10-May-13 17:00
VGW U85 - 2 (30')	H301130-13	Soil	09-May-13 15:40	10-May-13 17:00
VGW U85 - 4 (2')	H301130-14	Soil	09-May-13 15:53	10-May-13 17:00
VGW U85 - 4 (5')	H301130-15	Soil	09-May-13 15:57	10-May-13 17:00
VGW U85 - 4 (10')	H301130-16	Soil	09-May-13 16:09	10-May-13 17:00
VGW U85 - 4 15')	H301130-17	Soil	09-May-13 16:18	10-May-13 17:00
VGW U85 - 4 (20')	H301130-18	Soil	09-May-13 16:25	10-May-13 17:00
VGW U85 - 4 (25')	H301130-19	Soil	09-May-13 16:27	10-May-13 17:00
VGW U85 - 4 (30')	H301130-20	Soil	09-May-13 16:30	10-May-13 17:00
VGW U85 - 3 (2')	H301130-21	Soil	09-May-13 16:40	10-May-13 17:00
VGW U85 - 3 (5')	H301130-22	Soil	09-May-13 16:45	10-May-13 17:00
VGW U85 - 3 (10')	H301130-23	Soil	09-May-13 16:48	10-May-13 17:00
VGW U85 - 3 (15')	H301130-24	Soil	09-May-13 16:52	10-May-13 17:00
VGW U85 - 3 (20')	H301130-25	Soil	09-May-13 16:55	10-May-13 17:00
VGW U85 - 3 (25')	H301130-26	Soil	09-May-13 17:05	10-May-13 17:00
CVU 96 - 6 (20')	H301130-40	Soil	08-May-13 16:49	10-May-13 17:00

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project No Project Ma	roject: CHEVRON BUCKEYE Imber: B004860.0000 nager: JONATHAN OLSEN fax To: (713) 977-4620	Reported: 14-Jun-13 11:38
CVU 96 - 6 (25')	H301130-41	Soil	08-May-13 16:50	10-May-13 17:00
VGW U85 - 5 (2')	H301130-42	Soil	09-May-13 18:24	10-May-13 17:00
VGW U85 - 5 (5')	H301130-43	Soil	09-May-13 18:26	10-May-13 17:00
VGW U85 - 5 (10')	H301130-44	Soil	09-May-13 18:30	10-May-13 17:00
VGW U85 - 5 (15')	H301130-45	Soil	09-May-13 18:32	10-May-13 17:00
VGW U85 - 5 (20')	H301130-46	Soil	09-May-13 18:34	10-May-13 17:00
VGW U85 - 5 (25')	H301130-47	Soil	09-May-13 18:37	10-May-13 17:00
VGW U85 - 5 (30')	H301130-48	Soil	09-May-13 18:40	10-May-13 17:00
VGW U85 - 1 (2')	H301130-49	Soil	09-May-13 14:38	10-May-13 17:00
CVU 96 - 6 (2')	H301130-56	Soil	08-May-13 16:43	10-May-13 17:00
CVU 96 - 6 (5')	H301130-57	Soil	08-May-13 16:46	10-May-13 17:00
CVU 96 - 6 (10')	H301130-58	Soil	08-May-13 16:47	10-May-13 17:00
CVU 96 - 6 (15')	H301130-59	Soil	08-May-13 16:48	10-May-13 17:00
CVU 96 - 2 (10')	H301130-60	Soil	08-May-13 14:47	10-May-13 17:00
CVU 96 - 2 (15')	H301130-61	Soil	08-May-13 14:50	10-May-13 17:00
CVU 96 - 2 (20')	H301130-62	Soil	08-May-13 14:54	10-May-13 17:00
CVU 96 - 2 (25')	H301130-63	Soil	08-May-13 14:57	10-May-13 17:00
CVU 96 - 3 (2')	H301130-64	Soil	08-May-13 15:17	10-May-13 17:00
CVU 96 - 3 (5')	H301130-65	Soil	08-May-13 15:22	10-May-13 17:00
CVU 96 - 3 (10')	H301130-66	Soil	08-May-13 15:25	10-May-13 17:00
CVU 96 - 3 (15')	H301130-67	Soil	08-May-13 15:28	10-May-13 17:00
CVU 96 - 3 (20')	H301130-68	Soil	08-May-13 15:31	10-May-13 17:00
CVU 96 - 3 (25')	H301130-69	Soil	08-May-13 15:34	10-May-13 17:00
CVU 96 - 1 (20')	H301130-70	Soil	08-May-13 13:47	10-May-13 17:00
CVU 96 - 1 (25')	H301130-71	Soil	08-May-13 13:50	10-May-13 17:00
CVU 96 - 4 (2')	H301130-72	Soil	08-May-13 14:05	10-May-13 17:00
CVU 96 - 4 (5')	H301130-73	Soil	08-May-13 14:08	10-May-13 17:00
CVU 96 - 4 (10')	H301130-74	Soil	08-May-13 14:13	10-May-13 17:00
CVU 96 - 4 (15')	H301130-75	Soil	08-May-13 14:16	10-May-13 17:00
CVU 96 - 4 (20')	H301130-76	Soil	08-May-13 14:20	10-May-13 17:00

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC 630 PLAZA DRIVE, SU HIGHLANDS RANCH C	IITE 600		Project: CHEVRON BUCKEYE ct Number: B004860.0000 t Manager: JONATHAN OLSEN Fax To: (713) 977-4620	Reported: 14-Jun-13 11:38
CVU 96- 4 (25')	H301130-77	Soil	08-May-13 14:23	10-May-13 17:00
CVU 96 - 2 (2')	H301130-78	Soil	08-May-13 14:40	10-May-13 17:00
CVU 96 - 2 (5')	H301130-79	Soil	08-May-13 14:45	10-May-13 17:00
CVU 96 - 7 (2')	H301130-80	Soil	08-May-13 12:32	10-May-13 17:00
CVU 96 - 7 (5')	H301130-81	Soil	08-May-13 12:34	10-May-13 17:00
CVU 96 - 7 (10')	H301130-82	Soil	08-May-13 12:40	10-May-13 17:00
CVU 96 - 7 (15')	H301130-83	Soil	08-May-13 12:43	10-May-13 17:00
CVU 96 - 7 (20')	H301130-84	Soil	08-May-13 12:45	10-May-13 17:00
CVU 96 - 7 (25')	H301130-85	Soil	08-May-13 12:50	10-May-13 17:00
CVU 96 - 1 (2')	H301130-86	Soil	08-May-13 13:34	10-May-13 17:00
CVU 96 - 1 (5')	H301130-87	Soil	08-May-13 13:37	10-May-13 17:00
CVU 96 - 1 (10')	H301130-88	Soil	08-May-13 13:42	10-May-13 17:00
CVU 96 - 1 (15')	H301130-89	Soil	08-May-13 13:44	10-May-13 17:00

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYEReported:630 PLAZA DRIVE, SUITE 600Project Number:B004860.000014-Jun-13 11:38HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620												
		VGW	U85 - 1 ((5')								
	H301130-01 (Soil)											
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
Cardinal Laboratories												
Inorganic Compounds												
% Solids	94.4	0.100	%	1	3051504	AP	16-May-13	D2216				
% Moisture	5.60	0.100	%	1	3051504	AP	16-May-13	D2216				
Chloride	368	16.0	mg/kg	4	3051315	DW	14-May-13	4500-Cl-B				
Organic Compounds									SUB-PBE			
GRO C6-C10	ND	15.9	mg/kg dry	1	3052203	СК	15-May-13	8015M				
DRO >C10-C28	ND	15.9	mg/kg dry	1	3052203	СК	15-May-13	8015M				
Surrogate: 1-Chlorooctane		109 %	70-1	30	3052203	СК	15-May-13	8015M				
Surrogate: o-Terphenyl		117 %	70-1	30	3052203	СК	15-May-13	8015M				
Volatile Organic Compounds by EPA Metho	d 8021											
Benzene*	ND	0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B				
Toluene*	0.016	0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B	J			
Ethylbenzene*	ND	0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B				
Total Xylenes*	ND	0.159	mg/kg dry	50	3051317	AP	15-May-13	8021B				
Total BTEX	0.016	0.318	mg/kg dry	50	3051317	AP	15-May-13	8021B	J			
Surrogate: 4-Bromofluorobenzene (PID)		109 %	89.4-	126	3051317	AP	15-May-13	8021B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTON Project: CHEVRON BUCKEYE Reported: 630 PLAZA DRIVE, SUITE 600 Project Number: B004860.0000 14-Jun-13 11:38 HIGHLANDS RANCH CO, 80129 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620 VGW U85 - 1 (10') H301130-02 (Soil)												
Analyte Resu	Reporting lt Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes				
Cardinal Laboratories												
Inorganic Compounds												
% Moisture 6.3	2 0.100	%	1	3051504	AP	16-May-13	D2216					
% Solids 93.	7 0.100	%	1	3051504	AP	16-May-13	D2216					
Chloride 44	8 16.0	mg/kg	4	3051315	DW	14-May-13	4500-Cl-B					
Organic Compounds								SUB-PBE				
GRO C6-C10 NI	D 16.0	mg/kg dry	1	3052203	СК	15-May-13	8015M					
DRO >C10-C28 NI	D 16.0	mg/kg dry	1	3052203	СК	15-May-13	8015M					
Surrogate: 1-Chlorooctane	99.8 %	70-1	130	3052203	СК	15-May-13	8015M					
Surrogate: o-Terphenyl	106 %	70-1	130	3052203	СК	15-May-13	8015M					
Volatile Organic Compounds by EPA Method 8021												
Benzene* NI	0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B					
Toluene* 0.02	0 0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B	J				
Ethylbenzene* NI	0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B					
Total Xylenes* NI	0.160	mg/kg dry	50	3051317	AP	15-May-13	8021B					
Total BTEX 0.02	0 0.320	mg/kg dry	50	3051317	AP	15-May-13	8021B	J				
Surrogate: 4-Bromofluorobenzene (PID)	109 %	89.4-	126	3051317	AP	15-May-13	8021B					

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYEReported:630 PLAZA DRIVE, SUITE 600Project Number:B004860.000014-Jun-13 11:38HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620VGW U85 - 1 (15')H301130-03 (Soil)H301130-03 (Soil)												
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
Cardinal Laboratories												
Inorganic Compounds												
% Moisture	5.91	0.100	%	1	3051504	AP	16-May-13	D2216				
% Solids	94.1	0.100	%	1	3051504	AP	16-May-13	D2216				
Chloride	544	16.0	mg/kg	4	3051315	DW	14-May-13	4500-Cl-B				
Organic Compounds									SUB-PBE			
GRO C6-C10	ND	15.9	mg/kg dry	1	3052203	СК	15-May-13	8015M				
DRO >C10-C28	ND	15.9	mg/kg dry	1	3052203	СК	15-May-13	8015M				
Surrogate: 1-Chlorooctane		108 %	70-1	30	3052203	СК	15-May-13	8015M				
Surrogate: o-Terphenyl		115 %	70-1	30	3052203	СК	15-May-13	8015M				
Volatile Organic Compounds by EPA Method	8021											
Benzene*	ND	0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B				
Toluene*	0.025	0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B	J			
Ethylbenzene*	ND	0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B				
Total Xylenes*	ND	0.159	mg/kg dry	50	3051317	AP	15-May-13	8021B				
Total BTEX	0.025	0.319	mg/kg dry	50	3051317	AP	15-May-13	8021B	J			
Surrogate: 4-Bromofluorobenzene (PID)		109 %	89.4-	126	3051317	AP	15-May-13	8021B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON Project: CHEVRON BUCKEYE Reported: 630 PLAZA DRIVE, SUITE 600 Project Number: B004860.0000 14-Jun-13 11:38 HIGHLANDS RANCH CO, 80129 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620 VGW U85 - 1 (20') H301130-04 (Soil)												
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
Cardinal Laboratories												
Inorganic Compounds												
% Moisture	2.17	0.100	%	1	3051504	AP	16-May-13	D2216				
% Solids	97.8	0.100	%	1	3051504	AP	16-May-13	D2216				
Chloride	112	16.0	mg/kg	4	3051315	DW	14-May-13	4500-Cl-B				
Organic Compounds									SUB-PBE			
GRO C6-C10	ND	15.3	mg/kg dry	1	3052203	СК	15-May-13	8015M				
DRO >C10-C28	ND	15.3	mg/kg dry	1	3052203	СК	15-May-13	8015M				
Surrogate: 1-Chlorooctane		113 %	70-1	30	3052203	СК	15-May-13	8015M				
Surrogate: o-Terphenyl		124 %	70-1	30	3052203	СК	15-May-13	8015M				
Volatile Organic Compounds by EPA Method	8021											
Benzene*	ND	0.051	mg/kg dry	50	3051317	AP	15-May-13	8021B				
Toluene*	0.013	0.051	mg/kg dry	50	3051317	AP	15-May-13	8021B	J			
Ethylbenzene*	ND	0.051	mg/kg dry	50	3051317	AP	15-May-13	8021B				
Total Xylenes*	ND	0.153	mg/kg dry	50	3051317	AP	15-May-13	8021B				
Total BTEX	0.013	0.307	mg/kg dry	50	3051317	AP	15-May-13	8021B	J			
Surrogate: 4-Bromofluorobenzene (PID)		110 %	89.4-	126	3051317	AP	15-May-13	8021B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON Project: CHEVRON BUCKEYE Reported: 630 PLAZA DRIVE, SUITE 600 Project Number: B004860.0000 14-Jun-13 11:38 HIGHLANDS RANCH CO, 80129 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620 VGW U85 - 1 (25') H301130-05 (Soil)												
Analyte Resul	Reporting t Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes				
Cardinal Laboratories												
Inorganic Compounds												
% Moisture 1.4	0.100	%	1	3051504	AP	16-May-13	D2216					
% Solids 98.	5 0.100	%	1	3051504	AP	16-May-13	D2216					
Chloride 12	B 16.0	mg/kg	4	3051315	DW	14-May-13	4500-Cl-B					
Organic Compounds								SUB-PBE				
GRO C6-C10 NI	15.2	mg/kg dry	1	3052203	СК	15-May-13	8015M					
DRO >C10-C28 NI	15.2	mg/kg dry	1	3052203	СК	15-May-13	8015M					
Surrogate: 1-Chlorooctane	119 %	70-1	30	3052203	СК	15-May-13	8015M					
Surrogate: o-Terphenyl	127 %	70-1	30	3052203	СК	15-May-13	8015M					
Volatile Organic Compounds by EPA Method 8021												
Benzene* NI	0.051	mg/kg dry	50	3051317	AP	15-May-13	8021B					
Toluene* 0.02	0.051	mg/kg dry	50	3051317	AP	15-May-13	8021B	J				
Ethylbenzene* NI	0.051	mg/kg dry	50	3051317	AP	15-May-13	8021B					
Total Xylenes* NI	0.152	mg/kg dry	50	3051317	AP	15-May-13	8021B					
Total BTEX 0.02	2 0.305	mg/kg dry	50	3051317	AP	15-May-13	8021B	J				
Surrogate: 4-Bromofluorobenzene (PID)	109 %	89.4-	126	3051317	AP	15-May-13	8021B					

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Nur Project Man Fa VGW		4860.0000 ATHAN OL 3) 977-4620 30')	SEN		1	Reported: 4-Jun-13 1	1:38
Analyte Resu	Reporting llt Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
	Cardin	al Laborat	ories					
Inorganic Compounds								
% Moisture 6.3	60 0.100	%	1	3051504	AP	16-May-13	D2216	
% Solids 93	.7 0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride 14	14 16.0	mg/kg	4	3051315	DW	14-May-13	4500-Cl-B	
Organic Compounds								SUB-PBE
GRO C6-C10 N	D 16.0	mg/kg dry	1	3052203	СК	15-May-13	8015M	
DRO >C10-C28 N	D 16.0	mg/kg dry	1	3052203	CK	15-May-13	8015M	
Surrogate: 1-Chlorooctane	123 %	70-1	30	3052203	СК	15-May-13	8015M	
Surrogate: o-Terphenyl	128 %	70-1	30	3052203	CK	15-May-13	8015M	
Volatile Organic Compounds by EPA Method 8021								
Benzene* N	D 0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Toluene* 0.02	0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Ethylbenzene* N	D 0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total Xylenes* N	D 0.160	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total BTEX 0.02	0.320	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)	110 %	89.4-	126	3051317	AP	15-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Nun Project Mana Fa: VGW		1860.0000 ATHAN OL) 977-462 2')	SEN		1	Reported: 4-Jun-13 1	1:38
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardina	al Laborato	ories					
Inorganic Compounds									
% Moisture	0.910	0.100	%	1	3051504	AP	16-May-13	D2216	
% Solids	99.1	0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride	ND	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	15.1	mg/kg dry	1	3052203	СК	15-May-13	8015M	
DRO >C10-C28	ND	15.1	mg/kg dry	1	3052203	СК	15-May-13	8015M	
Surrogate: 1-Chlorooctane		111 %	70-1	30	3052203	СК	15-May-13	8015M	
Surrogate: o-Terphenyl		119 %	70-1	30	3052203	СК	15-May-13	8015M	
Volatile Organic Compounds by EPA Method	8021								
Benzene*	ND	0.050	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Toluene*	0.012	0.050	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Ethylbenzene*	ND	0.050	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total Xylenes*	ND	0.151	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total BTEX	0.012	0.303	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		110 %	89.4-	126	3051317	AP	15-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Nun Project Mana Fa: VGW	nber: B004 ager: JON	Back Analyst Analyzed Method Note ts Dilution Batch Analyst Analyzed Method Note oratories I 3051504 AP 16-May-13 D2216 D216 D216 D2216 D216 D216					1:38
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardina	al Laborat	ories					
Inorganic Compounds									
% Moisture	0.870	0.100	%	1	3051504	AP	16-May-13	D2216	
% Solids	99.1	0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride	ND	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	15.1	mg/kg dry	1	3052203	СК	15-May-13	8015M	
DRO >C10-C28	ND	15.1	mg/kg dry	1	3052203	CK	15-May-13	8015M	
Surrogate: 1-Chlorooctane		107 %	70-1	30	3052203	СК	15-May-13	8015M	
Surrogate: o-Terphenyl		114 %	70-1	30	3052203	CK	15-May-13	8015M	
Volatile Organic Compounds by EPA Method	1 8021								
Benzene*	ND	0.050	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Toluene*	0.017	0.050	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Ethylbenzene*	ND	0.050	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total Xylenes*	ND	0.151	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total BTEX	0.017	0.303	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		109 %	89.4-	126	3051317	AP	15-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Nun Project Mana Faz VGW		4860.0000 ATHAN OL 3) 977-462 10')	SEN		1	Reported: 4-Jun-13 1	1:38
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardina	al Laborato	ories					
Inorganic Compounds									
% Moisture	4.97	0.100	%	1	3051504	AP	16-May-13	D2216	
% Solids	95.0	0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride	ND	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	15.8	mg/kg dry	1	3052203	СК	15-May-13	8015M	
DRO >C10-C28	ND	15.8	mg/kg dry	1	3052203	СК	15-May-13	8015M	
Surrogate: 1-Chlorooctane		113 %	70-1	30	3052203	СК	15-May-13	8015M	
Surrogate: o-Terphenyl		119 %	70-1	30	3052203	СК	15-May-13	8015M	
Volatile Organic Compounds by EPA Met	hod 8021								
Benzene*	ND	0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Toluene*	0.022	0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Ethylbenzene*	ND	0.053	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total Xylenes*	ND	0.158	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total BTEX	0.022	0.316	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		109 %	89.4-	126	3051317	AP	15-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Num Project Mana Fax VGW		4860.0000 ATHAN OL 3) 977-462 15')	SEN			Reported: 4-Jun-13 1	1:38
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardina	al Laborat	ories					
Inorganic Compounds									
% Moisture	2.21	0.100	%	1	3051504	AP	16-May-13	D2216	
% Solids	97.8	0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride	ND	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	15.3	mg/kg dry	1	3052203	CK	15-May-13	8015M	
DRO >C10-C28	ND	15.3	mg/kg dry	1	3052203	СК	15-May-13	8015M	
Surrogate: 1-Chlorooctane		110 %	70-1	30	3052203	СК	15-May-13	8015M	
Surrogate: o-Terphenyl		119 %	70-1	30	3052203	CK	15-May-13	8015M	
Volatile Organic Compounds by EPA Method 802	1								
Benzene*	ND	0.051	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Toluene*	0.018	0.051	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Ethylbenzene*	ND	0.051	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total Xylenes*	ND	0.153	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total BTEX	0.018	0.307	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		109 %	89.4-	126	3051317	AP	15-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	SUITE 600 Project Number: B004860.0000 14-Jun-13 11:38 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620 VGW U85 - 2 (20') H301130-11 (Soil) Cardinal Laboratories Cardinal Laboratories SUB-PBE ND 16.1 mg/kg dry 1 305203 CK 15-May-13 8015M ND 16.1 mg/kg dry 1 3052203 CK 15-May-13 8015M ND 16.1 mg/kg dry 1 3052203 CK 15-May-13 8015M							
Analyte Resu	Reporting It Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
	Cardin	al Laborat	ories					
Inorganic Compounds								
% Moisture 6.8	0 0.100	%	1	3051504	AP	16-May-13	D2216	
% Solids 93.	2 0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride 48.	0 16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds								SUB-PBE
GRO C6-C10 NI	D 16.1	mg/kg dry	1	3052203	СК	15-May-13	8015M	
DRO >C10-C28 NI	D 16.1	mg/kg dry	1	3052203	СК	15-May-13	8015M	
Surrogate: 1-Chlorooctane	115 %	70-1	130	3052203	СК	15-May-13	8015M	
Surrogate: o-Terphenyl	120 %	70-1	130	3052203	CK	15-May-13	8015M	
Volatile Organic Compounds by EPA Method 8021								
	0.054	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Toluene* NI	0.054	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Ethylbenzene* NI	0.054	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total Xylenes* NI	0.161	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total BTEX 0.00	9 0.322	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)	109 %	89.4-	126	3051317	AP	15-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Nun Project Mana Fa: VGW		4860.0000 ATHAN OL 3) 977-462 25')	SEN		1:38		
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardina	al Laborat	ories					
Inorganic Compounds									
% Moisture	2.48	0.100	%	1	3051504	AP	16-May-13	D2216	
% Solids	97.5	0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride	ND	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	15.4	mg/kg dry	1	3052203	CK	15-May-13	8015M	
DRO >C10-C28	ND	15.4	mg/kg dry	1	3052203	СК	15-May-13	8015M	
Surrogate: 1-Chlorooctane		116 %	70-1	30	3052203	СК	15-May-13	8015M	
Surrogate: o-Terphenyl		125 %	70-1	30	3052203	СК	15-May-13	8015M	
Volatile Organic Compounds by EPA Me	ethod 8021								
Benzene*	ND	0.051	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Toluene*	0.026	0.051	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Ethylbenzene*	ND	0.051	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total Xylenes*	ND	0.154	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total BTEX	0.026	0.308	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		111 %	89.4-	126	3051317	AP	15-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project: CHEVRON BUCKEYE Reported: 14-Jun-13 11:38 Project Namager: JONATHAN OLSEN 14-Jun-13 11:38 14-Jun-13 11:38 Fax To: (713) 977-4620 VGW U85 - 2 (30') H301130-13 (Soil) Reporting Limit Units Dilution Batch Analyst Analyzed Method Notes O(100 % 1 3051504 AP 16-May-13 D2216 0.100 % 1 3051504 AP 16-May-13 D2216 D2216 16.0 mg/kg 4 3051405 DW 14-May-13 4500-C1-B SUB-PBE 18.9 mg/kg dry 1 3052203 CK 15-May-13 8015M IS-9 mg/kg dry 1 3052203 CK 15-May-13 8015M 120 % 70-130 30521317 AP 15-May-13 8015M 1							
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardin	al Laborat	ories					
Inorganic Compounds									
% Moisture	20.5	0.100	%	1	3051504	AP	16-May-13	D2216	
% Solids	79.5	0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride	ND	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	18.9	mg/kg dry	1	3052203	СК	15-May-13	8015M	
DRO >C10-C28	ND	18.9	mg/kg dry	1	3052203	СК	15-May-13	8015M	
Surrogate: 1-Chlorooctane		120 %	70-1	30	3052203	СК	15-May-13	8015M	
Surrogate: o-Terphenyl		127 %	70-1	30	3052203	СК	15-May-13	8015M	
Volatile Organic Compounds by EPA Met	hod 8021								
Benzene*	ND	0.063	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Toluene*	0.026		mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Ethylbenzene*	ND	0.063	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total Xylenes*	ND	0.189	mg/kg dry	50	3051317	AP	15-May-13	8021B	
Total BTEX	0.026	0.378	mg/kg dry	50	3051317	AP	15-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		109 %	89.4-	126	3051317	AP	15-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Nu Project Ma F VGV	Iinal Laboratories 00 % 1 3051504 AP 16-May-13 D2216 00 % 1 3051504 AP 16-May-13 D2216 00 % 1 3051504 AP 16-May-13 D2216 5.0 mg/kg 4 3051405 DW 14-May-13 4500-Cl-B SUB-PB 5.3 mg/kg dry 1 3052203 CK 15-May-13 8015M 5.3 mg/kg dry 1 3052203 CK 15-May-13 8015M % 70-130 3052203 CK 15-May-13 8015M % 70-130 3052203 CK 15-May-13 8015M % 70-130 3052203 CK 15-May-13 8015M 54 mg/kg dry 50 3051404 AP 15-May-13 8021B 54 mg/kg dry 50 3051404 AP 15-May-13 8021B 54 mg/kg dry 50 3051404 AP 15-May-13 8021B <				1:38		
Analyte	Reportin Result Lim	g t Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
	Cardi	nal Laborat	ories					
Inorganic Compounds								
% Moisture	8.15 0.10) %	1	3051504	AP	16-May-13	D2216	
% Solids	91.8 0.10) %	1	3051504	AP	16-May-13	D2216	
Chloride	3800 16.) mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds								SUB-PBE
GRO C6-C10	ND 16.	3 mg/kg dry	1	3052203	СК	15-May-13	8015M	
DRO >C10-C28	461 16.	3 mg/kg dry	1	3052203	CK	15-May-13	8015M	
Surrogate: 1-Chlorooctane	127 %	<i>6</i> 70	130	3052203	СК	15-May-13	8015M	
Surrogate: o-Terphenyl	129 %	<i>6</i> 70-	130	3052203	CK	15-May-13	8015M	
Volatile Organic Compounds by EPA Method 802	1							
Benzene*	ND 0.05	4 mg/kg dry	50	3051404	AP	15-May-13	8021B	
Toluene*	0.05	4 mg/kg dry	50	3051404	AP	15-May-13	8021B	J
Ethylbenzene*	ND 0.05	4 mg/kg dry	50	3051404	AP	15-May-13	8021B	
Total Xylenes*	ND 0.16	3 mg/kg dry	50	3051404	AP	15-May-13	8021B	
Total BTEX	0.017 0.32	7 mg/kg dry	50	3051404	AP	15-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)	111 %	6 89.4	-126	3051404	AP	15-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Num Project Mana Fax VGW		4860.0000 ATHAN OL 3) 977-462 (5')	SEN		P 16-May-13 D2216 P 16-May-13 D2216 W 14-May-13 D2216 K 15-May-13 8015M K 15-May-13 8015M K 15-May-13 8015M K 15-May-13 8015M K 15-May-13 8021B P 16-May-13 8021B P 16-May-13 8021B P 16-May-13 8021B P 16-May-13 8021B		1:38
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardina	al Laborat	ories					
Inorganic Compounds									
% Moisture	9.13	0.100	%	1	3051504	AP	16-May-13	D2216	
% Solids	90.9	0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride	4880	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	16.5	mg/kg dry	1	3052203	СК	15-May-13	8015M	
DRO >C10-C28	ND	16.5	mg/kg dry	1	3052203	CK	15-May-13	8015M	
Surrogate: 1-Chlorooctane		120 %	70-1	30	3052203	СК	15-May-13	8015M	
Surrogate: o-Terphenyl		128 %	70-1	30	3052203	СК	15-May-13	8015M	
Volatile Organic Compounds by EPA Method 80	21								
Benzene*	ND	0.055	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Toluene*	0.030	0.055	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Ethylbenzene*	ND	0.055	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total Xylenes*	ND	0.165	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total BTEX	0.030	0.330	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		111 %	89.4-	126	3051404	AP	16-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Nu Project Mar Fa VGW	oject: CHE mber: B004 lager: JON IX To: (713 U85 - 4 (1 1130-16 (So	1860.0000 ATHAN OL) 977-4620 10')	SEN		P 16-May-13 D2216 P 16-May-13 D2216 W 14-May-13 d500-Cl-B SUB-		1:38
Analyte R	Reporting esult Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
	Cardin	al Laborate	ories					
Inorganic Compounds								
% Solids	0.100	%	1	3051504	AP	16-May-13	D2216	
% Moisture	0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride	000 16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds								SUB-PBE
GRO C6-C10	ND 15.2	mg/kg dry	1	3052203	СК	15-May-13	8015M	
DRO >C10-C28	ND 15.2	mg/kg dry	1	3052203	CK	15-May-13	8015M	
Surrogate: 1-Chlorooctane	124 %	70-1	30	3052203	СК	15-May-13	8015M	
Surrogate: o-Terphenyl	128 %	70-1	30	3052203	CK	15-May-13	8015M	
Volatile Organic Compounds by EPA Method 8021								
Benzene*	ND 0.051	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Toluene* 0	016 0.051	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Ethylbenzene*	ND 0.051	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total Xylenes*	ND 0.152	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total BTEX 0	016 0.305	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)	112 %	89.4-	126	3051404	AP	16-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Nun Project Mana Fa: VGW		4860.0000 ATHAN OL 3) 977-462 1 5')	SEN		1	Reported: 4-Jun-13 1	1:38
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardin	al Laborat	ories					
Inorganic Compounds									
% Moisture	1.85	0.100	%	1	3051504	AP	16-May-13	D2216	
% Solids	98.2	0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride	2120	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	15.3	mg/kg dry	1	3052203	СК	15-May-13	8015M	
DRO >C10-C28	ND	15.3	mg/kg dry	1	3052203	CK	15-May-13	8015M	
Surrogate: 1-Chlorooctane		118 %	70-1	30	3052203	СК	15-May-13	8015M	
Surrogate: o-Terphenyl		127 %	70-1	30	3052203	СК	15-May-13	8015M	
Volatile Organic Compounds by EPA Metho	od 8021								
Benzene*	ND	0.051	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Toluene*	0.019	0.051	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Ethylbenzene*	ND	0.051	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total Xylenes*	ND	0.153	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total BTEX	0.019	0.306	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		111 %	89.4-	126	3051404	AP	16-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Nun Project Mana Fa: VGW		Reported: 14-Jun-13 11:38					
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardina	al Laborato	ories					
Inorganic Compounds									
% Moisture	5.50	0.100	%	1	3051504	AP	16-May-13	D2216	
% Solids	94.5	0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride	2370	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	15.9	mg/kg dry	1	3052204	СК	16-May-13	8015M	
DRO >C10-C28	ND	15.9	mg/kg dry	1	3052204	CK	16-May-13	8015M	
Surrogate: 1-Chlorooctane		114 %	70-1	30	3052204	СК	16-May-13	8015M	
Surrogate: o-Terphenyl		123 %	70-1	30	3052204	СК	16-May-13	8015M	
Volatile Organic Compounds by EPA Method	8021								
Benzene*	ND	0.053	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Toluene*	0.024	0.053	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Ethylbenzene*	ND	0.053	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total Xylenes*	ND	0.159	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total BTEX	0.024	0.317	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		110 %	89.4-	126	3051404	AP	16-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Nun Project Mana Fa: VGW		4860.0000 ATHAN OL 3) 977-462 25')	SEN		1	Reported: 4-Jun-13 1	1:38		
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes		
		Cardina	al Laborat	ories							
Inorganic Compounds											
% Moisture	6.54	0.100	%	1	3051504	AP	16-May-13	D2216			
% Solids	93.5	0.100	%	1	3051504	AP	16-May-13	D2216			
Chloride	1870	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B			
Organic Compounds									SUB-PBE		
GRO C6-C10	ND	16.0	mg/kg dry	1	3052204	СК	16-May-13	8015M			
DRO >C10-C28	ND	16.0	mg/kg dry	1	3052204	СК	16-May-13	8015M			
Surrogate: 1-Chlorooctane		126 %	70-1	30	3052204	СК	16-May-13	8015M			
Surrogate: o-Terphenyl		123 %	70-1	30	3052204	CK	16-May-13	8015M			
Volatile Organic Compounds by EPA Method	8021										
Benzene*	ND	0.053	mg/kg dry	50	3051404	AP	16-May-13	8021B			
Toluene*	0.017	0.053	mg/kg dry	50	3051404	AP	16-May-13	8021B	J		
Ethylbenzene*	ND	0.053	mg/kg dry	50	3051404	AP	16-May-13	8021B			
Total Xylenes*	ND	0.160	mg/kg dry	50	3051404	AP	16-May-13	8021B			
Total BTEX	0.017	0.321	mg/kg dry	50	3051404	AP	16-May-13	8021B	J		
Surrogate: 4-Bromofluorobenzene (PID)		110 %	89.4-	126	3051404	AP	16-May-13	8021B			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Nun Project Mana Fa: VGW		4860.0000 ATHAN OL 3) 977-462 30')	SEN		1	Reported: 4-Jun-13 1	
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardina	al Laborat	ories					
Inorganic Compounds									
% Moisture	21.3	0.100	%	1	3051504	AP	16-May-13	D2216	
% Solids	78.7	0.100	%	1	3051504	AP	16-May-13	D2216	
Chloride	144	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	19.1	mg/kg dry	1	3052204	СК	16-May-13	8015M	
DRO >C10-C28	ND	19.1	mg/kg dry	1	3052204	CK	16-May-13	8015M	
Surrogate: 1-Chlorooctane		114 %	70-1	30	3052204	СК	16-May-13	8015M	
Surrogate: o-Terphenyl		123 %	70-1	30	3052204	CK	16-May-13	8015M	
Volatile Organic Compounds by EPA Method	8021								
Benzene*	ND	0.064	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Toluene*	0.018	0.064	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Ethylbenzene*	ND	0.064	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total Xylenes*	ND	0.191	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total BTEX	0.018	0.381	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		111 %	89.4-	126	3051404	AP	16-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Nun Project Mana Fa: VGW		4860.0000 ATHAN OL 3) 977-462 (2')	SEN		1	Reported: 4-Jun-13 1	1:38
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardina	al Laborat	ories					
Inorganic Compounds									
% Moisture	2.62	0.100	%	1	3051505	AP	16-May-13	D2216	
% Solids	97.4	0.100	%	1	3051505	AP	16-May-13	D2216	
Chloride	80.0	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	15.4	mg/kg dry	1	3052204	СК	16-May-13	8015M	
DRO >C10-C28	ND	15.4	mg/kg dry	1	3052204	СК	16-May-13	8015M	
Surrogate: 1-Chlorooctane		117 %	70-1	30	3052204	СК	16-May-13	8015M	
Surrogate: o-Terphenyl		126 %	70-1	30	3052204	СК	16-May-13	8015M	
Volatile Organic Compounds by EPA Method 8	8021								
Benzene*	ND	0.051	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Toluene*	0.017	0.051	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Ethylbenzene*	ND	0.051	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total Xylenes*	ND	0.154	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total BTEX	0.017	0.308	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		112 %	89.4-	126	3051404	AP	16-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Reported: 14-Jun-13 11:38							
			U85 - 3 (130-22 (So						
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardin	al Laborato	ories					
Inorganic Compounds									
% Moisture	3.96	0.100	%	1	3051505	AP	16-May-13	D2216	
% Solids	96.0	0.100	%	1	3051505	AP	16-May-13	D2216	
Chloride	272	16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	15.6	mg/kg dry	1	3052204	СК	16-May-13	8015M	
DRO >C10-C28	ND	15.6	mg/kg dry	1	3052204	CK	16-May-13	8015M	
Surrogate: 1-Chlorooctane		119 %	70-1	30	3052204	СК	16-May-13	8015M	
Surrogate: o-Terphenyl		128 %	70-1	30	3052204	CK	16-May-13	8015M	
Volatile Organic Compounds by EPA M	lethod 8021								
Benzene*	ND	0.052	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Toluene*	0.019	0.052	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Ethylbenzene*	ND	0.052	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total Xylenes*	ND	0.156	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total BTEX	0.019	0.312	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		110 %	89.4-	126	3051404	AP	16-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Nun Project Man Fa VGW		4860.0000 ATHAN OL 3) 977-462 10')	SEN		1	Reported: 4-Jun-13 1	1:38
Analyte Resul	Reporting t Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
	Cardin	al Laborat	ories					
Inorganic Compounds								
% Moisture 5.1	5 0.100	%	1	3051505	AP	16-May-13	D2216	
% Solids 94.	8 0.100	%	1	3051505	AP	16-May-13	D2216	
Chloride 40	0 16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds								SUB-PBE
GRO C6-C10 NI) 15.8	mg/kg dry	1	3052204	СК	16-May-13	8015M	
DRO >C10-C28 NI) 15.8	mg/kg dry	1	3052204	СК	16-May-13	8015M	
Surrogate: 1-Chlorooctane	96.2 %	70-1	130	3052204	СК	16-May-13	8015M	
Surrogate: o-Terphenyl	102 %	70-1	130	3052204	СК	16-May-13	8015M	
Volatile Organic Compounds by EPA Method 8021								
Benzene* NI	0.053	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Toluene* 0.01	6 0.053	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Ethylbenzene* NI	0.053	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total Xylenes* NI	0.158	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total BTEX 0.01	6 0.316	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)	112 %	89.4-	126	3051404	AP	16-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Nun Project Man Fa VGW		4860.0000 ATHAN OL 3) 977-4620 15')	Reported: 14-Jun-13 11:38				
Analyte Resu	Reporting It Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
	Cardin	al Laborat	ories					
Inorganic Compounds								
% Moisture 3.0	5 0.100	%	1	3051505	AP	16-May-13	D2216	
% Solids 97.	0 0.100	%	1	3051505	AP	16-May-13	D2216	
Chloride 24	0 16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B	
Organic Compounds								SUB-PBE
GRO C6-C10 NI) 15.5	mg/kg dry	1	3052204	СК	16-May-13	8015M	
DRO >C10-C28 NI	0 15.5	mg/kg dry	1	3052204	CK	16-May-13	8015M	
Surrogate: 1-Chlorooctane	112 %	70-1	130	3052204	СК	16-May-13	8015M	
Surrogate: o-Terphenyl	117 %	70-1	130	3052204	СК	16-May-13	8015M	
Volatile Organic Compounds by EPA Method 8021								
Benzene* NI	0.052	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Toluene* 0.03	4 0.052	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Ethylbenzene* NI	0.052	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total Xylenes* NI	0.155	mg/kg dry	50	3051404	AP	16-May-13	8021B	
Total BTEX 0.03	4 0.309	mg/kg dry	50	3051404	AP	16-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)	112 %	89.4-	126	3051404	AP	16-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Nur Project Man Fa VGW		4860.0000 ATHAN OL) 977-462 20')	SEN		Reported: 14-Jun-13 11:38				
Analyte Re:	Reporting ult Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes		
	Cardin	al Laborat	ories							
Inorganic Compounds										
% Moisture 4	97 0.100	%	1	3051505	AP	16-May-13	D2216			
% Solids 9	5.0 0.100	%	1	3051505	AP	16-May-13	D2216			
Chloride 2	72 16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B			
Organic Compounds								SUB-PBE		
GRO C6-C10	JD 15.8	mg/kg dry	1	3052204	СК	16-May-13	8015M			
DRO >C10-C28	ND 15.8	mg/kg dry	1	3052204	СК	16-May-13	8015M			
Surrogate: 1-Chlorooctane	125 %	70-1	30	3052204	СК	16-May-13	8015M			
Surrogate: o-Terphenyl	130 %	70-1	30	3052204	СК	16-May-13	8015M			
Volatile Organic Compounds by EPA Method 8021										
	VD 0.053	mg/kg dry	50	3051404	AP	16-May-13	8021B			
Toluene* 0.0	20 0.053	mg/kg dry	50	3051404	AP	16-May-13	8021B	J		
Ethylbenzene*	VD 0.053	mg/kg dry	50	3051404	AP	16-May-13	8021B			
Total Xylenes*	VD 0.158	mg/kg dry	50	3051404	AP	16-May-13	8021B			
Total BTEX 0.0	20 0.316	mg/kg dry	50	3051404	AP	16-May-13	8021B	J		
Surrogate: 4-Bromofluorobenzene (PID)	112 %	89.4-	126	3051404	AP	16-May-13	8021B			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON Project: CHEVRON BUCKEYE Reported 630 PLAZA DRIVE, SUITE 600 Project Number: B004860.0000 14-Jun-13 HIGHLANDS RANCH CO, 80129 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620 VGW U85 - 3 (25') H301130-26 (Soil)										
Analyte Re	Reporting sult Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes		
	Cardin	al Laborato	ories							
Inorganic Compounds										
% Moisture	.94 0.100	%	1	3051505	AP	16-May-13	D2216			
% Solids	7.1 0.100	%	1	3051505	AP	16-May-13	D2216			
Chloride	192 16.0	mg/kg	4	3051405	DW	14-May-13	4500-Cl-B			
Organic Compounds								SUB-PBE		
GRO C6-C10	ND 15.5	mg/kg dry	1	3052204	СК	16-May-13	8015M			
DRO >C10-C28	ND 15.5	mg/kg dry	1	3052204	CK	16-May-13	8015M			
Surrogate: 1-Chlorooctane	123 %	70-1	30	3052204	СК	16-May-13	8015M			
Surrogate: o-Terphenyl	123 %	70-1	30	3052204	CK	16-May-13	8015M			
Volatile Organic Compounds by EPA Method 8021										
	ND 0.052	mg/kg dry	50	3051404	AP	16-May-13	8021B			
Toluene* 0.	0.052	mg/kg dry	50	3051404	AP	16-May-13	8021B	J		
Ethylbenzene*	ND 0.052	mg/kg dry	50	3051404	AP	16-May-13	8021B			
Total Xylenes*	ND 0.155	mg/kg dry	50	3051404	AP	16-May-13	8021B			
Total BTEX 0.	015 0.309	mg/kg dry	50	3051404	AP	16-May-13	8021B	J		
Surrogate: 4-Bromofluorobenzene (PID)	111 %	89.4-	126	3051404	AP	16-May-13	8021B			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Numb Project Manag	er: B(er: J(SEN		1	Reported: 4-Jun-13 11	:38	
	CVU 96 - 6 (20') H301130-40 (Soil)										
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes	
			Cardinal	Labor	atories						
Ir	organic Compounds										
С	hloride	304	16.0	mg/kg	4	3060505	DW	05-Jun-13	4500-Cl-B		

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Numb Project Manag	er: B(er: JC		SEN		1	Reported: 4-Jun-13 11	:38	
	CVU 96 - 6 (25') H301130-41 (Soil)										
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes	
			Cardinal	Labor	atories						
In	organic Compounds										
C	hloride	304	16.0	mg/kg	4	3060505	DW	05-Jun-13	4500-Cl-B		

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager





	ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Number Project Manage	er: Bo er: JO		SEN	Reported: 14-Jun-13 11:38					
	VGW U85 - 5 (2') H301130-42 (Soil)											
I	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes		
			Cardinal]	Labor	atories							
In	organic Compounds											
Cł	lloride	2560	16.0	mg/kg	4	3061104	DW	11-Jun-13	4500-Cl-B	I-02		

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager





	ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	PLAZA DRIVE, SUITE 600 Project Number: B00486				SEN		1	Reported: 14-Jun-13 11:38	
VGW U85 - 5 (5') H301130-43 (Soil)										
4	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Cl	hloride	816	16.0	mg/kg	4	3061104	DW	11-Jun-13	4500-Cl-B	I-02

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								Reported: 4-Jun-13 11:	38			
VGW U85 - 5 (10') H301130-44 (Soil)												
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
Cardinal Laboratories												
Inorganic Compounds												
Chloride	96.0	16.0	mg/kg	4	3061104	DW	11-Jun-13	4500-Cl-B	I-02			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								Reported: 14-Jun-13 11:	38			
VGW U85 - 5 (15') H301130-45 (Soil)												
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
Cardinal Laboratories												
Inorganic Compounds												
Chloride	256	16.0	mg/kg	4	3061104	DW	11-Jun-13	4500-Cl-B	I-02			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								1	Reported: 4-Jun-13 11:	38			
	VGW U85 - 5 (20') H301130-46 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	64.0	16.0	mg/kg	4	3061104	DW	11-Jun-13	4500-Cl-B	I-02			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								1	Reported: 14-Jun-13 11:	38			
	VGW U85 - 5 (25') H301130-47 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	32.0	16.0	mg/kg	4	3061104	DW	11-Jun-13	4500-Cl-B	I-02			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								1	Reported: 4-Jun-13 11:	38			
	VGW U85 - 5 (30') H301130-48 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	64.0	16.0	mg/kg	4	3061104	DW	11-Jun-13	4500-Cl-B	I-02			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Nun Project Mana Fa: VGW		4860.0000 ATHAN OL 3) 977-462 (2')	SEN		1	Reported: 4-Jun-13 1	1:38
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
		Cardina	al Laborat	ories					
Inorganic Compounds									
% Moisture	4.76	0.100	%	1	3052209	AP	22-May-13	D2216	
% Solids	95.8	0.100	%	1	3052209	AP	22-May-13	D2216	
Chloride	976	16.0	mg/kg	4	3052208	DW	22-May-13	4500-Cl-B	
Organic Compounds									SUB-PBE
GRO C6-C10	ND	15.7	mg/kg dry	1	3052204	СК	16-May-13	8015M	
DRO >C10-C28	ND	15.7	mg/kg dry	1	3052204	СК	16-May-13	8015M	
Surrogate: 1-Chlorooctane		121 %	70-1	30	3052204	СК	16-May-13	8015M	
Surrogate: o-Terphenyl		124 %	70-1	30	3052204	СК	16-May-13	8015M	
Volatile Organic Compounds by EPA Method	8021								
Benzene*	ND	0.052	mg/kg dry	50	3052013	AP	22-May-13	8021B	
Toluene*	0.013	0.052	mg/kg dry	50	3052013	AP	22-May-13	8021B	J
Ethylbenzene*	ND	0.052	mg/kg dry	50	3052013	AP	22-May-13	8021B	
Total Xylenes*	ND	0.157	mg/kg dry	50	3052013	AP	22-May-13	8021B	
Total BTEX	0.013	0.313	mg/kg dry	50	3052013	AP	22-May-13	8021B	J
Surrogate: 4-Bromofluorobenzene (PID)		114 %	89.4-	126	3052013	AP	22-May-13	8021B	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any daim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager





	ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620							1	Reported: 4-Jun-13 11	:38			
	CVU 96 - 6 (2') H301130-56 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	80.0	16.0	mg/kg	4	3060507	DW	05-Jun-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



	RCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE30 PLAZA DRIVE, SUITE 600Project Number:B004860.0000IGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620							1	Reported: 14-Jun-13 11	:38			
	CVU 96 - 6 (5') H301130-57 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	48.0	16.0	mg/kg	4	3060507	DW	05-Jun-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager





	ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	RIVE, SUITE 600 Project Number: B004860.0000							Reported: 4-Jun-13 11	:38			
	CVU 96 - 6 (10') H301130-58 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
In	organic Compounds												
C	hloride	272	16.0	mg/kg	4	3060507	DW	05-Jun-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager





	ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	ITE 600 Project Number: B004860.0000							Reported: 4-Jun-13 11	:38			
	CVU 96 - 6 (15') H301130-59 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
In	organic Compounds												
C	hloride	352	16.0	mg/kg	4	3060507	DW	05-Jun-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								1	Reported: 4-Jun-13 11	:38			
	CVU 96 - 2 (10') H301130-60 (Soil)												
1	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
In	organic Compounds												
Cl	hloride	ND	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								1	Reported: 4-Jun-13 11:	38			
	CVU 96 - 2 (15') H301130-61 (Soil)												
1	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
In	organic Compounds												
Cl	lloride	ND	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620									Reported: 4-Jun-13 11	:38			
	CVU 96 - 2 (20') H301130-62 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
In	organic Compounds												
C	hloride	ND	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620									Reported: 4-Jun-13 11	:38			
	CVU 96 - 2 (25') H301130-63 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
In	organic Compounds												
C	hloride	ND	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								1	Reported: 4-Jun-13 11	:38			
	CVU 96 - 3 (2') H301130-64 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	320	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								1	Reported: 4-Jun-13 11	:38			
	CVU 96 - 3 (5') H301130-65 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	208	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSEN Fax To:Fax To:(713) 977-4620									Reported: 4-Jun-13 11	:38			
	CVU 96 - 3 (10') H301130-66 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	144	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620									Reported: 4-Jun-13 11	:38			
	CVU 96 - 3 (15') H301130-67 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	64.0	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620									:38			
CVU 96 - 3 (20') H301130-68 (Soil)												
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
Cardinal Laboratories												
Inorganic Compounds												
Chloride	96.0	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620									Reported: 4-Jun-13 11	:38			
	CVU 96 - 3 (25') H301130-69 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	128	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620									38			
CVU 96 - 1 (20') H301130-70 (Soil)												
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
Cardinal Laboratories												
Inorganic Compounds												
Chloride	560	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSEN Fax To:Fax To:(713) 977-4620									:38			
CVU 96 - 1 (25') H301130-71 (Soil)												
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
Cardinal Laboratories												
Inorganic Compounds												
Chloride	720	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								1	Reported: 4-Jun-13 11	:38			
	CVU 96 - 4 (2') H301130-72 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	80.0	16.0	ng/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager





ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								1	Reported: 4-Jun-13 11	:38			
	CVU 96 - 4 (5') H301130-73 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	48.0	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTON Project: CHEVRON BUCKEYE 30 PLAZA DRIVE, SUITE 600 Project Number: B004860.0000 4IGHLANDS RANCH CO, 80129 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620								Reported: 4-Jun-13 11	:38			
	CVU 96 - 4 (10') H301130-74 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	48.0	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager





	ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								Reported: 4-Jun-13 11	:38			
	CVU 96 - 4 (15') H301130-75 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
			Cardinal	Labor	atories								
Ir	organic Compounds												
С	hloride	32.0	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager





	ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								Reported: 4-Jun-13 11	:38			
	CVU 96 - 4 (20') H301130-76 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	64.0	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								1	Reported: 4-Jun-13 11	:38			
	CVU 96- 4 (25') H301130-77 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
h	organic Compounds												
С	hloride	64.0	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								Reported: 4-Jun-13 11	:38			
	CVU 96 - 2 (2') H301130-78 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	32.0	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								Reported: 4-Jun-13 11	:38			
	CVU 96 - 2 (5') H301130-79 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
			Cardinal	Labor	atories								
h	organic Compounds												
С	hloride	ND	16.0	mg/kg	4	3051406	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								Reported: 14-Jun-13 11	:38			
	CVU 96 - 7 (2') H301130-80 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	320	16.0	mg/kg	4	3060507	DW	05-Jun-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								Reported: 4-Jun-13 11	:38			
	CVU 96 - 7 (5') H301130-81 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
In	organic Compounds												
C	hloride	304	16.0	mg/kg	4	3060507	DW	05-Jun-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								Reported: 14-Jun-13 11:	38			
CVU 96 - 7 (10') H301130-82 (Soil)												
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
		Cardinal	Labora	tories								
Inorganic Compounds												
Chloride	240	16.0	mg/kg	4	3060507	DW	05-Jun-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Number: B004860.0000								:38			
	CVU 96 - 7 (15') H301130-83 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
Ir	organic Compounds												
С	hloride	128	16.0	mg/kg	4	3060507	DW	05-Jun-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								Reported: 14-Jun-13 11:	38			
CVU 96 - 7 (20') H301130-84 (Soil)												
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
		Cardinal	Labora	atories								
Inorganic Compounds												
Chloride	160	16.0	mg/kg	4	3060507	DW	05-Jun-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTONProject:CHEVRON BUCKEYE630 PLAZA DRIVE, SUITE 600Project Number:B004860.0000HIGHLANDS RANCH CO, 80129Project Manager:JONATHAN OLSENFax To:(713) 977-4620								Reported: 4-Jun-13 11	:38			
	CVU 96 - 7 (25') H301130-85 (Soil)												
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
	Cardinal Laboratories												
In	organic Compounds												
С	hloride	224	16.0	mg/kg	4	3060507	DW	05-Jun-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	er: B(er: JC	HEVRON BUC)04860.0000)NATHAN OL 13) 977-462(SEN		1	Reported: 4-Jun-13 11	:38				
	CVU 96 - 1 (2') H301130-86 (Soil)											
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes		
	Cardinal Laboratories											
Ir	organic Compounds											
С	hloride	496	16.0	mg/kg	4	3051407	DW	14-May-13	4500-Cl-B			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	er: B(Jer: JC	HEVRON BUC 004860.0000 DNATHAN OL '13) 977-4620	SEN		1	Reported: 4-Jun-13 11	:38				
	CVU 96 - 1 (5') H301130-87 (Soil)											
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes		
	Cardinal Laboratories											
Ir	organic Compounds											
С	hloride	144	16.0	mg/kg	4	3051407	DW	14-May-13	4500-Cl-B			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	CKEYE SEN 0		1	Reported: 4-Jun-13 11:	38							
CVU 96 - 1 (10') H301130-88 (Soil)												
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes			
Cardinal Laboratories												
Inorganic Compounds												
Chloride	336	16.0	mg/kg	4	3051407	DW	14-May-13	4500-Cl-B				

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	er: B(er: JC	HEVRON BUC 004860.0000 0NATHAN OL: 713) 977-4620	SEN		1	Reported: 4-Jun-13 11	:38				
	CVU 96 - 1 (15') H301130-89 (Soil)											
	Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes		
	Cardinal Laboratories											
Ir	organic Compounds											
С	hloride	656	16.0	mg/kg	4	3051407	DW	14-May-13	4500-Cl-B			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Number: Project Manager:	CHEVRON BUCKEYE B004860.0000 JONATHAN OLSEN (713) 977-4620	Reported: 14-Jun-13 11:38
--	-------------------------------------	---	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Amelia	D and t	Reporting	Units	Spike Level	Source	%REC	%REC Limits	RPD	RPD Limit	Neter
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 3051315 - 1:4 DI Water										
Blank (3051315-BLK1)				Prepared &	Analyzed:	13-May-13	3			
Chloride	ND	16.0	mg/kg							
LCS (3051315-BS1)				Prepared &	Analyzed:	13-May-13	3			
Chloride	416	16.0	mg/kg	400		104	80-120			
LCS Dup (3051315-BSD1)				Prepared &	Analyzed:	13-May-13	;			
Chloride	416	16.0	mg/kg	400		104	80-120	0.00	20	
Duplicate (3051315-DUP1)	Sour	-ce: H301122-	·02	Prepared & Analyzed: 13-May-13			;			
Chloride	4120	16.0	mg/kg	4320			4.74	20		
Matrix Spike (3051315-MS1)	Sour	·ce: H301122-	·02	Prepared & Analyzed: 13-May-13		;				
Chloride	4880	16.0	mg/kg	400	4320	140	80-120			QM-07
Batch 3051405 - 1:4 DI Water										
Blank (3051405-BLK1)				Prepared &	Analyzed:	14-May-13	3			
Chloride	ND	16.0	mg/kg							
LCS (3051405-BS1)				Prepared &	Analyzed:	14-May-13	;			
Chloride	432	16.0	mg/kg	400		108	80-120			
LCS Dup (3051405-BSD1)				Prepared &	Analyzed:	14-May-13	3			
Chloride	432	16.0	mg/kg	400		108	80-120	0.00	20	
Duplicate (3051405-DUP1)	Sour	-ce: H301130-	07	Prepared & Analyzed: 14-May-13						
Chloride	32.0	16.0	mg/kg		0.00			200	20	QR-03

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129		Project Nu Project Ma	umber: nager:	CHEVRON BUCKEYE B004860.0000 JONATHAN OLSEN (713) 977-4620				Reported: 14-Jun-13 11:38		
	Inorg	r	-	- Quality	Control					
		Carun								
Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 3051405 - 1:4 DI Water										
Matrix Spike (3051405-MS1)	Sourc	e: H301130-	07	Prepared &	Analyzed:	14-May-13				
Chloride	432	16.0	mg/kg	400	0.00	108	80-120			
Batch 3051406 - 1:4 DI Water										
Blank (3051406-BLK1)				Prepared &	Analyzed:	14-May-13				
Chloride	ND	16.0	mg/kg							
LCS (3051406-BS1)				Prepared &	Analyzed:	14-May-13				
Chloride	448	16.0	mg/kg	400		112	80-120			
LCS Dup (3051406-BSD1)				Prepared &	Analyzed:	14-May-13				
Chloride	432	16.0	mg/kg	400		108	80-120	3.64	20	
Duplicate (3051406-DUP1)	Sourc	e: H301130-	60	Prepared &	Analyzed:	14-May-13				
Chloride	ND	16.0	mg/kg		0.00				20	
Matrix Spike (3051406-MS1)	Sourc	e: H301130-	60	Prepared &	Analyzed:	14-May-13				
Chloride	400	16.0	mg/kg	400	0.00	100	80-120			
Batch 3051407 - 1:4 DI Water										
Blank (3051407-BLK1)				Prepared &	Analyzed:	14-May-13				
Chloride	ND	16.0	mg/kg	*		-				
LCS (3051407-BS1)				Prepared &	Analyzed:	14-May-13				
Chloride	432	16.0	mg/kg	400	•	108	80-120			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project: CHEVRON BUCKEYE Project Number: B004860.0000 Project Manager: JONATHAN OLSEN Fax To: (713) 977-4620								Reported: 14-Jun-13 11:38		
	Inor	-	-	- Quality							
		Carun									
Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes	
Batch 3051407 - 1:4 DI Water											
.CS Dup (3051407-BSD1)				Prepared &	Analyzed:	14-May-13	3				
Chloride	432	16.0	mg/kg	400		108	80-120	0.00	20		
Duplicate (3051407-DUP1)	Sour	ce: H301130-	86	Prenared &	Analyzed:	14-May-13	3				
Chloride	480	16.0	mg/kg	110purou et	496	111111	<u> </u>	3.28	20		
Aatrix Spike (3051407-MS1)	Sour	ce: H301130-	86	Prenared &	Analyzed:	14-May-13	ξ.				
Chloride	896	16.0	mg/kg	400	496	100	80-120				
Batch 3051504 - General Prep - Wet Chem											
Blank (3051504-BLK1)				Prepared: 1	5-May-13	Analyzed: 1	6-May-13				
6 Solids	100	0.100	%	1							
6 Moisture	ND	0.100	%								
Duplicate (3051504-DUP1)	Sour	ce: H301130-	01	Prepared: 1	5-May-13	Analyzed: 1	6-May-13				
6 Moisture	6.25	0.100	%	1	5.60			11.0	20		
6 Solids	93.8	0.100	%		94.4			0.691	20		
Batch 3051505 - General Prep - Wet Chem											
Blank (3051505-BLK1)				Prepared: 1	5-May-13	Analyzed: 1	6-May-13				
6 Solids	100	0.100	%	1		<u> </u>	<u> </u>				
6 Moisture	ND	0.100	%								
Duplicate (3051505-DUP1)	Sour	ce: H301130-	21	Prepared: 1	5-May-13	Analyzed: 1	6-May-13				
6 Solids	97.2	0.100	%		97.4	·	•	0.195	20		
6 Moisture	2.81	0.100	%		2.62			7.00	20		

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager

Notes



Analytical Results For:

ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Number: Project Manager:	JONATHAN OLSEN	Reported: 14-Jun-13 11:38
	Fax To:	(713) 977-4620	

Inorganic Compounds - Quality Control Cardinal Laboratories

Reporting Spike Source %REC RPD %REC RPD Limit Analyte Result Limit Units Level Result Limits Batch 3052208 - 1:4 DI Water Blank (3052208-BLK1) Prepared & Analyzed: 22-May-13 Chloride ND 16.0 mg/kg LCS (3052208-BS1) Prepared & Analyzed: 22-May-13 432 80-120 Chloride 16.0 mg/kg 400 108 LCS Dup (3052208-BSD1) Prepared & Analyzed: 22-May-13 416 3.77 Chloride 16.0 mg/kg 400 104 80-120 20 Duplicate (3052208-DUP1) Source: H301220-34 Prepared & Analyzed: 22-May-13 Chloride 720 16.0 736 2.20 20 mg/kg Matrix Spike (3052208-MS1) Source: H301220-34 Prepared & Analyzed: 22-May-13 1060 Chloride 16.0 400 736 80.0 80-120 mg/kg Batch 3052209 - General Prep - Wet Chem Blank (3052209-BLK1) Prepared & Analyzed: 22-May-13 % Moisture ND 0.100 % % Solids 100 0.100 % Duplicate (3052209-DUP1) Source: H301130-49 Prepared & Analyzed: 22-May-13

% Solids Batch 3060505 - 1:4 DI Water

Baten 5000505 - 1.4 D1 Water			
Blank (3060505-BLK1)			Prepared & Analyzed: 05-Jun-13
Chloride	ND	16.0	mg/kg

%

%

4.76

95.8

0.100

0.100

4.23

95.2

Cardinal Laboratories

% Moisture

*=Accredited Analyte

11.8

0.555

20

20

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager

QM-07



Analytical Results For:

ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Number: Project Manager:	CHEVRON BUCKEYE B004860.0000 JONATHAN OLSEN (713) 977-4620	Reported: 14-Jun-13 11:38
--	-------------------------------------	---	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories Reporting Spike Source %REC RPD %REC RPD Limit Analyte Result Limit Units Level Result Limits Notes Batch 3060505 - 1:4 DI Water LCS (3060505-BS1) Prepared & Analyzed: 05-Jun-13 Chloride 432 16.0 400 108 80-120 mg/kg LCS Dup (3060505-BSD1) Prepared & Analyzed: 05-Jun-13 Chloride 432 80-120 0.00 20 16.0 mg/kg 400 108 Duplicate (3060505-DUP1) Source: H301196-44 Prepared & Analyzed: 05-Jun-13 11.4 Chloride 592 16.0 mg/kg 528 20 Matrix Spike (3060505-MS1) Source: H301196-44 Prepared & Analyzed: 05-Jun-13 Chloride 1020 16.0 400 528 124 80-120 mg/kg Batch 3060507 - 1:4 DI Water Blank (3060507-BLK1) Prepared & Analyzed: 05-Jun-13 Chloride ND 16.0 mg/kg LCS (3060507-BS1) Prepared & Analyzed: 05-Jun-13 Chloride 416 16.0 mg/kg 400 104 80-120 LCS Dup (3060507-BSD1) Prepared & Analyzed: 05-Jun-13 Chloride 432 16.0 mg/kg 400 108 80-120 3 77 20 Duplicate (2060507 DUD1) Soumoo, 11201120 56 Prepared & Analyzed: 05-Jun-13

Duplicate (3000307-DOFT)	Source: I	Source: H501150-50			Trepared & Analyzed. 05-Juli-15					
Chloride	80.0	16.0	mg/kg		80.0			0.00	20	
Matrix Spike (3060507-MS1)	Source: H	301130-	56	Prepared &	Analyzed:	05-Jun-13				
Chloride	432	16.0	mg/kg	400	80.0	88.0	80-120			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Keine

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Number: Project Manager:	B004860.0000 JONATHAN OLSEN	Reported: 14-Jun-13 11:38
	Fax To:	(713) 977-4620	
	630 PLAZA DRIVE, SUITE 600	630 PLAZA DRIVE, SUITE 600Project Number:HIGHLANDS RANCH CO, 80129Project Manager:	630 PLAZA DRIVE, SUITE 600 Project Number: B004860.0000

Inorganic Compounds - Quality Control

Cardinal Laboratories

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 3061104 - 1:4 DI Water										
Blank (3061104-BLK1)				Prepared &	Analyzed:	11-Jun-13				
Chloride	ND	16.0	mg/kg							
LCS (3061104-BS1)				Prepared &	Analyzed:	11-Jun-13				
Chloride	416	16.0	mg/kg	400		104	80-120			
LCS Dup (3061104-BSD1)				Prepared &	Analyzed:	11-Jun-13				
Chloride	416	16.0	mg/kg	400		104	80-120	0.00	20	
Duplicate (3061104-DUP1)	Sourc	e: H301330	-04	Prepared &	Analyzed:	11-Jun-13				
Chloride	ND	16.0	mg/kg	0.00				20		
Matrix Spike (3061104-MS1)	Sourc	e: H301330	-04	Prepared &	Analyzed:	11-Jun-13				
Chloride	432	16.0	mg/kg	400	0.00	108	80-120			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Number: Project Manager:	CHEVRON BUCKEYE B004860.0000 JONATHAN OLSEN (713) 977-4620	Reported: 14-Jun-13 11:38
--	-------------------------------------	---	------------------------------

Organic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 3052203 - General Prep										
Blank (3052203-BLK1)				Prepared &	Analyzed:	15-May-13	3			
GRO C6-C10	ND	15.0	mg/kg wet							
DRO >C10-C28	ND	15.0	mg/kg wet							
Surrogate: 1-Chlorooctane	83.8		mg/kg	100		83.8	70-130			
Surrogate: o-Terphenyl	40.4		mg/kg	50.0		80.8	70-130			
LCS (3052203-BS1)				Prepared &	Analyzed:	15-May-13	3			
GRO C6-C10	1060	15.0	mg/kg wet	1000		106	75-125			
DRO >C10-C28	1100	15.0	mg/kg wet	1000		110	75-125			
Surrogate: 1-Chlorooctane	103		mg/kg	100		103	70-130			
Surrogate: o-Terphenyl	47.0		mg/kg	50.0		94.0	70-130			
LCS Dup (3052203-BSD1)				Prepared &	Analyzed:	15-May-13	3			
GRO C6-C10	1040	15.0	mg/kg wet	1000		104	75-125	1.90	20	
DRO >C10-C28	1160	15.0	mg/kg wet	1000		116	75-125	5.31	20	
Surrogate: 1-Chlorooctane	111		mg/kg	100		111	70-130			
Surrogate: o-Terphenyl	49.4		mg/kg	50.0		98.8	70-130			
Matrix Spike (3052203-MS1)	Sou	rce: H301130	-17	Prepared &	Analyzed:	15-May-13	3			
GRO C6-C10	1020	15.3	mg/kg dry	1020	ND	100	75-125			
DRO >C10-C28	1130	15.3	mg/kg dry	1020	ND	111	75-125			
Surrogate: 1-Chlorooctane	117		mg/kg	100		117	70-130			
Surrogate: o-Terphenyl	56.6		mg/kg	50.0		113	70-130			
Matrix Spike Dup (3052203-MSD1)	Sou	rce: H301130	-17	Prepared &	Analyzed:	15-May-13	3			
GRO C6-C10	1080	15.3	mg/kg dry	1020	ND	106	75-125	5.83	20	
DRO >C10-C28	1130	15.3	mg/kg dry	1020	ND	111	75-125	0.00	20	
Surrogate: 1-Chlorooctane	122		mg/kg	100		122	70-130			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Number: Project Manager:	CHEVRON BUCKEYE B004860.0000 JONATHAN OLSEN (713) 977-4620	Reported: 14-Jun-13 11:38
--	-------------------------------------	---	------------------------------

Organic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 3052204 - General Prep										
Blank (3052204-BLK1)				Prepared:	15-May-13	Analyzed:	16-May-13			
GRO C6-C10	ND	15.0	mg/kg wet							
DRO >C10-C28	ND	15.0	mg/kg wet							
Surrogate: 1-Chlorooctane	126		mg/kg	100		126	70-130			
Surrogate: o-Terphenyl	61.4		mg/kg	50.0		123	70-130			
LCS (3052204-BS1)				Prepared:	15-May-13	Analyzed:	16-May-13			
GRO C6-C10	1150	15.0	mg/kg wet	1000		115	75-125			
DRO >C10-C28	1040	15.0	mg/kg wet	1000		104	75-125			
Surrogate: 1-Chlorooctane	125		mg/kg	100		125	70-130			
Surrogate: o-Terphenyl	58.4		mg/kg	50.0		117	70-130			
LCS Dup (3052204-BSD1)				Prepared:	15-May-13	Analyzed:	16-May-13			
GRO C6-C10	1190	15.0	mg/kg wet	1000		119	75-125	3.42	20	
DRO >C10-C28	1180	15.0	mg/kg wet	1000		118	75-125	12.6	20	
Surrogate: 1-Chlorooctane	124		mg/kg	100		124	70-130			
Surrogate: o-Terphenyl	62.3		mg/kg	50.0		125	70-130			
Matrix Spike (3052204-MS1)	Sou	rce: H301130	-49	Prepared:	15-May-13	Analyzed:	16-May-13			
GRO C6-C10	1000	15.7	mg/kg dry	1040	ND	95.8	75-125			
DRO >C10-C28	908	15.7	mg/kg dry	1040	ND	87.0	75-125			
Surrogate: 1-Chlorooctane	111		mg/kg	100		111	70-130			
Surrogate: o-Terphenyl	47.9		mg/kg	50.0		95.8	70-130			
Matrix Spike Dup (3052204-MSD1)	Sou	rce: H301130	-49	Prepared:	15-May-13	Analyzed:	16-May-13			
GRO C6-C10	1020	15.7	mg/kg dry	1040	ND	97.6	75-125	1.86	20	
DRO >C10-C28	955	15.7	mg/kg dry	1040	ND	91.5	75-125	5.04	20	
Surrogate: 1-Chlorooctane	110		mg/kg	100		110	70-130			
Surrogate: o-Terphenyl	49.3		mg/kg	50.0		98.6	70-130			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Number: Project Manager:	JONATHAN OLSEN	Reported: 14-Jun-13 11:38
	Fax To:	(713) 977-4620	

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

		Reporting	** *	Spike	Source	A/DEC	%REC		RPD	N T .
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 3051317 - Volatiles										
Blank (3051317-BLK1)				Prepared:	13-May-13	Analyzed:	15-May-13			
Benzene	ND	0.050	mg/kg wet							
Toluene	0.011	0.050	mg/kg wet							
Ethylbenzene	ND	0.050	mg/kg wet							
Total Xylenes	ND	0.150	mg/kg wet							
Total BTEX	0.011	0.300	mg/kg wet							
Surrogate: 4-Bromofluorobenzene (PID)	0.0543		mg/kg wet	0.0500		109	89.4-126			
LCS (3051317-BS1)				Prepared:	13-May-13	Analyzed:	15-May-13			
Benzene	2.03	0.050	mg/kg wet	2.00		101	76.4-135			
Toluene	1.84	0.050	mg/kg wet	2.00		92.2	80.2-135			
Ethylbenzene	1.98	0.050	mg/kg wet	2.00		99.1	78.5-133			
Total Xylenes	5.91	0.150	mg/kg wet	6.00		98.5	80.1-135			
Surrogate: 4-Bromofluorobenzene (PID)	0.0534		mg/kg wet	0.0500		107	89.4-126			
LCS Dup (3051317-BSD1)				Prepared:	13-May-13	Analyzed:	15-May-13			
Benzene	2.16	0.050	mg/kg wet	2.00		108	76.4-135	6.60	16.4	
Toluene	1.96	0.050	mg/kg wet	2.00		98.1	80.2-135	6.17	16.6	
Ethylbenzene	2.09	0.050	mg/kg wet	2.00		104	78.5-133	5.16	16.1	
Total Xylenes	6.24	0.150	mg/kg wet	6.00		104	80.1-135	5.31	15.8	
Surrogate: 4-Bromofluorobenzene (PID)	0.0529		mg/kg wet	0.0500		106	89.4-126			
Batch 3051404 - Volatiles										
Blank (3051404-BLK1)				Prepared:	14-May-13	Analyzed:	15-May-13			
Benzene	ND	0.050	mg/kg wet							

Diank (COSTIOT DEIKI)			reputed. It may 15 maryzet	u. 15 May 15	
Benzene	ND	0.050 mg/kg wet			
Toluene	0.012	0.050 mg/kg wet			J
Ethylbenzene	ND	0.050 mg/kg wet			
Total Xylenes	ND	0.150 mg/kg wet			
Total BTEX	0.012	0.300 mg/kg wet			J
Surrogate: 4-Bromofluorobenzene (PID)	0.0546	mg/kg wet	0.0500 109	89.4-126	

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



	ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Number: Project Manager:	CHEVRON BUCKEYE B004860.0000 JONATHAN OLSEN (713) 977-4620	Reported: 14-Jun-13 11:38
--	--	-------------------------------------	---	------------------------------

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Ampletto	Result	Reporting Limit	Units	Spike	Source	%REC	%REC	RPD	RPD Limit	Notes
Analyte	Kesult	Limit	Units	Level	Result	%REC	Limits	KPD	Limit	Notes
Batch 3051404 - Volatiles										
LCS (3051404-BS1)				Prepared: 1	4-May-13	Analyzed:	15-May-13			
Benzene	1.96	0.050	mg/kg wet	2.00		97.9	76.4-135			
Toluene	1.77	0.050	mg/kg wet	2.00		88.3	80.2-135			
Ethylbenzene	1.89	0.050	mg/kg wet	2.00		94.4	78.5-133			
Total Xylenes	5.53	0.150	mg/kg wet	6.00		92.2	80.1-135			
Surrogate: 4-Bromofluorobenzene (PID)	0.0535		mg/kg wet	0.0500		107	89.4-126			
LCS Dup (3051404-BSD1)				Prepared: 1	4-May-13	Analyzed:	15-May-13			
Benzene	2.11	0.050	mg/kg wet	2.00		105	76.4-135	7.34	16.4	
Toluene	1.89	0.050	mg/kg wet	2.00		94.6	80.2-135	6.90	16.6	
Ethylbenzene	2.02	0.050	mg/kg wet	2.00		101	78.5-133	6.95	16.1	
Total Xylenes	5.86	0.150	mg/kg wet	6.00		97.7	80.1-135	5.87	15.8	
Surrogate: 4-Bromofluorobenzene (PID)	0.0538		mg/kg wet	0.0500		108	89.4-126			
Batch 3052013 - Volatiles										
Blank (3052013-BLK1)				Prepared: 2	0-May-13	Analyzed:	22-May-13			
Benzene	ND	0.050	mg/kg wet							
Toluene	ND	0.050	mg/kg wet							
Ethylbenzene	ND	0.050	mg/kg wet							
Total Xylenes	ND	0.150	mg/kg wet							
Total BTEX	ND	0.300	mg/kg wet							
Surrogate: 4-Bromofluorobenzene (PID)	0.0569		mg/kg wet	0.0500		114	89.4-126			
LCS (3052013-BS1)				Prepared: 2	0-May-13	Analyzed:	22-May-13			
Benzene	2.28	0.050	mg/kg wet	2.00		114	76.4-135			
Toluene	2.05	0.050	mg/kg wet	2.00		103	80.2-135			
Ethylbenzene	2.22	0.050	mg/kg wet	2.00		111	78.5-133			
Total Xylenes	6.42	0.150	mg/kg wet	6.00		107	80.1-135			
Surrogate: 4-Bromofluorobenzene (PID)	0.0550		mg/kg wet	0.0500		110	89.4-126			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



ARCADIS U.S., INC HOUSTON 630 PLAZA DRIVE, SUITE 600 HIGHLANDS RANCH CO, 80129	Project Number: Project Manager:	CHEVRON BUCKEYE B004860.0000 JONATHAN OLSEN (713) 977-4620	Reported: 14-Jun-13 11:38
--	-------------------------------------	---	------------------------------

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 3052013 - Volatiles										
LCS Dup (3052013-BSD1)				Prepared: 2	20-May-13	Analyzed: 2	22-May-13			
Benzene	2.37	0.050	mg/kg wet	2.00		118	76.4-135	3.54	16.4	
Toluene	2.12	0.050	mg/kg wet	2.00		106	80.2-135	3.17	16.6	
Ethylbenzene	2.28	0.050	mg/kg wet	2.00		114	78.5-133	2.97	16.1	
Total Xylenes	6.61	0.150	mg/kg wet	6.00		110	80.1-135	2.81	15.8	
Surrogate: 4-Bromofluorobenzene (PID)	0.0552		mg/kg wet	0.0500		110	89.4-126			

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

SUB-PBE	Analysis subcontracted to Permian Basin Environmental Lab, NELAP accreditation # T104704156-12-1.
QR-03	The RPD value for the sample duplicate or MS/MSD was outside if QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
J	Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
I-02	This result was analyzed outside of the EPA recommended holding time.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500CI-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

Celey D. Kune

Celey D. Keene, Lab Director/Quality Manager

State The Zin: JTHEZ Atte:
Com

Received/by (OCD:/11/15/2019/12/:20:30 PM

1

Page 87 of 95

. Released to Imaging: 7/20/2021 11:28:43 AM

1

Page 125 of 1162

Laboratories

Relinquished By:	All Number By:	10/10/11	Kelinquishea by:	filiates or successors arising out of or related to	ims including those for i	LEASE NOTE: Liability and Damages. Cardinal's liabi	-58nn91 bl	12 164 185-	17 Now 85-	5	15 164 185		-	12 Wow485	11 Wowu 85	Lab I.D. Sa	FOR LAB USE ONLY	Sampler Name: Ryan	Project Location: Buch my	Project Name: Chauren	Project #: Buoy 860,0000	13.953,	City: Houston	Address: 2929 Bilar Parta	Project Manager: . Jona than	Company Name: ACUAN 15
(Circle One) Bus - Other:	Time:	Date:	Time: 20	the performance of services hereunder by C	re and any other cause whatsoever shall be d	M(36') (C Is liability and client's exclusive remedy for any cla		4(20)	-4(15)	4 (10)	-4(5)	-462	-2 (30)	-2(25)	-2 (201)	Sample I.D.		Nanny	n	Buchayz	Project Ov	4874 Fax #: 713,	State: Typ	parte Pro Suita	Mun Olsan	Alcopper -us
Cool Intact Cool Intact Yes Yes No No	(Received By:	Mill J	ardinal, regardless of whether such claim	eemed waived unless made in writing and without limitation, business interruptions,	V claim arising whether based in contract	62 8	2	5 2 X	Q 7 9	5 2 1	2	620	N	8 2 S	(G)RAB OR (C)OM # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE	P. MATRIX					7.46 20	Zip: 77402	300		
ion CHECKED BY: (Initials)			Jenden	is based upon any of the above stated re	d received by Cardinal within 30 days afte loss of use, or loss of profits incurred by (or lort, shall be limited to the amount pai	44	61250	85-9-13	L1-5-5 a	21-6-5 Q	21-6-2 2	K1647	× 5-9-13	×145 0	OTHER : ACID/BASE: ICE / COOL OTHER : 10 ~ C	PRESERVI SAMPLING	Fax #:	Phone #:	State: Zip:	City:	Address:	Attn:	Company:	P.O. #:	BILL TO
			Pres	÷ □	er completion of the applicable clicnt, its subsidiaries,	paid by the client for the	120 1 1	1625 1 1	1618 1 1	1 1 6091	1557 1 1	1 1 1 2231	1540 1 1	1537 1 1	1530 1 1	тме Мо, 47 или ТРН 801	7	+	B	Th		451 80				$ \begin{array}{c} \sum_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} \sum_{j=1}^{n$
			Add'l Fax #:	No Add'I Phone #:																						ANALYSIS REQUES

Page 126 of 1162

Laboratories

Project Manager: Jona TUN Olsan Address: 2929 Brian Part Pr. Juni City: Houston State: To	+= 300 Zip: 77402	P.O. #: Company: Attn:	DZIB	
114: 713,953, 4874	1.46.20	Address: City:		
	St	State: Zip:	0	
Project Location: Buchzyz O. Fizid		Phone #:	0	
Ryan Nam		1		
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING		
Lab I.D. Sample I.D.	(G)RAB OR (C)OMF # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER :	ACID/BASE: ICE / COOL OTHER : Mar	moisture TPH 8019	
NGW485-31	10	KIBH X		
- 5	20	0		
7 10/ 11 20 - 3/ 12)	8	5		
-36		0 4-943 1655		
142 17 - 28 M 24 1 01	0 0 0	4-9-13	3 1 1 X	
2	6 2 X	121 21-6-12	XIIIK	
JA Wours 2- Kio)		-		
PLEASE NOTE: Liability and Damages. Cardinal's liability and clean's exclusive remody for any cliant arising whether based in contract or lord, shall be finited to the annual plad by and clean's exclusive remody for any cliant arising whether based in contract or lord, shall be finited to the contract contract end on the client of the annual plad by and client's exclusive remody for any cliant arising whether based in contract or lord, shall be finited to the annual plad by and client's exclusive remody for any cliant arising whether based in contract or lord, shall be finited to the annual plad by and client's exclusive remody for any cliant arising whether based in contract or lord, shall be finited to the annual plad by and client's exclusive remody for any cliant arising whether based in contract or lord, shall be finited to the annual plad by an exclusive remody for any client arising whether based in contract or lord, shall be finited to the annual plad by an exclusive remody for any client arising whether based in contract or lord, shall be finited to the annual plad by an exclusive remody for any client arising whether based in contract or lord, shall be finited to the annual plad by an exclusive remody for any client arising whether based in contract or lord, shall be finited to the annual plad by an exclusive remody and client's exclusive remody in the annual plad by an exclusive remody and client's exclusive remody in the annual plad by an exclusive remody and client's	V for any claim arising whether based in contract or tort	tort, shall be limited to the amount paid by the client for the creword by Cardinal within 30 days after completion of the a	n of the applicable	
surgices, and cause a movement movement of the protocol occul of the protocol occul oc	, including without limitation, business interruptions, loss inder by Cardinal, regardless of whether such claim is ba	s of use, or loss of profits incurred by client, its subsidiar pased upon any of the above stated reasons or otherwise		
Relinquished By: Performance of the second	Received By:	endor		Add'
Relinquished By: Date:	Received By:	H	Hold VGuu 85-7	20 M22
(Circle One)	Sample Condition	n CHĘCKED BY:		
Delivered by: (Circle Oile)	20 Cool Intact			

Received/by (OCD:/11/15/2019/12:20:30 PM

Page 127 of 1162

Laboratories

Company Name: A	Allants -us		BILL TO	 A state of the sta	ANALYSIS REQUEST
	2		P.O. #:		
Address: 2929		300	Company:		
5	State:	tip: フフリピン	Attn:		
1e#: 713.0	753, 4874 Fax #: 713	02 9446611	Address:	. usi 80	
Bo	be , core Project Owner: Chrule -1		City:		
1	uron Buchave		State: Zip:		
Project Location: L	chanz		Phone #:	Io. B	
	n Nanny		Fax #:		
FOR LAB USE ONLY		MATRIX	PRESERV. SAMPLING	+	
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMF # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE	OTHER : ACID/BASE: ICE / COOL OTHER : No 2.	Me: 574.2015	told
31	17	X	x	1 1 0661	
~	64485-7(25)	2	(H2-4) 00	1735 1 1	X
34 75	6~ UX7 -1(30')	8 2 2	61-64 a	1750 1	
C. 5	8-6/9	62 8	E1-5-4 01	1755 4 11	
5	16 mu 85-6 (101)	62 10	10 4-9-13	1 1 6561	*
	V6u485-6(151)		64.713	1 1 4081	X
29 Va	VEWNEST 6(201)	x x x	64-9-13	1 1 1 1081	
PLEASE NOTE: Liability and Damages. Ca analyses. All claims including those for negl	PLEASE NOTE: Liability and bamages. Cardinal's lability and client's exclusive remody for any claim arising whether based in contract or fort, shall be limited to the amount paid by the client for the analyses. All claims including those for megligance and any other cause whatsoever shall be deemed waved within and target and you are completion of the applicable analyses. All claims including those for megligance and any other cause whatsoever shall be deemed waved within and target of Cadinal within 30 days after completion of the applicable analyses. All claims including those for megligance and any other cause whatsoever shall be deemed waved within and target of the source of the substitution of the source inclusion.	any claim arising whether based in confraction of the confraction of t	t or fort, shall be limited to the amount paid of received by Cardinal within 30 days after loss of trace or loss of profits incurred by cl	by the client for the completion of the applicable end, its subsidiaries.	
Athliates or successors arising out Relinquished By:	8	Cardinal, regardless of whether such claim Received By:	such claim is based upon any of the above stated real	Fax Result: Pres	□ No Add'I Phone #:
Relinquished By:	Time: 50	Received By:	LENDON.	Hold VGWU 85-	-1
	Time:				
Delivered By: (Circle One)	Circle One)	Sample Condition	CHECKED BY:		
Sampler - UPS - E	Bus - Other:	JU Pres Pres	0		

Page 128 of 1162

Laboratories

Project Manager: Joint Hanneller Olerneller Address: 2929 Brischarthanneller 14:12 Address: 2929 Brischarthanneller 11:12 Address: 2929 Brischarthanneller 12:12 Address: 2929 Brischarthanneller 13:977 Phone #: 713,953,4874 Fax #: 713,973,4420 Address: Project #: Bartheneller 13:977,4420 Project #: Bartheneller Project Owner: Charter Project Name: Antheneller City: 31:30 Project Name: Antheneller City: 31:30 Project Name: Antheneller City: 31:30 Project Name: Antheneller 21:00 31:30
Brisefact Dr., Suite 300 Company: State: The Zip: 77402 Attn: 2.4874 Fax #: 713,977.4620 Address: 2.4874 Fax #: 713,977.4620 Fax #: 716
State: T/P Zip: 77402 Attn: b. H874 Fax #: 713,977,4620 Address: b. H874 City: 100,000 b. H874 State: Zip: b. 100,000 State: Zip:
Y874 Fax #: 713,977,4620 Address: State: Y97 10000 Project Owner: Chauren City: State: Zip: 22
oject Owner: Chavren City: State: Zip:
State: Zip:
Phone #
Fax #
MATRIX PRESERV SAMPLING C
C)OMP. RS TER ER
IDGE HER: DIBASE: ICOOL HER: No DIGASE: DIBASE: ICOOL HER: No DIGASE: DIBASE: ICOOL HER: No DIBASE: ICOOL HER: NO DI HER: NO NO DI HER: NO DI HER: NO NO NO NO NO NO NO NO NO NO NO NO NO N
CUN 39-9(20) 611 x x 2-8-13
E1-8-50 X 119 (52) 9-
16mu 85-5 (2') 6 2 x
27-20 1 2 - C 0 - C 1 2 - C 0 - C 1 2 - C 0 - C 2 - C 0 - C
16 - C (15') 6 2 × × × × × × × × × × × × × × × × × ×
5(20) 62 × 65-9-13
5(25) 62 8 85913
(1) VGwu 85-5(20) 6 2 10 10 10 10 10 10 10 10 10 10 10 10 10
Nily and Danages. Caudinate liability and client's excitistice initially for any client including these for naglgence and any other issues whatsever shall be deened and cardona he loads the instances or consequences demages, inclusing without
Received By:
Time: 1700
Hold
- Bus - Other: 20 Sample Condition CHECKED.BY:
verbal changes. Please fax written changes to (575) 393-2326

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Page 129 of 1162

Д

boratories

Company Name: ARCANS-U	5	BILL TO	Ar	ANALYSIS REQUEST
Project Manager: Jona than 0	16+11 1	P.O. #:		
	5uit 300	Company:		3
enston	Zip: 77402	Attn:		
0#: 713,952,4874	Fax #: 713,977.4620 A	Address:		
Project #: 1200 4860, 00000 F	Project Owner: Chave n C	City:		5
Project Name: Chavien Buckey		State: Zip:		
110 mbs	Finld	Phone #:		
Ryan Nanny		Fax #:		
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING		
Lab I.D. Sample I.D.	(G)RAB OR (C)OMF # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER :	ACID/BASE: ICE / COOL OTHER : Array	Moisture of HOID	
50 CUL 96-5 (2	x I	X 5813 1	i i X	
CVU	/	-	X	
52 (VU 96 - 5 (10)	8	8551 8-8-13 1258		
(VU96-5()	-	313 16	XII	
CVU196-6	61 8	\$ 5-8-13 16	J J X	
CVU96-61	6 1 9	21-2-5	311	
CVU96	a 1 7	9491 21-8-5 9	E I X	
59 (1496-6(15))	-	0 5-23		
1.EASE NOTE: Liability and Danisges. Calorinal's Resetty and others naivage. All diating including Reset for regigence and any other gau styles. In no event shall Caldinal be liable to incidential or correctus and the statement of the statem	b) EASE [DVRFs]: [Inskity and Demogree Calculates balance without or entropy or a varies or warman or warman and or warman or an and a more or and	ront, answer one annowant we give entrovants preventing voe on reversed by Ceardinal waltion 20 days after complete so of use, or foss of profile incourted by client. As so associations across the above stated to associe or of	isori vi Ansapplizable subantalana, desentalana	
Relingushed By:	Sate: 1 Received By: A	h IN NRIA Phot	Phone Result: U Yes & No A Fex Result: U YES U No A REMARKS:	Add'l Phone #: Add'l Fax #:
Relinquished	Date: Received By:	HULL	Hold CVU 96-5	+ (VUL 96-6 Sufles
Delivered By: (Circle One)	7 6 Sample Condition	n CHECKED BY:		

Received/by(OCD:111/15/2019 12:20:30 PM

Page 130 of 162

Laboratories

NLaboratories

Page 131 of 1162

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Company Name: ARCAD15-45	5	BILL TO	ANALYSIS REQUEST	ST
4	16+17	P.O. #:		
P		Company:	0.1	
city: Hanston	State: The Zip: 77402	Attn:	2 30	
4874	Fax#: 713,977.4620	Address:	EPH	
dava	Project Owner: Chauren	City:	US	
Project Name: Chaven Buckey-		State: Zip:	1-5	
Project Location: Buck ry- oil	oil find	Phone #:		
2	2	Fax #:		
	D. MATRIX	PRESERV. SAMPLING		
Lab I.D. Sample I.D.	IB OR (C)OM VTAINERS JINDWATER TEWATER	R: BASE: COOL R: Marria	Gture	
H201130	# CO GRO	ICE /	TIME	
60 CUL196-2(10)	-	\$ 58-13	1442 1	
CVU 96-20	x 11 9	12.1-8-5 91	1 0241	
62 CVU 96-2 (20)	6 1 8		1 4541	nando de Canada de C
63 CVU96-2(25)	3 19	5-8-13	1 2341	
0	61 0	X 6-8-13 1	517 1	
CV 496-31	818	1 2123 4	1 22 31	and a second
00	Q 1 9	1 21-8-5 X	1525 1	
(21) 5-96 MA LO	6 1	× 5-8-13 K	1 828	
8 CUU96-30	8 1 8		1531 1	non - Hereinen - He
109 (UU96-3(25')	611	1 21-25 X	1539 1 1 1 1 1	
X.EABE NOTE: Listility and Demages. Caldina's liability and dirents matyacs. All claims including these for negligence and any other causerulation of the causerulation of the causerulation of the causerulation of the causerulation.	Relify and Danages. Caldinate liability and dient's exclusive leanady for any clean steary enabled tessed in contrast or furt analy be limited to the ensuich paid by the cleant for the matudang these for negligence and any other cause whateover shed be deened waved unless mate in wiling and reserved by Celdual with. 30 days and completions of the episivable shall Candrian be have for negligence and any other cause whateover shed be deened waved unless mate in wiling and reserved by Celdual with. 30 days and completions of the episivable shall Candrian be have for negligence and any other cause whateover she deened waved unless mate in wiling and reserved by Celdual with. 30 days and completions of the episivable shall Candrian be have for registered or converginant demages, inclusing which immation, internation internations, or loss of one of portion involves by cleant is encoded as a shall Candrian be have for registered any other shall be deened or convergence of the shall be applied by the cleant of the episive of the	or rart, shall be limited to the emisurit paid by a received by Certainal within 30 days after ou loss of use, or less of profile incurred by oten	The client for the pypelicit of the supplicable it is interactionet.	
Relingershed By:	Pater -1 -2 Received By: 2-10-1-2 Received By: Time-200 AOUL M	undon R	Phone Result: Ves I No Add'l Phone #: Fax Result: Gr Yes I No Add'l Fax #: REMARKS:	
Relinquished By:	Time: Received By:			
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	26 Cool Intest	CHĘCKĘD BY:		
† Cardinal cannot accept verbal ch	Cardinal cannot accept verbal changes. Please fax written changes to (575) 3852326	(575) 383-2326		
	Ħ	Y		

Pa	nge 1320	of 1162
Γ	0	
Д	D	
0	D	
D)	D	
H		
9	Gamma	
Ē	D	
S	The second se	

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Company Name: DO/10/16-16		BILL TO		ANALYSIS REQUEST
Jan th		P.O. #:		
1 Berger Dach	+ 300	Company:	æ,]	
who state:	ZID: 22402	Attn:	Q 3	
Phone #: 713,953,4874 Fax #: 713.	977.4620	Address:	FR	
	Project Owner: Chave -	City:	45	
Suctem		State: Zip:	1 = 5	
Project Location: Buckey - oil find		Phone #:	0-120	
5		Fax #:	10	
	MATRIX	PRESERV SAMPLING		
	ERS ATER	lons	int	
Lab I.D. Sample I.D.	RAB OR ONTAIN OUNDW STEWA L	HER : D/BASE / COOL	Peist	
H301130	# CO GRO WAS SOIL	OTH ACII	T	
10 CVU 96-1(201)	X 11 9	K1-8-5 X	1 2451	
711 CUU96-1(25)	8	×1-8-5 01		
12 CUU96 -4(21)	1	and the local division of the local division	1405 1	
13 604 96-4 (5)	8 1 8	E1-2-5 a	1 2041	
74 (14 96-4/10)	61 X 1	6-8-13	1	
75 CUU96 - 4/15)	0 1 0	5-8-23	14/6 1	
76 (1496 - 4(20)	8 1 8	× 5-8-13	1 02M	
-40	/	× 5-8-13	14231	
18 CUN96-2(21)	a 19	818-39	1 0441	A second s second second se Second second s Second second seco
-2(5)	8 1 8	E1-8-5 a	1 5441	
PLEASE NOTE: Liability and Damages. Cautionate illudity and allerity and allerity and annual judit and annual judit pline client to the annual set of the	any officer ansing whiches hased to contra a deemsa warved unless made in writing r o without limitation, buistress interruption	remody for any classes sinely evolving used in contrast or tone to the second of the ensued to the second of the classes of the other to the rever shall be exerned vestined unless make in writing and a coversed by Couldnain strikt no days after writightion of the a par, inclusing vehicult instation, hundrate in Merchanics, loss of time, or loss of profile societed by class if its categorianian	id by the client for the er completion of the applicable client, its subsidiaries,	
antiactes or aucorescuts attaining out of or related to the sectlationaries of securices indicunstar by Relinquisticad By:	Received By:	n is based upon any of the above stated to		Yes C No Add' Phone #:
7-10 C	1	Undon		
Refinquished By: Date: Time:	Received By:			
Delivered By: (Circle One)	0 00	Ition CHECKED BY:		
Sampler - UPS - Bus - Other:	20	5		
+ Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326	e fax written changes to	1575) 393-2326		
	1	HU HU H		

Company Name: ARCADIS-45		BILL TO	ANALYSIS REQUEST
Project Manager: Jonathan Olsan		P.O. #:	
7 Barnelacte 6	+ 300	Company:	
stale Stale	N	Attn:	
0	5,977,4620	Address:	
1200 1860, 0000	Project Owner: Chauren	City:	
Project Name: Chavren Buckeya		State: Zip:	
Project Location: Buckey oil finled	na mangang na kana kana kana kana kana kana	Phone #:	
Kyan Nanny		Fax #:	
	MATRIX	PRESERV. SAMPLING	>
mple	G)RAB OR (C)OMP # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE	OTHER : ACID/BASE: ICE / COOL OTHER : N/p., -	HOLD
CVU96-70		57	
(14) (- 96 MA) (2	8	0 421 2 48 5 X	
CV496-71	81 8		13 1 X X
-	81 8	5421 21-2-3 X	15 1 X
		5-8-13	250 1 X X
47 1119K-1 (5')	× 2	× 5-8-13 1337	
CVU96-11	x 19		1342 1
99 (VU96 1 (15))		C 5-8-13	
NLEADE (VOLE): Uniting and compared, summare summary and and a second structured on a second second second and the second sec	the deemsed waived unless made in writing a ding without invitation, husiness interruptions	id received by Catidinal within 30 days after complet, loss of use, or loss of profile incurred by stent. As	lion of the systematic understand
Rolingujarija da se udate la da sedanaca da aveza haravan haravana karavana kar	Received By:	A Deservice which it the above started reactions in Photometer Pho	Tes ZNo Add' Phone #:
Relinquished By: Date: Time:	Received By:	40.000 (Hold CUU96-7 Suplizy
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	70 Sample Condition	rdition CHECKED BY:	

Received/by(OCD:/11/15/2019 12:20:30 PM

Page 133 of 1162

aboratories



Attachment 6

Boring Logs (October 2013)

Date Dril Dril San Bo	e Sta	rt/Fin Comp Netho g Met e De	od: / thod: pth:	5/8/2 Wh Air Ro Sho 25' b	2013 ite Dr otary ovel ogs		2:20:301	Well/Boring ID: CVU96 - 01 Client: Chevron EMC Location: Central Vacuum Unit 96		
DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description		
-0								SANDY CALICHE, Very Pale Brown (10YR8/2), firm, arenaceous, broken up due to trucks, mostly caliche, some sand, very fine to fine grained, trace medium grains, subangular, poorly sorted, slightly moist.		
-	_	1	DP	3	15.6	×				
- 5 -	-5 -	1	AR	5	9.7	æ		CALCAREOUS SANDSTONE, White (2.5YR8/1), firm, moderately cemented, part caliche and part sand, very fine to fine grained, subangular, poorly sorted, dry.		
-	-	2	AR				±:±:			
- 10 -	-10 -	3	AR	10	13.0	×		CALCAREOUS SAND, White (2.5YR8/1), fine grained, subangular to subrounded, poorly sorted, loose, mostly sand, some caliche matrix, soft, powdery, slight moisture. Formation contains thin 0.3 inch to 0.5 inch calcareous sandstone, interbeds Pale Yellow (2.5YR8/2), fine grained, subangular to subrounded, poorly sorted, friable to slightly indurated, dry.		
- 15 -	-15 -				11.1	æ				
	-	4	AR					SAND, Pale Yellow (2.5YR8/3), fine grained, subrounded, moderately sorted, loose, slight moisture.		
- 20 - -	-20 -	5	AR	7	13.0	×				
	-				11.4					




Remarks: ags = above ground surface; AK = air knife; amsl = above mean sea level; AR = air rotary; bgs = below ground surface; ppm = parts per million; cm = centimeter; DP = Direct Push

Project: B0048610 Template:Che Data File:CVU96 - 01 Soil Boring.dat Template:ChevronSoilBoring.ldfx Date: 6/5/2014

Created/Edited by: SA


Date Dril Dril San Boi	e Sta	rt/Fin Comp /letho g Met e Dei	od: A bany: bd: A thod: oth:	5/8/2 Wh Air Ro Sho 25' b	2013 ite Dr otary ovel gs		2:20:301	Well/Boring ID: CVU96 - 02 Chevron EMC Location: Central Vacuum Unit 96 Chevron
DЕРТН	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-0						1	<u> / /</u>	SANDY CLAY (Topsoil), Yellowish Brown (10YR5/4), firm, friable, 70% clay, 30% sand, very fine to fine grained, subangular, poorly
-	-	1	DP	3	10.9	×		SANDY CALICHE, Very Pale Brown (10YR8/2), soft arenaceous, broken up due to traffic, 70% caliche, 30% sand, very fine to fine grained, trace medium grains in sample, subangular, poorly sorted, loose, slightly moist.
- 5	-5 -		AR	5	7.9	æ		CALCAREOUS SANDSTONE, White (2.5YR8/1), firm, moderately cemented to indurated, dry, 50% caliche, 50% sand, very fine to fine grained, subangular, poorly sorted, dry.
- - - 10	-10 -	2	AR		3.3	×		SAND, White (2.5YR8/1), fine grained, subangular to subrounded, poorly to moderately sorted, loose, 85% sand, 15% caliche matrix. Formation contains trace sandstone, White (2.5YR8/1), firmly cemented, friable, calcareous, thin interbeds 0.3 inch to 0.5 inch in thickness throughout formation.
- - 15 -	- - - 15 - -	3	AR	10	8.7	×		
-	-	4	AR				•••••	SAND, Pale Yellow (2.5YR8/3), fine grained, subangular to subrounded, moderately sorted, loose, slight calcareous, slight moisture,
- - 20 - -	-20 - - -	5	AR	7	7.5	×		slightly calcareous.
-	_				7.5			SAND, Pale Yellow (2.5YR7/4), fine grained, subrounded, moderately to well sorted, loose, slightly moist.



Project: B0048610 Template:ChevronSoilBoring.ldfx Data File:CVU96 - 02 Soil Boring.dat Date: 6/5/2014

Created/Edited by: SA


Date Dril Dril San Boi	e Sta	rt/Fir Comp Nethe g Met e De	nish: pany: od: / thod: pth:	5/8/2 Whi Air Ro : Sho 25' b	2013 ite Dr otary ovel gs		2:20:301	Well/Boring ID: CVU96 - 03 Client: Chevron EMC Location: Central Vacuum Unit 96		
DЕРТН	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description		
-0								SANDY CLAY (Topsoil), Yellowish Brown (10YR5/4), firm, friable, 70% clay, 30% sand, very fine to fine grained, subangular, poorly sorted, dry.		
	-		DP	1.5	11.9	×		SANDY CALICHE, Very Pale Brown (10YR8/2), soft arenaceous, broken up due to traffic, 70% caliche, 30% sand, very fine to fine grained, trace medium grains in sample, subangular, poorly sorted, loose, slightly moist.		
	_	1		1.5				CALCAREOUS SANDSTONE, White (2.5YR8/1), firm, moderately cemented to indurated, 50% caliche, 50% sand, very fine to fine		
- 5 -	-5 -	2	AR		9.2	X		grained, subangular, poorly sorted, dry.		
- 10 -	-10 -			15	6.2	×				
- - - 15	_ 15 _	3	AR			æ				
					10.1			Very Pale Brown (2.5YR8/2), sand increasing with depth.		
	-	4	AR					SAND, Pale Yellow (2.5YR8/3), fine grained, subangular to subrounded, moderately sorted, loose, slightly calcareous, slightly moist.		
- 20 -	-20 - -	F		6	14.6	×				
	-	5	AR							
					14.3		••••	SAND, Pale Yellow (2.5YR7/4), fine grained, subrounded, moderately sorted, loose, slight moisture.		



Project: B0048610 Template:ChevronSoilBoring.ldfx Data File:CVU96 - 03 Soil Boring.dat Date: 6/5/2014

Created/Edited by: SA

Date Dril Dril San Boi		Comp Netho g Met e De	nish: pany: od: ^A thod: pth:	Wh Air Ro Shi 25' b	2013 ite Dr otary ovel gs		/R Dallas	Well/Boring ID: CVU96 - 04 Client: Chevron EMC Location: Central Vacuum Unit 96
DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description
-0							<u>/.:/.:/.:</u>	SANDY CLAY (Topsoil), Yellowish Brown (10YR5/4), firm, friable, 70% clay, 30% sand, very fine to fine grained, trace medium grains,
	_		DP	1.5	12.1	×		subangular, poorly sorted, dry.
	-	1	AR	1.5				SANDY CALICHE, Very Pale Brown (10YR8/2), soft, arenaceous, broken up due to traffic, 70% caliche, 30% sand, very fine to fine grained, trace medium grains, subangular, poorly sorted, loose, slightly moist.
- 10	-5 - - - - - - - - - - - - - - - - - - -	2	AR	15	7.6	X		CALCAREOUS SANDSTONE, White (2.5YR8/1), very fine to fine grained, subangular, poorly sorted, weakly cemented, friable, dry. 60% sand, 40% caliche matrix.
- 15	-15 -	3	AR		7.8	æ		Firm to slightly indurated, dry.
	-	4	AR					SAND, Pale Yellow (2.5YR8/3), fine grained, subangular to subrounded, moderately sorted, loose, slightly calcareous, slightly moist.
- 20	-20 -	5	AR	6	12.7	×		
	-				9.9		• • • •	SAND, at 25 feet bgs, Pale Yellow (2.5YR7/4), fine grained, subrounded, moderately sorted, loose, slight moisture.




Project: B0048610 Template:Che Data File:CVU96 - 04 Soil Boring.dat Template:ChevronSoilBoring.ldfx

Date: 6/6/2014

Created/Edited by: SA


Date Dril Dril San Bo	e Sta	rt/Fir Comp /leth g Mei e De	od: / thod:	5/8/2 Wh Air Ro Sh 25' b	2013 ite Dr otary ovel		2:20:301	Well/Boring ID: CVU96 - 06 Client: Chevron EMC Location: Central Vacuum Unit 96		
DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description		
0								SANDY CLAY (Topsoil), Yellowish Brown (10YR5/4), firm, friable, very fine to fine grained, subangular, poorly sorted, dry.		
	-		DP	2	8.6	-		SANDY CALICHE, Very Pale Brown (10YR8/2), soft, arenaceous, broken up due to trucks, very fine to fine grained, subangular,		
	-				0.0	×		poorly sorted, loose, slightly moist. CALCAREOUS SANDSTONE, White (2.5YR8/1), 50% caliche, 50% sand, firm, moderately cemented to indurated, very fine to fine		
	-5 - -5 -	1	AR	5	10.8	×		grained, subangular, poorly sorted, dry.		
10	-10 -	2	AR	5	9.7	×		CALCAREOUS SANDSTONE, White (2.5YR8/1), 70% sand, 30% caliche, fine grained, subangular to subrounded, poorly sorted, loose, soft, powdery, mostly dry with slight moisture. Formation contains sandstone, White (2.5YR8/1), same description as formation, firmly cemented, thin interbeds, 0.3 inch to 0.5 inch thickness throughout formation.		
	_	3	AR	5						
- 15	-15 -				12.2	æ		Interbeds beginning, 0.3 inch to 0.5 inch thickness throughout formation.		
	-	4	AR	5				SAND, Pale Yellow (2.5YR8/3), fine grained, subrounded, moderately sorted, loose, slightly calcareous, slight moisture. SAND, Pale Yellow (2.5YR7/4), fine grained, subrounded, moderately to well sorted, loose, slightly moist at 25 feet bgs.		
- 20	-20 -	5	AR	5	7.0	X				
	_				6.5	×				



Project: B0048610 Template:ChevronSoilBoring.ldfx Data File:CVU96 - 06 Soil Boring.dat Date: 6/6/2014

Created/Edited by: SA

Date Drill Drill Sam Bor	e Sta	rt/Fin Comp Netho g Met e Dep	nish: bany: od: / thod: pth:	5/8/2 Wh Air Ro Sho 25' b	2013 ite Dr otary ovel		2:20:301	Well/Boring ID: CVU96 - 07 Client: Chevron EMC Location: Central Vacuum Unit 96		
DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Analytical Sample	Geologic Column	Stratigraphic Description		
0		1	DP	2	0.5	æ		SANDY CALICHE, Very Pale Brown (10YR8/2), 70% caliche, 30% sand, firm, arenaceous, broken up due to trucks, very fine to fine grained, trace medium grains, subangular, poorly sorted, dry.		
-5	-5 -		AR	5	0.4	×		CALCAREOUS SANDSTONE, White (2.5YR8/1), 60% caliche, 40% sand, firm, moderately cemented with indurated zones, dry, powdery, very fine to fine grained, subangular, poorly sorted, dry.		
- 10	-10 - -	2	AR	5	6.7	×		CALCAREOUS SANDSTONE, White (2.5YR8/1), fine grained, subangular to subrounded, poorly sorted, loose, soft, powdery, slight moisture. Formation contains thin 0.3 inch to 0.5 inch calcareous sandstone interbeds, Pale Yellow (2.5YR8/2), fine grained, subangular to subrounded, poorly sorted, friable to slightly indurated, dry.		
- 15	- 15 - -	3	AR	5	8.1	×				
- 20	-20 -	4	AR	5	7.5	æ		SAND, Pale Yellow (2.5YR8/3), fine grained with trace medium grains, subrounded, poorly sorted, loose, slight moisture.		
	-	5	AR	5	8.5	æ				



Project: B0048610 Template:ChevronSoilBoring.ldfx Data File:CVU96 - 07 Soil Boring.dat Date: 6/6/2014

Created/Edited by: SA



Attachment 7

Chloride Multimedia Exposure Assessment Model Simulated Soil Screening Levels for the Protection of Groundwater Memo



МЕМО

To: Kegan Boyer, Chevron Environmental Management Company Copies: Chris Shepherd, ARCADIS Kathleen Abbott, ARCADIS David Evans, ARCADIS ARCADIS U.S., Inc. 2929 Briarpark Drive Suite 300 Houston Texas 77042 Tel 713 953 4800 Fax 713 977 4620

From: Jonathan Olsen

Date: May 8, 2014

ARCADIS Project No.: B0048615.0000

Subject:

Chloride Multimedia Exposure Assessment Model Simulated Soil Screening Levels for the Protection of Groundwater HES Transfer Sites, Lea County, New Mexico

On behalf of Chevron Environmental Management Company, ARCADIS U.S., Inc. (ARCADIS) evaluated chloride remediation action levels for use at the Health Environmental Safety (HES) Transfer Sites near Hobbs, New Mexico. The New Mexico Oil Conservation District (NMOCD) has established soil screening levels (SSLs) for fluid management pits (also known as the "NMOCD PIT RULE" [NMAC 19.15.17]); however, no formal SSLs have been established by the NMOCD or the New Mexico Environmental Department (NMED) for surface releases of production water. The Risk Assessment Guidance for Investigation and Remediation (NMED 2012) states that SSLs should be based on risk to human health and the potential migration to groundwater with respect to the NMED-specific tap water SSL. Chloride is not considered hazardous and the NMED and the United States Environmental Protection Agency (USEPA) have not established tap water screening levels for chloride. However, the NMED has established a chloride standard for groundwater (NMAC 20.6.2.1101) of 250 milligrams per liter (mg/L). Therefore, the SSL for chloride should be based on the soil leaching to groundwater pathway.

To evaluate a chloride SSL for use at the HES Transfer Sites, ARCADIS performed simulations of unsaturated zone flow, transport, and saturated zone mixing of chloride using the Multimedia Exposure Assessment Model Version 2.0 (MULTIMED; USEPA 1996) to evaluate the potential migration of chloride in shallow soil through the unsaturated zone to the underlying groundwater. The initial simulations were intended to estimate a maximum allowable chloride soil concentration (site SSL) to evaluate HES Transfer

ARCADIS

Sites in Lea County and eastern Eddy County, New Mexico, and to develop a baseline approach for using the model for potential future evaluations of solute migration at other HES Transfer Sites in New Mexico.

MULTIMED Overview

MULTIMED was originally designed to simulate the movement of solutes leaching from a landfill to various exposure pathways. Due to its general acceptance by the NMOCD and the USEPA and its ability to simulate unsaturated and saturated zone flow and transport, MULTIMED was selected for this evaluation. The model, as designed, simulates one-dimensional vertical transport in the unsaturated zone to the saturated zone based on user-provided input parameters considering vadose zone, saturated zone, and chemical-specific characteristic parameters.

The simulations were performed using both the unsaturated and saturated zone modules available in MULTIMED. The unsaturated zone module performs solutions of the downward flow of infiltrating water to the water table by Darcy's Law:

$$Q = -K_v \cdot K_{rw} \left(\frac{\delta \psi}{\delta z}\right)$$

Where:

\$\psi\$ is the pressure head (meters [m])
\$z\$ is the depth (m)
\$Kv\$ is the saturated hydraulic conductivity (meters per year [m/year])
\$Krw\$ is the relative hydraulic conductivity

The boundary condition at the water table is:

$$\psi \cdot L = 0$$

Where:

L is the thickness of the unsaturated zone (m)

In the unsaturated zone, it is necessary to specify the relationship between relative hydraulic conductivity, pressure head, and water saturation. This relationship is given by van Genuchten (1976):

$$S_e = \theta r + \frac{\theta s - \theta r}{\left[1 + (\alpha \psi^{\beta})^{\gamma}\right]}$$

ARCADIS

Where:

 θr and θs are the residual water saturation and total water saturation (dimensionless), respectively

 β , γ , α are empirical soil-specific parameters (dimensionless)

 ψ is the air pressure entry head (m)

 S_e is the effective saturation (fraction)

Source area concentrations are input as leachate concentrations, therefore, the soil/water partition equation was used to convert between total soil concentration in milligrams per kilogram (mg/kg) and the leachate concentration in mg/L:

$$C_t = \frac{C_l \cdot R \cdot \theta_w}{\rho_b}$$

Where:

 C_t is the concentration of the chemical of interest in soil (mg/kg)

C_l is the concentration of the chemical of interest in leachate (mg/L)

R is the retardation coefficient (dimensionless, assumed 1 for chloride)

 ρ_b is the bulk density of the soil (mg/L or grams per cubic centimeter)

The mass of the chemical of interest that reaches the groundwater is expressed by the simplified steadystate equation (Salhotra et al. 1995) that couples the vadose zone to the groundwater:

$$M_L = A_w \cdot Q_f \cdot C_l$$

Where:

 M_L is the chemical of interest mass that leaches from site soil (grams per year [g/year])

 A_w is the width of the source area (m²)

 Q_f is the percolation rate from the facility/site (m/year)

The mixed groundwater concentration is controlled by the quasi-three-dimensional advection dispersion equations that are evaluated based on the following chemical concentration relationship within the mixing zone (Salhotra et al. 1995):

$$C(x,y,z,t) = \frac{H}{B}C_f(x,y,t) + \Delta C_p(x,y,z,t)$$

chevron hes transfer sites - multimed ssl memo_07222014.docx

Where:

C is the dissolved concentration (mg/L, g/m³) *x*,*y*,*z* are the spatial coordinates (m) *t* is elapsed time (year) *H* is the source zone penetration (m), with a maximum equal to *B B* is the thickness of the saturated zone (m)

MULTIMED's output concentration is a centerline concentration based on a calculated dilution attenuation factor. Thus, the output concentration is the maximum concentration of the chemical of interest in groundwater at a reasonable distance downgradient from the source area.

Model Design, Inputs, and Assumptions

The required input parameters for the MULTIMED simulations are summarized in Table 1. Input parameters include model structure, unsaturated and saturated zones, and chemical characteristics. Minimal site-specific data regarding the HES sites are available; therefore, numerous input parameters are based on published reports, default NMED values (2012), default values provided in the modeling code, and ARCADIS's experience, as indicated in Table 1. The model values are considered representative of the Lea County, New Mexico area. Due to the intended use of the SSL at multiple sites, more conservative values were generally selected for the given ranges of input parameters.

The general assumptions used in the MULTIMED model design include:

- The unsaturated and saturated zones are a single, homogeneous material.
- The applied recharge and infiltration are constant throughout the simulation.
- Initial chloride concentrations in soil below the source area and in groundwater are equal to 0.
- · The model assumes no chemical transformation or adsorption of chloride to soil materials.

The simulations were performed using the transient model capabilities of MULTIMED. Steady-state simulations were not chosen because MUTLIMED requires the assumption that the source is continuous and constant throughout the simulation, which is not appropriate for these evaluations. Also, the transient model was selected to provide output that simulates the aquifer concentrations versus time and models a finite source.

Model Simulations and Results

Using the input parameters provided, soil concentrations for chloride were iteratively varied to arrive at an appropriate maximum allowable soil concentration that would be protective of groundwater for each of the scenarios. To calculate the maximum concentration that would be observed given the input concentrations and parameters, the simulation period selected was 1,980 years with 20-year time steps.

To ascertain the maximum allowable chloride concentration for more typical chloride concentration distribution and depth to groundwater scenarios, eight MULTIMED simulations were completed. The scenarios are summarized in Table 2. The input values for the simulations were the same, except for the thickness and width of the chloride-affected soil within the soil column. The first four simulations evaluated homogeneous chloride-affected soil 20 meters wide (400 square meters $[m^2]$) and varied the chloride-affected soil 20 meters and the depth to groundwater between 20 and 30.5 meters. The remaining four simulations evaluated homogeneous chloride-affected soil thickness between 1 meter and 3 meters and the depth to groundwater soil 45 meters wide (2,000 m²) and varied the chloride affected soil thickness between 20 and 30.5 meters.

The predicted groundwater concentrations versus time are illustrated on Figures 1 through 8. The peak arrival times varied between 540 and 860 years. The simulations indicate the site SSLs for the protection of groundwater ranged from 8,525 to 266,100 mg/kg (Table 2) depending on the scenario and are protective of the New Mexico chloride groundwater standard of 250 mg/L.

The MULTIMED model, like any model, requires the use of simplifying assumptions regarding subsurface conditions and flow processes that result in inherent limitations and uncertainty compared to an actual flow system. In this case, uncertainty may be related to:

- The model assumes homogeneous unsaturated and saturated zones; the actual conditions at the sites likely contain numerous heterogeneities.
- The applied recharge and infiltration rates are constant. The aquifer hydraulic gradient is also assumed to be constant. These rates likely vary with time, and these variations may influence the solute migration and mixing, resulting in short-term changes in aquifer concentrations
- The model is a theoretical simulation of transport processes and is not verified or calibrated against site-specific data.

Conclusions and Recommendations

The model simulations reasonably represent conditions encountered at most of the Lea County and eastern Eddy County HES Transfer Sites. HES Transfer Sites with chloride-affected soil can be screened

against SSLs in Table 2, assuming they meet the specified conditions (source length, source depth, depth to groundwater, and soil concentration). For calculated SSLs greater than 100,000 mg/kg, a maximum allowable soil concentration of 100,000 mg/kg is recommended in accordance with the NMED risk assessment guidance (NMED 2012). For sites that meet all of these conditions, no further action is recommended. For the sites that do not meet these conditions, site-specific evaluations should be conducted.

Enclosures:

Tables

Table 1	MULTIMED V2.0 Model Inputs
Table 2	Soil Screening Level Matrix
Figures	
Figure 1	MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-1m, & Depth to Groundwater = 20m)
Figure 2	MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-1m, & Depth to Groundwater = 30.5m)
Figure 3	MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-3m, & Depth to Groundwater = 20m)
Figure 4	MULTIMED Simulated Chloride Concentration vs. Time (Source = 20m, Chloride 0-3m, & Depth to Groundwater = 30.5m)
Figure 5	MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-1m, & Depth to Groundwater = 20m)
Figure 6	MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-1m, & Depth to Groundwater = 30.5m)
Figure 7	MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-3m, & Depth to Groundwater = 20m)
Figure 8	MULTIMED Simulated Chloride Concentration vs. Time (Source = 45m, Chloride 0-3m, & Depth to Groundwater = 30.5m)

 \mathbf{x}_{i}

References

- New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).
- Salhotra, A.M., P. Mineart, S. Sharp-Hansen, T. Allison, R. Johns, and W.B. Mills. 1995. Multimedia Exposure Assessment Model (MULTIMED 2.0) for Evaluating the Land Disposal of Wastes--Model Theory. United States Environmental Protection Agency, Athens, GA. Unpublished Report.

United States Environmental Protection Agency. 1996. A Subtitle D Landfill Application Manual for the Multimedia Exposure Assessment Model (MULTIMED 2.0). Final Report.

Van Genuchten, M, Th., and P.J. Wierenga. 1976. Mass Transfer Studies in Sorbing Porous Media I. Analytical Solutions. Soil Science Society of America Proceedings. v 40, 473-480.



Tables

•

Table 1MULTIMED V2.0 Model InputsChevron HES Transfer SitesLea County, New Mexico

Parameters	Value(s)	Units	Notes
Unsaturated Zone Flow Parameters:			
Depth of Unsaturated Zone	20.0	m	Local water levels (20m & 30.5m)
Hydraulic Conductivity	0.06	cm/hr	Texas (2011)
Unsaturated Zone Porosity	0.44	fraction	NMED (2012) Default
Residual Water Content	0.260	fraction	NMED (2012) Default
Unsaturated Zone Transport Parameters:			·
Thickness of Layer	20 & 30.5	m	Regional water levels
Percent of Organic Matter	1.5%		NMED (2012) Default (not used)
Bulk Density	1.5	g/cm ³	NMED (2012) Default
Biological Decay Coefficient	0	1/yr	(not used)
Aquifer Parameters:	-	•	•
Aquifer Porosity	0.43	fraction	NMED (2012) Default
Bulk Density	1.5	g/cm ³	NMED (2012) Default
Aquifer Thickness	12.0	m	NMED (2012) Default
Hydraulic Conductivity	542	m/yr	Texas (2011), Velocity ~ 1/2 NMED Default
Hydraulic Gradient	0.010	m/m	NMED (2012) Default
Organic Carbon Content	0.020	fraction	NMED (2012) Default (not used)
Temperature of Aquifer	15.0	°C	NMED (2012) Default (not used)
pH	6.2		(not used)
x-distance Radial Distance from Site to Receptor	12	m	equal to aquifer thickness
Source Parameters:	-		·
Infiltration Rate	0.013	m/yr	~0.5 in/yr, Texas (2011)
Area of Waste	400 & 2000	m ²	NMED (2012) Default (~45m x45m)
Recharge Rate	0.013	m/yr	Texas (2011)
Duration of Pulse	540 to 840	yr	Varied, set equal to peak arrival time
Discharge Concentrations	0	mg/L	
Initial Soil Concentrations:			·
Depth (m)			
Chloride leachate concentration 0	varied	mg/L	Calculated for each scenario ¹
Chloride leachate concentration 1 & 3	0	mg/L	
Chloride leachate concentration 20 & 30.5	0	mg/L	
Additional Parameters:			·
Method	Gaussian		
New Mexico Environment Department. 2012. Risk	Chloride		
Chemical Parameters:			
Normalized Distribution Coefficient	0.00	mL/g	Model Derived
Van Genuchten Parameters:			
Alpha Van Genuchten coefficient	0.38	unitless	NCSS Soil Characterization Data ²
Beta Van Genuchten coefficient	1.2	unitless	NCSS Soil Characterization Data ²

Notes:

°C - degrees celcius

1 - calculated using the soil-water partitioning equation

2 - van Genutchen transport parameters are typical values for caliche-like material

cm - centimeters

cm³ - cubic centimeters

g - grams

hr - hour

L - liters

m - meters

m² - meter squared

mg - milligrams

mL - milliliters

yr - year

References:

NMED - New Mexico Environmental Department Risk Assessment Guidance for Site Investigations and Remediation. February 2012. NCSS - National Cooperative Soil Survey, National Cooperative Soil Characterization Database

Texas - Texas Water Development Board 2011. Update of the Groundwater Availability Model for the Edwards-Trinity (Plateau) and Pecos Valley Aquifers of Texas. January 21, 2011

Table 2Soil Screening Level MatrixChevron HES Transfer SitesLea County, New Mexico

Scenario	Source Length (m)	Source Area (m)	Source Depth (m)	Depth to Groundwater (m)	SSL _{gw} (mg/Kg)	Notes
1	20	400	0-1	20.0	108,000	1
2	20	400	0-1	30.5	266,100	1
3	20	400	0-3	20.0	23,750	
4	20	400	0-3	30.5	45,000	
5	45	2,000	0-1	20.0	38,800	
6	45	2,000	0-1	30.5	95,500	
7	45	2,000	0-3	20.0	8,525	
8	45	2,000	0-3	30.5	16,100	

NMED SSL Ceiling = 100,000 mg/Kg

Notes:

m - meters

mg/Kg - milligrams per Kilogram

NMED - New Mexico Environmental Department

SSL_{gw} - Site soil screening levels for the migration to groundwater pathway

SSL Ceiling - Soil Screening Level Ceiling (NMED 2012)


1 - the NMED SSL ceiling should be used


References:


New Mexico Environment Department. 2012. Risk Assessment Guidance for Investigations and Remediation, Volume I. February 2012 (updated June 2012).





Figures




















District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

COMMENTS

Page 161 of 162

Action 2510

COMMENTS

Operator:	OGRID:
Arcadis U.S., Inc	329073
630 Plaza Drive	Action Number:
Highlands Ranch, CO 80129	2510
	Action Type:
	[C-141] Release Corrective Action (C-141)

COMMENTS

Created By	Comment	Comment Date
bbillings	1RP-2763/nGRL1132155015 approved report found in this file as well	7/20/2021

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
Arcadis U.S., Inc	329073
630 Plaza Drive	Action Number:
Highlands Ranch, CO 80129	2510
	Action Type:
	[C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
bbillings	None	7/20/2021

Page 162 of 162 CONDITIONS

Action 2510