

# GAS VOLUME STATEMENT

Spur Energy

August, 2021

Meter #: 39710012  
 Name: Red Lake CTB Flare  
 Closed Data  
 Chaulk Bluff

Pressure Base: 14.730 psia    Temperature Base: 60.00 °F    HV Cond:    Meter Type: EFM    Contract Hr.: Midnight  
 Status: In Service    WV Technique:    WV Method:

CO2	N2	H2O	H2S	O2	He	C1	C2	C3	I-C4	N-C4	I-C5	N-C5	C6+
1.587	2.776	0.000	1.1416	0.000	0.000	70.730	13.115	6.056	0.785	1.805	0.461	0.468	1.075

Tube I.D.	Interval	Tap Location	Tap Type	Atmos. Pressure	Calc. Method	Fpv Method
3.065 in.	1 Hour	Upstream	Flange	12.900 psi	AGA3-1992	AGA8-Detail

Day	Differential (In. H2O)	Pressure (psia)	Temperature (°F)	Hours Flow	Relative Density	Plate (inches)	Volume (Mcf)	Heating Value (Btu/scf)	Energy (MMBtu)	Edited
1	0.00	12.89	81.63	0.00	0.7972	1.250	0.00	1291.20	0.00	No
2	0.00	12.90	78.83	0.00	0.7972	1.250	0.00	1291.20	0.00	No
3	0.00	12.86	81.38	0.00	0.7972	1.250	0.00	1291.20	0.00	No
4	0.00	12.86	81.93	0.00	0.7972	1.250	0.00	1291.20	0.00	No
5	0.00	12.86	86.95	0.00	0.7972	1.250	0.00	1291.20	0.00	No
6	0.00	12.83	87.19	0.00	0.7972	1.250	0.00	1291.20	0.00	No
7	0.00	12.78	88.33	0.00	0.7972	1.250	0.00	1291.20	0.00	No
8	0.00	12.77	90.85	0.00	0.7972	1.250	0.00	1291.20	0.00	No
9	0.00	12.78	92.51	0.00	0.7972	1.250	0.00	1291.20	0.00	No
10	0.00	12.81	88.66	0.00	0.7972	1.250	0.00	1291.20	0.00	No
11	0.00	12.81	87.90	0.00	0.7972	1.250	0.00	1291.20	0.00	No
12	0.00	12.82	78.25	0.00	0.7972	1.250	0.00	1291.20	0.00	No
13	0.00	12.88	73.78	0.00	0.7972	1.250	0.00	1291.20	0.00	No
14	0.00	12.91	72.30	0.00	0.7972	1.250	0.00	1291.20	0.00	No
15	0.00	12.86	78.74	0.00	0.7972	1.250	0.00	1291.20	0.00	No
16	0.00	12.80	81.08	0.00	0.7972	1.250	0.00	1291.20	0.00	No
17	0.00	12.78	81.41	0.00	0.7972	1.250	0.00	1291.20	0.00	No
18	0.00	12.78	82.33	0.00	0.7972	1.250	0.00	1291.20	0.00	No
19	0.00	12.78	88.66	0.00	0.7972	1.250	0.00	1291.20	0.00	No
20	0.00	12.76	88.82	0.00	0.7972	1.250	0.00	1291.20	0.00	No
21	0.00	12.78	85.89	0.00	0.7972	1.250	0.00	1291.20	0.00	No
22	0.00	12.80	84.57	0.00	0.7972	1.250	0.00	1291.20	0.00	No
23	0.00	12.80	88.71	0.00	0.7972	1.250	0.00	1291.20	0.00	No
24	0.00	12.81	89.33	0.00	0.7972	1.250	0.00	1291.20	0.00	No
25	0.00	12.83	86.31	0.00	0.7972	1.250	0.00	1291.20	0.00	No
26	0.00	12.84	84.16	0.00	0.7972	1.250	0.00	1291.20	0.00	No
27	0.00	12.80	86.62	0.00	0.7972	1.250	0.00	1291.20	0.00	No
28	0.00	12.80	86.33	0.00	0.7972	1.250	0.00	1291.20	0.00	No
29	0.00	12.80	85.10	0.00	0.7972	1.250	0.00	1291.20	0.00	No
30	0.00	12.79	86.73	0.00	0.7972	1.250	0.00	1291.20	0.00	No
31	0.00	12.74	88.78	0.00	0.7972	1.250	0.00	1291.20	0.00	No
<b>TOTAL</b>	0.00	12.82	84.65	0.00	0.7972		0.00		0.00	

Name of well or facility	Lat	Long	Daily Volume of Flared Natural Gas (MCF/D)	Commencement	Duration	Proposed Remedy
SHELBY 23 TANK BATTERY	32.636495	-104.449015	1514 MCF/D	11/2/2021	Continuous	ACO Requested
ROSS RANCH 09.13.14 BATTERY	32.636187	-104.47781	582 MCF/D	11/2/2021	Continuous	ACO Requested
OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY	32.652839	-104.478905	1481 MCF/D	11/2/2021	Continuous	ACO Requested
LAKWOOD FEDERAL COM NORTH BATTERY	32.625808	-104.469155	2450 MCF/D	11/2/2021	Continuous	ACO Requested
LAKWOOD FEDERAL COM SOUTH BATTERY	32.608649	-104.479201	1533 MCF/D	11/2/2021	Continuous	ACO Requested
DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY	32.614416	-104.478493	894 MCF/D	11/2/2021	Continuous	ACO Requested
HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY	32.610648	-104.472851	727 MCF/D	11/2/2021	Continuous	ACO Requested
LIVE OAK TANK BATTERY	32.63657	-104.46929	2252 MCF/D	11/2/2021	Continuous	ACO Requested
JG STATE 16 #1 TANK BATTERY	32.8284	-103.77367	130 MCF/D	11/2/2021	Continuous	Gas Rerouted
JG STATE 16 #7 TANK BATTERY	32.83604	-103.77756	96 MCF/D	11/2/2021	Continuous	Gas Rerouted
RED LAKE 32 STATE TANK BATTERY	32.78446	-104.29206	82 MCF/D	11/2/2021	Continuous	Gas Rerouted

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 61081

**QUESTIONS**

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 61081
	Action Type: [C-129] Venting and/or Flaring (C-129)

**QUESTIONS**

<b>Prerequisites</b>	
<i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i>	
Incident Well	Not answered.
Incident Facility	[fAPP2128526738] RED LAKE 32 STATE TANK BATTERY

<b>Determination of Reporting Requirements</b>	
<i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>	
Was or is this venting and/or flaring caused by an emergency or malfunction	Yes
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a venting and/or flaring event	Yes, minor venting and/or flaring of natural gas.
<i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>	
Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

<b>Equipment Involved</b>	
Primary Equipment Involved	Not answered.
Additional details for Equipment Involved. Please specify	Not answered.

<b>Representative Compositional Analysis of Vented or Flared Natural Gas</b>	
<i>Please provide the mole percent for the percentage questions in this group.</i>	
Methane (CH4) percentage	71
Nitrogen (N2) percentage, if greater than one percent	3
Hydrogen Sulfide (H2S) PPM, rounded up	11,416
Carbon Dioxide (CO2) percentage, if greater than one percent	2
Oxygen (O2) percentage, if greater than one percent	0
<i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i>	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

<b>Date(s) and Time(s)</b>	
Date venting and/or flaring was discovered or commenced	11/02/2021
Time venting and/or flaring was discovered or commenced	12:00 AM
Time venting and/or flaring was terminated	12:00 AM
Cumulative hours during this event	24

<b>Measured or Estimated Volume of Vented or Flared Natural Gas</b>	
Natural Gas Vented (Mcf) Details	Not answered.

Natural Gas Flared (Mcf) Details	Cause: Midstream Scheduled Maintenance   Other (Specify)   Natural Gas Flared   Released: 82 Mcf   Recovered: 0 Mcf   Lost: 82 Mcf ]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

**Venting or Flaring Resulting from Downstream Activity**

Was or is this venting and/or flaring a result of downstream activity	Yes
Was notification of downstream activity received by you or your operator	Yes
Downstream OGRID that should have notified you or your operator	[211372] DCP MIDSTREAM, L.P.
Date notified of downstream activity requiring this venting and/or flaring	09/20/2021
Time notified of downstream activity requiring this venting and/or flaring	02:36 PM

**Steps and Actions to Prevent Waste**

For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	Midstream scheduled turn around.
Steps taken to limit the duration and magnitude of venting and/or flaring	Sold to another 3rd party where possible.
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Rerouted gas to other midstream companies as capacity allowed.

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
 Action 61081

**CONDITIONS**

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 61081
	Action Type: [C-129] Venting and/or Flaring (C-129)

**CONDITIONS**

Created By	Condition	Condition Date
schapman01	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	11/9/2021