GAS VOLUME STATEMENT

July 2021

Meter #: 742768-00 Name: South Boyd CTB

Closed Data

Standard Conditions



Pressure Base: 14.730 psia Meter Status: Active CO2 IC4 NC4 IC5 N2 C1 C2 C3 Midnight Temperature Base: 60.00 °F Contract Hr.: 2.878 1.619 67.682 12.561 6.592 0.955 2.209 0.755 No Atmos Pressure: 12.970 psi Full Wellstream: Equivalent Dry Volume Calc Method: AGA3-1992 WV Technique: NC5 C6 **C7** C8 C9 C10 Z Method: AGA-8 Detail (1992) WV Method: 1955 IGT-Bulletin 8 0.537 0.708 0.636 0.229 0.047 Tube I.D.: 4.0260 in HV Cond: 02 H2O Upstream Meter Type: Ar СО H2 He H2S H2S ppm **EFM** Tap Location: Flange Interval: 2.592 25923.000 Tap Type: 1 Hour

Differential Pressure Temp. Time Density Plate (Inches) Volum (Mcf) (Bluisch) (Milleub) (M					Flow	Relative			Heating	
1 2.86 47.32 88.42 22.47 0.8476 2.1250 220 1319.91 290 2 2.03 45.82 82.46 23.28 0.8476 2.1250 195 1319.91 258 3 1.89 46.86 82.91 22.62 0.8476 2.1250 196 1319.91 245 4 2.05 48.47 89.51 22.76 0.8476 2.1250 197 1319.91 260 5 2.33 44.73 87.20 22.28 0.8476 2.1250 197 1319.91 250 6 1.76 45.68 83.43 22.08 0.8476 2.1250 191 1319.91 252 6 1.76 45.68 83.43 22.08 0.8476 2.1250 191 1319.91 252 8 2.20 44.91 93.53 21.12 0.8476 2.1250 169 1319.91 224 8 2.20 44.91 93.53 21.12 0.8476 2.1250 169 1319.91 232 9 2.06 47.09 92.91 22.66 0.8476 2.1250 176 1319.91 232 10 1.91 46.33 90.06 22.90 0.8476 2.1250 183 1319.91 255 10 1.91 46.33 90.06 22.90 0.8476 2.1250 183 1319.91 239 11 1.95 44.65 80.29 11.84 0.8476 2.1250 183 1319.91 239 11 1.95 44.65 80.29 11.84 0.8476 2.1250 64 1319.91 123 12 2.12 49.35 91.47 7.84 0.8476 2.1250 64 1319.91 123 12 12 12 49.35 91.47 7.84 0.8476 2.1250 64 1319.91 155 14 1.46 54.73 89.18 4.78 0.8476 2.1250 64 1319.91 55 14 1.46 54.73 89.18 4.78 0.8476 2.1250 38 1319.91 55 15 1.40 51.72 94.07 5.13 0.8476 2.1250 38 1319.91 50 16 1.39 48.34 92.39 5.31 0.8476 2.1250 38 1319.91 50 16 1.39 48.34 92.39 5.31 0.8476 2.1250 38 1319.91 50 17 1.76 47.30 101.42 6.44 0.8476 2.1250 9 1319.91 53 17 1.76 47.30 101.42 6.44 0.8476 2.1250 9 1319.91 12 18 0.85 46.31 77.25 1.51 0.8476 2.1250 9 1319.91 12 19 0.53 45.44 95.73 1.24 0.8476 2.1250 9 1319.91 12 2 8.27 37.59 87.09 23.69 0.8476 2.1250 10 1319.91 12 2 8.27 37.59 87.09 23.69 0.8476 2.1250 38 1319.91 12 2 8.27 37.59 87.09 23.69 0.8476 2.1250 385 1319.91 50 2 8.27 37.59 87.09 23.69 0.8476 2.1250 385 1319.91 50 2 8.27 37.59 87.09 23.69 0.8476 2.1250 385 1319.91 50 2 8.27 37.59 87.09 23.69 0.8476 2.1250 385 1319.91 50 2 8.27 37.59 87.09 23.69 0.8476 2.1250 385 1319.91 50 2 8.27 37.59 87.09 23.69 0.8476 2.1250 385 1319.91 50 2 8.27 37.59 87.09 23.69 0.8476 2.1250 385 1319.91 50 2 8.27 37.59 87.09 23.69 0.8476 2.1250 385 1319.91 50 2 8.27 37.59 87.09 23.69 0.8476 2.1250 389 1319.91 50 2 8.27 37.59 87.09 23.69 0.8476 2.1250 389 1319.91 50 2 8.28 56.91 88.04 24.00 0.8476 2.1250 389	Day			-	Time				Value	
2 2.03 45.82 82.46 23.28 0.8476 2.1250 195 1319.91 258 3 1.89 46.86 82.91 22.62 0.8476 2.1250 186 1319.91 245 4 2.05 48.47 89.51 22.76 0.8476 2.1250 197 1319.91 252 6 1.76 45.68 83.43 22.08 0.8476 2.1250 178 1319.91 252 6 1.76 45.68 83.43 22.08 0.8476 2.1250 178 1319.91 235 7 1.57 46.97 84.67 22.10 0.8476 2.1250 176 1319.91 225 8 2.20 44.94 93.53 21.12 0.8476 2.1250 181 1319.91 252 10 1.91 46.33 90.06 22.90 0.8476 2.1250 181 1319.91 239 11 1.95 44.65 80.29		, ,	·· <i>'</i>		, ,		• •	• • •	` '	
3 1.89 46.86 82.91 22.62 0.8476 2.1250 186 1319.91 245 4 2.05 48.47 89.51 22.76 0.8476 2.1250 197 1319.91 260 5 2.33 44.73 87.20 22.28 0.8476 2.1250 191 1319.91 252 6 1.76 45.68 83.43 22.08 0.8476 2.1250 178 1319.91 225 7 1.57 48.97 84.67 22.10 0.8476 2.1250 169 1319.91 224 8 2.20 44.91 93.53 21.12 0.8476 2.1250 169 1319.91 232 9 2.06 47.09 92.91 22.66 0.8476 2.1250 181 1319.91 232 10 1.91 46.33 90.06 22.90 0.8476 2.1250 94 1319.91 123 11 1.95 44.65 80.29<										
4 2.05 48.47 89.51 22.76 0.8476 2.1250 197 1319.91 260 5 2.33 44.73 87.20 22.28 0.8476 2.1250 191 1319.91 252 6 1.76 45.68 83.43 22.08 0.8476 2.1250 178 1319.91 235 7 1.57 46.97 84.67 22.10 0.8476 2.1250 169 1319.91 224 8 2.20 44.91 93.53 21.12 0.8476 2.1250 176 1319.91 232 9 2.06 47.09 92.91 22.66 0.8476 2.1250 181 1319.91 232 10 1.91 46.63 90.02 0.8476 2.1250 181 1319.91 239 11 1.95 44.65 80.29 11.84 0.8476 2.1250 41 1319.91 85 12 2.12 49.35 91.47 7.84 </td <td></td>										
5 2.33 44.73 87.20 22.28 0.8476 2.1250 191 1319.91 252 6 1.76 45.88 83.43 22.08 0.8476 2.1250 169 1319.91 225 7 1.57 46.97 84.67 22.10 0.8476 2.1250 169 1319.91 225 8 2.20 44.91 93.53 21.12 0.8476 2.1250 193 1319.91 255 10 1.91 46.33 90.06 22.90 0.8476 2.1250 181 1319.91 239 11 1.95 44.65 80.29 11.84 0.8476 2.1250 94 1319.91 239 11 1.95 44.65 80.29 11.84 0.8476 2.1250 94 1319.91 25 12 2.12 49.62 90.32 5.565 0.8476 2.1250 41 1319.91 49 15 1.40 51.72 94.07 </td <td></td>										
6 1.76 45.68 83.43 22.08 0.8476 2.1250 178 1319.91 235 7 1.57 46.97 84.67 22.10 0.8476 2.1250 169 1319.91 224 8 2.20 44.91 93.53 21.12 0.8476 2.1250 193 1319.91 255 10 1.91 46.33 90.06 22.90 0.8476 2.1250 181 1319.91 239 11 1.95 44.65 80.29 11.84 0.8476 2.1250 94 1319.91 239 12 2.12 49.35 91.47 7.84 0.8476 2.1250 94 1319.91 123 12 2.12 49.62 90.32 5.65 0.8476 2.1250 46 1319.91 49 13 1.32 49.62 90.32 5.65 0.8476 2.1250 38 1319.91 49 15 1.40 51.72 94.07										
7 1.57 46.97 84.67 22.10 0.8476 2.1250 169 1319.91 224 8 2.20 44.91 93.53 21.12 0.8476 2.1250 176 1319.91 232 9 2.06 47.09 92.91 22.66 0.8476 2.1250 183 1319.91 255 10 1.91 46.33 90.06 22.90 0.8476 2.1250 181 1319.91 239 11 1.95 44.65 80.29 11.84 0.8476 2.1250 94 1319.91 85 12 2.12 49.35 91.47 7.84 0.8476 2.1250 64 1319.91 85 13 1.32 49.62 90.32 5.65 0.8476 2.1250 41 1319.91 49 14 1.46 54.73 89.18 4.78 0.8476 2.1250 38 1319.91 49 15 1.40 51.72 94.07										
8 2.20 44.91 93.53 21.12 0.8476 2.1250 176 1319.91 232 9 2.06 47.09 92.91 22.66 0.8476 2.1250 193 1319.91 255 10 1.91 46.33 90.06 22.90 0.8476 2.1250 181 1319.91 239 11 1.95 44.65 80.29 11.84 0.8476 2.1250 64 1319.91 123 12 2.12 49.35 91.47 7.84 0.8476 2.1250 64 1319.91 85 13 1.32 49.62 90.32 5.65 0.8476 2.1250 41 1319.91 49 15 1.40 51.72 94.07 5.13 0.8476 2.1250 38 1319.91 50 16 1.39 48.34 92.39 5.31 0.8476 2.1250 38 1319.91 50 16 1.39 48.34 77.25										
9 2.06 47.09 92.91 22.66 0.8476 2.1250 193 1319.91 255 10 1.91 46.33 90.06 22.90 0.8476 2.1250 181 1319.91 239 11 1.95 44.65 80.29 11.84 0.8476 2.1250 94 1319.91 233 12 2.12 49.35 91.47 7.84 0.8476 2.1250 64 1319.91 85 13 1.32 49.62 90.32 5.65 0.8476 2.1250 41 1319.91 55 14 1.46 54.73 89.18 4.78 0.8476 2.1250 38 1319.91 49 15 1.40 51.72 94.07 5.13 0.8476 2.1250 38 1319.91 50 16 1.39 48.34 92.39 5.31 0.8476 2.1250 40 1319.91 53 17 1.76 47.30 101.42										
10 1.91 46.33 90.06 22.90 0.8476 2.1250 181 1319.91 239 11 1.95 44.65 80.29 11.84 0.8476 2.1250 94 1319.91 123 12 2.12 49.35 91.47 7.84 0.8476 2.1250 64 1319.91 85 13 1.32 49.62 90.32 5.65 0.8476 2.1250 38 1319.91 55 14 1.46 54.73 89.18 4.78 0.8476 2.1250 38 1319.91 49 15 1.40 51.72 94.07 5.13 0.8476 2.1250 38 1319.91 50 16 1.39 48.34 92.39 5.31 0.8476 2.1250 40 1319.91 53 17 1.76 47.30 10.42 6.44 0.8476 2.1250 52 1319.91 68 18 0.85 46.31 77.25										
11 1.95 44.65 80.29 11.84 0.8476 2.1250 94 1319.91 123 12 2.12 49.35 91.47 7.84 0.8476 2.1250 64 1319.91 85 13 1.32 49.62 90.32 5.65 0.8476 2.1250 41 1319.91 55 14 1.46 54.73 89.18 4.78 0.8476 2.1250 38 1319.91 49 15 1.40 51.72 94.07 5.13 0.8476 2.1250 38 1319.91 50 16 1.39 48.34 92.39 5.31 0.8476 2.1250 40 1319.91 53 17 1.76 47.30 101.42 6.44 0.8476 2.1250 52 1319.91 12 19 0.53 45.44 95.73 1.24 0.8476 2.1250 9 1319.91 8 20 2.51 38.48 98.43 12.03 0.8476 2.1250 10 1319.91 27 24 <		2.06						193		
12 2.12 49.35 91.47 7.84 0.8476 2.1250 64 1319.91 85 13 1.32 49.62 90.32 5.65 0.8476 2.1250 41 1319.91 55 14 1.46 54.73 89.18 4.78 0.8476 2.1250 38 1319.91 49 15 1.40 51.72 94.07 5.13 0.8476 2.1250 38 1319.91 50 16 1.39 48.34 92.39 5.31 0.8476 2.1250 40 1319.91 53 17 1.76 47.30 101.42 6.44 0.8476 2.1250 52 1319.91 68 18 0.85 46.31 77.25 1.51 0.8476 2.1250 52 1319.91 12 19 0.53 45.44 95.73 1.24 0.8476 2.1250 6 1319.91 133 21 4.43 25.65 88.36 <t< td=""><td>10</td><td>1.91</td><td>46.33</td><td>90.06</td><td>22.90</td><td>0.8476</td><td></td><td>181</td><td></td><td>239</td></t<>	10	1.91	46.33	90.06	22.90	0.8476		181		239
13 1.32 49.62 90.32 5.65 0.8476 2.1250 41 1319.91 55 14 1.46 54.73 89.18 4.78 0.8476 2.1250 38 1319.91 49 15 1.40 51.72 94.07 5.13 0.8476 2.1250 38 1319.91 50 16 1.39 48.34 92.39 5.31 0.8476 2.1250 40 1319.91 53 17 1.76 47.30 101.42 6.44 0.8476 2.1250 52 1319.91 68 18 0.85 46.31 77.25 1.51 0.8476 2.1250 9 1319.91 12 19 0.53 45.44 95.73 1.24 0.8476 2.1250 6 1319.91 133 20 2.51 38.48 98.43 12.03 0.8476 2.1250 20 1319.91 270 22 8.27 37.59 87.09 <		1.95	44.65	80.29	11.84	0.8476		94		
14 1.46 54.73 89.18 4.78 0.8476 2.1250 38 1319.91 49 15 1.40 51.72 94.07 5.13 0.8476 2.1250 38 1319.91 50 16 1.39 48.34 92.39 5.31 0.8476 2.1250 40 1319.91 53 17 1.76 47.30 101.42 6.44 0.8476 2.1250 52 1319.91 68 18 0.85 46.31 77.25 1.51 0.8476 2.1250 9 1319.91 12 19 0.53 45.44 95.73 1.24 0.8476 2.1250 6 1319.91 8 20 2.51 38.48 98.43 12.03 0.8476 2.1250 205 1319.91 33 21 4.43 25.65 88.36 22.96 0.8476 2.1250 205 1319.91 430 23 6.16 50.89 82.91					7.84	0.8476		64		
15 1.40 51.72 94.07 5.13 0.8476 2.1250 38 1319.91 50 16 1.39 48.34 92.39 5.31 0.8476 2.1250 40 1319.91 53 17 1.76 47.30 101.42 6.44 0.8476 2.1250 52 1319.91 68 18 0.85 46.31 77.25 1.51 0.8476 2.1250 9 1319.91 12 19 0.53 45.44 95.73 1.24 0.8476 2.1250 6 1319.91 8 20 2.51 38.48 98.43 12.03 0.8476 2.1250 100 1319.91 133 21 4.43 25.65 88.36 22.96 0.8476 2.1250 205 1319.91 430 23 6.16 50.89 82.91 23.98 0.8476 2.1250 385 1319.91 507 24 8.77 54.04 96.96	13	1.32	49.62	90.32	5.65	0.8476		41	1319.91	
16 1.39 48.34 92.39 5.31 0.8476 2.1250 40 1319.91 53 17 1.76 47.30 101.42 6.44 0.8476 2.1250 52 1319.91 68 18 0.85 46.31 77.25 1.51 0.8476 2.1250 9 1319.91 12 19 0.53 45.44 95.73 1.24 0.8476 2.1250 6 1319.91 8 20 2.51 38.48 98.43 12.03 0.8476 2.1250 100 1319.91 133 21 4.43 25.65 88.36 22.96 0.8476 2.1250 205 1319.91 270 22 8.27 37.59 87.09 23.69 0.8476 2.1250 325 1319.91 430 23 6.16 50.89 82.91 23.98 0.8476 2.1250 385 1319.91 570 24 8.77 54.04 96.96	14	1.46	54.73	89.18	4.78	0.8476	2.1250	38	1319.91	49
17 1.76 47.30 101.42 6.44 0.8476 2.1250 52 1319.91 68 18 0.85 46.31 77.25 1.51 0.8476 2.1250 9 1319.91 12 19 0.53 45.44 95.73 1.24 0.8476 2.1250 6 1319.91 8 20 2.51 38.48 98.43 12.03 0.8476 2.1250 100 1319.91 133 21 4.43 25.65 88.36 22.96 0.8476 2.1250 205 1319.91 270 22 8.27 37.59 87.09 23.69 0.8476 2.1250 325 1319.91 430 23 6.16 50.89 82.91 23.98 0.8476 2.1250 385 1319.91 507 24 8.77 54.04 96.96 23.92 0.8476 2.1250 432 1319.91 570 25 8.23 56.91 88.04 24.00 0.8476 2.1250 441 1319.91 582 2						0.8476				
18 0.85 46.31 77.25 1.51 0.8476 2.1250 9 1319.91 12 19 0.53 45.44 95.73 1.24 0.8476 2.1250 6 1319.91 8 20 2.51 38.48 98.43 12.03 0.8476 2.1250 100 1319.91 133 21 4.43 25.65 88.36 22.96 0.8476 2.1250 205 1319.91 270 22 8.27 37.59 87.09 23.69 0.8476 2.1250 325 1319.91 430 23 6.16 50.89 82.91 23.98 0.8476 2.1250 385 1319.91 507 24 8.77 54.04 96.96 23.92 0.8476 2.1250 432 1319.91 570 25 8.23 56.91 88.04 24.00 0.8476 2.1250 499 1319.91 582 27 4.38 66.17 92.20 24.00 0.8476 2.1250 389 1319.91 514		1.39								
19 0.53 45.44 95.73 1.24 0.8476 2.1250 6 1319.91 8 20 2.51 38.48 98.43 12.03 0.8476 2.1250 100 1319.91 133 21 4.43 25.65 88.36 22.96 0.8476 2.1250 205 1319.91 270 22 8.27 37.59 87.09 23.69 0.8476 2.1250 325 1319.91 430 23 6.16 50.89 82.91 23.98 0.8476 2.1250 385 1319.91 507 24 8.77 54.04 96.96 23.92 0.8476 2.1250 432 1319.91 570 25 8.23 56.91 88.04 24.00 0.8476 2.1250 499 1319.91 659 26 6.86 60.30 88.76 23.18 0.8476 2.1250 441 1319.91 582 27 4.38 66.17 92.20 24.00 0.8476 2.1250 389 1319.91 514 28 7.04 62.72 84.20 24.00 0.8476 2.1250<	17	1.76	47.30	101.42	6.44	0.8476		52	1319.91	68
20 2.51 38.48 98.43 12.03 0.8476 2.1250 100 1319.91 133 21 4.43 25.65 88.36 22.96 0.8476 2.1250 205 1319.91 270 22 8.27 37.59 87.09 23.69 0.8476 2.1250 325 1319.91 430 23 6.16 50.89 82.91 23.98 0.8476 2.1250 385 1319.91 507 24 8.77 54.04 96.96 23.92 0.8476 2.1250 432 1319.91 570 25 8.23 56.91 88.04 24.00 0.8476 2.1250 499 1319.91 659 26 6.86 60.30 88.76 23.18 0.8476 2.1250 441 1319.91 582 27 4.38 66.17 92.20 24.00 0.8476 2.1250 389 1319.91 514 28 7.04 62.72 84.20 24.00 0.8476 2.1250 468 1319.91 617	18	0.85	46.31	77.25	1.51	0.8476	2.1250	9	1319.91	12
21 4.43 25.65 88.36 22.96 0.8476 2.1250 205 1319.91 270 22 8.27 37.59 87.09 23.69 0.8476 2.1250 325 1319.91 430 23 6.16 50.89 82.91 23.98 0.8476 2.1250 385 1319.91 507 24 8.77 54.04 96.96 23.92 0.8476 2.1250 432 1319.91 570 25 8.23 56.91 88.04 24.00 0.8476 2.1250 499 1319.91 659 26 6.86 60.30 88.76 23.18 0.8476 2.1250 441 1319.91 582 27 4.38 66.17 92.20 24.00 0.8476 2.1250 389 1319.91 514 28 7.04 62.72 84.20 24.00 0.8476 2.1250 468 1319.91 617 29 10.48 50.42 88.26 24.00 0.8476 2.1250 540 1319.91 669	19	0.53	45.44	95.73	1.24	0.8476	2.1250	6	1319.91	8
22 8.27 37.59 87.09 23.69 0.8476 2.1250 325 1319.91 430 23 6.16 50.89 82.91 23.98 0.8476 2.1250 385 1319.91 507 24 8.77 54.04 96.96 23.92 0.8476 2.1250 432 1319.91 570 25 8.23 56.91 88.04 24.00 0.8476 2.1250 499 1319.91 659 26 6.86 60.30 88.76 23.18 0.8476 2.1250 441 1319.91 582 27 4.38 66.17 92.20 24.00 0.8476 2.1250 389 1319.91 514 28 7.04 62.72 84.20 24.00 0.8476 2.1250 468 1319.91 617 29 10.48 50.42 88.26 24.00 0.8476 2.1250 540 1319.91 713 30 9.29 50.33 87.03 24.00 0.8476 2.1250 507 1319.91 669 <td>20</td> <td>2.51</td> <td>38.48</td> <td>98.43</td> <td>12.03</td> <td>0.8476</td> <td>2.1250</td> <td>100</td> <td>1319.91</td> <td>133</td>	20	2.51	38.48	98.43	12.03	0.8476	2.1250	100	1319.91	133
23 6.16 50.89 82.91 23.98 0.8476 2.1250 385 1319.91 507 24 8.77 54.04 96.96 23.92 0.8476 2.1250 432 1319.91 570 25 8.23 56.91 88.04 24.00 0.8476 2.1250 499 1319.91 659 26 6.86 60.30 88.76 23.18 0.8476 2.1250 441 1319.91 582 27 4.38 66.17 92.20 24.00 0.8476 2.1250 389 1319.91 514 28 7.04 62.72 84.20 24.00 0.8476 2.1250 468 1319.91 617 29 10.48 50.42 88.26 24.00 0.8476 2.1250 540 1319.91 713 30 9.29 50.33 87.03 24.00 0.8476 2.1250 507 1319.91 669	21	4.43	25.65	88.36	22.96	0.8476	2.1250	205	1319.91	270
24 8.77 54.04 96.96 23.92 0.8476 2.1250 432 1319.91 570 25 8.23 56.91 88.04 24.00 0.8476 2.1250 499 1319.91 659 26 6.86 60.30 88.76 23.18 0.8476 2.1250 441 1319.91 582 27 4.38 66.17 92.20 24.00 0.8476 2.1250 389 1319.91 514 28 7.04 62.72 84.20 24.00 0.8476 2.1250 468 1319.91 617 29 10.48 50.42 88.26 24.00 0.8476 2.1250 540 1319.91 713 30 9.29 50.33 87.03 24.00 0.8476 2.1250 507 1319.91 669	22	8.27	37.59	87.09	23.69	0.8476	2.1250	325	1319.91	430
25 8.23 56.91 88.04 24.00 0.8476 2.1250 499 1319.91 659 26 6.86 60.30 88.76 23.18 0.8476 2.1250 441 1319.91 582 27 4.38 66.17 92.20 24.00 0.8476 2.1250 389 1319.91 514 28 7.04 62.72 84.20 24.00 0.8476 2.1250 468 1319.91 617 29 10.48 50.42 88.26 24.00 0.8476 2.1250 540 1319.91 713 30 9.29 50.33 87.03 24.00 0.8476 2.1250 507 1319.91 669	23	6.16	50.89	82.91	23.98	0.8476	2.1250	385	1319.91	507
26 6.86 60.30 88.76 23.18 0.8476 2.1250 441 1319.91 582 27 4.38 66.17 92.20 24.00 0.8476 2.1250 389 1319.91 514 28 7.04 62.72 84.20 24.00 0.8476 2.1250 468 1319.91 617 29 10.48 50.42 88.26 24.00 0.8476 2.1250 540 1319.91 713 30 9.29 50.33 87.03 24.00 0.8476 2.1250 507 1319.91 669	24	8.77	54.04	96.96	23.92	0.8476	2.1250	432	1319.91	570
27 4.38 66.17 92.20 24.00 0.8476 2.1250 389 1319.91 514 28 7.04 62.72 84.20 24.00 0.8476 2.1250 468 1319.91 617 29 10.48 50.42 88.26 24.00 0.8476 2.1250 540 1319.91 713 30 9.29 50.33 87.03 24.00 0.8476 2.1250 507 1319.91 669	25	8.23	56.91	88.04	24.00	0.8476	2.1250	499	1319.91	659
28 7.04 62.72 84.20 24.00 0.8476 2.1250 468 1319.91 617 29 10.48 50.42 88.26 24.00 0.8476 2.1250 540 1319.91 713 30 9.29 50.33 87.03 24.00 0.8476 2.1250 507 1319.91 669	26	6.86	60.30	88.76	23.18	0.8476	2.1250	441	1319.91	582
29 10.48 50.42 88.26 24.00 0.8476 2.1250 540 1319.91 713 30 9.29 50.33 87.03 24.00 0.8476 2.1250 507 1319.91 669	27	4.38	66.17	92.20	24.00	0.8476	2.1250	389	1319.91	514
30 9.29 50.33 87.03 24.00 0.8476 2.1250 507 1319.91 669	28	7.04	62.72	84.20	24.00	0.8476	2.1250	468	1319.91	617
	29	10.48	50.42	88.26	24.00	0.8476	2.1250	540	1319.91	713
31 8.37 48.77 87.17 24.00 0.8476 2.1250 470 1319.91 621	30	9.29	50.33	87.03	24.00	0.8476	2.1250	507	1319.91	669
	31	8.37	48.77	87.17	24.00	0.8476	2.1250	470	1319.91	621
Total 5.84 50.66 88.29 547.77 0.8476 7,029 9,278	Total	5.84	50.66	88.29	547.77	0.8476		7,029		9,278

Volume at 15.025 = 6,891 Energy = 9,278

Name of well or facility	Lat	Long	Daily Volume of Flared Natural Gas (MCF/D)	Commencement	Duration	Proposed Remedy
SHELBY 23 TANK BATTERY	32.636495	-104.449015	1356 MCF/D	12/19/2021	Continuous	ACO Requested
ROSS RANCH 09.13.14 BATTERY	32.636187	-104.47781	879 MCF/D	12/19/2021	Continuous	ACO Requested
OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY	32.652839	-104.478905	1163 MCF/D	12/19/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM NORTH BATTERY	32.625808	-104.469155	2693 MCF/D	12/19/2021	Continuous	ACO Requested
LAKEWOOD FEDERAL COM SOUTH BATTERY	32.608649	-104.479201	1244 MCF/D	12/19/2021	Continuous	ACO Requested
DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY	32.614416	-104.478493	812 MCF/D	12/19/2021	Continuous	ACO Requested
HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY	32.610648	-104.472851	493 MCF/D	12/19/2021	Continuous	ACO Requested
LIVE OAK TANK BATTERY	32.63657	-104.46929	2074 MCF/D	12/19/2021	Continuous	ACO Requested
ROSE SOUTH TANK BATTERY	32.67021	-104.42768	1822 MCF/D	12/19/2021	Continuous	Pipeline Specs
MORRIS BOYD TANK BATTERY	32.6250267	-104.4488373	2044 MCF/D	12/19/2021	Continuous	Gas Rerouted
NIRVANA TANK BATTERY	32.84504	-104.09012	1571 MCF/D	12/19/2021	Continuous	Pipeline Specs
SOUTH BOYD FEDERAL COM TANK BATTERY	32.62282	-104.46797	2341 MCF/D	12/19/2021	Continuous	Gas Rerouted

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 68840

DEFINITIONS

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	68840
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 68840

OLIFOTIONS

Q	UESTIONS	
Operator: Spur Energy Partners LLC		OGRID: 328947
9655 Katy Freeway		Action Number:
Houston, TX 77024		68840
		Action Type: [C-129] Amend Venting and/or Flaring (C-129A)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before conti	nuing with the rest of the questions.
Incident Operator	[328947] Spur Ener	rgy Partners LLC
Incident Type	Flare	
Incident Status	Closure Not Approv	ved
Incident Well	Not answered.	
Incident Facility	[fAPP2124228151] S	SOUTH BOYD FEDERAL COM TANK BATTERY
Only valid Vent, Flare or Vent with Flaring incidents (selected above in the Application Details section	on) that are assigned to y	our current operator can be amended with this C-129A application.
Determination of Reporting Requirements		
	nd may prayida addianal a	n wildenes
Answer all questions that apply. The Reason(s) statements are calculated based on your answers and Was this vent or flare caused by an emergency or malfunction	Yes	uluance.
	res	
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes	
Is this considered a submission for a vent or flare event Yes, major venting and/or flaring of natural gas.		
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that i	is or may be a major or minor release under 19.15.29.7 NMAC.
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved	1	
Primary Equipment Involved	Not answered.	
Additional details for Equipment Involved. Please specify	Not answered.	
Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group.	1	
Methane (CH4) percentage	68	

25,923

Not answered.

Not answered.

Not answered.

Not answered.

Not answered.

3

0

Released to Imaging: 12/27/2021 10:34:06 AM

Carbon Dioxide (C02) percentage quality requirement

Nitrogen (N2) percentage, if greater than one percent

Oxygen (02) percentage, if greater than one percent

Methane (CH4) percentage quality requirement

Hydrogen Sufide (H2S) PPM quality requirement

Nitrogen (N2) percentage quality requirement

Oxygen (02) percentage quality requirement

Carbon Dioxide (C02) percentage, if greater than one percent

you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas

Hydrogen Sulfide (H2S) PPM, rounded up

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 68840

QUESTIONS (continued)

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	68840
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

QUESTIONS

Date(s) and Time(s)				
Date vent or flare was discovered or commenced	12/19/2021			
Time vent or flare was discovered or commenced	12:00 AM			
Time vent or flare was terminated	12:00 AM			
Cumulative hours during this event	24			

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Midstream Scheduled Maintenance Other (Specify) Natural Gas Flared Released: 2,341 Mcf Recovered: 0 Mcf Lost: 2,341 Mcf]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity				
Was this vent or flare a result of downstream activity	Yes			
Was notification of downstream activity received by this operator	Yes			
Downstream OGRID that should have notified this operator	[211372] DCP MIDSTREAM, L.P.			
Date notified of downstream activity requiring this vent or flare	12/09/2021			
Time notified of downstream activity requiring this vent or flare	10:40 AM			

Steps and Actions to Prevent Waste					
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control	True				
Please explain reason for why this event was beyond this operator's control	Issues at DCP/Durango's Artesia Plant				
Steps taken to limit the duration and magnitude of vent or flare	Rerouted gas to other midstream companies as capacity allowed.				
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Rerouted gas to other midstream companies as capacity allowed.				

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 68840

ACKNOWLEDGMENTS

Operator:	OGRID:	
Spur Energy Partners LLC	328947	
9655 Katy Freeway	Action Number:	
Houston, TX 77024	68840	
	Action Type:	
	[C-129] Amend Venting and/or Flaring (C-129A)	

ACKNOWLEDGMENTS

V	I acknowledge that with this application I will be amending an existing incident file (assigned to this operator) for a vent or flare event, pursuant to 19.15.27 and 19.15.28 NMAC.
V	I acknowledge that amending an incident file does not replace original submitted application(s) or information and understand that any C-129 forms submitted to the OCD will be logged and stored as public record.
✓	I hereby certify the statements in this amending report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
✓	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 68840

CONDITIONS

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	68840
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

CONDITIONS

Created By	Condition	Condition Date
schapman0	If the information provided in this report requires further amendment(s), submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	12/27/2021