

Incident ID	nAPP2107540700
District RP	
Facility ID	
Application ID	


## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☐ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☐ Description of remediation activities


I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Jenni Fortunato Title: Program Manager, Remediation  
Signature:  Date: 1/7/22  
email: jenni.fortunato@cop.com Telephone: 832-486-2477

**OCD Only**

Received by: Chad Hensley Date: 01/07/2022

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by:  Date: 01/07/2022  
Printed Name: Chad Hensley Title: Environmental Specialist Advanced

## SITE INFORMATION

Report Type: Deferral Request NAPP2107540700

## General Site Information:

Site:	Elvis Battery West 2021 Release					
Company:	ConocoPhillips					
Section, Township and Range	Unit Letter F	Sec. 20	T 17S	R 32E		
Lease Number:	API No. 30-025-33584					
County:	Lea					
Release GPS:	32.822181°			-103.790908°		
Surface Owner:	Federal					
Mineral Owner:						
Directions:	From Maljamar, NM (Hwy 82/Maljamar Rd): Head south on Maljamar Rd. for 2.74 miles. Turn right on Conoco Rd. Head west for 1.62 miles. Turn right onto dirt road. Head north for 0.37 miles. Arrive at location.					

## Release Data:

Date Released:	3/15/2021
Type Release:	Produced Water
Source of Contamination:	Flowline Failure
Fluid Released:	5.1 bbls
Fluids Recovered:	4 bbls

## Official Communication:

Name:	Jenni Fortunato		Christian M. Llull, P.G.
Company:	ConocoPhillips		Tetra Tech
Address:	935 N. Eldridge Pkwy.		8911 North Capital of Texas Hwy.
			Building 2, Suite 2310
City:	Houston, TX 77079		Austin, Texas 78759
Phone number:	1-832-486-2477		(512) 338-2861
Fax:			
Email:	<a href="mailto:jenni.fortunato@conocophillips.com">jenni.fortunato@conocophillips.com</a>		<a href="mailto:christian.llull@tetrattech.com">christian.llull@tetrattech.com</a>

## Site Characterization

Depth to Groundwater:	>55' below surface
Impact to groundwater or surface water:	No
Extents within 300 feet of a watercourse:	No
Extents within 200 feet of lakebed, sinkhole, or playa lake:	No
Extents within 300 feet of an occupied structure:	No
Extents within 500 horizontal feet of a private water well:	No
Extents within 1000 feet of any water well or spring:	No
Extents within incorporated municipal well field:	No
Extents within 300 feet of a wetland:	No
Extents overlying a subsurface mine:	No
Karst Potential:	Low
Extents within a 100-year floodplain:	No
Impact to areas not on a production site:	No

## Recommended Remedial Action Levels (RRALs)

Benzene	Total BTEX	TPH (GRO+DRO)	TPH (GRO+DRO+MRO)	Chlorides
10 mg/kg	50 mg/kg	1,000 mg/kg	2,500 mg/kg	10,000 mg/kg



December 13, 2021

District Supervisor  
Oil Conservation Division, District 1  
1625 North French Drive  
Hobbs, New Mexico 88240

**Re: Release Characterization and Deferral Request  
ConocoPhillips Company  
Elvis Tank Battery  
Unit Letter F, Section 20, Township 17 South, Range 32 East  
Lea County, New Mexico  
Incident ID: NAPP2107540700**

Sir or Madam:

Tetra Tech, Inc. (Tetra Tech) was contacted by ConocoPhillips Company (COP) to evaluate a release that occurred from a flowline at the Elvis Tank Battery. The release footprint is located in Public Land Survey System (PLSS) Unit Letter F, Section 20, Township 17 South, Range 32 East, in Lea County, New Mexico (Site). The approximate release area is located at coordinates 32.822181, -103.790908°, as shown on Figures 1 and 2.

## BACKGROUND

According to the State of New Mexico C-141 Initial Report (Appendix A), the release was discovered on March 15, 2021. The release occurred as the result of a flowline failure and encompasses an estimated 2,475 square feet of lease pad. Approximately 5.1 barrels (bbls) of produced water were reported released, of which 4 bbls of fluid were recovered. The New Mexico Oil Conservation District (NMOCD) received the C-141 report form for the release on March 26, 2021. The NMOCD incident ID for this release is NAPP2107540700.

## SITE CHARACTERIZATION

A site characterization was performed and no watercourses, sinkholes, residences, schools, hospitals, institutions, churches, springs, private domestic water wells, springs, playa lakes, wetlands, incorporated municipal boundaries, subsurface mines, or floodplains are located within the distances specified in 19.15.29 New Mexico Administrative Code (NMAC). The Site is in an area of low karst potential.

According to the New Mexico Office of the State Engineers (NMOSE) reporting system, there are no water wells within ½ mile (800 meters) of the Site. The search radius was expanded and based on available data from three (3) water wells within 2500 meters (approximately 1.55 miles) of the Site, the average depth to groundwater is 85 feet below ground surface (bgs).

As the available water level information is from wells farther than ½ mile away from the site, COP elected to drill a boring to verify depth to groundwater. On May 13, 2021, a licensed well drilling subcontractor was onsite to drill a groundwater determination borehole (BG-1) to 55 feet bgs along the edge of the Elvis lease pad. The borehole was temporarily set, screened using 2-inch PVC well materials; 35 feet of blank casing and 20 feet of .010" slotted screen. The borehole was left for 72 hours and checked for the presence

Tetra Tech

901 West Wall St., Suite 100, Midland, TX 79701

Tel 432.682.4559

Fax 432.682.3946

www.tetrattech.com

of groundwater. No water was present in the well, and the borehole was dry. The well screen and casing were removed, and the borehole was plugged with 3/8" bentonite chips on May 17, 2021. The borehole location is indicated on Figure 3. The Site characterization data, boring log, and temporary well diagram are included in Appendix B.

## REGULATORY FRAMEWORK

Based upon the release footprint and in accordance with Subsection E of 19.15.29.12 NMAC, per 19.15.29.11 NMAC, the site characterization data was used to determine recommended remedial action levels (RRALs) for benzene, toluene, ethylbenzene, and xylene (collectively referred to as BTEX), total petroleum hydrocarbons (TPH), and chlorides in soil.

Based on the site characterization and in accordance with Table I of 19.15.29.12 NMAC, the RRALs for the Site are as follows:

Constituent	Site RRALs
Chloride	10,000 mg/kg
TPH	2,500 mg/kg
BTEX	50 mg/kg

Additionally, in accordance with the NMOCD guidance *Procedures for Implementation of the Spill Rule (19.15.29 NMAC)* (September 6, 2019), the following reclamation requirements for surface soils (0-4 ft bgs) outside of active oil and gas operations are as follows:

Constituent	Reclamation Requirements
Chloride	600 mg/kg
TPH	100 mg/kg
BTEX	50 mg/kg

## SITE ASSESSMENT ACTIVITIES

On May 17, 2021 Tetra Tech personnel were onsite to conduct a soil assessment and take photos of the impacted area. A total of five (5) soil borings (BHW-1 through BHW-5) were installed using a hand auger to define the extents of the release and to assess the extent of impacted soil. BHW-1 was installed within the release footprint to a depth of 8.5 feet bgs to assess the vertical extent of impacted soil. BHW-2 through BHW-5 were installed to a depth of 1.5 feet bgs to assess the lateral extent of impacted soil. Due to the abundance of production equipment and subsurface lines in the vicinity of the release area, BHW-2 and BHW-5 were installed along the edge of the lease pad to the west and south, respectively. The Elvis (West) release extent is shown on Figure 3. Photographic documentation from the site assessment is included in Appendix C.

A total of seventeen (17) soil samples were collected from the five (5) boring locations within and surrounding the release extent. These soil samples were sent to Pace Analytical (Pace) in Mount Juliet, Tennessee to be analyzed for TPH by EPA method 8015 modified, BTEX by EPA method 8260B, and chlorides by EPA method 300.0. Copies of analytical reports and chain-of-custody documentation are included in Appendix D. Soil boring logs, included as Appendix E, present soil descriptions, sample depths, and field screening data from the 2021 assessment activities.

## SUMMARY OF SAMPLING RESULTS

Results from the May 2021 soil sampling event are summarized in Table 1. The boring locations are shown in Figure 3. The analytical results associated with sample location BHW-1 exceeded the Site reclamation requirement for chloride of 600 mg/kg and TPH of 100 mg/kg in the upper 1-foot sample depth interval. All analytical results were below Site RRALs. Horizontal and vertical delineation was achieved during the assessment.



Release Characterization and Deferral Request  
December 13, 2021

ConocoPhillips

## CONCLUSION

Based on the results of the site assessment, ConocoPhillips considers the current release footprint to be fully delineated. All analytical results associated with the site assessment were below Site RRALs; therefore, remediation of the release is not required in accordance with 19.15.29.12 NMAC. The contamination is located in areas immediately under and around production equipment and does not cause an imminent risk to human health, the environment, or groundwater.

Based on the above, ConocoPhillips respectfully requests that NMOCD will consider delaying reclamation activities at the Site until the end of life of the battery. Final reclamation shall take place in accordance with 19.15.29.13 NMAC once the site is no longer being used for oil and gas operations. The completed C-141 forms are enclosed in Appendix A. If you have any questions or comments concerning the assessment activities for this site, please call me at (512) 338-2861.

Sincerely,

**Tetra Tech, Inc.**

A handwritten signature in blue ink, appearing to read 'CLL', is positioned above the printed name of the sender.

Christian M. Llull, P.G.  
Project Manager

cc:

Ms. Jenni Fortunato, RMR – ConocoPhillips

Ms. Kelsy Waggaman, GPBU - ConocoPhillips

Release Characterization and Deferral Request  
December 13, 2021

ConocoPhillips

## LIST OF ATTACHMENTS

### Figures:

- Figure 1 – Overview Map
- Figure 2 – Topographic Map
- Figure 3 – Approximate Release Extent and Site Assessment


### Tables:

- Table 1 – Summary of Analytical Results – Soil Assessment

### Appendices:

- Appendix A – C-141 Forms
- Appendix B – Site Characterization Data
- Appendix C – Photographic Documentation
- Appendix D – Laboratory Analytical Data
- Appendix E – Soil Boring Logs

## **FIGURES**



DOCUMENT PATH: D:\CONOCOPHILLIPS\MXD\ELVIS WEST\FIGURE 1 OVERVIEW ELVISWEST.MXD



**TETRA TECH**

www.tetrattech.com

901 West Wall Street, Suite 100  
Midland, Texas 79701  
Phone: (432) 682-4559  
Fax: (432) 682-3946

CONOCOPHILLIPS

NAPP2107540700  
(32.822181°, -103.790908°)  
LEA COUNTY, NEW MEXICO

**ELVIS (WEST) RELEASE  
OVERVIEW MAP**

PROJECT NO.: 212C-MD-02482


DATE: MAY 24, 2021

DESIGNED BY: AAM


Figure No.

**1**











## TABLE

TABLE 1  
SUMMARY OF ANALYTICAL RESULTS  
SOIL ASSESSMENT - nAPP2107540700  
CONOCOPHILLIPS  
ELVIS (WEST) 2021 RELEASE  
LEA COUNTY, NM

Sample ID	Sample Date	Sample Depth Interval	Field Screening Results		Chloride <sup>1</sup>		BTEX <sup>2</sup>										TPH <sup>3</sup>								
			Chloride	PID			Benzene		Toluene		Ethylbenzene		Total Xylenes		Total BTEX	GRO <sup>4</sup>		DRO		ORO		Total TPH (GRO+DRO+ORO)			
							mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q		mg/kg	Q	mg/kg	Q	mg/kg	Q		mg/kg	Q	mg/kg
		ft. bgs	ppm		mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	C <sub>3</sub> - C <sub>10</sub>	mg/kg	Q	C <sub>10</sub> - C <sub>28</sub>	mg/kg	Q	C <sub>28</sub> - C <sub>40</sub>	mg/kg	Q	mg/kg
BHW-1	5/17/2021	0-1	2130	0.02	2270		< 0.00118		< 0.00592		< 0.00296		< 0.00770		-	< 0.109			29.9			109			139
		1-1.5	93.3	0.08	19.5	J	< 0.00104		< 0.00518		< 0.00259		< 0.00673		-	< 0.102			4.47			23.2			27.7
		2-2.5	103	0.03	31.3		< 0.00105		< 0.00526		< 0.00263		< 0.00684		-	< 0.103			< 4.11			0.360	J		0.360
		3-3.5	158	0.02	50.4		< 0.00104		< 0.00521		< 0.00261		< 0.00678		-	< 0.102			4.95			26.7			31.7
		4-4.5	171	0.01	97.8		< 0.00105		< 0.00526		< 0.00263		< 0.00683		-	< 0.103			< 4.10			2.89	J		2.89
		5-5.5	338	0.02	166		< 0.00106		< 0.00532		< 0.00266		< 0.00691		-	< 0.103		J	1.97			1.04	J		3.01
		6-6.5	392	0.01	323		< 0.00138		< 0.00689		< 0.00345		< 0.00896		-	< 0.119			< 4.76			0.764	J		0.764
		7-7.5	132	0.01	54.2		< 0.00135		< 0.00673		< 0.00337		< 0.00875		-	< 0.117			< 4.69			0.989	J		0.989
		8-8.5	278	0.02	113		< 0.00130		< 0.00649		< 0.00325		< 0.00844		-	< 0.115			< 4.60			1.05	J		1.05
BHW-2	5/17/2021	0-1	193	0.01	87.4		< 0.00106		< 0.00532		< 0.00266		< 0.00692		-	< 0.103			< 4.13			3.22	J		3.22
		1-1.5	248	0.01	97.2		< 0.00107		< 0.00535		< 0.00267		< 0.00695		-	< 0.103			< 4.14			3.10	J		3.10
BHW-3	5/17/2021	0-1	123	0.1	21.0	J	< 0.00129		< 0.00647		< 0.00323		< 0.00841		-	< 0.115			< 4.59			0.384	J		0.384
		1-1.5	170	0.1	53.6		< 0.00129		< 0.00645		< 0.00323		< 0.00839		-	< 0.114			< 4.58			< 4.58			-
BHW-4	5/17/2021	0-1	119	0.01	88.8		< 0.00115		< 0.00573		< 0.00286		< 0.00744		-	< 0.107			< 4.29			4.23	J		4.23
		1-1.5	138	0.01	48.0		< 0.00114		< 0.00572		< 0.00286		< 0.00744		-	< 0.107	J3		3.60	J		11.2			14.8
BHW-5	5/17/2021	0-1	236	0.01	150		< 0.00132		< 0.00661		< 0.00330		< 0.00859		-	< 0.116			< 4.64			0.969	J		0.969
		1-1.5	225	0.01	32.7		< 0.00108		< 0.00541		< 0.00270		< 0.00703	J3		< 0.104			8.38			21.9			30.3

## NOTES:

ft. Feet

bgs Below ground surface

ppm Parts per million

mg/kg Milligrams per kilogram

TPH Total Petroleum Hydrocarbons

GRO Gasoline range organics

DRO Diesel range organics

ORO Oil range organics

1 EPA Method 300.0

2 EPA Method 8260B

3 EPA Method 8015

4 EPA Method 8015D/GRO

**Bold and italicized values indicate exceedance of reclamation requirements.**

## QUALIFIERS:

J The identification of the analyte is acceptable; the reported value is an estimate.

J3 The associated batch QC was outside the established quality control range for precision.

## **APPENDIX A C-141 Forms**

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural  
Resources Department

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised August 24, 2018  
Submit to appropriate OCD District office

Incident ID	NAPP2107540700
District RP	
Facility ID	
Application ID	

## Release Notification

### Responsible Party

Responsible Party	ConocoPhillips Company	OGRID	217817
Contact Name	Kelsy Waggaman	Contact Telephone	505-577-9071
Contact email	Kelsy.Waggaman@ConocoPhillips.com	Incident # (assigned by OCD)	nAPP2107540700
Contact mailing address	29 Vacuum Complex Lane, Lovington, NM 88260		

### Location of Release Source

Latitude 32.822272 Longitude -103.790811  
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	ELVIS BATTERY SWD	Site Type	SWD/ Battery
Date Release Discovered	3/15/21	API# (if applicable)	30-025-33584

Unit Letter	Section	Township	Range	County
F	20	17S	32E	Lea

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: \_\_\_\_\_)

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) 5.1	Volume Recovered (bbls) 4
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release


Flowline Failure

Incident ID	NAPP2107540700
District RP	
Facility ID	
Application ID	

<p>Was this a major release as defined by 19.15.29.7(A) NMAC?</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>If YES, for what reason(s) does the responsible party consider this a major release?</p>
<p>If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?</p>	

## Initial Response

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury*

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>Kelsy Waggaman</u>	Title: <u>Environmental Coordinator</u>
Signature: <u></u>	Date: <u>03/25/2021</u>
email: <u>Kelsy.Waggaman@ConocoPhillips.com</u>	Telephone: <u>505-577-9071</u>
<b><u>OCD Only</u></b>	
Received by: <u>Ramona Marcus</u>	Date: <u>4/20/2021</u>

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 21940

**CONDITIONS OF APPROVAL**

Operator: CONOCOPHILLIPS COMPANY      600 W. Illinois Avenue      Midland, TX79701			OGRID: 217817	Action Number: 21940	Action Type: C-141
OCD Reviewer	Condition				
marcus	When submitting future reports regarding this release, please submit the calculations used or specific justification for the volumes reported on the initial C-141				



Incident ID	
District RP	
Facility ID	
Application ID	

## Site Assessment/Characterization

*This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

### **Characterization Report Checklist:** *Each of the following items must be included in the report.*

- ☐ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data
- ☐ Data table of soil contaminant concentration data
- ☐ Depth to water determination
- ☐ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☐ Photographs including date and GIS information
- ☐ Topographic/Aerial maps
- ☐ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico  
Oil Conservation Division

Page 4

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: \_\_\_\_\_ Title: \_\_\_\_\_

Signature:  \_\_\_\_\_ Date: \_\_\_\_\_

email: \_\_\_\_\_ Telephone: \_\_\_\_\_

**OCD Only**

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

Incident ID	
District RP	
Facility ID	
Application ID	

## Remediation Plan


**Remediation Plan Checklist:** *Each of the following items must be included in the plan.*

- ☐ Detailed description of proposed remediation technique
- ☐ Scaled sitemap with GPS coordinates showing delineation points
- ☐ Estimated volume of material to be remediated
- ☐ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☐ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

**Deferral Requests Only:** *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: \_\_\_\_\_ Title: \_\_\_\_\_  
Signature:  \_\_\_\_\_ Date: \_\_\_\_\_  
email: \_\_\_\_\_ Telephone: \_\_\_\_\_

**OCD Only**

Received by: \_\_\_\_\_ Date: \_\_\_\_\_

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

## **APPENDIX B**

### **Site Characterization Data**



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
<a href="#">RA 12042 POD1</a>	RA	LE		2	2	1	28	17S	32E	614891	3631181	2012	400		
<a href="#">RA 10175</a>	RA	LE			2	1	28	17S	32E	614814	3631005*	2047	158		
<a href="#">RA 12522 POD1</a>	RA	LE		3	3	4	21	17S	32E	614941	3631122	2085	100		
<a href="#">RA 12020 POD1</a>	RA	LE		2	2	1	28	17S	32E	614828	3630954	2089	120	81	39
<a href="#">RA 12522 POD2</a>	RA	LE		2	2	1	28	17S	32E	614949	3631098	2105	100		
<a href="#">RA 12522 POD3</a>	RA	LE		4	4	3	28	17S	32E	614980	3631093	2134	100		
<a href="#">RA 12521 POD1</a>	RA	LE		3	3	4	21	17S	32E	615127	3631271	2175	105	92	13
<a href="#">RA 12020 POD3</a>	RA	LE		2	1	2	28	17S	32E	615152	3631019	2319	112	83	29

Average Depth to Water: **85 feet**

Minimum Depth: **81 feet**

Maximum Depth: **92 feet**

Record Count: 8

UTMNA83 Radius Search (in meters):

Easting (X): 613176.3

Northing (Y): 3632234.49

Radius: 2500

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

6/4/21 9:52 AM


Page 1 of 1


WATER COLUMN/ AVERAGE  
DEPTH TO WATER


# Elvis (West) 2020 Release


Karst Potential Map

Legend

 Approximate Release Point

 High


 Low

 Medium









# NMOCD Waterbodies Map



6/4/2021, 10:54:46 AM

-  OSE Water-bodies
-  PLJV Probable Plays
-  OSE Streams



212C-MD-02482		<b>TETRA TECH</b>		<b>LOG OF BORING BG-1</b>				Page 1 of 2	
Project Name: Elvis (West) Assessment									
Borehole Location: GPS: 32.822481°, -103.791223°					Surface Elevation (ft): 3991				
Borehole Number: BG-1				Borehole Diameter (in.): 8		Date Started: 5/13/2021		Date Finished: 5/13/2021	

DEPTH (ft)	OPERATION TYPES	SAMPLE	STANDARD PENETRATION TEST	PID (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS			
												While Drilling <u>▽</u> Dry ft    24 Hours After Completion of Drilling <u>▽</u> Dry ft			
												Remarks:			
												MATERIAL DESCRIPTION	DEPTH (ft)	WELL DIAGRAM	
5												<div style="border: 1px solid black; padding: 2px;"> <b>-SM-</b> SILTY SAND: Light reddish-brown, fine to medium grained, weakly cemented, with trace calcareous gravel, no odor, no staining, dry.         </div>		<div style="border: 1px solid black; padding: 2px;">           4" Schedule 40 PVC Casing         </div>	
												<div style="border: 1px solid black; padding: 2px;"> <b>-ML-</b> SILT: Brown, medium dense, with occasional SILTY CLAY, dry.         </div>	7		
												<div style="border: 1px solid black; padding: 2px;"> <b>-SM-</b> SILTY SAND: Brown, medium dense, with caliche gravel.         </div>	8		
10													13		
												<div style="border: 1px solid black; padding: 2px;"> <b>-CL-</b> SANDY CLAY: Reddish-brown, medium stiff, with no odor, no staining, dry.         </div>			
15													18		
												<div style="border: 1px solid black; padding: 2px;"> <b>-SC-</b> CLAYEY SAND: Reddish-brown, fine to medium grained, weakly cemented, with no odor, no staining, dry.         </div>			
20															
25															
												<div style="border: 1px solid black; padding: 2px;"> <b>-SP-</b> SAND: Reddish-brown, fine to medium grained, moderately cemented, with trace gravel, no odor, no staining, dry.         </div>	27		
30															

Sampler Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> <input checked="" type="checkbox"/> Split Spoon  <input type="checkbox"/> Shelby  <input type="checkbox"/> Bulk Sample  <input type="checkbox"/> Grab Sample         </div> <div style="width: 50%;"> <input type="checkbox"/> Acetate Liner  <input type="checkbox"/> Vane Shear  <input type="checkbox"/> California  <input type="checkbox"/> Sonic         </div> </div>	Operation Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> <input type="checkbox"/> Mud Rotary  <input type="checkbox"/> Continuous Flight Auger  <input type="checkbox"/> Hollow Stem Auger         </div> <div style="width: 50%;"> <input type="checkbox"/> Auger  <input type="checkbox"/> Air Rotary  <input type="checkbox"/> Direct Push  <input type="checkbox"/> HSA         </div> </div>	Notes: Surface elevation is an estimated value based on Google Earth data.
---	---	---


Logger: Devin Dominguez	Drilling Equipment: Air Rotary	Driller: Scarborough Drilling
-------------------------	--------------------------------	-------------------------------

212C-MD-02482		<b>TETRA TECH</b>		<b>LOG OF BORING BG-1</b>				Page 2 of 2											
Project Name: Elvis (West) Assessment																			
Borehole Location: GPS: 32.822481°, -103.791223°					Surface Elevation (ft): 3991														
Borehole Number: BG-1				Borehole Diameter (in.): 8		Date Started: 5/13/2021		Date Finished: 5/13/2021											
DEPTH (ft)	OPERATION TYPES	SAMPLE	STANDARD PENETRATION TEST	PID (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	<b>WATER LEVEL OBSERVATIONS</b> While Drilling <u>▽</u> <u>Dry</u> ft    24 Hours After Completion of Drilling <u>▽</u> <u>Dry</u> ft Remarks:							
												MATERIAL DESCRIPTION	DEPTH (ft)	WELL DIAGRAM					
35																			
40													38	4" Schedule 40 PVC Slotted Screen (0.010")					
45													43						
50																			
55													55						
Bottom of borehole at 55.0 feet.																			
Sampler Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;">  Split Spoon   Shelby   Bulk Sample   Grab Sample         </div> <div style="width: 50%;">  Acetate Liner   Vane Shear   California   Sonic         </div> </div>		Operation Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;">  Mud Rotary   Continuous Flight Auger   Hollow Stem Auger         </div> <div style="width: 50%;">  Auger   Air Rotary   Direct Push   HSA         </div> </div>		Notes: Surface elevation is an estimated value based on Google Earth data.															
Logger: Devin Dominguez				Drilling Equipment: Air Rotary				Driller: Scarborough Drilling											

## **APPENDIX C**

### **Photographic Documentation**





TETRA TECH, INC. PROJECT NO. 212C-MD-02482	DESCRIPTION	View South. Tank battery and release area.	1
	SITE NAME	Elvis (West) Release	5/18/2021



TETRA TECH, INC. PROJECT NO. 212C-MD-02482	DESCRIPTION	View West. Pasture and surface lines, outside release area	2
	SITE NAME	Elvis (West) Release	5/18/2021





TETRA TECH, INC. PROJECT NO. 212C-MD-02482	DESCRIPTION	View South. Tank battery and release area.	3
	SITE NAME	Elvis (West) Release	5/18/2021



TETRA TECH, INC. PROJECT NO. 212C-MD-02482	DESCRIPTION	View West. Release area.	4
	SITE NAME	Elvis (West) Release	5/18/2021





TETRA TECH, INC. PROJECT NO. 212C-MD-02482	DESCRIPTION	View North. Berm outside release area.	5
	SITE NAME	Elvis (West) Release	5/18/2021



TETRA TECH, INC. PROJECT NO. 212C-MD-02482	DESCRIPTION	View West. Release point and area.	5
	SITE NAME	Elvis (West) Release	5/18/2021

## **APPENDIX D**

### **Laboratory Analytical Data**



## ANALYTICAL REPORT

June 03, 2021

**ConocoPhillips - Tetra Tech**

Sample Delivery Group: L1355882  
Samples Received: 05/20/2021  
Project Number: 212C-MD-02482  
Description: Elvis (West) Release

Report To: Christian Llull  
901 West Wall  
Suite 100  
Midland, TX 79701

<sup>1</sup>Cp<sup>2</sup>Tc<sup>3</sup>Ss<sup>4</sup>Cn<sup>5</sup>Sr<sup>6</sup>Qc<sup>7</sup>Gl<sup>8</sup>Al<sup>9</sup>Sc

Entire Report Reviewed By:

Chris McCord  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [www.pacenational.com](http://www.pacenational.com)

<b>Cp: Cover Page</b>	<b>1</b>
<b>Tc: Table of Contents</b>	<b>2</b>
<b>Ss: Sample Summary</b>	<b>3</b>
<b>Cn: Case Narrative</b>	<b>7</b>
<b>Sr: Sample Results</b>	<b>8</b>
BHW-1 (0-1) L1355882-01	8
BHW-1 (1-1.5) L1355882-02	9
BHW-1 (2-2.5) L1355882-03	10
BHW-1 (3-3.5) L1355882-04	11
BHW-1 (4-4.5) L1355882-05	12
BHW-1 (5-5.5) L1355882-06	13
BHW-1 (6-6.5) L1355882-07	14
BHW-1 (7-7.5) L1355882-08	15
BHW-1 (8-8.5) L1355882-09	16
BHW-2 (0-1) L1355882-10	17
BHW-2 (1-1.5) L1355882-11	18
BHW-3 (0-1) L1355882-12	19
BHW-3 (1-1.5) L1355882-13	20
BHW-4 (0-1) L1355882-14	21
BHW-4 (1-1.5) L1355882-15	22
BHW-5 (0-1) L1355882-16	23
BHW-5 (1-1.5) L1355882-17	24
<b>Qc: Quality Control Summary</b>	<b>25</b>
Total Solids by Method 2540 G-2011	25
Wet Chemistry by Method 300.0	28
Volatile Organic Compounds (GC) by Method 8015D/GRO	29
Volatile Organic Compounds (GC/MS) by Method 8260B	30
Semi-Volatile Organic Compounds (GC) by Method 8015	32
<b>Gl: Glossary of Terms</b>	<b>35</b>
<b>Al: Accreditations &amp; Locations</b>	<b>36</b>
<b>Sc: Sample Chain of Custody</b>	<b>37</b>

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> Gl<sup>8</sup> Al<sup>9</sup> Sc



## BHW-1 (0-1) L1355882-01 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676981	1	05/26/21 13:36	05/26/21 13:42	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	5	06/02/21 18:49	06/03/21 01:31	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 17:13	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1676668	1	05/22/21 21:25	05/25/21 04:13	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677874	1	05/26/21 20:47	05/27/21 19:52	CAG	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

## BHW-1 (1-1.5) L1355882-02 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676981	1	05/26/21 13:36	05/26/21 13:42	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 01:41	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 17:35	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1676668	1	05/22/21 21:25	05/25/21 04:32	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677874	1	05/26/21 20:47	05/29/21 03:34	CAG	Mt. Juliet, TN

5 Sr

6 Qc

7 Gl

8 Al

## BHW-1 (2-2.5) L1355882-03 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676981	1	05/26/21 13:36	05/26/21 13:42	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 01:50	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 17:57	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1676668	1	05/22/21 21:25	05/25/21 04:52	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677874	1	05/26/21 20:47	05/27/21 05:40	CAG	Mt. Juliet, TN

9 Sc

## BHW-1 (3-3.5) L1355882-04 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676981	1	05/26/21 13:36	05/26/21 13:42	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 02:00	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 18:19	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1676668	1	05/22/21 21:25	05/25/21 05:11	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677874	1	05/26/21 20:47	05/27/21 20:19	CAG	Mt. Juliet, TN

## BHW-1 (4-4.5) L1355882-05 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676983	1	05/26/21 13:24	05/26/21 13:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 02:42	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 18:41	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1676668	1	05/22/21 21:25	05/25/21 05:30	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677884	1	05/26/21 15:47	05/27/21 05:08	CAG	Mt. Juliet, TN

## BHW-1 (5-5.5) L1355882-06 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676983	1	05/26/21 13:24	05/26/21 13:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 03:11	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 19:03	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1676668	1	05/22/21 21:25	05/25/21 05:49	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677884	1	05/26/21 15:47	05/27/21 02:31	CAG	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

## BHW-1 (6-6.5) L1355882-07 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676983	1	05/26/21 13:24	05/26/21 13:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 03:20	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 19:25	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1676668	1	05/22/21 21:25	05/25/21 06:08	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677884	1	05/26/21 15:47	05/27/21 02:50	CAG	Mt. Juliet, TN

5 Sr

6 Qc

7 Gl

8 Al

## BHW-1 (7-7.5) L1355882-08 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676983	1	05/26/21 13:24	05/26/21 13:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 03:30	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 19:47	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1676668	1	05/22/21 21:25	05/25/21 06:27	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677884	1	05/26/21 15:47	05/27/21 03:03	CAG	Mt. Juliet, TN

9 Sc

## BHW-1 (8-8.5) L1355882-09 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676983	1	05/26/21 13:24	05/26/21 13:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 03:39	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 20:09	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1676668	1	05/22/21 21:25	05/25/21 06:47	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677884	1	05/26/21 15:47	05/27/21 04:02	CAG	Mt. Juliet, TN

## BHW-2 (0-1) L1355882-10 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676983	1	05/26/21 13:24	05/26/21 13:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 03:49	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 20:31	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1676668	1	05/22/21 21:25	05/25/21 07:06	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677884	1	05/26/21 15:47	05/27/21 04:42	CAG	Mt. Juliet, TN

## BHW-2 (1-1.5) L1355882-11 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676983	1	05/26/21 13:24	05/26/21 13:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 03:58	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 20:54	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1677018	1	05/22/21 21:25	05/25/21 17:13	TPR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677884	1	05/26/21 15:47	05/27/21 04:55	CAG	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

## BHW-3 (0-1) L1355882-12 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676983	1	05/26/21 13:24	05/26/21 13:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 04:08	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 21:16	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1677018	1	05/22/21 21:25	05/25/21 17:32	TPR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677884	1	05/26/21 15:47	05/27/21 04:15	CAG	Mt. Juliet, TN

5 Sr

6 Qc

7 Gl

8 Al

## BHW-3 (1-1.5) L1355882-13 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676983	1	05/26/21 13:24	05/26/21 13:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 04:17	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 21:39	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1677018	1	05/22/21 21:25	05/25/21 17:51	TPR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1677884	1	05/26/21 15:47	05/27/21 04:28	CAG	Mt. Juliet, TN

9 Sc

## BHW-4 (0-1) L1355882-14 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676983	1	05/26/21 13:24	05/26/21 13:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 04:27	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 22:01	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1677018	1	05/22/21 21:25	05/25/21 18:10	TPR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1678260	1	05/27/21 07:53	05/27/21 19:56	CAG	Mt. Juliet, TN

## BHW-4 (1-1.5) L1355882-15 Solid

Collected by Devin Dominguez  
 Collected date/time 05/17/21 00:00  
 Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676984	1	05/26/21 13:16	05/26/21 13:23	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 05:05	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 22:22	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1677018	1	05/22/21 21:25	05/25/21 18:29	TPR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1678260	1	05/27/21 07:53	05/27/21 20:08	CAG	Mt. Juliet, TN

## BHW-5 (0-1) L1355882-16 Solid

Collected by Devin Dominguez  
Collected date/time 05/17/21 00:00  
Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676984	1	05/26/21 13:16	05/26/21 13:23	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 05:15	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 22:44	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1677018	1	05/22/21 21:25	05/25/21 18:47	TPR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1678260	1	05/27/21 07:53	05/27/21 19:30	CAG	Mt. Juliet, TN

<sup>1</sup> Cp<sup>2</sup> Tc<sup>3</sup> Ss<sup>4</sup> Cn

## BHW-5 (1-1.5) L1355882-17 Solid

Collected by Devin Dominguez  
Collected date/time 05/17/21 00:00  
Received date/time 05/20/21 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1676984	1	05/26/21 13:16	05/26/21 13:23	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1680538	1	06/02/21 18:49	06/03/21 05:24	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1676019	1	05/22/21 21:25	05/23/21 23:07	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1677018	1	05/22/21 21:25	05/25/21 19:06	TPR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1678260	1	05/27/21 07:53	05/27/21 21:37	CAG	Mt. Juliet, TN

<sup>5</sup> Sr<sup>6</sup> Qc<sup>7</sup> Gl<sup>8</sup> Al<sup>9</sup> Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris McCord  
Project Manager

- <sup>1</sup>Cp
- <sup>2</sup>Tc
- <sup>3</sup>Ss
- <sup>4</sup>Cn
- <sup>5</sup>Sr
- <sup>6</sup>Qc
- <sup>7</sup>Gl
- <sup>8</sup>Al
- <sup>9</sup>Sc

Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	91.6		1	05/26/2021 13:42	<a href="#">WG1676981</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	2270		50.2	109	5	06/03/2021 01:31	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0237	0.109	1	05/23/2021 17:13	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	116			77.0-120		05/23/2021 17:13	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000553	0.00118	1	05/25/2021 04:13	<a href="#">WG1676668</a>
Toluene	U		0.00154	0.00592	1	05/25/2021 04:13	<a href="#">WG1676668</a>
Ethylbenzene	U		0.000873	0.00296	1	05/25/2021 04:13	<a href="#">WG1676668</a>
Total Xylenes	U		0.00104	0.00770	1	05/25/2021 04:13	<a href="#">WG1676668</a>
(S) Toluene-d8	132	J1		75.0-131		05/25/2021 04:13	<a href="#">WG1676668</a>
(S) 4-Bromofluorobenzene	87.9			67.0-138		05/25/2021 04:13	<a href="#">WG1676668</a>
(S) 1,2-Dichloroethane-d4	104			70.0-130		05/25/2021 04:13	<a href="#">WG1676668</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	29.9		1.76	4.37	1	05/27/2021 19:52	<a href="#">WG1677874</a>
C28-C40 Oil Range	109		0.299	4.37	1	05/27/2021 19:52	<a href="#">WG1677874</a>
(S) o-Terphenyl	67.7			18.0-148		05/27/2021 19:52	<a href="#">WG1677874</a>

Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	98.3		1	05/26/2021 13:42	<a href="#">WG1676981</a>

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	19.5	J	9.36	20.4	1	06/03/2021 01:41	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0221	0.102	1	05/23/2021 17:35	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	115			77.0-120		05/23/2021 17:35	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000483	0.00104	1	05/25/2021 04:32	<a href="#">WG1676668</a>
Toluene	U		0.00135	0.00518	1	05/25/2021 04:32	<a href="#">WG1676668</a>
Ethylbenzene	U		0.000763	0.00259	1	05/25/2021 04:32	<a href="#">WG1676668</a>
Total Xylenes	U		0.000911	0.00673	1	05/25/2021 04:32	<a href="#">WG1676668</a>
(S) Toluene-d8	130			75.0-131		05/25/2021 04:32	<a href="#">WG1676668</a>
(S) 4-Bromofluorobenzene	85.4			67.0-138		05/25/2021 04:32	<a href="#">WG1676668</a>
(S) 1,2-Dichloroethane-d4	104			70.0-130		05/25/2021 04:32	<a href="#">WG1676668</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	4.47		1.64	4.07	1	05/29/2021 03:34	<a href="#">WG1677874</a>
C28-C40 Oil Range	23.2		0.279	4.07	1	05/29/2021 03:34	<a href="#">WG1677874</a>
(S) o-Terphenyl	85.0			18.0-148		05/29/2021 03:34	<a href="#">WG1677874</a>

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

### Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	97.4		1	05/26/2021 13:42	<a href="#">WG1676981</a>

<sup>1</sup> Cp

<sup>2</sup> Tc

### Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	31.3		9.44	20.5	1	06/03/2021 01:50	<a href="#">WG1680538</a>

<sup>3</sup> Ss

<sup>4</sup> Cn

### Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0223	0.103	1	05/23/2021 17:57	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	116			77.0-120		05/23/2021 17:57	<a href="#">WG1676019</a>

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

### Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000492	0.00105	1	05/25/2021 04:52	<a href="#">WG1676668</a>
Toluene	U		0.00137	0.00526	1	05/25/2021 04:52	<a href="#">WG1676668</a>
Ethylbenzene	U		0.000776	0.00263	1	05/25/2021 04:52	<a href="#">WG1676668</a>
Total Xylenes	U		0.000926	0.00684	1	05/25/2021 04:52	<a href="#">WG1676668</a>
(S) Toluene-d8	130			75.0-131		05/25/2021 04:52	<a href="#">WG1676668</a>
(S) 4-Bromofluorobenzene	87.9			67.0-138		05/25/2021 04:52	<a href="#">WG1676668</a>
(S) 1,2-Dichloroethane-d4	106			70.0-130		05/25/2021 04:52	<a href="#">WG1676668</a>

<sup>8</sup> Al

<sup>9</sup> Sc

### Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.65	4.11	1	05/27/2021 05:40	<a href="#">WG1677874</a>
C28-C40 Oil Range	0.360	J	0.281	4.11	1	05/27/2021 05:40	<a href="#">WG1677874</a>
(S) o-Terphenyl	80.3			18.0-148		05/27/2021 05:40	<a href="#">WG1677874</a>

Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	97.9		1	05/26/2021 13:42	<a href="#">WG1676981</a>

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	50.4		9.40	20.4	1	06/03/2021 02:00	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0222	0.102	1	05/23/2021 18:19	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	115			77.0-120		05/23/2021 18:19	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000487	0.00104	1	05/25/2021 05:11	<a href="#">WG1676668</a>
Toluene	U		0.00136	0.00521	1	05/25/2021 05:11	<a href="#">WG1676668</a>
Ethylbenzene	U		0.000768	0.00261	1	05/25/2021 05:11	<a href="#">WG1676668</a>
Total Xylenes	U		0.000917	0.00678	1	05/25/2021 05:11	<a href="#">WG1676668</a>
(S) Toluene-d8	134	J1		75.0-131		05/25/2021 05:11	<a href="#">WG1676668</a>
(S) 4-Bromofluorobenzene	88.6			67.0-138		05/25/2021 05:11	<a href="#">WG1676668</a>
(S) 1,2-Dichloroethane-d4	103			70.0-130		05/25/2021 05:11	<a href="#">WG1676668</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	4.95		1.64	4.08	1	05/27/2021 20:19	<a href="#">WG1677874</a>
C28-C40 Oil Range	26.7		0.280	4.08	1	05/27/2021 20:19	<a href="#">WG1677874</a>
(S) o-Terphenyl	66.6			18.0-148		05/27/2021 20:19	<a href="#">WG1677874</a>

### Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	97.5		1	05/26/2021 13:30	<a href="#">WG1676983</a>

<sup>1</sup> Cp

<sup>2</sup> Tc

### Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	97.8		9.43	20.5	1	06/03/2021 02:42	<a href="#">WG1680538</a>

<sup>3</sup> Ss

<sup>4</sup> Cn

### Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0223	0.103	1	05/23/2021 18:41	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	116			77.0-120		05/23/2021 18:41	<a href="#">WG1676019</a>

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

### Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000491	0.00105	1	05/25/2021 05:30	<a href="#">WG1676668</a>
Toluene	U		0.00137	0.00526	1	05/25/2021 05:30	<a href="#">WG1676668</a>
Ethylbenzene	U		0.000775	0.00263	1	05/25/2021 05:30	<a href="#">WG1676668</a>
Total Xylenes	U		0.000925	0.00683	1	05/25/2021 05:30	<a href="#">WG1676668</a>
(S) Toluene-d8	134	<a href="#">J1</a>		75.0-131		05/25/2021 05:30	<a href="#">WG1676668</a>
(S) 4-Bromofluorobenzene	88.1			67.0-138		05/25/2021 05:30	<a href="#">WG1676668</a>
(S) 1,2-Dichloroethane-d4	104			70.0-130		05/25/2021 05:30	<a href="#">WG1676668</a>

<sup>8</sup> Al

<sup>9</sup> Sc

### Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.65	4.10	1	05/27/2021 05:08	<a href="#">WG1677884</a>
C28-C40 Oil Range	2.89	<a href="#">J</a>	0.281	4.10	1	05/27/2021 05:08	<a href="#">WG1677884</a>
(S) o-Terphenyl	69.7			18.0-148		05/27/2021 05:08	<a href="#">WG1677884</a>

Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.9		1	05/26/2021 13:30	<a href="#">WG1676983</a>

1 Cp

2 Tc

3 Ss

4 Cn

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	166		9.49	20.6	1	06/03/2021 03:11	<a href="#">WG1680538</a>

5 Sr

6 Qc

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0224	0.103	1	05/23/2021 19:03	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	116			77.0-120		05/23/2021 19:03	<a href="#">WG1676019</a>

7 Gl

8 Al

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000497	0.00106	1	05/25/2021 05:49	<a href="#">WG1676668</a>
Toluene	U		0.00138	0.00532	1	05/25/2021 05:49	<a href="#">WG1676668</a>
Ethylbenzene	U		0.000784	0.00266	1	05/25/2021 05:49	<a href="#">WG1676668</a>
Total Xylenes	U		0.000936	0.00691	1	05/25/2021 05:49	<a href="#">WG1676668</a>
(S) Toluene-d8	131			75.0-131		05/25/2021 05:49	<a href="#">WG1676668</a>
(S) 4-Bromofluorobenzene	86.9			67.0-138		05/25/2021 05:49	<a href="#">WG1676668</a>
(S) 1,2-Dichloroethane-d4	104			70.0-130		05/25/2021 05:49	<a href="#">WG1676668</a>

9 Sc

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	1.97	J	1.66	4.13	1	05/27/2021 02:31	<a href="#">WG1677884</a>
C28-C40 Oil Range	1.04	J	0.283	4.13	1	05/27/2021 02:31	<a href="#">WG1677884</a>
(S) o-Terphenyl	72.1			18.0-148		05/27/2021 02:31	<a href="#">WG1677884</a>

Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	84.1		1	05/26/2021 13:30	<a href="#">WG1676983</a>

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	323		10.9	23.8	1	06/03/2021 03:20	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0258	0.119	1	05/23/2021 19:25	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	116			77.0-120		05/23/2021 19:25	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000644	0.00138	1	05/25/2021 06:08	<a href="#">WG1676668</a>
Toluene	U		0.00179	0.00689	1	05/25/2021 06:08	<a href="#">WG1676668</a>
Ethylbenzene	U		0.00102	0.00345	1	05/25/2021 06:08	<a href="#">WG1676668</a>
Total Xylenes	U		0.00121	0.00896	1	05/25/2021 06:08	<a href="#">WG1676668</a>
(S) Toluene-d8	132	<a href="#">J1</a>		75.0-131		05/25/2021 06:08	<a href="#">WG1676668</a>
(S) 4-Bromofluorobenzene	85.9			67.0-138		05/25/2021 06:08	<a href="#">WG1676668</a>
(S) 1,2-Dichloroethane-d4	103			70.0-130		05/25/2021 06:08	<a href="#">WG1676668</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.91	4.76	1	05/27/2021 02:50	<a href="#">WG1677884</a>
C28-C40 Oil Range	0.764	<a href="#">J</a>	0.326	4.76	1	05/27/2021 02:50	<a href="#">WG1677884</a>
(S) o-Terphenyl	71.0			18.0-148		05/27/2021 02:50	<a href="#">WG1677884</a>



Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	85.2		1	05/26/2021 13:30	<a href="#">WG1676983</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	54.2		10.8	23.5	1	06/03/2021 03:30	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0255	0.117	1	05/23/2021 19:47	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	116			77.0-120		05/23/2021 19:47	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000629	0.00135	1	05/25/2021 06:27	<a href="#">WG1676668</a>
Toluene	U		0.00175	0.00673	1	05/25/2021 06:27	<a href="#">WG1676668</a>
Ethylbenzene	U		0.000992	0.00337	1	05/25/2021 06:27	<a href="#">WG1676668</a>
Total Xylenes	U		0.00118	0.00875	1	05/25/2021 06:27	<a href="#">WG1676668</a>
(S) Toluene-d8	131			75.0-131		05/25/2021 06:27	<a href="#">WG1676668</a>
(S) 4-Bromofluorobenzene	87.5			67.0-138		05/25/2021 06:27	<a href="#">WG1676668</a>
(S) 1,2-Dichloroethane-d4	104			70.0-130		05/25/2021 06:27	<a href="#">WG1676668</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.89	4.69	1	05/27/2021 03:03	<a href="#">WG1677884</a>
C28-C40 Oil Range	0.989	J	0.321	4.69	1	05/27/2021 03:03	<a href="#">WG1677884</a>
(S) o-Terphenyl	70.8			18.0-148		05/27/2021 03:03	<a href="#">WG1677884</a>

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	87.0		1	05/26/2021 13:30	<a href="#">WG1676983</a>

## Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	113		10.6	23.0	1	06/03/2021 03:39	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0249	0.115	1	05/23/2021 20:09	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	115			77.0-120		05/23/2021 20:09	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000607	0.00130	1	05/25/2021 06:47	<a href="#">WG1676668</a>
Toluene	U		0.00169	0.00649	1	05/25/2021 06:47	<a href="#">WG1676668</a>
Ethylbenzene	U		0.000957	0.00325	1	05/25/2021 06:47	<a href="#">WG1676668</a>
Total Xylenes	U		0.00114	0.00844	1	05/25/2021 06:47	<a href="#">WG1676668</a>
(S) Toluene-d8	131			75.0-131		05/25/2021 06:47	<a href="#">WG1676668</a>
(S) 4-Bromofluorobenzene	88.4			67.0-138		05/25/2021 06:47	<a href="#">WG1676668</a>
(S) 1,2-Dichloroethane-d4	106			70.0-130		05/25/2021 06:47	<a href="#">WG1676668</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.85	4.60	1	05/27/2021 04:02	<a href="#">WG1677884</a>
C28-C40 Oil Range	1.05	J	0.315	4.60	1	05/27/2021 04:02	<a href="#">WG1677884</a>
(S) o-Terphenyl	66.6			18.0-148		05/27/2021 04:02	<a href="#">WG1677884</a>

Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.9		1	05/26/2021 13:30	<a href="#">WG1676983</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	87.4		9.49	20.6	1	06/03/2021 03:49	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0224	0.103	1	05/23/2021 20:31	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	114			77.0-120		05/23/2021 20:31	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000497	0.00106	1	05/25/2021 07:06	<a href="#">WG1676668</a>
Toluene	U		0.00138	0.00532	1	05/25/2021 07:06	<a href="#">WG1676668</a>
Ethylbenzene	U		0.000784	0.00266	1	05/25/2021 07:06	<a href="#">WG1676668</a>
Total Xylenes	U		0.000936	0.00692	1	05/25/2021 07:06	<a href="#">WG1676668</a>
(S) Toluene-d8	131			75.0-131		05/25/2021 07:06	<a href="#">WG1676668</a>
(S) 4-Bromofluorobenzene	89.6			67.0-138		05/25/2021 07:06	<a href="#">WG1676668</a>
(S) 1,2-Dichloroethane-d4	105			70.0-130		05/25/2021 07:06	<a href="#">WG1676668</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.66	4.13	1	05/27/2021 04:42	<a href="#">WG1677884</a>
C28-C40 Oil Range	3.22	J	0.283	4.13	1	05/27/2021 04:42	<a href="#">WG1677884</a>
(S) o-Terphenyl	65.8			18.0-148		05/27/2021 04:42	<a href="#">WG1677884</a>

Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.6		1	05/26/2021 13:30	<a href="#">WG1676983</a>

## Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	97.2		9.52	20.7	1	06/03/2021 03:58	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0225	0.103	1	05/23/2021 20:54	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	116			77.0-120		05/23/2021 20:54	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000500	0.00107	1	05/25/2021 17:13	<a href="#">WG1677018</a>
Toluene	U		0.00139	0.00535	1	05/25/2021 17:13	<a href="#">WG1677018</a>
Ethylbenzene	U		0.000789	0.00267	1	05/25/2021 17:13	<a href="#">WG1677018</a>
Total Xylenes	U		0.000942	0.00695	1	05/25/2021 17:13	<a href="#">WG1677018</a>
(S) Toluene-d8	101			75.0-131		05/25/2021 17:13	<a href="#">WG1677018</a>
(S) 4-Bromofluorobenzene	103			67.0-138		05/25/2021 17:13	<a href="#">WG1677018</a>
(S) 1,2-Dichloroethane-d4	74.5			70.0-130		05/25/2021 17:13	<a href="#">WG1677018</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.67	4.14	1	05/27/2021 04:55	<a href="#">WG1677884</a>
C28-C40 Oil Range	3.10	J	0.284	4.14	1	05/27/2021 04:55	<a href="#">WG1677884</a>
(S) o-Terphenyl	68.8			18.0-148		05/27/2021 04:55	<a href="#">WG1677884</a>

Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	87.2		1	05/26/2021 13:30	<a href="#">WG1676983</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	21.0	J	10.6	22.9	1	06/03/2021 04:08	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0249	0.115	1	05/23/2021 21:16	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	116			77.0-120		05/23/2021 21:16	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000604	0.00129	1	05/25/2021 17:32	<a href="#">WG1677018</a>
Toluene	U		0.00168	0.00647	1	05/25/2021 17:32	<a href="#">WG1677018</a>
Ethylbenzene	U		0.000954	0.00323	1	05/25/2021 17:32	<a href="#">WG1677018</a>
Total Xylenes	U		0.00114	0.00841	1	05/25/2021 17:32	<a href="#">WG1677018</a>
(S) Toluene-d8	104			75.0-131		05/25/2021 17:32	<a href="#">WG1677018</a>
(S) 4-Bromofluorobenzene	102			67.0-138		05/25/2021 17:32	<a href="#">WG1677018</a>
(S) 1,2-Dichloroethane-d4	76.8			70.0-130		05/25/2021 17:32	<a href="#">WG1677018</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.85	4.59	1	05/27/2021 04:15	<a href="#">WG1677884</a>
C28-C40 Oil Range	0.384	J	0.314	4.59	1	05/27/2021 04:15	<a href="#">WG1677884</a>
(S) o-Terphenyl	60.3			18.0-148		05/27/2021 04:15	<a href="#">WG1677884</a>

Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	87.3		1	05/26/2021 13:30	<a href="#">WG1676983</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	53.6		10.5	22.9	1	06/03/2021 04:17	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0248	0.114	1	05/23/2021 21:39	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	114			77.0-120		05/23/2021 21:39	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000603	0.00129	1	05/25/2021 17:51	<a href="#">WG1677018</a>
Toluene	U		0.00168	0.00645	1	05/25/2021 17:51	<a href="#">WG1677018</a>
Ethylbenzene	U		0.000951	0.00323	1	05/25/2021 17:51	<a href="#">WG1677018</a>
Total Xylenes	U		0.00114	0.00839	1	05/25/2021 17:51	<a href="#">WG1677018</a>
(S) Toluene-d8	105			75.0-131		05/25/2021 17:51	<a href="#">WG1677018</a>
(S) 4-Bromofluorobenzene	102			67.0-138		05/25/2021 17:51	<a href="#">WG1677018</a>
(S) 1,2-Dichloroethane-d4	76.2			70.0-130		05/25/2021 17:51	<a href="#">WG1677018</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.84	4.58	1	05/27/2021 04:28	<a href="#">WG1677884</a>
C28-C40 Oil Range	U		0.314	4.58	1	05/27/2021 04:28	<a href="#">WG1677884</a>
(S) o-Terphenyl	42.8			18.0-148		05/27/2021 04:28	<a href="#">WG1677884</a>



Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	93.2		1	05/26/2021 13:30	<a href="#">WG1676983</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	88.8		9.87	21.5	1	06/03/2021 04:27	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0233	0.107	1	05/23/2021 22:01	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	117			77.0-120		05/23/2021 22:01	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000535	0.00115	1	05/25/2021 18:10	<a href="#">WG1677018</a>
Toluene	U		0.00149	0.00573	1	05/25/2021 18:10	<a href="#">WG1677018</a>
Ethylbenzene	U		0.000844	0.00286	1	05/25/2021 18:10	<a href="#">WG1677018</a>
Total Xylenes	U		0.00101	0.00744	1	05/25/2021 18:10	<a href="#">WG1677018</a>
(S) Toluene-d8	101			75.0-131		05/25/2021 18:10	<a href="#">WG1677018</a>
(S) 4-Bromofluorobenzene	104			67.0-138		05/25/2021 18:10	<a href="#">WG1677018</a>
(S) 1,2-Dichloroethane-d4	75.5			70.0-130		05/25/2021 18:10	<a href="#">WG1677018</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.73	4.29	1	05/27/2021 19:56	<a href="#">WG1678260</a>
C28-C40 Oil Range	4.23	J	0.294	4.29	1	05/27/2021 19:56	<a href="#">WG1678260</a>
(S) o-Terphenyl	53.6			18.0-148		05/27/2021 19:56	<a href="#">WG1678260</a>

Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	93.3		1	05/26/2021 13:23	<a href="#">WG1676984</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	48.0		9.86	21.4	1	06/03/2021 05:05	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U	<a href="#">J3</a>	0.0233	0.107	1	05/23/2021 22:22	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	115			77.0-120		05/23/2021 22:22	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000535	0.00114	1	05/25/2021 18:29	<a href="#">WG1677018</a>
Toluene	U		0.00149	0.00572	1	05/25/2021 18:29	<a href="#">WG1677018</a>
Ethylbenzene	U		0.000844	0.00286	1	05/25/2021 18:29	<a href="#">WG1677018</a>
Total Xylenes	U		0.00101	0.00744	1	05/25/2021 18:29	<a href="#">WG1677018</a>
(S) Toluene-d8	102			75.0-131		05/25/2021 18:29	<a href="#">WG1677018</a>
(S) 4-Bromofluorobenzene	101			67.0-138		05/25/2021 18:29	<a href="#">WG1677018</a>
(S) 1,2-Dichloroethane-d4	74.3			70.0-130		05/25/2021 18:29	<a href="#">WG1677018</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	3.60	<a href="#">J</a>	1.73	4.29	1	05/27/2021 20:08	<a href="#">WG1678260</a>
C28-C40 Oil Range	11.2		0.294	4.29	1	05/27/2021 20:08	<a href="#">WG1678260</a>
(S) o-Terphenyl	63.7			18.0-148		05/27/2021 20:08	<a href="#">WG1678260</a>

Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	86.2		1	05/26/2021 13:23	<a href="#">WG1676984</a>

## Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	150		10.7	23.2	1	06/03/2021 05:15	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO


Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0252	0.116	1	05/23/2021 22:44	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	116			77.0-120		05/23/2021 22:44	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000617	0.00132	1	05/25/2021 18:47	<a href="#">WG1677018</a>
Toluene	U		0.00172	0.00661	1	05/25/2021 18:47	<a href="#">WG1677018</a>
Ethylbenzene	U		0.000974	0.00330	1	05/25/2021 18:47	<a href="#">WG1677018</a>
Total Xylenes	U		0.00116	0.00859	1	05/25/2021 18:47	<a href="#">WG1677018</a>
(S) Toluene-d8	100			75.0-131		05/25/2021 18:47	<a href="#">WG1677018</a>
(S) 4-Bromofluorobenzene	103			67.0-138		05/25/2021 18:47	<a href="#">WG1677018</a>
(S) 1,2-Dichloroethane-d4	80.3			70.0-130		05/25/2021 18:47	<a href="#">WG1677018</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.87	4.64	1	05/27/2021 19:30	<a href="#">WG1678260</a>
C28-C40 Oil Range	0.969	J	0.318	4.64	1	05/27/2021 19:30	<a href="#">WG1678260</a>
(S) o-Terphenyl	61.8			18.0-148		05/27/2021 19:30	<a href="#">WG1678260</a>



Collected date/time: 05/17/21 00:00

L1355882

## Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.1		1	05/26/2021 13:23	<a href="#">WG1676984</a>

## Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	32.7		9.57	20.8	1	06/03/2021 05:24	<a href="#">WG1680538</a>

## Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0226	0.104	1	05/23/2021 23:07	<a href="#">WG1676019</a>
(S) a,a,a-Trifluorotoluene(FID)	114			77.0-120		05/23/2021 23:07	<a href="#">WG1676019</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000505	0.00108	1	05/25/2021 19:06	<a href="#">WG1677018</a>
Toluene	U		0.00141	0.00541	1	05/25/2021 19:06	<a href="#">WG1677018</a>
Ethylbenzene	U		0.000797	0.00270	1	05/25/2021 19:06	<a href="#">WG1677018</a>
Total Xylenes	U	<a href="#">J3</a>	0.000952	0.00703	1	05/25/2021 19:06	<a href="#">WG1677018</a>
(S) Toluene-d8	102			75.0-131		05/25/2021 19:06	<a href="#">WG1677018</a>
(S) 4-Bromofluorobenzene	103			67.0-138		05/25/2021 19:06	<a href="#">WG1677018</a>
(S) 1,2-Dichloroethane-d4	76.9			70.0-130		05/25/2021 19:06	<a href="#">WG1677018</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	8.38		1.68	4.16	1	05/27/2021 21:37	<a href="#">WG1678260</a>
C28-C40 Oil Range	21.9		0.285	4.16	1	05/27/2021 21:37	<a href="#">WG1678260</a>
(S) o-Terphenyl	66.0			18.0-148		05/27/2021 21:37	<a href="#">WG1678260</a>

W01676981  
Total Solids by Method 2540 G-2011

[L1355882-01,02,03,04](#)

Method Blank (MB)

(MB) R3659783-1 05/26/21 13:42

	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	%		%	%
Total Solids	0.000			

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

L1355875-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1355875-03 05/26/21 13:42 • (DUP) R3659783-3 05/26/21 13:42

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	%	%		%		%
Total Solids	83.9	83.1	1	0.976		10

Laboratory Control Sample (LCS)

(LCS) R3659783-2 05/26/21 13:42

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	%	%	%	%	
Total Solids	50.0	50.0	100	85.0-115	

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc



Total Solids by Method 2540 G-2011 [L1355882-05,06,07,08,09,10,11,12,13,14](#)

Method Blank (MB)

(MB) R3659782-1 05/26/21 13:30

	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	%		%	%
Total Solids	0.00200			

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

L1355882-11 Original Sample (OS) • Duplicate (DUP)

(OS) L1355882-11 05/26/21 13:30 • (DUP) R3659782-3 05/26/21 13:30

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	%	%		%		%
Total Solids	96.6	96.5	1	0.160		10

Laboratory Control Sample (LCS)

(LCS) R3659782-2 05/26/21 13:30

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	%	%	%	%	
Total Solids	50.0	50.0	100	85.0-115	

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Total Solids by Method 2540 G-2011

[L1355882-15,16,17](#)

Method Blank (MB)

(MB) R3659781-1 05/26/21 13:23

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Total Solids	0.00200			

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

L1355884-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1355884-06 05/26/21 13:23 • (DUP) R3659781-3 05/26/21 13:23

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Total Solids	72.2	72.3	1	0.0892		10

Laboratory Control Sample (LCS)

(LCS) R3659781-2 05/26/21 13:23

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Total Solids	50.0	50.0	100	85.0-115	

Wet Chemistry by Method 300.0

L1355882-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17

Method Blank (MB)

(MB) R3662826-1 06/03/21 01:12

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/kg		mg/kg	mg/kg
Chloride	U		9.20	20.0

L1355882-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1355882-04 06/03/21 02:00 • (DUP) R3662826-3 06/03/21 02:09

	Original Result (dry)	DUP Result (dry)	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Chloride	50.4	54.6	1	7.87		20

L1355882-14 Original Sample (OS) • Duplicate (DUP)

(OS) L1355882-14 06/03/21 04:27 • (DUP) R3662826-6 06/03/21 04:36

	Original Result (dry)	DUP Result (dry)	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Chloride	88.8	82.0	1	7.88		20

Laboratory Control Sample (LCS)

(LCS) R3662826-2 06/03/21 01:22

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/kg	mg/kg	%	%	
Chloride	200	191	95.6	90.0-110	

L1355882-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1355882-04 06/03/21 02:00 • (MS) R3662826-4 06/03/21 02:24 • (MSD) R3662826-5 06/03/21 02:33

	Spike Amount (dry)	Original Result (dry)	MS Result (dry)	MSD Result (dry)	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
Chloride	511	50.4	489	523	85.9	92.5	1	80.0-120			6.66	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC) by Method 8015D/GRO

L1355882-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17

Method Blank (MB)

(MB) R3660979-1 05/23/21 13:19

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	119			77.0-120

Laboratory Control Sample (LCS)

(LCS) R3660979-2 05/23/21 16:06

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	4.38	79.6	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			106	77.0-120	

L1355882-15 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1355882-15 05/23/21 22:22 • (MS) R3660979-3 05/23/21 23:29 • (MSD) R3660979-4 05/23/21 23:51

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.90	U	1.81	3.13	30.7	53.1	1	10.0-151		J3	53.4	28
(S) a,a,a-Trifluorotoluene(FID)					95.4	81.2		77.0-120				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

[L1355882-01,02,03,04,05,06,07,08,09,10](#)

Method Blank (MB)

(MB) R3658962-2 05/24/21 23:41

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	133	J1		75.0-131
(S) 4-Bromofluorobenzene	87.5			67.0-138
(S) 1,2-Dichloroethane-d4	99.8			70.0-130

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Laboratory Control Sample (LCS)

(LCS) R3658962-1 05/24/21 22:44

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.110	88.0	70.0-123	
Ethylbenzene	0.125	0.139	111	74.0-126	
Toluene	0.125	0.142	114	75.0-121	
Xylenes, Total	0.375	0.391	104	72.0-127	
(S) Toluene-d8			123	75.0-131	
(S) 4-Bromofluorobenzene			89.5	67.0-138	
(S) 1,2-Dichloroethane-d4			113	70.0-130	

Method Blank (MB)

(MB) R3660834-2 05/25/21 11:07

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	104			75.0-131
(S) 4-Bromofluorobenzene	103			67.0-138
(S) 1,2-Dichloroethane-d4	77.8			70.0-130

Cp

Tc

Ss

Cn

Sr

Qc

Gl

Al

Sc

Laboratory Control Sample (LCS)

(LCS) R3660834-1 05/25/21 10:10

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.118	94.4	70.0-123	
Ethylbenzene	0.125	0.122	97.6	74.0-126	
Toluene	0.125	0.117	93.6	75.0-121	
Xylenes, Total	0.375	0.356	94.9	72.0-127	
(S) Toluene-d8			101	75.0-131	
(S) 4-Bromofluorobenzene			100	67.0-138	
(S) 1,2-Dichloroethane-d4			89.8	70.0-130	

L1355882-17 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1355882-17 05/25/21 19:06 • (MS) R3660834-3 05/25/21 19:25 • (MSD) R3660834-4 05/25/21 19:44

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.134	U	0.0937	0.135	69.8	101	1	10.0-149			36.3	37
Ethylbenzene	0.134	U	0.0958	0.140	71.5	104	1	10.0-160			37.1	38
Toluene	0.134	U	0.0987	0.142	73.5	106	1	10.0-156			35.8	38
Xylenes, Total	0.402	U	0.253	0.407	62.9	101	1	10.0-160		J3	46.6	38
(S) Toluene-d8					102	102		75.0-131				
(S) 4-Bromofluorobenzene					104	103		67.0-138				
(S) 1,2-Dichloroethane-d4					80.0	81.3		70.0-130				



Method Blank (MB)

(MB) R3660009-1 05/27/21 01:59

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	U		0.274	4.00
(S) o-Terphenyl	76.0			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3660009-2 05/27/21 02:18

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	45.1	90.2	50.0-150	
(S) o-Terphenyl			77.6	18.0-148	

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Semi-Volatile Organic Compounds (GC) by Method 8015

[L1355882-05,06,07,08,09,10,11,12,13](#)

Method Blank (MB)

(MB) R3660010-1 05/27/21 01:27

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	U		0.274	4.00
(S) o-Terphenyl	76.6			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3660010-2 05/27/21 01:40

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	50.4	101	50.0-150	
(S) o-Terphenyl			85.7	18.0-148	

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Semi-Volatile Organic Compounds (GC) by Method 8015 [L1355882-14,15,16,17](#)

Method Blank (MB)

(MB) R3660358-1 05/27/21 19:05

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	U		0.274	4.00
(S) o-Terphenyl	65.3			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3660358-2 05/27/21 19:18

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	34.7	69.4	50.0-150	
(S) o-Terphenyl			66.4	18.0-148	

L1356775-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1356775-01 05/27/21 20:46 • (MS) R3660358-3 05/27/21 20:59 • (MSD) R3660358-4 05/27/21 21:12

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	47.4	241	460	287	462	97.0	1	50.0-150	<u>E V</u>	<u>J3</u>	46.3	20
(S) o-Terphenyl					82.6	77.1		18.0-148				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

### Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
MDL (dry)	Method Detection Limit.
RDL	Reported Detection Limit.
RDL (dry)	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.
J3	The associated batch QC was outside the established quality control range for precision.
V	The sample concentration is too high to evaluate accurate spike recoveries.

1	Cp
2	Tc
3	Ss
4	Cn
5	Sr
6	Qc
7	Gl
8	Al
9	Sc


## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1,6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1,4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA -- ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.





Page 1 of 2

1355982

<h1 style="margin: 0;">Tetra Tech, Inc.</h1>		900 West Wall Street, Ste 100 Midland, Texas 79701 Tel (432) 682-4559 Fax (432) 682-3946	
<b>Client Name:</b> ConocoPhillips		<b>Site Manager:</b> Christian Llull	
<b>Project Name:</b> Elvis (West) Release			
<b>Project Location:</b> (county, state) Lea County, New Mexico		<b>Project #:</b> 212C-MD-02482	
<b>Invoice to:</b> Accounts Payable 901 West Wall Street, Suite 100 Midland, Texas 79701			
<b>Receiving Laboratory:</b> Pace Analytical		<b>Sampler Signature:</b> Devin Dominguez	
<b>Comments:</b> COPTETRA Acctnum			

LAB # <small>(LAB USE ONLY)</small>	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)	ANALYSIS REQUEST (Circle or Specify Method No.)																	
		DATE	TIME	WATER	SOIL	HCL	HNO <sub>3</sub>	ICE	None			<div style="display: flex; flex-wrap: wrap; justify-content: space-between;"> <div>BTEX 8021B BTEX 8260B</div> <div>TPH TX1005 (Ext to C35)</div> <div>TPH 8015M (GRO - DRO - ORO - MRO)</div> <div>PAH 8270C</div> <div>Total Metals Ag As Ba Cd Cr Pb Se Hg</div> <div>TCLP Metals Ag As Ba Cd Cr Pb Se Hg</div> <div>TCLP Volatiles</div> <div>TCLP Semi Volatiles</div> <div>RCI</div> <div>GC/MS Vol. 8260B / 624</div> <div>GC/MS Semi. Vol. 8270C/625</div> <div>PCB's 8082 / 608</div> <div>NORM</div> <div>PLM (Asbestos)</div> <div>Chloride</div> <div>Chloride Sulfate TDS</div> <div>General Water Chemistry (see attached list)</div> <div>Anion/Cation Balance</div> <div>TPH 8015R</div> <div>Hold</div> </div>																	

Relinquished by:	Date: 5/19/21	Time: 9:00	Received by:	Date: 5-19-21	Time: 9:20
Relinquished by:	Date: 5-19-21	Time: 15:00	Received by:	Date: 5-19-21	Time: 15:00
Relinquished by:	Date: 5/20/21	Time: 0800	Received by:	Date: 5/20/21	Time: 0800

<b>LAB USE ONLY</b>  Sample Temperature	<b>REMARKS:</b> <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> RUSH: Same Day 24 hr 48 hr 72 hr <input type="checkbox"/> Rush Charges Authorized <input type="checkbox"/> Special Report Limits or TRRP Report
---	---

(Circle) HAND DELIVERED   FEDEX   UPS   Tracking #:

4th E-S  
ABOT

TC: 17 = 403



## Analysis Request of Chain of Custody Record

Page 2 of 2



## Tetra Tech, Inc.

900 West Wall Street, Ste 100  
Midland, Texas 79701  
Tel (432) 682-4559  
Fax (432) 682-3946

Client Name:	ConocoPhillips	Site Manager:	Christian Llull
Project Name:	Elvis (West) Release		
Project Location: (county, state)	Lea County, New Mexico	Project #:	212C-MD-02482
Invoice to:	Accounts Payable 901 West Wall Street, Suite 100 Midland, Texas 79701		
Receiving Laboratory:	Pace Analytical	Sampler Signature:	Devin Dominguez
Comments:	COPTETRA Acctnum		

### ANALYSIS REQUEST

(Circle or Specify Method No.)

LAB #  (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX			PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)	BTEX 8021B	BTX 8260B	TPH TX1005 (Ext to C35)	TPH 8015M (GRO - DRO - ORO - MRO)	PAH 8270C	Total Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC/MS Vol. 8260B / 624	GC/MS Semi. Vol. 8270C/625	PCB's 8082 / 608	NORM	PLM (Asbestos)	Chloride	Sulfate	General Water Chemistry (see attached list)	Anion/Cation Balance	TPH 8015R			Hold
		YEAR: 2021		WATER	SOIL		HCL	HNO <sub>3</sub>	ICE	None																									
		DATE	TIME																																
11	BHW-2 (1'-1.5')	5/17/2021		X				X		1	N	X		X													X								
12	BHW-3 (0-1')	5/17/2021		X				X		1	N	X		X													X								
13	BHW-3 (1'-1.5')	5/17/2021		X				X		1	N	X		X													X								
14	BHW-4 (0-1')	5/17/2021		X				X		1	N	X		X													X								
15	BHW-4 (1'-1.5')	5/17/2021		X				X		1	N	X		X													X								
16	BHW-5 (0-1')	5/17/2021		X				X		1	N	X		X													X								
17	BHW-5 (1'-1.5')	5/17/2021		X				X		1	N	X		X													X								

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
	5/19/21	9:00		5-19-21	9:20
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
	5-19-21	15:00		5-19-21	15:00
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
				5/20/21	0800

LAB USE ONLY	<input checked="" type="checkbox"/> STANDARD
	<input type="checkbox"/> RUSH: Same Day 24 hr 48 hr 72 hr
	<input type="checkbox"/> Rush Charges Authorized
	<input type="checkbox"/> Special Report Limits or TRRP Report

(Circle) HAND DELIVERED FEDEX UPS Tracking #: \_\_\_\_\_

ORIGINAL COPY

44.1.5  
#30T

## **APPENDIX E**

### **Soil Boring Logs**

212C-MD-02482		<b>TETRA TECH</b>		<b>LOG OF BORING BHW-1</b>				Page 1 of 1							
Project Name: Elvis (West) Assessment															
Borehole Location: GPS: 32.822242°, -103.790896°					Surface Elevation: 3990 ft										
Borehole Number: BHW-1				Borehole Diameter (in.): 4		Date Started: 5/17/2021		Date Finished: 5/17/2021							
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	<b>WATER LEVEL OBSERVATIONS</b> While Drilling <u>▽</u> Dry ft    Upon Completion of Drilling <u>▽</u> Dry ft Remarks:			
			ExStik	PID				LL	PI			MATERIAL DESCRIPTION	DEPTH (ft)	REMARKS	
1	[Hand]	[Hand]	2130	0.02									-SM- SILTY SAND: Light tan, loose to medium dense, with gravel, slightly moist to dry.	1.5	BHW-1 (0-1')
2	[Hand]	[Hand]	93.3	0.08							-SM- SILTY SAND: Brown, loose, with gravel, slightly moist.			BHW-1 (1-1.5')	
3	[Hand]	[Hand]	103	0.03										BHW-1 (2-2.5')	
4	[Hand]	[Hand]	158	0.02										BHW-1 (3-3.5')	
5	[Hand]	[Hand]	171	0.01										BHW-1 (4-4.5')	
6	[Hand]	[Hand]	338	0.02										BHW-1 (5-5.5')	
7	[Hand]	[Hand]	392	0.01										BHW-1 (6-6.5')	
8	[Hand]	[Hand]	132	0.01										BHW-1 (7-7.5')	
			278	0.02									-ML- SILT: Brown, medium dense, with occasional SILTY CLAY, moist.	8	BHW-1 (8-8.5')
													-SM- SILTY SAND: Brown, medium dense, with caliche gravel.	8.5	
Bottom of borehole at 8.5 feet.															

Sampler Types:	<input checked="" type="checkbox"/> Split Spoon <input checked="" type="checkbox"/> Shelby <input checked="" type="checkbox"/> Bulk Sample <input checked="" type="checkbox"/> Grab Sample	<input checked="" type="checkbox"/> Acetate Liner <input checked="" type="checkbox"/> Vane Shear <input checked="" type="checkbox"/> California <input checked="" type="checkbox"/> Test Pit	Operation Types:	<input checked="" type="checkbox"/> Hand Auger <input checked="" type="checkbox"/> Mud Rotary <input checked="" type="checkbox"/> Continuous Flight Auger <input checked="" type="checkbox"/> Wash Rotary	<input checked="" type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Direct Push <input checked="" type="checkbox"/> Core Barrel	Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value based on Google Earth data.
----------------	---	---	------------------	--	--	---

Logger: Devin Dominguez	Drilling Equipment: Hand Auger	Driller: Tetra Tech
-------------------------	--------------------------------	---------------------

212C-MD-02482		<b>TETRA TECH</b>		<b>LOG OF BORING BHW-2</b>				Page 1 of 1									
Project Name: Elvis (West) Assessment																	
Borehole Location: GPS: 32.822204°, -103.791265°						Surface Elevation: 3987 ft											
Borehole Number: BHW-2						Borehole Diameter (in.): 4		Date Started: 5/17/2021		Date Finished: 5/17/2021							
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS					
			ExStik	PID											While Drilling <u>▽</u> Dry ft    Upon Completion of Drilling <u>▽</u> Dry ft Remarks:		
MATERIAL DESCRIPTION												DEPTH (ft)	REMARKS				
1			193	0.01									<b>-SM-</b> SILTY SAND: Light tan, loose to medium dense, with gravel, slightly moist to dry.			1.5	BHW-2 (0-1')
												1.5	BHW-2 (1-1.5')				
Bottom of borehole at 1.5 feet.																	
Sampler Types:		<input checked="" type="checkbox"/> Split Spoon <input type="checkbox"/> Shelby <input type="checkbox"/> Bulk Sample <input type="checkbox"/> Grab Sample		<input type="checkbox"/> Acetate Liner <input type="checkbox"/> Vane Shear <input type="checkbox"/> California <input type="checkbox"/> Test Pit		Operation Types:		<input type="checkbox"/> Mud Rotary <input type="checkbox"/> Continuous Flight Auger <input type="checkbox"/> Wash Rotary		<input type="checkbox"/> Hand Auger <input type="checkbox"/> Air Rotary <input type="checkbox"/> Direct Push <input type="checkbox"/> Core Barrel		Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value based on Google Earth data.					
Logger: Devin Dominguez						Drilling Equipment: Hand Auger						Driller: Tetra Tech					

212C-MD-02482		<b>TETRA TECH</b>		<b>LOG OF BORING BHW-3</b>				Page 1 of 1							
Project Name: Elvis (West) Assessment															
Borehole Location: GPS: 32.822323°, -103.790945°					Surface Elevation: 3988 ft										
Borehole Number: BHW-3				Borehole Diameter (in.): 4		Date Started: 5/17/2021		Date Finished: 5/17/2021							
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS			
			ExStik	PID								While Drilling <u>▽</u> Dry ft    Upon Completion of Drilling <u>▽</u> Dry ft Remarks:			
MATERIAL DESCRIPTION												DEPTH (ft)	REMARKS		
1			123	0.01									<b>-SM-</b> SILTY SAND: Light tan, loose to medium dense, with gravel, slightly moist to dry.		
			170	0.01											
Bottom of borehole at 1.5 feet.															

Sampler Types:	<input checked="" type="checkbox"/> Split Spoon <input checked="" type="checkbox"/> Shelby <input checked="" type="checkbox"/> Bulk Sample <input checked="" type="checkbox"/> Grab Sample	<input checked="" type="checkbox"/> Acetate Liner <input checked="" type="checkbox"/> Vane Shear <input checked="" type="checkbox"/> California <input checked="" type="checkbox"/> Test Pit	Operation Types:	<input checked="" type="checkbox"/> Hand Auger <input checked="" type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Direct Push <input checked="" type="checkbox"/> Core Barrel	Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value based on Google Earth data.
Logger: Devin Dominguez      Drilling Equipment: Hand Auger      Driller: Tetra Tech					

212C-MD-02482		<b>TETRA TECH</b>		<b>LOG OF BORING BHW-4</b>				Page 1 of 1							
Project Name: Elvis (West) Assessment															
Borehole Location: GPS: 32.822255°, -103.790736°					Surface Elevation: 3991 ft										
Borehole Number: BHW-4					Borehole Diameter (in.): 4		Date Started: 5/17/2021		Date Finished: 5/17/2021						
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	<b>WATER LEVEL OBSERVATIONS</b> While Drilling <u>▽</u> <u>Dry</u> ft    Upon Completion of Drilling <u>▽</u> <u>Dry</u> ft Remarks:			
			ExStik	PID					LL			PI	MATERIAL DESCRIPTION	DEPTH (ft)	REMARKS
1			119	0.01									-SM- SILTY SAND: Light tan, loose to medium dense, with gravel, slightly moist to dry.	1.5	BHW-4 (0-1')
			138	0.01										1.5	BHW-4 (1-1.5')
Bottom of borehole at 1.5 feet.															
<b>Sampler Types:</b> Split Spoon Shelby Bulk Sample Grab Sample			Acetate Liner Vane Shear California Test Pit			<b>Operation Types:</b> Mud Rotary Continuous Flight Auger Wash Rotary			Hand Auger Air Rotary Direct Push Core Barrel			<b>Notes:</b> Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value based on Google Earth data.			
Logger: Devin Dominguez					Drilling Equipment: Hand Auger					Driller: Tetra Tech					



212C-MD-02482		<b>TETRA TECH</b>		LOG OF BORING BHW-5				Page 1 of 1							
Project Name: Elvis (West) Assessment															
Borehole Location: GPS: 32.821930°, -103.790907°					Surface Elevation: 3987 ft										
Borehole Number: BHW-5				Borehole Diameter (in.): 4		Date Started: 5/17/2021		Date Finished: 5/17/2021							
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS While Drilling <u>▽</u> Dry ft    Upon Completion of Drilling <u>▽</u> Dry ft Remarks:			
			ExStik	PID					LL			PI	MATERIAL DESCRIPTION	DEPTH (ft)	REMARKS
1			236	0.01									-SM- SILTY SAND: Light tan, loose to medium dense, with gravel, slightly moist to dry.	1.5	BHW-5 (0-1')
			225	0.01										1.5	BHW-5 (1-1.5')
Bottom of borehole at 1.5 feet.															
Sampler Types:		<div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;">  Split Spoon   Shelby   Bulk Sample   Grab Sample         </div> <div style="width: 50%;">  Acetate Liner   Vane Shear   California   Test Pit         </div> </div>				Operation Types:				<div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;">  Mud Rotary   Continuous Flight Auger   Wash Rotary         </div> <div style="width: 50%;">  Hand Auger   Air Rotary   Direct Push   Core Barrel         </div> </div>				Notes:  Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value based on Google Earth data.	
Logger: Devin Dominguez					Drilling Equipment: Hand Auger					Driller: Tetra Tech					

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 66777

CONDITIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 66777
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
chensley	None	1/7/2022