District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party: Enduring Resources			OGRID: 37	72286			
Contact Name: James McDaniel			Contact Te	lephone: (505)	636-9731		
Contact ema	il: jmcdanie	el@enduringreso	ırces.com		Incident # ((assigned by OCD)	
Contact mail	ing address:	200 Energy Cou	rt		Farmingto	on, New Mexic	o 87401
Location of Release Source							
Latitude	36.57	8597	(NAD 83 in dec		Longitude _		72393
			(NAD 65 in aec	ımuı ueg			
Site Name: M	Iarshall A 3				Site Type: V	Wellsite	
Date Release	Discovered:	7/29/2020			API# (if appl	licable) 30-045- 0	06536
TTVT	Q .:	m 1:			~		1
Unit Letter	Section	Township	Range 9W		Count	•	
G	15	27N	9W		San Ju	lan	
Surface Owner: State Federal Tribal Private (Name: Nature and Volume of Release Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)							
Crude Oil		Volume Release				Volume Reco	
□ Produced	Water	Volume Release	ed (bbls): UNK			Volume Reco	vered (bbls): NONE
Is the concentration of dissolved chlorid produced water >10,000 mg/l?		hloride	in the	☐ Yes ⊠ N	О		
Condensa	te	Volume Release	d (bbls)			Volume Reco	vered (bbls)
☐ Natural Gas Volume Released (Mcf)				Volume Reco	vered (Mcf)		
Other (describe) Volume/Weight Released (provide units		units)		Volume/Weight Recovered (provide units)			
Cause of Release: On 7/29/2020, BGT closure activities were performed at this location. Samples were collected from beneath the location of the BGT after it was removed, and samples results were above Tale I Standards, confirming that a release had occurred. Excavation was performed, and the spill was remediated. An outline of all remediation activities are detailed in the attached <i>Remediation Narrative</i> .							

Received by OCD: 9/9/2020 1:59:27 PM tate of New Mexico
Page 2 Oil Conservation Division

	Page 2 of 65
Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major	If YES, for what reason(s) does the responsible party consider this a major release?		
release as defined by 19.15.29.7(A) NMAC?			
, ,			
Yes No			
If VEC was immediate no	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?		
If FES, was ininediate in	once given to the OCD? By whom? To whom? when and by what means (phone, email, etc)?		
	Initial Response		
The responsible p	party must undertake the following actions immediately unless they could create a safety hazard that would result in injury		
☐ The source of the rele	ease has been stopped.		
☐ The impacted area ha	s been secured to protect human health and the environment.		
Released materials ha	we been contained via the use of berms or dikes, absorbent pads, or other containment devices.		
☐ All free liquids and re	ecoverable materials have been removed and managed appropriately.		
If all the actions described	d above have not been undertaken, explain why:		
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.			
	rmation given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and		
regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have			
failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In			
addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Brintad Nama	Title:		
Fillited Name.			
Signature:	Date:		
email:	Telephone:		
OCD Only			
Received by:	Date:		

Received by OCD: 9/9/2020	1:59:27 PM tate of New Mexico
Page 3	Oil Conservation Division

	Page 3 of
Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	(ft bgs)	
Did this release impact groundwater or surface water?	☐ Yes ☐ No	
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☐ No	
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☐ No	
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☐ No	
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☐ No	
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☐ No	
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☐ No	
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☐ No	
Are the lateral extents of the release overlying a subsurface mine?	Yes No	
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☐ No	
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☐ No	
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☐ No	
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.		
Characterization Report Checklist: Each of the following items must be included in the report.		
 Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells. Field data Data table of soil contaminant concentration data 		
Depth to water determination Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release		
☐ Boring or excavation logs ☐ Photographs including date and GIS information		
Topographic/Aerial maps Laboratory data including chain of custody		

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD:	9/9/2020 1:59:27 PM tate of New Mexico
Page 4	Oil Conservation Division

	Page 4 of 65
Incident ID	rage 7 of 03
District RP	
Facility ID	
Application ID	

	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
	Printed Name:	Title:	
	Signature:	Date:	
	email:	Telephone:	
	OCD O-I-		
	OCD Only		
	Received by:	Date:	
ı			

Received by OCD: 9/9/2020 1:59:27 PM tate of New Mexico
Page 5 Oil Conservation Division

	Page 5 of 65
Incident ID	1 480 0 07 00
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: Each of the following items must be included in the plan.		
Detailed description of proposed remediation technique Scaled sitemap with GPS coordinates showing delineation points Estimated volume of material to be remediated Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)		
Deferral Requests Only: Each of the following items must be con-	firmed as part of any request for deferral of remediation.	
Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.		
Extents of contamination must be fully delineated.		
Contamination does not cause an imminent risk to human health	, the environment, or groundwater.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Printed Name:	Title:	
Signature:	Date:	
email:	Telephone:	
OCD Only		
Received by:	Date:	
Approved	Approval	
Signature:	Date:	

Received by OCD:	9/9/2020 1:59:27 PM tate of New Mexico
Page 6	Oil Conservation Division

	Page o of
Incident ID	1 1 1 1 1 1
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

A scaled site and sampling diagram as described in 19.15.29.11	NMAC
Photographs of the remediated site prior to backfill or photos or must be notified 2 days prior to liner inspection)	f the liner integrity if applicable (Note: appropriate OCD District office
☐ Laboratory analyses of final sampling (Note: appropriate ODC)	District office must be notified 2 days prior to final sampling)
☐ Description of remediation activities	
and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of a should their operations have failed to adequately investigate and reme human health or the environment. In addition, OCD acceptance of a compliance with any other federal, state, or local laws and/or regulative restore, reclaim, and re-vegetate the impacted surface area to the concaccordance with 19.15.29.13 NMAC including notification to the OC Printed Name: James McDaniel Signature: imcdaniel@enduringresources.com	ediate contamination that pose a threat to groundwater, surface water, C-141 report does not relieve the operator of responsibility for ons. The responsible party acknowledges they must substantially ditions that existed prior to the release or their final land use in
OCD Only Received by:	Date:
Closure approval by the OCD does not relieve the responsible party or remediate contamination that poses a threat to groundwater, surface we party of compliance with any other federal, state, or local laws and/or	f liability should their operations have failed to adequately investigate and ater, human health, or the environment nor does not relieve the responsible regulations.
Closure Approved by: Nelson Velez	Date: 02/23/2022
Printed Name: Nelson Velez	Title: Environmental Specialist – Adv

Marshall A 3 Narrative

7/29/2020

BGT Activities occurred at the Marshall A 3 due to an unused BGT. The BGT was removed, and a closure sample was collected beneath the former location of the BGT. The BGT Closure Sample returned results above the Table I standards for this location, confirming that a release had occurred; see *Table I Analytical Results* and the *Sampling Map*. Abiodun Adeloye with the Farmington Field Office of the BLM was on-site to witness sample collection.

7/31/2020

Excavation was performed, excavating the former BGT area to extents of 8' x 5' x 2' deep. Impacted soil sent to Envirotech for disposal. Notification was submitted to the BLM, NMOCD and FIMO via email to inform of the date of closure sampling, see *Email Notification Printouts*.

8/3/2020

Additional sampling performed on the excavated area. One (1) composite sample was collected from the bottom of the excavation, and one (1) composite sample was collected of the four (4) walls of the excavation. These samples were submitted to Envirotech for analysis. Abiodun Adeloye with the Farmington Field Office of the BLM was on-site to witness sample collection.

8/10/2020

Both samples returned results above the Table I Standards for this location, indicating that additional excavation would be required; see attached *Analytical Results* and *Sampling Map*.

8/11/2020

Additional excavation occurred at this site, extending the excavated area to extents of 8' x 10' x 5' deep. Notification was submitted to the BLM, NMOCD and FIMO via email to inform of the date of closure sampling, see *Email Notification Printouts*.

8/13/2020

Additional sampling was performed on the excavated area. One (1) composite sample was collected from the bottom at 5' deep, and one (1) composite sample was collected of each of the four (4) walls of the excavation. Five (5) total composite samples were collected from the excavation, and were submitted to Envirotech for analysis. Abiodun Adeloye with the Farmington Field Office of the BLM was on-site to witness sample collection.

8/20/2020

Analytical result of samples collected on 8/13/2020 indicated that three (3) of the samples collected returned results below the Table I Standards for this location; see attached *Analytical*

Results and Table I Analytical Results. Two (2) samples returned results above Table I standards. The composite sample from the South Wall of the excavation, and from the bottom of the excavation both returned results above the 100 mg/kg TPH standards determined for this location; see attached Analytical Results and Table I Analytical Results

8/21/2020

Notification was submitted to the BLM, NMOCD and FIMO via email to inform of the date of closure sampling, see *Email Notification Printouts*.

8/24/2020

Additional excavation occurred at this site, extending the excavated area to extents of 10' x 10' x 9' deep.

8/25/2020

Additional sampling was performed on the excavated area. One (1) composite sample was collected from the bottom at 9' deep, and one (1) composite sample was collected of the south wall of the excavation. Two (2) total samples were collected from the excavation, and were submitted to Envirotech for analysis. Abiodun Adeloye with the Farmington Field Office of the BLM was on-site to witness sample collection.

8/27/2020

Sample results indicated that all samples had returned results below the Table I results determined for this site. No further excavation is required; see attached *Analytical Results* and *Table I Analytical Results*

9/3/2020

Excavated area was backfilled and recontoured to meet NMOCD specifications; see attached *Photo Page*.

Table I Analytical Results - Marshall A 3


Sample Name	Description	Date	DRO	GRO	ORO	Total TPH	Benzene	Toluene	Ethylbenzene	Xylenes	Total BTEX	Chlorides	Square Footage
			NA	NA	NA	100	10	NA	NA	NA	50	600	200 sq.
STANDARD	Top 4'	NA	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ft
BGT Composite	BGT Composite	7/29/2020	433	< 20	1100	1533.0	< 0.0250	< 0.0250	< 0.0250	< 0.0250	< 0.1	< 20	NA
Wall Composite	8' x 5' x 2' deep	8/3/2020	476	< 20	1150	1626.0	< 0.0250	< 0.0250	< 0.0250	< 0.0250	< 0.1	< 20	40
Bottom Composite	8' x 5' x 2' deep	8/3/2020	38	< 20	89.1	127.1	< 0.0250	< 0.0250	< 0.0250	< 0.0250	< 0.1	< 20	52
South Wall	8' x 10' x 5' deep	8/13/2020	391	< 20	977	1368.0	< 0.0250	< 0.0250	< 0.0250	< 0.0250	< 0.1	< 20	50
East Wall	8' x 10' x 5' deep	8/13/2020	< 25	< 20	< 50	< 95	< 0.0250	< 0.0250	< 0.0250	< 0.0250	< 0.1	< 20	40
West Wall	8' x 10' x 5' deep	8/13/2020	< 25	< 20	< 50	< 95	< 0.0250	< 0.0250	< 0.0250	< 0.0250	< 0.1	< 20	40
North Wall	8' x 10' x 5' deep	8/13/2020	< 25	< 20	< 50	< 95	< 0.0250	< 0.0250	< 0.0250	< 0.0250	< 0.1	< 20	50
Bottom @ 5'	8' x 10' x 5' deep	8/13/2020	32	< 20	78.4	110.4	< 0.0250	< 0.0250	< 0.0250	< 0.0250	< 0.1	< 20	80
Bottom 9'	10' x 10' x 9' deep	8/25/2020	< 25	< 20	< 50	< 95	< 0.0250	< 0.0250	< 0.0250	< 0.0250	< 0.1	< 20	100
South Wall	10' x 10' x 9' deep	8/25/2020	< 25	< 20	< 50	< 95	< 0.0250	< 0.0250	< 0.0250	< 0.0250	< 0.1	< 20	90


CLOSURE SAMPLES



Received by OCD: 9/9/2020 1:59:27 PM

8/3/2020





B = Bottom 9'

N = North Wall

E = East Wall

S = South Wall

W = West Wall

From:

James McDaniel

Sent:

Friday, July 24, 2020 12:48 PM

To:

'Smith, Cory, EMNRD'; 'Abiodun Emmanuel Adeloye'; 'Maureen Joe'

Cc:

Heather Huntington; David Rogers; Kyle Walter

Subject:

RE: Below Grade Tank Closure Notifications

Ladies and Gentlemen,

Please accept this email as the required notification for below grade tank closure activities at the two wells below:

John Charles 2, 30-045-06480, located in Section 13E, Township 27N, Range 9W, San Juan County, New Mexico.

Marshall A 3, 30-045-06536, located in Section 15G, Township 27N, Range 9W, San Juan County, New Mexico.

Closure activities will begin at 10 AM at the Marshall A 3, with the John Charles 2 closure activities taking place immediately following. Thank you for your time in regards to this matter.

*Closure activities will take place on Wednesday, July 29, 2020.

James McDaniel
HSE Supervisor
Enduring Resources
CSP #30009
CHMM #15676
CIT #13805

Office: 505-636-9731 Cell: 505-444-3004

imcdaniel@enduringresources.com



From: James McDaniel

Sent: Friday, July 24, 2020 12:47 PM

To: 'Smith, Cory, EMNRD' <Cory.Smith@state.nm.us>; 'Abiodun Emmanuel Adeloye' <aadeloye@blm.gov>; 'Maureen Joe' <maureen.joe@bia.gov>

Cc: Heather Huntington < Hhuntington@enduringresources.com>; David Rogers < DRogers@enduringresources.com>; Kyle Walter < KWalter@enduringresources.com>

Subject: Below Grade Tank Closure Notifications

Ladies and Gentlemen,

Please accept this email as the required notification for below grade tank closure activities at the two wells below:

John Charles 2, 30-045-06480, located in Section 13E, Township 27N, Range 9W, San Juan County, New Mexico.

Marshall A 3, 30-045-06536, located in Section 15G, Township 27N, Range 9W, San Juan County, New Mexico.

Closure activities will begin at 10 AM at the Marshall A 3, with the John Charles 2 closure activities taking place immediately following. Thank you for your time in regards to this matter.

James McDaniel HSE Supervisor Enduring Resources CSP #30009 CHMM #15676 CIT #13805 Office: 505-636-9731

Cell: 505-444-3004 imcdaniel@enduringresources.com



From:

James McDaniel

Sent:

Friday, July 31, 2020 7:32 AM

To:

'Smith, Cory, EMNRD'; 'Abiodun Emmanuel Adeloye'; 'Maureen Joe'

Cc:

Heather Huntington; David Rogers

Subject:

Re-Sampling of BGT Closures

The samples collected from below the BGTs at the Marshall A 3 and the John Charles 2 were elevated for DRO/ORO above the 100 ppm TPH requirements in the top 4 feet of soil. Additional excavation will occur on these two locations today, and closure sampling will occur at 10 AM on Monday, +August 3 at the Marshall A 3, with the sampling at the John Charles 2 following immediately afterwards. Thank you.

James McDaniel HSE Supervisor Enduring Resources CSP #30009 CHMM #15676 CIT #13805

Office: 505-636-9731 Cell: 505-444-3004

imcdaniel@enduringresources.com



From: James McDaniel

Sent: Tuesday, August 11, 2020 7:26 AM

To: 'Smith, Cory, EMNRD'; 'Abiodun Emmanuel Adeloye'

Cc: 'Maureen Joe'
Subject: Marshall A 3

Gentlemen,

The re-sampling of the BGT closure at the Marshall A 3 returned results above standards for TPH. Additional excavation will take place today, and a re-sampling for closure will occur on Thursday, 8/13/2020 at 8:30 AM. Thank you for your time in regards to this matter.

James McDaniel HSE Supervisor Enduring Resources CSP #30009 CHMM #15676 CIT #13805

Office: 505-636-9731 Cell: 505-444-3004

jmcdaniel@enduringresources.com



From: James McDaniel

Sent: Friday, August 21, 2020 11:05 AM

To: 'Smith, Cory, EMNRD'; Abiodun Emmanuel Adeloye

Cc: Kyle Walter

Subject:Marshall A 3 BGT ClosureAttachments:Sample Results 8-13-2020.pdf

Two of the samples from the Marshall A 3 failed the 100 ppm TPH standard for this location. The South Wall and the Bottom at 5' below ground surface. Additional excavation will take place on these areas on Monday, August 24, and sampling will occur on Tuesday August 25th at 9 AM. Thank you for your time in regards to this matter. Sample results are included for your reference.

James McDaniel
HSE Supervisor
Enduring Resources
CSP #30009
CHMM #15676
CIT #13805

Office: 505-636-9731 Cell: 505-444-3004

imcdaniel@enduringresources.com





Enduring Resources, LLC BGT Closure Report Marshall A 3 30-045-06536



PHOTO 1: Visual Confirmation of Release Occurring During BGT Removal



PHOTO 2: Former BGT Location after Removal (7/29/2020)



Enduring Resources, LLC BGT Closure Report Marshall A 3 30-045-06536




PHOTO 3: Excavated Area (8/3/2020)



Enduring Resources, LLC BGT Closure Report Marshall A 3 30-045-06536




PHOTO 4: Excavated Area (8/13/2020)



Enduring Resources, LLC BGT Closure Report Marshall A 3 30-045-06536




PHOTO 5: BGT Area after Backfill



Analytical Report

Report Summary

Client: Enduring Resources, LLC Samples Received: 7/29/2020 Job Number: 17065-0017 Work Order: P007079

Project Name/Location: Marshall A3

Report Reviewed By:	Walter Hanking	Date:	7/31/20	
	Walter Hinchman, Laboratory Director			



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise.

Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported.

Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.





Enduring Resources, LLC 511 16th Street, Suite 700 Denver CO, 80202 Project Name:

Marshall A3

Project Number: Project Manager: 17065-0017 James McDaniel Reported: 07/31/20 10:36

Sample Summary

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BGT Composite	P007079-01A	Soil	07/29/20	07/29/20	Glass Jar, 4 oz.

Page 2 of 9



Enduring Resources, LLC 511 16th Street, Suite 700 Denver CO, 80202 Project Name:

Marshall A3

Project Number: Project Manager: 17065-0017 James McDaniel

Reported: 07/31/20 10:36

BGT Composite P007079-01 (Solid)

		Reporting					
Analyte	Result	Limit	Dilution	Prepared	Analyzed	Notes	
Volatile Organics by EPA 8021B	mg/kg	mg/kg				Batch:	2031011
Benzene	ND	0.0250	1	07/29/20	07/29/20		
Toluene	ND	0.0250	1	07/29/20	07/29/20		
Ethylbenzene	ND	0.0250	1	07/29/20	07/29/20		
p,m-Xylene	ND	0.0500	1	07/29/20	07/29/20		
o-Xylene	ND	0.0250	1	07/29/20	07/29/20		
Total Xylenes	ND	0.0250	1	07/29/20	07/29/20		
Surrogate: 4-Bromochlorobenzene-P1D		103 %	50-150	07/29/20	07/29/20		
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg				Batch:	2031011
Gasoline Range Organics (C6-C10)	ND	20.0	1	07/29/20	07/29/20		
Surrogate: 1-Chloro-4-fluorobenzene-FID		91.9 %	50-150	07/29/20	07/29/20		
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg				Batch:	2031015
Diesel Range Organics (C10-C28)	433	25.0	1	07/29/20	07/29/20		
Oil Range Organics (C28-C40)	1100	50.0	1	07/29/20	07/29/20		
Surrogate: n-Nonane		98.9 %	50-200	07/29/20	07/29/20		
Anions by EPA 300.0/9056A	mg/kg	mg/kg				Batch:	2031012
Chloride	ND	20.0	1	07/29/20	07/29/20		



Remark R	Denver CO, 80202		Project Manage	er: J	ames McDan	iiel				07/31/20 10:36	
Analyte Result Limit Level Result REC Limits RPD Limit Nomarks mg/ks mg/ks mg/ks mg/ks mg/ks mg/ks % % % % % % % % % % % % % % % % % % %		Volat	tile Organics	by EPA 80	021B - Qu	ality Cor	ntrol				
Blank (2031011-BLK1)			Reporting	Spike	Source		REC		RPD		
Blank (2031011-BLK1)	Analyte	Result	Limit	Level	Result	REC	Limits	RPD	Limit	Notes	
Benzene		mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%		
ND	Blank (2031011-BLK1)							Prepared	repared & Analyzed: 07/29/20 1		
Ethylbenzene ND 0.0250	enzene		0.0250								
p.m. Xyleme ND 0.0550 o-Xyleme ND 0.0250 surrogate: 4-Bromochlorobenzene-PID 8.16 Benzene 5.16 0.0250 5.00 103 70-130 Toltuene 5.18 0.0250 5.00 103 70-130 p.m. Xyleme 5.15 0.0250 5.00 103 70-130 p.m. Xyleme 5.15 0.0250 5.00 103 70-130 p.m. Xylene 5.17 0.0250 5.00 103 70-130 p.m. Xylene 5.15 0.0250 5.00 103 70-130 p.m. Xylene 6.54 8.00 107 30-150 Matrix Spike (2031011-MS1) Benzene 4.95 0.0250 5.00 ND 99.0 54.3-133 Toltuene 4.95 0.0250 5.00 ND 99.0 61.4-130 Elitylbenzene 4.93 0.0250 5.00 ND 99.0 61.4-130 Elitylbenzene 4.93 0.0250 5.00 ND 99.0 61.4-130 Elitylbenzene 4.93 0.0250 5.00 ND 98.7 6.33-131 Toltuene 4.95 0.0500 10.0 ND 98.7 6.33-131 Toltuene 4.95 0.0500 10.0 ND 98.7 6.33-131 Foral Xylene 9.87 0.0500 10.0 ND 98.7 6.33-131 Foral Xylene 14.8 0.0250 5.00 ND 98.7 6.33-131 Foral Xylene 5.24 0.0250 5.00 ND 98.7 0-200 Surrogate: 4-Bromochlorobenzene-PID 8.17 8.00 ND 98.7 0-200 Surrogate: 4-Bromochlorobenzene-PID 8.17 8.00 ND 98.7 0-200 Surrogate: 4-Bromochlorobenzene-PID 8.17 8.00 ND 98.7 0-200 Surrogate: 4-Bromochlorobenzene-PID 8.17 2.0 ND 98.6 0.33-131 5.17 2.0 ND 98.7 0-200 Surrogate: 4-Bromochlorobenzene-PID 8.17 2.0 ND 104 61.4-130 5.30 2.0 ND 104 61	oluene	ND	0.0250								
ND 0.0250	thylbenzene	ND	0.0250								
Total Xylenes	,m-Xylene	ND	0.0500								
Strrogate: 4-Bromochlorobenizene-PID	-Xylene	ND	0.0250								
Renzene	otal Xylenes	ND	0.0250	t							
Benzene S.16 0.0250 5.00 103 70-130	urrogate: 4-Bromochlorohenzene-PID	8.16		8.00		102	50-150				
Toluene S.18	.CS (2031011-BS1)							Prepared	& Analyze	d: 07/29/20 1	
Toluene S.18 0.0250 5.00 104 70-130	enzene	5.16	0.0250	5.00		103	70-130				
Elitythemzene		5.18		5.00		104	70-130				
10.3		5.15		5.00		103	70-130				
Solution	-	10.3	0.0500	10.0		103	70-130				
Total Xylenes 15.5 0.0250 15.0 103 0-200	-	5.17	0.0250	5.00		103	70-130				
Matrix Spike (2031011-MS1) Source: P007075-01 Prepared & Analyzed: 07/29/20	•	15.5	0.0250	15.0		103	0-200				
Renzene	urrogate: 4-Bromochlorohenzene-PID	8.54		8.00		107	50-150				
Toluene 4.95 0.0250 5.00 ND 99.0 61.4-130 Eithylbenzene 4.93 0.0250 5.00 ND 98.6 61.4-133 p,m-Xylene 9.87 0.0500 10.0 ND 98.6 63.3-131 o-Xylene 4.93 0.0250 5.00 ND 98.6 63.3-131 Total Xylenes 14.8 0.0250 15.0 ND 98.7 0-200 Surrogate: 4-Bromochlorobenzene-PID 8.17 8.00 102 50-150 Matrix Spike Dup (2031011-MSD1) Benzene 5.24 0.0250 5.00 ND 105 54.3-133 5.71 20 Toluene 5.22 0.0250 5.00 ND 104 61.4-130 5.30 20 Eithylbenzene 5.19 0.0250 5.00 ND 104 61.4-133 5.17 20 p,m-Xylene 10.4 0.0500 10.0 ND 104 63.3-131 5.12 20 o-Xylene 5.20 0.0250 5.00 ND 104 63.3-131 5.12 20 o-Xylene 5.20 0.0250 5.00 ND 104 63.3-131 5.12 20 Total Xylenes 15.6 0.0250 15.0 ND 104 63.3-131 5.28 20 Total Xylenes 15.6 0.0250 15.0 ND 104 63.3-131 5.20 Total Xylenes 15.6 0.0250 15.0 ND 104 0-200 5.17 200	Aatrix Spike (2031011-MS1)					Source: P	007075-01	Prepared	l & Analyze	d: 07/29/20 1	
Ethylbenzene 4.93 0.0250 5.00 ND 98.6 61.4-133 p.m-Xylene 9.87 0.0500 10.0 ND 98.7 63.3-131 o-Xylene 4.93 0.0250 5.00 ND 98.6 63.3-131 o-Xylene 4.93 0.0250 5.00 ND 98.6 63.3-131 o-Xylene 5.24 0.0250 15.0 ND 98.7 0-200 s. 50-150 s. 50 ND 98.7 0-200 s. 50 ND 105 54.3-133 5.71 20 s. 50 ND 105 54.3-133 5.71 20 s. 50 ND 104 61.4-130 5.30 20 s. 50 ND 104 63.3-131 5.12 20 s. 50 ND 104 63.3-131 5.12 20 s. 50 ND 104 63.3-131 5.12 20 s. 50 ND 104 63.3-131 5.28 20 S. 50 ND 104 63.3-131 5.28 20 S. 50 ND 104 63.3-131 5.28 20 S. 50 ND 104 62.200 5.17 20 S. 50 ND 104 62.200 5.	enzene	4.95	0.0250	5.00	ND	99.0	54.3-133				
9.87 0.0500 10.0 ND 98.7 63.3-131 o-Xylene 4.93 0.0250 5.00 ND 98.6 63.3-131 o-Xylene 14.8 0.0250 15.0 ND 98.7 0-200 Surrogate: 4-Bromochlorobenzene-PID 8.17 8.00 102 50-150 Matrix Spike Dup (2031011-MSD1) Benzene 5.24 0.0250 5.00 ND 105 54.3-133 5.71 20 Toluene 5.22 0.0250 5.00 ND 104 61.4-133 5.17 20 o-Xylene 10.4 0.0500 10.0 ND 104 63.3-131 5.12 20 o-Xylene 5.20 0.0250 5.00 ND 104 63.3-131 5.12 20 o-Xylene 5.20 0.0250 5.00 ND 104 63.3-131 5.12 20 o-Xylene 5.20 0.0250 5.00 ND 104 63.3-131 5.28 20 Total Xylenes 15.6 0.0250 15.0 ND 104 63.3-131 5.28 20	oluene	4.95	0.0250	5.00	ND	99.0	61.4-130				
9.87 0.0500 10.0 ND 98.7 63.3-131 0-24	thylbenzene	4.93	0.0250	5.00	ND	98.6	61.4-133				
A-Sylene	•	9.87	0.0500	10.0	ND	98.7	63.3-131				
Total Xylenes		4.93		5.00	ND	98.6	63.3-131				
Matrix Spike Dup (2031011-MSD1) Source: P007075-01 Prepared & Analyzed: 07/29/20 Benzene 5.24 0.0250 5.00 ND 105 54.3-133 5.71 20 Toluene 5.22 0.0250 5.00 ND 104 61.4-130 5.30 20 Ethylbenzene 5.19 0.0250 5.00 ND 104 61.4-133 5.17 20 p,m-Xylene 10.4 0.0500 10.0 ND 104 63.3-131 5.12 20 o-Xylene 5.20 0.0250 5.00 ND 104 63.3-131 5.28 20 Total Xylenes 15.6 0.0250 15.0 ND 104 0-200 5.17 200	*	14.8	0.0250	15.0	ND	98.7	0-200				
Benzene S.24 O.0250 S.00 ND 105 S4.3-133 S.71 20		8.17		8.00		102	50-150				
Toluene 5.22 0.0250 5.00 ND 104 61.4-130 5.30 20 Ethylbenzene 5.19 0.0250 5.00 ND 104 61.4-133 5.17 20 p.m-Xylene 10.4 0.0500 10.0 ND 104 63.3-131 5.12 20 o-Xylene 5.20 0.0250 5.00 ND 104 63.3-131 5.28 20 Total Xylenes 15.6 0.0250 15.0 ND 104 0-200 5.17 200	Matrix Spike Dup (2031011-MSD1)					Source: P	007075-01	Prepared	& Analyze	d: 07/29/20 1	
Ethylbenzene 5.19 0.0250 5.00 ND 104 61.4-133 5.17 20 p,m-Xylene 10.4 0.0500 10.0 ND 104 63.3-131 5.12 20 o-Xylene 5.20 0.0250 5.00 ND 104 63.3-131 5.28 20 Total Xylenes 15.6 0.0250 15.0 ND 104 0-200 5.17 200	enzene	5.24	0.0250	5.00	ND	105	54.3-133	5.71	20		
Ethylbenzene 5.19 0.0250 5.00 ND 104 61.4-133 5.17 20 p,m-Xylene 10.4 0.0500 10.0 ND 104 63.3-131 5.12 20 o-Xylene 5.20 0.0250 5.00 ND 104 63.3-131 5.28 20 Total Xylenes 15.6 0.0250 15.0 ND 104 0-200 5.17 200		5.22			ND	104	61.4-130	5.30			
p.m-Xylene 10.4 0.0500 10.0 ND 104 63.3-131 5.12 20 0-Xylene 5.20 0.0250 5.00 ND 104 63.3-131 5.28 20 Total Xylenes 15.6 0.0250 15.0 ND 104 0-200 5.17 200							61.4-133	5.17			
o-Xylene 5.20 0.0250 5.00 ND 104 63.3-131 5.28 20 Total Xylenes 15.6 0.0250 15.0 ND 104 0-200 5.17 200	-										
Total Xylenes 15.6 0.0250 15.0 ND 104 0-200 5.17 200	•	5.20			ND	104	63.3-131	5.28	20		
	-								200		
NUMBER OF THE STATE OF THE STAT	urrogate: 4-Bromochlorobenzene-PID	8.20		8.00		102	50-150				





Nonhalogenated Organics by EPA 8015D - GRO - Quality Control													
Analyte	Result	Reporting Limit	Spike Level	Source Result	REC	REC Limits	RPD	RPD Limit	Notes				
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%					
Blank (2031011-BLK1)							Prepared	& Analyzed:	07/29/20 1				
Gasoline Range Organics (C6-C10)	ND	20.0											
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.51		8.00		93.9	50-150							
LCS (2031011-BS2)							Prepared	& Analyzed:	07/29/20 1				
Gasoline Range Organics (C6-C10)	47.5	20.0	50.0		95.0	70-130							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.42		8.00		92.7	50-150							
Matrix Spike (2031011-MS2)					Source: P	007075-01	Prepared	& Analyzed:	07/29/20 1				
Gasoline Range Organics (C6-C10)	50.7	20.0	50.0	ND	101	70-130							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.58		8.00		94.8	50-150							
Matrix Spike Dup (2031011-MSD2)					Source: P	007075-01	Prepared	& Analyzed:	07/29/20 1				
Gasoline Range Organics (C6-C10)	48.8	20.0	50.0	ND	97.6	70-130	3.83	20					
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.51		8.00		93.9	50-150							





Nonhalogenated Organics by EPA 8015D - DRO/ORO - Quality Control														
Analyte	Result	Reporting Limit	Spike Level	Source Result	REC	REC Limits	RPD	RPD Limit	Notes					
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%						
Blank (2031015-BLK1)							Prepared	& Analyzed:	07/29/20 1					
Diesel Range Organics (C10-C28)	ND	25.0												
Oil Range Organics (C28-C40)	ND	50.0												
Surrogate: n-Nonane	52.4		50.0		105	50-200								
LCS (2031015-BS1)							Prepared	: 07/29/20 1 A	Analyzed: 07/29/20					
Diesel Range Organics (C10-C28)	470	25.0	500		94.1	38-132								
Surrogate: n-Nonane	52.6		50.0		105	50-200								
Matrix Spike (2031015-MS1)					Source: P	007079-01	Prepared	: 07/29/20 1 A	Analyzed: 07/29/20 2					
Diesel Range Organics (C10-C28)	947	25.0	500	433	103	38-132								
Surrogate: n-Nonane	48.8		50.0		97,6	50-200								
Matrix Spike Dup (2031015-MSD1)					Source: P	007079-01	Prepared	: 07/29/20 1 A	Analyzed: 07/29/20 2					
Diesel Range Organics (C10-C28)	984	25.0	500	433	110	38-132	3.83	20						
Surrogate: n-Nonane	48.8		50.0		97.5	50-200								





Anions by EPA 300.0/9056A - Quality Control													
Analyte	Result	Reporting Limit	Spike Level	Source Result	REC	REC Limits	RPD	RPD Limit	Notes				
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%					
Blank (2031012-BLK1)							Prepared	& Analyzed	: 07/29/20 1				
Chloride	ND	20.0											
LCS (2031012-BS1)							Prepared	& Analyzed	: 07/29/20 1				
Chloride	252	20.0	250		101	90-110							
Matrix Spike (2031012-MS1)					Source: P	007075-01	Prepared	& Analyzed	: 07/29/20 1				
Chloride	353	20.0	250	97.6	102	80-120							
Matrix Spike Dup (2031012-MSD1)					Source: P	007075-01	Prepared	& Analyzed	: 07/29/20 1				
Chloride	353	20.0	250	97.6	102	80-120	0.00283	20					

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.





Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

** Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.



Client: FAQUAY	FAQUITO BIII TO						Lab U						AT	E	EPA Program		
Project: Marshall 1	4.3		Attention:		Lab	WO#			Job I	Numt		10	3D	RCRA	CWA	SDWA	
	Mc Dania	- 5	Address:				37	9	17005-00F								
Address:			City, State, Zip						Analysis and Method						Sta	ite	
City, State, Zip		-	Phone:												NM CO	UT AZ	
Phone: 505-444-300	24		Email:		2	2			ll				lI		2		
Email: Sme On 1. Gen Report due by: 7/30/20	duringeso	Wes.			8 /	8	ᆵ		ا ۾ ا	8			1 1	- 10	TX OK		
Report due by: 7/30/20		Cem			ĝ	ő	8	928	8	8		1	1 1				
Time Date Matrix Roc Sampled Sampled Matrix Contain)		Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0					Ren	ıarks	
1030 7/24/20 5 1	136	5T	Composite	1	X	×	×,			X							
				E.K.													
					7.								П				
				100													
				Hille			П	Т					П				
				18-19													
								Г									
Additional Instructions:							1	_				_					
I, (field sampler), attest to the validity and a second time of collection is controlled in the second seco			tampering with or intentionally mislessen, the strong	plation, date or	3	_									e day they are sar subsequent days		
	7/29/20	Time	Received by: (Signature)	Date	b	Time 13	10		Rece	ived	on ice:		ab Us	e Only		Philip	
		Received by: (Signature)	Date		Time			T1			T2			Т3			
Relinquished by: (Signature)	linquished by: (Signature) Date Time Received by: (Signature)		Date	Time			AVG	Tem	p°C_	0							
Sample Matrix: 5 - Soil, Sd - Solid, Sg - Sludge,	A - Aqueous, O - C	ther		Container	Type	: g - s	glass.							VOA			
Note: Samples are discarded 30 days after res	ults are reported u	inless other	arrangements are made. Hazardous samples will	be returned to cl											ove samples is	applicable	





Analytical Report

Report Summary

Client: Enduring Resources, LLC Samples Received: 8/3/2020 Job Number: 17065-0017

Work Order: P008005
Project Name/Location: Marshall A3

Report Reviewed By:	Wallet Hinkman	Date:	8/10/20	
	Walter Hinchman, Laboratory Director			



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise.

Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported.

Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.





Enduring Resources, LLC 511 16th Street, Suite 700 Denver CO, 80202 Project Name: Marshall A3
Project Number: 17065-0017
Project Manager: James McDaniel

Reported: 08/10/20 10:34

Sample Summary

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Wall Composite	P008005-01A	Soil	08/03/20	08/03/20	Glass Jar, 4 oz.
Bottom Composite	P008005-02A	Soil	08/03/20	08/03/20	Glass Jar, 4 oz.

(3



Wall Composite P008005-01 (Solid)

		(20					
		Reporting					
Analyte	Result	Limit	Dilution	Prepared	Analyzed	Notes	
Volatile Organics by EPA 8021B	mg/kg	mg/kg				Batch:	2032018
Benzene	ND	0.0250	1	08/05/20	08/05/20		
Coluene	ND	0.0250	1	08/05/20	08/05/20		
thylbenzene	ND	0.0250	1	08/05/20	08/05/20		
,m-Xylene	ND	0.0500	1	08/05/20	08/05/20		
-Xylene	ND	0.0250	1	08/05/20	08/05/20		
Total Xylenes	ND	0.0250	11	08/05/20	08/05/20		
urrogate: 4-Bromochlorobenzene-PID		100 %	50-150	08/05/20	08/05/20		
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg				Batch:	2032018
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/05/20	08/05/20		
urrogate: 1-Chloro-4-fluorobenzene-FID		88.8 %	50-150	08/05/20	08/05/20		
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg				Batch:	2032016
Diesel Range Organics (C10-C28)	476	25.0	1	08/05/20	08/05/20		
Dil Range Organics (C28-C40)	1150	50.0	1	08/05/20	08/05/20		
urrogate: n-Nonane		99.5 %	50-200	08/05/20	08/05/20		
Anions by EPA 300.0/9056A	mg/kg	mg/kg				Batch:	2032017
Chloride	ND	20.0	1	08/05/20	08/05/20		





Bottom Composite P008005-02 (Solid)

		Reporting					
Analyte	Result	Limit	Dilution	Prepared	Analyzed	Notes	
Volatile Organics by EPA 8021B	mg/kg	mg/kg				Batch:	2032018
Benzene	ND	0.0250	1	08/05/20	08/05/20		
Toluene	ND	0.0250	1	08/05/20	08/05/20		
Ethylbenzene	ND	0.0250	1	08/05/20	08/05/20		
,m-Xylene	ND	0.0500	1	08/05/20	08/05/20		
-Xylene	ND	0.0250	1	08/05/20	08/05/20		
Total Xylenes	ND	0.0250	1	08/05/20	08/05/20		
urrogate: 4-Bromochlorobenzene-PID		96.5 %	50-150	08/05/20	08/05/20		
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg				Batch:	2032018
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/05/20	08/05/20		
Surrogate: 1-Chloro-4-fluorobenzene-FID		92.7 %	50-150	08/05/20	08/05/20		
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg				Batch:	2032016
Diesel Range Organics (C10-C28)	38.0	25.0	1	08/05/20	08/05/20		
Dil Range Organics (C28-C40)	89.1	50.0	1	08/05/20	08/05/20		
urrogate: n-Nonane		91.3 %	50-200	08/05/20	08/05/20		
Anions by EPA 300.0/9056A	mg/kg	mg/kg				Batch:	2032017
Chloride	ND	20.0	1	08/05/20	08/05/20		





Denver CO, 80202		Project Manage	r:	James McDar	niel				08/10/20 10:34
	Volat	tile Organics l	y EPA 8	3021B - Qu	ality Co	ntrol			
		Reporting	Spike	Source		REC		RPD	
Analyte	Result	Limit	Level	Result	REC	Limits	RPD	Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	
Blank (2032018-BLK1)							Prepared	l: 08/05/20 0	Analyzed: 08/05/20 1
Benzene	ND	0.0250							
Toluene	ND	0.0250							
Ethylbenzene	ND	0.0250							
p,m-Xylene	ND	0.0500							
o-Xylene	ND	0.0250							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.12		8.00		102	50-150			
LCS (2032018-BS1)							Prepared	l: 08/05/20 0	Analyzed: 08/05/20 1
Benzene	5.42	0.0250	5.00		108	70-130			
Toluene	5.43	0.0250	5.00		109	70-130			
Ethylbenzene	5.40	0.0250	5.00		108	70-130			
p,m-Xylene	10.8	0.0500	10.0		108	70-130			
o-Xylene	5.43	0.0250	5.00		109	70-130			
Total Xylenes	16.2	0.0250	15.0		108	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.41		8.00		105	50-150			
Matrix Spike (2032018-MS1)					Source: I	008005-01	Prepared	l: 08/05/20 0	Analyzed: 08/05/20 1
Benzene	5,36	0.0250	5.00	ND	107	54.3-133			
Toluene	5.37	0.0250	5.00	ND	107	61.4-130			
Ethylbenzene	5.34	0.0250	5.00	ND	107	61.4-133			
p,m-Xylene	10.7	0.0500	10.0	ND	107	63.3-131			
o-Xylene	5.37	0.0250	5.00	ND	107	63.3-131			
Total Xylenes	16.1	0.0250	15.0	ND	107	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.33		8.00		104	50-150			
Matrix Spike Dup (2032018-MSD1)					Source: I	008005-01	Prepared	l: 08/05/20 0	Analyzed: 08/05/20 1
Benzene	5.22	0.0250	5.00	ND	104	54.3-133	2.71	20	
Toluene	5.20	0.0250	5.00	ND	104	61.4-130	3.17	20	
Ethylbenzene	5.17	0.0250	5.00	ND	103	61.4-133	3.38	20	
p,m-Xylene	10.3	0.0500	10.0	ND	103	63.3-131	3.44	20	
o-Xylene	5.19	0.0250	5.00	ND	104	63.3-131	3.37	20	
Total Xylenes	15.5	0.0250	15.0	ND	104	0-200	3.41	200	
Surrogate: 4-Bromochlorobenzene-PID	8.10		8.00		101	50-150			





Denver Co, 60202		1 roject trianag			1101				00/10/20 10.54
	Nonhalogena	ted Organics	by EPA 8	015D - G	RO - Qua	ality Cont	trol		
Analyte	Result	Reporting Limit	Spike Level	Source Result	REC	REC Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	
Blank (2032018-BLK1)							Ргератес	i: 08/05/20 () Analyzed: 08/05/20 1
Gasoline Range Organics (C6-C10)	ND	20,0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.16		8.00		89.5	50-150			
LCS (2032018-BS2)							Prepared	1: 08/05/20 (Analyzed: 08/05/20 1
Gasoline Range Organics (C6-C10)	45.6	20.0	50.0		91.2	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.29		8.00		91.1	50-150			
Matrix Spike (2032018-MS2)					Source: P	008005-01	Prepared	1: 08/05/20 (Analyzed: 08/05/20 1
Gasoline Range Organics (C6-C10)	43.9	20.0	50,0	ND	87.8	70-130			
Surrogate: I-Chloro-4-fluorobenzene-FID	7.36		8.00		91.9	50-150			
Matrix Spike Dup (2032018-MSD2)					Source: P	008005-01	Prepared	1: 08/05/20 (Analyzed: 08/05/20 1
Gasoline Range Organics (C6-C10)	44.8	20.0	50.0	ND	89.6	70-130	2.06	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.22		8.00		90.2	50-150			
-									





Matrix Spike (2032016-MS1) Mg/kg mg/kg mg/kg mg/kg mg/kg % % % % % % % % % % % % Mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg % % % % % % % % % Mg/kg % % % % % % Mg/kg Mg/kg Mg/kg Mg/kg Mg/kg Mg/kg % % % % % Mg/kg Mg/kg Mg/kg Mg/kg Mg/kg % % % % % Mg/kg Mg/kg Mg/kg Mg/kg Mg/kg % % % % % Mg/kg Mg/kg Mg/kg Mg/kg % % % % % Mg/kg Mg/kg	Denver CO, 80202		Project Manage	er: Ja	imes McDar	niel				08/10/20 10:34
Analyte Result Limit Level Result REC Limits RPD Limit N mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg % % % % % % % % % % % % % % % % % % %		Nonhalogenate	d Organics by	EPA 801	5D - DRO	/ORO - (Quality C	ontrol		
Martix Spike Organics (C10-C28) Prepared: 08/05/20 0 Analyzed			Reporting	Spike	Source		REC		RPD	
Blank (2032016-BLK1)	Analyte	Result	Limit	Level	Result	REC	Limits	RPD	Limit	Notes
Diesel Range Organics (C10-C28)		mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	
Oil Range Organics (C28-C40) ND 50.0 Surrogate: n-Nonane 45.7 50.0 91.3 50-200 LCS (2032016-BS1) Prepared: 08/05/20 0 Analyzed Diesel Range Organics (C10-C28) 439 25.0 500 87.9 38-132 Surrogate: n-Nonane 47.3 50.0 94.6 50-200 Matrix Spike (2032016-MS1) Source: P007096-01 Prepared: 08/05/20 0 Analyzed Diesel Range Organics (C10-C28) 2130 125 500 1430 141 38-132 Surrogate: n-Nonane 68.2 50.0 136 50-200 Matrix Spike Dup (2032016-MSD1) Diesel Range Organics (C10-C28) 2030 125 500 1430 120 38-132 5.02 20	Blank (2032016-BLK1)							Prepared	i: 08/05/20 0	Analyzed: 08/05/20 1
Surrogate: n-Nonane	Diesel Range Organics (C10-C28)	ND	25.0							
Diesel Range Organics (C10-C28)	Oil Range Organics (C28-C40)	ND	50.0							
Diesel Range Organics (C10-C28) 439 25.0 500 87.9 38-132 Surrogate: n-Nonane 47.3 50.0 94.6 50-200 Matrix Spike (2032016-MS1) Source: P007096-01 Prepared: 08/05/20 0 Analyzed 125 500 1430 141 38-132 Surrogate: n-Nonane 68.2 50.0 136 50-200 Matrix Spike Dup (2032016-MSD1) Source: P007096-01 Prepared: 08/05/20 0 Analyzed 136 50-200 Matrix Spike Dup (2032016-MSD1) Source: P007096-01 Prepared: 08/05/20 0 Analyzed 136 136 50-200	Surrogate: n-Nonane	45.7		50.0		91.3	50-200			
Matrix Spike (2032016-MS1) Source: P007096-01 Prepared: 08/05/20 0 Analyzed	LCS (2032016-BS1)							Prepared	l: 08/05/20 0	Analyzed: 08/05/20 1
Matrix Spike (2032016-MS1) Source: P007096-01 Prepared: 08/05/20 0 Analyzed Diesel Range Organics (C10-C28) 2130 125 500 1430 141 38-132 Surrogate: n-Nonane 68.2 50.0 136 50-200 Matrix Spike Dup (2032016-MSD1) Source: P007096-01 Prepared: 08/05/20 0 Analyzed Diesel Range Organics (C10-C28) 2030 125 500 1430 120 38-132 5.02 20	Diesel Range Organics (C10-C28)	439	25.0	500		87.9	38-132			
Diesel Range Organics (C10-C28) 2130 125 500 1430 141 38-132 Surrogate: n-Nonane 68.2 50.0 136 50-200 Matrix Spike Dup (2032016-MSD1) Source: P007096-01 Prepared: 08/05/20 0 Analyzed Diesel Range Organics (C10-C28) 2030 125 500 1430 120 38-132 5.02 20	Surrogate: n-Nonane	47.3		50.0		94.6	50-200			
Surrogate: n-Nonane 68.2 50.0 136 50-200	Matrix Spike (2032016-MS1)					Source: P	007096-01	Prepared	1: 08/05/20 0	Analyzed: 08/05/20 1
Matrix Spike Dup (2032016-MSD1) Source: P007096-01 Prepared: 08/05/20 0 Analyzed Diesel Range Organics (C10-C28) 2030 125 500 1430 120 38-132 5.02 20	Diesel Range Organics (C10-C28)	2130	125	500	1430	141	38-132			M2
Diesel Range Organics (C10-C28) 2030 125 500 1430 120 38-132 5.02 20	Surrogate: n-Nonane	68.2		50.0		136	50-200			
Sector range organism (et a case)	Matrix Spike Dup (2032016-MSD1)					Source: P	007096-01	Prepared	1: 08/05/20 0	Analyzed: 08/05/20 1
Surrogate: n-Nonane 63.9 50.0 128 50-200	Diesel Range Organics (C10-C28)	2030	125	500	1430	120	38-132	5.02	20	
	Surrogate: n-Nonane	63.9		50.0		128	50-200			





	An	ions by EPA	300.0/9056	6A - Quali	ity Contr	ol			
		Reporting	Spike	Source		REC		RPD	
Analyte	Result	Limit	Level	Result	REC	Limits	RPD	Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	
Blank (2032017-BLK1)							Prepared	: 08/05/20 0	Analyzed: 08/05/20 1
Chloride	ND	20.0							
LCS (2032017-BS1)							Prepared	: 08/05/20 0	Analyzed: 08/05/20 1
Chloride	271	20.0	250		108	90-110			
Matrix Spike (2032017-MS1)					Source: P	008005-01	Prepared	: 08/05/20 0	Analyzed: 08/05/20 1
Chloride	257	20.0	250	ND	103	80-120			
Matrix Spike Dup (2032017-MSD1)					Source: P	008005-01	Prepared	: 08/05/20 0	Analyzed: 08/05/20 1
Chloride	250	20.0	250	ND	100	80-120	2.73	20	_

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

(2)



Notes and Definitions

M2 Matrix spike recovery was outside quality control limits. The associated LCS spike recovery was acceptable.

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

** Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

(2)

Page 10 of 10

Client:	Findu	LINO				Bill To A				L	ab U	se Or	ily		1	AT	E	PA Progra	ım
	Manager:		AME	Danie		Attention: Jawes Nel)anie 1	Lab PC	WOR	000		TV		500	F	3D	RCRA	CWA	SDWA
Address						City, State, Zip			-			Anal	ysis aı	nd Meti	hod			Sta	
City, Sta	te, Zip					Phone:												NM CO	UT AZ
Phone:	505-	444-	1004		170	Email:		22	55						- 1			X	
Email:								18 A	<u>≥</u>	#	اوا	۱.	8		- 1	1		TX OK	
Report o	lue by:							ğ	2	8	8	9	8.3		- 1	1			
Time Sampled	Date Sampled	Matrix	No Containers	Sample 10			Lab Númber	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0					Ren	narks
1010	8/3/20	S	1	Wa	11, 0	om posite	1	X	X	X			X						
1005	8/3/20	S	1	Bo	How	omposite Composite	2	X	X	X			X						
						1													
							500												
							-allib								T				
							- // - 6								T				
							1188	П			Г								
							-125	Г						П					
							Legil 1												
							A STEEL					Г		П					
Addition	nal Instruc	tions:								_		_				_			
t, (field samp	ler), attest to th	e validity and a	uthenticity of	this sample, 1 a	im aware that	tampering with or intentionally mislabelling the ramp	te tocarigh, state of	1	1		1							e day they are sar subsequent days	
	ner Sy: (Sign:		Date 21	3/20	Time // _	To 1 11 100 1 1	Date 8/3/	20	Time	:21		Rec	eived	on ice		ab Us	e Only		MIG
Relinquish	ed by: (Sign:	ature)	Date	-	Time	Received by: (Signature)	Date		Time			T1			T2	,		Т3	
Relinquish	ed by: (Signa	ature)	Date		Time	Received by: (Signature)	Date		Time				Ten	p °C_	10.1				
Sample May	trhe: S - Soll, Se	L. Solliet Se.	Sludgo A - A	Dungant O - C	ther		Container	Tune	. 0 - 4	alace	n - n					CC W.	VOA		_
						urangements are made. Hazardous samples wi												aua camalar k	nonlieshla
						of the laboratory is limited to the amount paid							,						-46 11000

(ei	nv	it	0	t	e	C	h
-		Anc	lyt	ical	Lo	ods	rate	ory



Analytical Report

Report Summary

Client: Enduring Resources, LLC Samples Received: 8/13/2020 Job Number: 17065-0017

Work Order: P008036
Project Name/Location: Marshall A3

Report Reviewed By:	Walter Hinder	Date:	8/20/20	
	Walter Hinchman, Laboratory Director	_		



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise.

Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported.

Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.





Sample Summary

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
South Wall	P008036-01A	Soil	08/13/20	08/13/20	Glass Jar, 4 oz.
East Wall	P008036-02A	Soil	08/13/20	08/13/20	Glass Jar, 4 oz.
West Wall	P008036-03A	Soil	08/13/20	08/13/20	Glass Jar, 4 oz.
North Wall	P008036-04A	Soil	08/13/20	08/13/20	Glass Jar, 4 oz.
Bottom @ 5'	P008036-05A	Soil	08/13/20	08/13/20	Glass Jar, 4 oz.

(3



South Wall P008036-01 (Solid)

		Reporting					
Analyte	Result	Limit	Dilution	Prepared	Analyzed	Notes	
Volatile Organics by EPA 8021B	mg/kg	mg/kg				Batch:	2033033
Benzene	ND	0.0250	1	08/14/20	08/14/20		
Toluene	ND	0.0250	1	08/14/20	08/14/20		
Ethylbenzene	ND	0.0250	1	08/14/20	08/14/20		
p,m-Xylene	ND	0.0500	1	08/14/20	08/14/20		
o-Xylene	ND	0.0250	1	08/14/20	08/14/20		
Total Xylenes	ND	0.0250	1	08/14/20	08/14/20		
Surrogate: 4-Bromochlorobenzene-PID		101 %	50-150	08/14/20	08/14/20		
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg				Batch:	2033033
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/14/20	08/14/20		
Surrogate: 1-Chloro-4-fluorobenzene-FID		92.9 %	50-150	08/14/20	08/14/20		
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg				Batch:	2033038
Diesel Range Organics (C10-C28)	391	25.0	1	08/14/20	08/14/20		
Oil Range Organics (C28-C40)	977	50.0	1	08/14/20	08/14/20		
Surrogate: n-Nonane		103 %	50-200	08/14/20	08/14/20		
Anions by EPA 300.0/9056A	mg/kg	mg/kg				Batch:	2034004
Chloride	ND	20.0	1	08/17/20	08/17/20		





East Wall P008036-02 (Solid)

			_,				
		Reporting					
Analyte	Result	Limit	Dilution	Prepared	Analyzed	Notes	
Volatile Organics by EPA 8021B	mg/kg	mg/kg				Batch:	2033033
Benzene	ND	0.0250	1	08/14/20	08/14/20		
Toluene	ND	0.0250	1	08/14/20	08/14/20		
Ethylbenzene	ND	0.0250	1	08/14/20	08/14/20		
o,m-Xylene	ND	0.0500	1	08/14/20	08/14/20		
o-Xylene	ND	0.0250	1	08/14/20	08/14/20		
Total Xylenes	ND	0.0250	1	08/14/20	08/14/20		
Surrogate: 4-Bromochlorobenzene-PlD		100 %	50-150	08/14/20	08/14/20		
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg				Batch:	2033033
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/14/20	08/14/20		
Surrogate: I-Chloro-4-fluorobenzene-FID		92.5 %	50-150	08/14/20	08/14/20		
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg				Batch:	2033038
Diesel Range Organics (C10-C28)	ND	25.0	1	08/14/20	08/18/20		
Oil Range Organics (C28-C40)	ND	50.0	1	08/14/20	08/18/20		
Surrogate: n-Nonane		97.6%	50-200	08/14/20	08/18/20		
Anions by EPA 300.0/9056A	mg/kg	mg/kg				Batch:	2034004
Chloride	ND	20.0	1	08/17/20	08/17/20		





Enduring Resources, LLC 511 16th Street, Suite 700 Denver CO, 80202 Project Name:

Marshall A3

Project Number: Project Manager: 17065-0017 James McDaniel Reported: 08/20/20 14:16

West Wall P008036-03 (Solid)

		Reporting					
Analyte	Result	Limit	Dilution	Prepared	Analyzed	Notes	
Volatile Organics by EPA 8021B	mg/kg	mg/kg				Batch:	2033033
Benzene	ND	0.0250	1	08/14/20	08/14/20		
Toluene	ND	0.0250	1	08/14/20	08/14/20		
Ethylbenzene	ND	0.0250	1	08/14/20	08/14/20		
p,m-Xylene	ND	0.0500	1	08/14/20	08/14/20		
o-Xylene	ND	0.0250	I	08/14/20	08/14/20		
Total Xylenes	ND	0.0250	1	08/14/20	08/14/20		
Surrogate: 4-Bromochlorobenzene-PID		102 %	50-150	08/14/20	08/14/20		
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg				Batch:	2033033
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/14/20	08/14/20		
Surrogate: 1-Chloro-4-fluorobenzene-FID		92.5 %	50-150	08/14/20	08/14/20		
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg				Batch:	2033038
Diesel Range Organics (C10-C28)	ND	25.0	1	08/14/20	08/14/20		
Oil Range Organics (C28-C40)	ND	50.0	1	08/14/20	08/14/20		
Surrogate: n-Nonane		98.5 %	50-200	08/14/20	08/14/20		
Anions by EPA 300.0/9056A	mg/kg	mg/kg				Batch:	2034004
Chloride	ND	20.0	1	08/17/20	08/17/20		





Enduring Resources, LLC 511 16th Street, Suite 700 Denver CO, 80202 Project Name:

Marshall A3

Project Number: Project Manager: 17065-0017 James McDaniel

Reported: 08/20/20 14:16

North Wall P008036-04 (Solid)

		Reporting					
Analyte	Result	Limit	Dilution	Prepared	Analyzed	Notes	
Volatile Organics by EPA 8021B	mg/kg	mg/kg				Batch:	2033033
Benzene	ND	0.0250	1	08/14/20	08/14/20		
Toluene	ND	0.0250	1	08/14/20	08/14/20		
Ethylbenzene	ND	0.0250	1	08/14/20	08/14/20		
p,m-Xylene	ND	0.0500	1	08/14/20	08/14/20		
p-Xylene	ND	0.0250	1	08/14/20	08/14/20		
Total Xylenes	ND	0.0250	1	08/14/20	08/14/20		
Surrogate: 4-Bromochlorobenzene-PID		103 %	50-150	08/14/20	08/14/20		
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg				Batch:	2033033
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/14/20	08/14/20		
Surrogate: 1-Chloro-4-fluorobenzene-FID		90.6 %	50-150	08/14/20	08/14/20		
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg				Batch:	2033038
Diesel Range Organics (C10-C28)	ND	25.0	1	08/14/20	08/14/20		
Oil Range Organics (C28-C40)	ND	50.0	1	08/14/20	08/14/20		
Surrogate: n-Nonane		103 %	50-200	08/14/20	08/14/20	·	
Anions by EPA 300.0/9056A	mg/kg	mg/kg				Batch:	2034004
Chloride	ND	20.0	1	08/17/20	08/17/20		





Bottom @ 5' P008036-05 (Solid)

		Reporting					
Analyte	Result	Limit	Dilution	Prepared	Analyzed	Notes	
Volatile Organics by EPA 8021B	mg/kg	mg/kg				Batch:	2033033
Benzene	ND	0.0250	1	08/14/20	08/14/20		
Toluene	ND	0.0250	1	08/14/20	08/14/20		
Ethylbenzene	ND	0.0250	1	08/14/20	08/14/20		
p,m-Xylene	ND	0.0500	1	08/14/20	08/14/20		
o-Xylene	ND	0.0250	1	08/14/20	08/14/20		
Total Xylenes	ND	0.0250	1	08/14/20	08/14/20		
Surrogate: 4-Bromochlorobenzene-PID		100 %	50-150	08/14/20	08/14/20		
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg				Batch:	2033033
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/14/20	08/14/20		
Surrogate: 1-Chloro-4-fluorobenzene-FID		95.5 %	50-150	08/14/20	08/14/20		
			50 150	00/14/20	00/14/20		
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		00/14/20	00/14/20	Batch:	2033038
Nonhalogenated Organics by EPA 8015D - DRO/ORO Diesel Range Organics (C10-C28)	mg/kg 32.0	mg/kg 25.0	1	08/14/20	08/14/20	Batch:	2033038
			1			Batch:	2033038
Diesel Range Organics (C10-C28)	32.0	25.0	1 1 50-200	08/14/20	08/14/20	Batch:	2033038
Diesel Range Organics (C10-C28) Oil Range Organics (C28-C40)	32.0	25.0 50.0	1	08/14/20 08/14/20	08/14/20 08/14/20	Batch:	2033038





Denver CO, 80202		Project Manage	er: Ja	ames McDan	niel				08/20/20 14:16
	Volat	tile Organics	by EPA 80	021B - Qu	ality Cor	itrol			
		Reporting	Spike	Source		REC		RPD	
Analyte	Result	Limit	Level	Result	REC	Limits	RPD	Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	
Blank (2033033-BLK1)							Prepared	l: 08/14/20 0	Analyzed: 08/14/20 1
Benzene	ND	0.0250							
Toluene	ND	0.0250							
Ethylbenzene	ND	0.0250							
p,m-Xylene	ND	0.0500							
o-Xylene	ND	0.0250							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.30		8.00		104	50-150			
LCS (2033033-BS1)							Prepared	l: 08/14/20 0	Analyzed: 08/14/20 1
Benzene	5.33	0.0250	5.00		107	70-130			
Toluene	5.40	0.0250	5.00		108	70-130			
Ethylbenzene	5.40	0.0250	5.00		108	70-130			
p,m-Xylene	10.8	0.0500	10.0		108	70-130			
o-Xylene	5.43	0.0250	5.00		109	70-130			
Total Xylenes	16.2	0.0250	15.0		108	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.39		8.00		105	50-150			
Matrix Spike (2033033-MS1)					Source: P	008036-01	Prepared	l: 08/14/20 0	Analyzed: 08/14/20 1
Benzene	5.21	0.0250	5.00	ND	104	54-133			
Toluene	5.29	0.0250	5.00	ND	106	61-130			
Ethylbenzene	5.29	0.0250	5.00	ND	106	61-133			
p,m-Xylene	10.6	0.0500	10.0	ND	106	63-131			
o-Xylene	5.32	0.0250	5.00	ND	106	63-131			
Total Xylenes	15.9	0.0250	15.0	ND	106	63-131			
Surrogate: 4-Bromochlorobenzene-PID	8.31		8.00		104	50-150			
Matrix Spike Dup (2033033-MSD1)					Source: P	008036-01	Prepared	: 08/14/20 0	Analyzed: 08/14/20 1
Benzene	5.37	0.0250	5.00	ND	107	54-133	3.12	20	
Toluene	5.43	0.0250	5.00	ND	109	61-130	2.52	20	
Ethylbenzene	5.42	0.0250	5.00	ND	108	61-133	2.35	20	
p,m-Xylene	10.8	0.0500	10.0	ND	108	63-131	2.24	20	
o-Xylene	5.45	0.0250	5.00	ND	109	63-131	2.55	20	
Total Xylenes	16.3	0.0250	15.0	ND	109	63-131	2.35	20	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

8.00

104

50-150



Surrogate: 4-Bromochlorobenzene-PID

8.29

Surrogate: 1-Chloro-4-fluorobenzene-FID



7.35

Enduring Resources, LLC Project Name: Marshall A3
511 16th Street, Suite 700 Project Number: 17065-0017 Reported:
Denver CO, 80202 Project Manager: James McDaniel 08/20/20 14:16

	Nonhalogena	ted Organics	by EPA 8	015D - GI	RO - Oua	lity Cont	rol		
Analyte	Result	Reporting Limit	Spike Level	Source Result	REC	REC Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	
Blank (2033033-BLK1)							Prepared	l: 08/14/20 0 A	Analyzed: 08/14/20
Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.37		8.00		92.1	50-150			
LCS (2033033-BS2)							Prepared	l: 08/14/20 0 A	Analyzed: 08/14/20
Gasoline Range Organics (C6-C10)	48.6	20.0	50.0		97.1	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.35		8.00		91.9	50-150			
Matrix Spike (2033033-MS2)					Source: P	008036-01	Prepared	l: 08/14/20 0 A	Analyzed: 08/14/20
Gasoline Range Organics (C6-C10)	48.8	20.0	50.0	ND	97.7	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.47		8.00		93.3	50-150			
Matrix Spike Dup (2033033-MSD2)					Source: P	D08036-01	Prepared	l: 08/14/20 0 A	analyzed: 08/14/20
Gasoline Range Organics (C6-C10)	49.0	20.0	50.0	ND	97.9	70-130	0.271	20	

8.00

91.9

50-150





No	nhalogenated	l Organics by	EPA 8015	SD - DRO	/ORO - (Quality C	ontrol		
Analyte	Result	Reporting Limit	Spike Level	Source Result	REC	REC Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	
Blank (2033038-BLK1)							Prepared	: 08/14/20 0 A	analyzed: 08/14/20 1
Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C40)	ND	50.0							
Surrogate: n-Nonane	59.6		50.0		119	50-200			-
LCS (2033038-BS1)							Prepared	: 08/14/20 0 A	analyzed: 08/14/20 1
Diesel Range Organics (C10-C28)	491	25.0	500		98.2	38-132			
Surrogate: n-Nonane	56.0		50.0		112	50-200			
Matrix Spike (2033038-MS1)					Source: P	008036-01	Prepared	: 08/14/20 0 A	analyzed: 08/14/20 2
Diesel Range Organics (C10-C28)	849	25.0	500	391	91.5	38-132			
Surrogate: n-Nonane	50.4		50.0		101	50-200			
Matrix Spike Dup (2033038-MSD1)					Source: P	008036-01	Prepared	: 08/14/20 0 A	analyzed: 08/14/20 2
Diesel Range Organics (C10-C28)	1100	25.0	500	391	141	38-132	25.6	20	M2, R2
Surrogate: n-Nonane	51.4		50.0		103	50-200			





	An	ions by EPA	300.0/9056	A - Qual	ity Contr	ol			
Analyte	Result	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	REC	REC Limits %	RPD %	RPD Limit %	Notes
Blank (20340 04- BLK1)								& Analyzed:	08/17/20 1
Chloride	ND	20.0							
LCS (2034004-BS1)							Prepared	& Analyzed:	08/17/20 1
Chloride	247	20.0	250		98.8	90-110			
Matrix Spike (2034004-MS1)					Source: Po	008036-01	Prepared	& Analyzed:	08/17/20 1
Chloride	249	20.0	250	ND	99.5	80-120			
Matrix Spike Dup (2034004-MSD1)					Source: Po	008036-01	Prepared	& Analyzed:	08/17/20 1
Chloride	249	20.0	250	ND	99.4	80-120	0.0121	20	

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

(2)



Notes and Definitions

R2 The RPD exceeded the acceptance limit.

M2 Matrix spike recovery was outside quality control limits. The associated LCS spike recovery was acceptable.

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

** Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

(2)

	1 /
Page	of

lient: Focusion Bill Jo	ř.	311	2111	L	ab U	se On	ly		T	AT	E	PA Progra	m
Client: Factor A 3 Attention: J M. Danie	4	Lab	WO#	1		Job	Numb			3D	RCRA	CWA	\$DWA
roject Manager: J McDaniel Address:		PC	30	30				SOUF				_	
Address: City, State, Zip		\vdash	_		-	Analy	rsis and	Metho	od	_			ate
Phone: Phone: Email:		₁₀	١,,										UT AZ
hone: Email:		8	8		١.		- I		1			TX OK	\vdash
Report due by:		<u>à</u>	è	8	256	8	8		1	1		IN OR	
Time Date Matrix No Containers Sample ID	Lab	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0					Ren	narks
950 8/3/20 S 1 South Wall	1	X	X	X			X						
100 8/1/20 S 1 East Wall	2	X	X	5			X						
905 E/B/ra S West Wall	3	X	X	X			X						
955 8/13/20 S / North Wall	4	X	X	X			X						
910 41370 S 1 Bottom @ 5	5	X	X	X			X						
								_					
						L		_		L			
	1193							_	1				
Additional Instructions:				_	-	-			-		L		
(field tampler), attest to the walking and authenticity of this sample. I am aware that tampering with or immention are interested from the sample. I am aware that tampering with or immention are interested from an one way as grounds for legal action. Sampled by:	nple to ation, date or											se day they ste sa n subsequent day	
tellinguisher by: (Signature) Date 3/2C Time 20 Recently by: (Signature)	Date 8/13	2	Time	2:5	12	Rece	eived o	on ice:		ab Us	e Only		
elinquisited by: (Signature) Date Time Received by: (Senature)	Date		Time			T1			T2			Т3	
telinquished by: (Signature) Date Time Received by: (Signature)	Date		Time			AVG	Temp	°c L	4 6	2	- Control of the Cont		
ample Matrix: S - Soll, Sd - Solld, Sg - Sludge, A - Aqueous, O - Other	Containe	r Type	e: g -	glass	р-р				er gla	55, V -	VOA		
jote: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples												ove samples i	s applicable





Analytical Report

Report Summary

Client: Enduring Resources, LLC Samples Received: 8/25/2020 Job Number: 17065-0017

Work Order: P008084
Project Name/Location: Marshall A3

Report Reviewed By:	Walter Hinder	Date:	8/27/20	
	Walter Hinchman, Laboratory Director			



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise.

Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported.

Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.





Enduring Resources, LLC 511 16th Street, Suite 700 Denver CO, 80202 Project Name:

Project Manager:

Marshall A3

Project Number:

17065-0017 James McDaniel

Reported: 08/27/20 12:27

Sample Summary

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Bottom 9'	P008084-01A	Soil	08/25/20	08/25/20	Glass Jar, 4 oz.
South Wall	P008084-02A	Soil	08/25/20	08/25/20	Glass Jar, 4 oz.

(3



Enduring Resources, LLC 511 16th Street, Suite 700

Denver CO, 80202

Project Name:

Marshall A3

Project Number: Project Manager: 17065-0017 James McDaniel Reported:

08/27/20 12:27

Bottom 9' P008084-01 (Solid)

		Reporting					
Analyte	Result	Limit	Dilution	Prepared	Analyzed	Notes	
Volatile Organics by EPA 8021B	mg/kg	mg/kg				Batch:	2035018
Benzene	ND	0.0250	1	08/25/20	08/26/20		
Toluene	ND	0.0250	1	08/25/20	08/26/20		
Ethylbenzene	ND	0.0250	1	08/25/20	08/26/20		
p,m-Xylene	ND	0.0500	1	08/25/20	08/26/20		
o-Xylene	ND	0.0250	1	08/25/20	08/26/20		
Total Xylenes	ND	0.0250	1	08/25/20	08/26/20		
Surrogate: 4-Bromochlorobenzene-PID		98.8 %	50-150	08/25/20	08/26/20		
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg				Batch:	2035018
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/25/20	08/26/20		
Surrogate: 1-Chloro-4-fluorobenzene-FID		89.2 %	50-150	08/25/20	08/26/20		
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg				Batch:	2035016
Diesel Range Organics (C10-C28)	ND	25.0	1	08/25/20	08/25/20		
Oil Range Organics (C28-C40)	ND	50.0	1	08/25/20	08/25/20		
Surrogate: n-Nonane		95.6 %	50-200	08/25/20	08/25/20	·	·
Anions by EPA 300.0/9056A	mg/kg	mg/kg				Batch:	2035017
Chloride	ND	20.0	1	08/25/20	08/26/20		





Enduring Resources, LLC 511 16th Street, Suite 700

Denver CO, 80202

Project Name:

Marshall A3

Project Number: Project Manager: 17065-0017 James McDaniel

Reported: 08/27/20 12:27

South Wall P008084-02 (Solid)

		Reporting					
Analyte	Result	Limit	Dilution	Prepared	Analyzed	Notes	
Volatile Organics by EPA 8021B	mg/kg	mg/kg				Batch:	2035018
Benzene	ND	0.0250	1	08/25/20	08/26/20		
Toluene	ND	0.0250	1	08/25/20	08/26/20		
Ethylbenzene	ND	0.0250	1	08/25/20	08/26/20		
p,m-Xylene	ND	0.0500	1	08/25/20	08/26/20		
o-Xylene	ND	0.0250	1	08/25/20	08/26/20		
Total Xylenes	ND	0.0250	1	08/25/20	08/26/20		
Surrogate: 4-Bromochlorobenzene-PID		101 %	50-150	08/25/20	08/26/20		
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg				Batch:	2035018
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/25/20	08/26/20		
Surrogate: 1-Chloro-4-fluorobenzene-FID		89.3 %	50-150	08/25/20	08/26/20		
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg				Batch:	2035016
Diesel Range Organics (C10-C28)	ND	25.0	1	08/25/20	08/25/20		
Oil Range Organics (C28-C40)	ND	50.0	_1	08/25/20	08/25/20		
Surrogate: n-Nonane		98.1 %	50-200	08/25/20	08/25/20		
Anions by EPA 300.0/9056A	mg/kg	mg/kg				Batch:	2035017
Chloride	ND	20.0	1	08/25/20	08/26/20		





311 1041 54144, 54114 700		110,0001 (4111001)	-						
Denver CO, 80202		Project Manager	: Ja	ames McDan	iel				08/27/20 12:27
	Volat	tile Organics b	y EPA 80	021B - Qu	ality Con	itrol			
		Reporting	Spike	Source		REC		RPD	
Analyte	Result	Limit	Level	Result	REC	Limits	RPD	Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	
Blank (2035018-BLK1)							Prepared	: 08/25/20 1	Analyzed: 08/26/20
Benzene	ND	0.0250							
Toluene	ND	0.0250							
Ethylbenzene	ND	0.0250							
p,m-Xylene	ND	0.0500							
o-Xylene	ND	0.0250							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.68		8.00		96.0	50-150			
LCS (2035018-BS1)							Prepared	: 08/25/20 1	Analyzed: 08/26/20
Benzene	4.69	0.0250	5.00		93.8	70-130			
l'oluene	4.69	0.0250	5.00		93.8	70-130			
Ethylhenzene	4.67	0.0250	5.00		93.3	70-130			
p,m-Xylene	9.36	0.0500	10.0		93.6	70-130			
o-Xylene	4.70	0.0250	5.00		94.1	70-130			
Total Xylenes	14.1	0.0250	15.0		93.8	70-130			
Surrogate: 4-Bromochlorobenzene-PID	7.98		8.00		99.7	50-150			
Matrix Spike (2035018-MS1)					Source: P	008083-01	Prepared	: 08/25/20 1	Analyzed: 08/26/20
Benzene	5.29	0.0250	5.00	ND	106	54-133			
Toluene	5.38	0.0250	5.00	0.135	105	61-130			
Ethylbenzene	6.09	0.0250	5.00	1.12	99.3	61-133			
p,m-Xylene	10.8	0.0500	10.0	0.969	98.0	63-131			
o-Xylene	5.52	0.0250	5.00	0.542	99.6	63-131			
Total Xylenes	16.3	0.0250	15.0	1.51	98.6	63-131			
Surrogate: 4-Bromochlorobenzene-PID	8.78		8.00		110	50-150			
Matrix Spike Dup (2035018-MSD1)					Source: P	008083-01	Prepared	: 08/25/20 1	Analyzed: 08/26/20
	4.90	0.0250	5.00	ND	Source: P	008083-01 54-133	Prepared 7.70	20	Analyzed: 08/26/20
Benzene	4.90 4.97	0.0250 0.0250	5.00 5.00	ND 0.135					Analyzed: 08/26/20
Benzene Toluene					97.9	54-133	7.70	20	Analyzed: 08/26/20
Benzene Toluene Ethylbenzene	4.97	0.0250	5.00	0.135	97.9 96.8	54-133 61-130	7.70 7.81	20 20	Analyzed: 08/26/20
Benzene Toluene Ethylbenzene p,m-Xylene	4.97 5.68	0.0250 0.0250	5.00 5.00	0.135 1.12	97.9 96.8 91.1	54-133 61-130 61-133	7.70 7.81 6.91	20 20 20	Analyzed: 08/26/20
Matrix Spike Dup (2035018-MSD1) Benzene Toluene Ethylbenzene pp,m-Xylene o-Xylene Total Xylenes	4.97 5.68 9.95	0.0250 0.0250 0.0500	5.00 5.00 10.0	0.135 1.12 0.969	97.9 96.8 91.1 89.8	54-133 61-130 61-133 63-131	7.70 7.81 6.91 7.93	20 20 20 20	Analyzed: 08/26/20





		, ,							
	Nonhalogena	ited Organics	by EPA 8	015D - G	RO - Qua	ality Cont	troi		
Analyte	Result	Reporting Limit	Spike Level	Source Result	REC	REC Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	
Blank (2035018-BLK1)							Prepared	1: 08/25/20 1	Analyzed: 08/26/20 1
Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.28		8.00		91.0	50-150			
LCS (2035018-BS2)							Prepared	1: 08/25/20 1	Analyzed: 08/26/20 1
Gasoline Range Organics (C6-C10)	43.6	20.0	50.0		87.1	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.21		8.00		90.1	50-150			
Matrix Spike (2035018-MS2)					Source: P	008083-01	Prepared	d: 08/25/20 1 A	Analyzed: 08/26/20 2
Gasoline Range Organics (C6-C10)	90.5	20.0	50.0	46.6	87.9	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.56		8.00		94.4	50-150			
Matrix Spike Dup (2035018-MSD2)					Source: P	008083-01	Prepared	i: 08/25/20 1 A	Analyzed: 08/26/20 2
Gasoline Range Organics (C6-C10)	81.8	20.0	50.0	46.6	70.5	70-130	10.1	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.45		8.00		93.1	50-150			

6



Nonhalogenated Organics by EPA 8015D - DRO/ORO - Quality Control													
Analyte	Result	Reporting Limit	Spike Level	Source Result	REC	REC Limits	RPD	RPD Limit	Notes				
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%					
Blank (2035016-BLK1)							Prepared	Prepared & Analyzed: 08/25/20 1					
Diesel Range Organics (C10-C28)	ND	25.0											
Oil Range Organics (C28-C40)	ND	50.0											
Surrogate: n-Nonane	52.9		50.0		106	50-200							
LCS (2035016-BS1)							Prepared	& Analyzed:	08/25/20 1				
Diesel Range Organics (C10-C28)	462	25.0	500		92.3	38-132							
Surrogate: n-Nonane	53.4		50.0		107	50-200							
Matrix Spike (2035016-MS1)				Source: P008075-01		008075-01	Prepared	& Analyzed:	08/25/20 1				
Diesel Range Organics (C10-C28)	489	25.0	500	ND	97.9	38-132							
Surrogate: n-Nonane	48.6		50.0		97.1	50-200							
Matrix Spike Dup (2035016-MSD1)					Source: P	008075-01	1 Prepared & Analyzed: 08/25/20 1						
Diesel Range Organics (C10-C28)	476	25.0	500	ND	95.2	38-132	2.73	20					
Surrogate: n-Nonane	51.2		50.0		102	50-200							





Anions by EPA 300.0/9056A - Quality Control												
Analyte	Result	Reporting Limit	Spike Level	Source Result	REC	REC Limits	RPD	RPD Limit	Notes			
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%				
Blank (2035017-BLK1)							Prepared	l: 08/25/20 1	Analyzed: 08/25/20 2			
Chloride	ND	20.0										
LCS (2035017-BS1)							Prepared	l: 08/25/20 1	Analyzed: 08/25/20 2			
Chłoride	247	20.0	250		98.7	90-110						
Matrix Spike (2035017-MS1)					Source: P	008083-01	Prepared	l: 08/25/20 1	Analyzed: 08/26/20 0			
Chloride	268	20.0	250	23.0	98.1	80-120						
Matrix Spike Dup (2035017-MSD1)					Source: P	008083-01	Prepared	1: 08/25/20 1	Analyzed: 08/26/20 0			
Chloride	270	20.0	250	23.0	98.7	80-120	0.532	20				

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

(2)



Enduring Resources, LLC 511 16th Street, Suite 700 Denver CO, 80202 Project Name: Marshall A3

Project Number: 17065-0017
Project Manager: James McDaniel

Reported: 08/27/20 12:27

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

** Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.



0
$\overline{}$
ŏ
0
•
Φ
a

	1							K	$C\mathcal{L}$									
Client:	tho	UVIV	1	2	100	Attention: J Mc De	1 - 1		40,54	_		e On	_	100	TAT		PA Progra	
Project:		Shall	/ A	>	13	Attention: J McDe	MICI	Lab	WOH		100	Job J	lumb	er	1D 3D	RCRA	CWA	SDWA
	Manager:	J Mr.	Dinie	-	100	Address:								FICO-				
Address:						City, State, Zip		H	n	8/2	5	Analy	sis an	d Metho	d			ate
City, Stat	e, Zip	_			- 1	Phone:							- 1				NM CO	UT AZ
Phone:		_				Email:		1 25	1 2				_			1 1	TV OV	\vdash
Email:			_					ž	à l	12	8	밁	ğ				TX OK	-
Report d		-	1				Lab	8	8	2	2	8	흥				\vdash	
Time Sympled	Date Sampled	Matrix	Containen	Sample ID			Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	voc by 8260	Metals 6010	Chloride 300.0				Ren	narks
1/20	8/25/20	5	1	Bo	Hor	y 9'		X	X	X			X					
915	8/25/2	5	1	Sa	uth	11611	2	X	X	Y			X					
	-1-124			00	CIV	1 MALL	gaff)											
							(F) (S)				\vdash		\dashv	-	\vdash	\vdash		
								-	-	H	_		\dashv	-	-	-	_	
									_		_		4					
							Min X											
												П	\neg	\top				
								1	\vdash		-	H	\dashv					
Addition	al Instruc	tions:	l	l					L		L							
						tampering with or intentionally	ete capetre location, date or	7	-						ervation must be o temp above 0 but			
	1111			s for legal action			Inne		Time		_		-		Inh II	e Only		
Relinquish	et by (Sign	ature	Date	25/20	7 ^{1me} 3	Rucelyedrby: (Signature)	A 868	po	Time	1:3	a	Rece	ived	on ice:	€ N			
adinquists	ed by: (Signa	ature)	Dale	1	Time	Received by: (Signature)	Date		Time			T1			T2		T3	
Relinquish	ed by: (Sign:	ature)	Date		Time	Received by: (Signature)	Date		Time			-	Tem	p°c U				
Sample Mat	rix: S - Soll. Sc	1 - Solid, Se -	Sludge, A - A	iqueous, O - Ot	her		Containe	r Typ	e: g - i	glass,	р-р				er glass, v -	VOA		
Note: Samp	es are discare	ded 30 days	after results	are reported ur	less other	arrangements are made. Hazardous say			r dispos	sed of	at the	tient e	cpense	. The repoi	t for the analy	sis of the ab	ove samples i	s applicable



District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 10094

CONDITIONS

Operator:	OGRID:
ENDURING RESOURCES, LLC	372286
6300 S Syracuse Way, Suite 525	Action Number:
Centennial, CO 80111	10094
	Action Type:
	[C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
nvelez	None	2/23/2022