

Incident ID	NPAC0728432741
District RP	1RP-1612
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	>100 (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☒ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☒ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☒ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☒ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.


State of New Mexico
Oil Conservation Division

Page 4

Incident ID	NPAC0728432741
District RP	1
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Amy Barnhill Title: Lead Environmental Specialist

Signature:  Date: ~~1-8-2021~~ 6-10-21

Email: abarnhill@chevron.com Telephone: 432-687-7108

OCD Only

Received by: _____ Date: _____

Incident ID	NPAC0728432741
District RP	IRP-1612
Facility ID	
Application ID	

Remediation Plan


Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☒ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.


I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Amy Barnhill Title: Lead Environmental Specialist
Signature:  Date: ~~1-8-2021~~ 6-10-21
Email: abarnhill@chevron.com Telephone: 432-687-7108

OCD Only

Received by: _____ Date: _____

☐ Approved ☒ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature:  Date: 04/18/2022

1RP-1612
Delineation Report and Remediation Plan
Lovington Deep State
Crude Oil and Produced Water Release
Lea County, New Mexico


Latitude: N 32.863950°
Longitude: W 103.385250°

LAI Project No. 20-0107-01

December 4, 2020

Prepared for:
Chevron USA Inc.
6301 Deauville Blvd.
Midland, Texas 79706

Prepared by:
Larson & Associates, Inc.
507 North Marienfeld Street, Suite 205
Midland, Texas 79701



Mark J. Larson, P.G.
Certified Professional Geologist #10490



Daniel St. Germain
Staff Geoscientist

This Page Intentionally Left Blank

Table of Contents

1.0 INTRODUCTION.....	1
1.1 Background.....	1
1.2 Physical Setting.....	2
1.3 Remediation Levels.....	2
2.0 DELINEATION.....	2
3.0 REMEDIATION PLAN.....	3

Tables

Table 1	Delineation Soil Sample Analytical Data Summary
---------	---

Figures

Figure 1	Topographic Map
Figure 2	Aerial Map Showing Spill Area and Soil Sample Locations
Figure 3	Aerial Map Showing Proposed Excavation Area

Appendices

Appendix A	Initial C-141
Appendix B	Ocotillo Report
Appendix C	Karst Risk Potential
Appendix D	Laboratory Reports
Appendix E	Photographs

1RP-1612
Delineation Report and Remediation Plan
Chevron USA, Inc., Lovington Deep State
Crude Oil and Produced Water Release
December 4, 2020

1.0 INTRODUCTION

Larson & Associates, Inc. (LAI), has prepared this delineation report and remediation plan on behalf of Chevron USA Inc. (Chevron) for submittal to the New Mexico Oil Conservation Division (OCD) District 1 for a crude oil and produced water release at the Lovington Deep State (Site) located in Unit M (SW/4, NW/4), Section 5, Township 17 South, Range 36 East in Lea County, New Mexico. The geodetic position is North 32.863950° and West -103.385250°. Figure 1 presents a topographic map. Figure 2 presents an aerial map.

1.1 Background

The release occurred on October 2, 2007, due to a leak in a water transfer line. Approximately 2 barrels (bbls) of crude oil and 20 bbls of produced water were released. Approximately 1 bbl of crude oil and 13 bbls of produced water were recovered. The affected area measures approximately 10,846 square feet. The State of New Mexico is the surface and mineral owner. The initial C-141 was submitted on October 4, 2007 and assigned a remediation permit number 1RP-1612. Appendix A presents the original C-141.

On November 14 and 15, 2007, personnel from Ocotillo Environmental, LLC (Ocotillo) collected soil samples from 13 boreholes installed with an air rotary drilling rig to determine the horizontal and vertical limits of the spill. The soil samples were delivered to Environmental Lab of Texas (ELOT) in Odessa, Texas. Additionally, a duplicate sample from each borehole was collected and analyzed with a photoionization detector (PID) to measure the concentration of organic vapors.

All samples collected by Ocotillo were analyzed for chloride by EPA Method 325.3. The two uppermost samples from each borehole were analyzed for total petroleum hydrocarbons (TPH) by EPA Method SW-8015 (extended) for gasoline range organics (GRO) and diesel range organics (DRO). Samples that exceeded 100 parts per million (ppm) with the PID were analyzed for benzene, toluene, ethylbenzene, and xylene (BTEX) by EPA Method SW-8021B.

TPH concentrations were reported above the OCD delineation limit of 1,000 milligrams per kilogram (mg/Kg) or the delineation limit of 100 mg/kg if greater than six (6) feet below ground surface (bgs) in the following samples:

BH-1	0-2 feet	13,350 mg/kg
BH-1	5-7 feet	290.7 mg/kg
BH-1	10-12 feet	1,129 mg/kg
BH-2	0-2 feet	12,406 mg/kg
BH-5	0-2 feet	13,870 mg/kg
BH-5	5-7 feet	510.3 mg/kg
BH-9	0-2 feet	1,240 mg/kg
BH-9	5-7 feet	390.1 mg/kg

BTEX concentrations exceeded the delineation limit of 50 mg/kg in the following samples:

BH-1	0-2 feet	192.544 mg/kg
BH-1	5-7 feet	242.5141 mg/kg
BH-1	10-12 feet	202.1216 mg/kg

1RP-1612
Delineation Report and Remediation Plan
Chevron USA, Inc., Lovington Deep State
Crude Oil and Produced Water Release
December 4, 2020

Chloride concentrations were reported above the OCD delineation limit of 250 mg/kg until a depth of 20-22 feet bgs in BH-1, 15-17 feet bgs in BH-2, and BH-7, and 10-12 feet bgs in BH-3, BH-5, BH-6, BH-8, and BH-9. Ocotillo submitted the data to OCD on December 10, 2007, in a report titled, "Spill Remediation Workplan". Appendix B presents the Ocotillo spill remediation workplan.

1.2 Physical Setting

The physical setting is as follows:

- The surface elevation of the site is approximately 3,913 feet above mean sea level (msl).
- The surface topography slopes gradually to the southeast.
- The soils are designated Lea Loam, consisting of 26 inches of loam, underlain by 10 inches of cemented material (caliche).
- The geology consists of Quaternary-age alluvial and eolian deposits derived from the Blackwater Draw Formation and underlying Ogallala Formation (Lower Pliocene to middle Miocene).
- Karst data provided by the USGS describes the site as "low risk" potential.
- According to the New Mexico Office of the State Engineer (OSE) website the nearest freshwater well (L-01723) is located approximately 0.09 miles southeast of the Site in the northwest quarter (NW/4) of the southwest quarter (SW/4), Section 5, Township 17 South, Range 36 East.
- Groundwater was reported in this well at approximately 120 feet below ground surface (bgs) in 1958.

Appendix C presents data depicting karst risk potential.

1.3 Remediation Levels

The following remediation standards are based on closure criteria for soils impacted by a release as presented in Table 1 of 19.15.29 NMAC:

- Benzene 10 mg/Kg
- BTEX 50 mg/Kg
- TPH 2,500 mg/Kg
- Chloride 10,000 mg/Kg

Further, 19.15.29.13 NMAC (Restoration, Reclamation and Re-Vegetation) requires the operator to restore the impacted surface area that existed prior to the release or their final land use.

2.0 DELINEATION

On February 11 - 13, 2020, LAI personnel used direct push technology (DPT) to collect soil samples from thirteen (13) soil sample locations. Samples were collected at depths of approximately 0.5, 2, 5, and 10 feet bgs, depending on subsurface conditions. The soil samples were delivered under chain of custody and preservation to Xenco Laboratory Inc. (Xenco) in Midland, Texas. The laboratory analyzed the samples for BTEX by EPA SW-846 Method 8021B, TPH, including gasoline range organics (C6-C12), diesel range

1RP-1612

Delineation Report and Remediation Plan
Chevron USA, Inc., Lovington Deep State
Crude Oil and Produced Water Release
December 4, 2020

organics (>C12-C28) and oil range organics (>C28-C35) by EPA Method 8015M, and chloride by EPA Method 300. Figure 2 presents an aerial map showing the delineation soil sample location. Table 1 presents the soil sample analytical data summary. Appendix D presents the laboratory reports. Appendix presents present photographs. All samples reported below the OCD delineation limit of 10 mg/Kg and 50 mg/Kg for Benzene and BTEX, respectfully. TPH was reported above the OCD delineation limit of 100 mg/Kg in BH-7 at two (2) feet bgs. Chloride was reported above the OCD delineation limit of 600 mg/Kg in the following samples:

BH-2	0.5 feet	2,760 mg/Kg
BH-2	2 feet	3,150 mg/Kg
BH-2	5 feet	2,730 mg/Kg
BH-2	7 feet	2,640 mg/Kg
BH-3	0.5 feet	3,560 mg/ Kg
BH-5	2 feet	1,600 mg/Kg
BH-5	5 feet	749 mg/Kg
BH-6	0.5 feet	8,460 mg/Kg
BH-6	2 feet	2,730 mg/Kg
BH-7	2 feet	8,530 mg/Kg
BH-8	10 feet	3,090 mg/Kg

On July 23, 2020, Scarborough Drilling Inc. (SDI) under LAI supervision drilled four (4) boreholes (BH-2, BH-3, BH-5, and BH-7) to twenty (20) feet bgs and BH-8 to twenty-five (25) feet bgs to vertically delineate the spill. Samples were collected every five (5) feet and delivered under chain of custody and preservation to Xenco. All samples were analyzed for chloride. Samples from BH-7 at 5 and 10 feet bgs were analyzed for TPH. Chloride was reported above the OCD delineation limit of 600 mg/Kg in the BH-2 at 20 feet (1,060 mg/Kg).

On December 1, 2020, SDI under LAI supervision drilled BH-2 to twenty-five (25) bgs and collected samples at twenty (20) and twenty-five (25) feet bgs. Xenco reported chloride at 20.7 mg/Kg in the sample from 25 feet bgs.

3.0 Remediation Plan

Chevron proposes the following remedial actions:

- Excavate soil to 1-foot bgs from an area measuring approximately 878 square feet, encompassing BH-1.
- Excavate soil to approximately 4.1 feet bgs from an area measuring approximately 10,683 square feet.
- Collect five (5) point composite bottom and sidewall confirmation samples for every 200 square feet of excavation and analyze samples for BTEX, TPH and chloride.
- Backfill excavation with clean topsoil and seeded with BLM Mix #3, assuming OCD remediation levels have been achieved.

Figure 3 presents the proposed excavation areas.

Tables

Table 1
Soil Sample Analytical Data Summary
Lovington Deep State
Eddy County, New Mexico
North 32.863788°, West -103.385368°

Page 1 of 3

Sample	Depth (Feet)	Collection Date	Status	Benzene 10	BTEX 50	C6 - C12 (mg/Kg)	C12 - C28 (mg/Kg)	C28 - C35 (mg/Kg)	TPH (mg/Kg)	Cl- (mg/Kg)
Remediation Level:										
BH-1	0.5	2/11/2020	In-Situ	0.00245	0.00245	<49.8	55.4	<49.8	55.4	1,030
	2	2/11/2020	In-Situ	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	421
BH-2	0.5	2/11/2020	In-Situ	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	2,760
	2	2/11/2020	In-Situ	<0.00201	<0.00201	<50.0	<50.0	<50.0	<50.0	3,150
	5	2/11/2020	In-Situ	<0.00198	<0.00198	<50.0	<50.0	<50.0	<50.0	2,730
	7	7/23/2020	In-Situ	<0.00198	<0.00198	<50.0	<50.0	<50.0	<50.0	777
	25	2/11/2020	In-Situ	<0.00199	<0.00199	<49.9	<49.9	<49.9	<49.9	2,640
	10	7/23/2020	In-Situ	--	--	--	--	--	--	3,120
	15	7/23/2020	In-Situ	--	--	--	--	--	--	379
BH-3	20	7/23/2020	In-Situ	--	--	--	--	--	--	1,060
	25	12/1/2020	In-Situ	--	--	--	--	--	--	20.7
	0.5	2/11/2020	In-Situ	<0.00200	0.0073	<50.0	418	<50.0	418	3,560
	5	7/23/2020	In-Situ	<0.00199	<0.00198	<50.0	<50.0	<50.0	<50.0	2,500
	10	7/23/2020	In-Situ	<0.00198	<0.00198	<49.9	<49.9	<49.9	<49.9	503
BH-4	15	7/23/2020	In-Situ	--	--	--	--	--	--	200
	20	7/23/2020	In-Situ	--	--	--	--	--	--	50.6
	0.5	2/13/2020	In-Situ	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	11.9
	2	2/13/2020	In-Situ	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	136
BH-5	5	2/13/2020	In-Situ	<0.00199	<0.00199	<50.0	<50.0	<50.0	<50.0	54.2
	0.5	2/13/2020	In-Situ	<0.00202	<0.00202	<50.0	<50.0	<50.0	<50.0	557
	2	2/13/2020	In-Situ	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	1,600

Table 1

Soil Sample Analytical Data Summary
 Lovington Deep State
 Eddy County, New Mexico
 North 32.863788°, West -103.385368°

Page 2 of 3

Sample	Depth (Feet)	Collection Date	Status	Benzene 10	BTEX 50	C6 - C12 (mg/Kg)	C12 - C28 (mg/Kg)	C28 - C35 (mg/Kg)	TPH (mg/Kg)	Cl- (mg/Kg)
Remediation Level:										
	5	2/13/2020	In-Situ	<0.00199	<0.00199	<49.9	<49.9	<49.9	<49.9	749
	10	7/23/2020	In-Situ	<0.00200	<0.00200	<49.8	<49.8	<49.8	<49.8	189
	15	7/23/2020	In-Situ	--	--	--	--	--	--	1,180
	20	7/23/2020	In-Situ	--	--	--	--	--	--	68.3
			In-Situ	--	--	--	--	--	--	68.1
BH-6	0.5	2/12/2020	In-Situ	<0.00198	<0.00198	<49.8	<49.8	<49.8	<49.8	8,460
	2	2/12/2020	In-Situ	<0.00198	<0.00198	<50.0	<50.0	<50.0	<50.0	2,730
	5	2/12/2020	In-Situ	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	330
	10	2/12/2020	In-Situ	<0.00202	<0.00202	<50.0	<50.0	<50.0	<50.0	41.9
BH-7	0.5	2/12/2020	In-Situ	<0.00202	<0.00202	<50.0	<50.0	<50.0	<50.0	222
	2	2/12/2020	In-Situ	<0.00199	<0.00199	<49.9	1150	210	1360	8530
	5	7/23/2020	In-Situ	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	32.1
	10	7/23/2020	In-Situ	<0.00199	<0.00199	<49.8	<49.8	<49.8	<49.8	13.8
	15	7/23/2020	In-Situ	--	--	--	--	--	--	13.4
	20	7/23/2020	In-Situ	--	--	--	--	--	--	15.6
BH-8	0.5	2/12/2020	In-Situ	<0.00201	<0.00201	<49.9	94.4	<49.9	94.4	521
	2	2/12/2020	In-Situ	<0.00199	<0.00199	<49.8	<49.8	<49.8	<49.8	316
	5	2/12/2020	In-Situ	<0.00200	<0.00200	<50.0	73.5	<50.0	73.5	760
		7/23/2020	In-Situ	<0.00198	<0.00198	<50.0	<50.0	<50.0	<50.0	1,250
	10	2/12/2020	In-Situ	<0.00201	<0.00201	<50.0	<50.0	<50.0	<50.0	3,090
		7/23/2020	In-Situ	--	--	--	--	--	--	754
	15	7/23/2020	In-Situ	--	--	--	--	--	--	2,240
	20	7/23/2020	In-Situ	--	--	--	--	--	--	2,690
	25	7/23/2020	In-Situ	--	--	--	--	--	--	97.7

Table 1
Soil Sample Analytical Data Summary
Lovington Deep State
Eddy County, New Mexico
North 32.863788°, West -103.385368°

Page 3 of 3

Sample	Depth (Feet)	Collection Date	Status	Benzene 10	BTEX 50	C6 - C12 (mg/Kg)	C12 - C28 (mg/Kg)	C28 - C35 (mg/Kg)	TPH (mg/Kg)	Cl- (mg/Kg)
Remediation Level:										
BH-9	0.5	2/12/2020	In-Situ	<0.00198	<0.00198	<50.0	96.2	<50.0	96.2	101
	2	2/12/2020	In-Situ	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	55.3
	5	2/12/2020	In-Situ	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	93.2
	7	2/12/2020	In-Situ	<0.00202	<0.00202	<50.0	<50.0	<50.0	<50.0	11.2
BH-10	0.5	2/14/2020	In-Situ	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	7.59
	2	2/14/2020	In-Situ	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	27.1
	5	2/14/2020	In-Situ	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	57.5
BH-11	0.5	2/13/2020	In-Situ	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	29.5
	2	2/13/2020	In-Situ	<0.00202	<0.00202	<49.8	<49.8	<49.8	<49.8	135
	5	2/13/2020	In-Situ	<0.00199	<0.00199	<50.0	<50.0	<50.0	<50.0	130
BH-12	0.5	2/13/2020	In-Situ	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	16.4
	2	2/13/2020	In-Situ	<0.00198	<0.00198	<49.8	<49.8	<49.8	<49.8	132
	5	2/13/2020	In-Situ	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	25.8
BH-13	0.5	2/14/2020	In-Situ	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	11.5
	2	2/14/2020	In-Situ	<0.00200	<0.00200	<50.0	<50.0	<50.0	<50.0	110
	5	2/14/2020	In-Situ	<0.00200	<0.00200	<49.9	<49.9	<49.9	<49.9	106

Notes: Analysis performed by Permian Basin Environmental Laboratory

Depth in feet below ground surface (bgs)

mg/Kg: milligrams per kilogram equivalent to parts per million (ppm)

<: denotes concentration less than analytical method reporting limit

Bold and Highlighted exceeds OCD remediation limit

Figures





Figure 1 - Topographic Map



Chevron
Lovington Deep State
Unit M (SW 1/4 of NW 1/4)
Sec. 5, T. 17 S., R. 36 E.
Lea County, New Mexico
32° 51' 50.22"N,
103° 23' 6.90"W

Larson & Associates, Inc.
Environmental Consultants


Legend

- Spill Area

BH-4

● Soil Sample Location

Figure 2 - Aerial Map



Legend

- Spill Area
- Soil Sample Location
- Highlighted Exceeds OCD Remediation Action Limits
- Proposed Excavation Location: 1' bgs
- Proposed Excavation Location: 4.1' bgs

75
0
75
Graphic Scale in Feet

Chevron

Lovington Deep State
Unit M (SW 1/4 of NW 1/4)
Sec. 5, T. 17 S., R. 36 E.
Lea County, New Mexico
32° 51' 50.22"N,
103° 23' 6.90"W

Larson & Associates, Inc.
Environmental Consultants

Figure 3 - Aerial Map Showing Proposed Excavation Locations

Appendix A

Initial C-141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☒ Initial Report

Final Report

Name of Company Chevron Midcontinent LP	Contact Larry Ridenour
Address HCR 60 Box 423 Lovington, N.M. 88260	Telephone No. 505-396-4414 X 102
Facility Name Lovington Deep State	Facility Type Water transfer line
Surface Owner State	Mineral Owner State of NM
Lease No. B-4704	

LOCATION OF RELEASE

Unit Letter M	Section 5	Township 17S	Range 36E	Feet from the 1305	South Line	Feet from the 115	East Line	County Lea
------------------	--------------	-----------------	--------------	-----------------------	------------	----------------------	-----------	---------------

Latitude N 32 deg 51 min 47.53 sec Longitude W 103 deg 23 min 8.11 sec


NATURE OF RELEASE

API #3002531451

Type of Release Produced water with some oil	Volume of Release 20 BW - 2BO	Volume Recovered 13 BW - 1 BO
Source of Release water transfer line	Date and Hour of Occurrence 10/2/07 ??	Date and Hour of Discovery 10/2/07 9:00 am
Was Immediate Notice Given? ☒ Yes ☐ No ☐ Not Required	If YES, To Whom? Maxey Brown	
By Whom? Larry Ridenour	Date and Hour 10/2/2007 4:30 P.M.	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse	
If a Watercourse was Impacted, Describe Fully.*		
Describe Cause of Problem and Remedial Action Taken.* The location and API # given are for West Lovington Unit #86 which is the nearest well. The GPS coordinates are for the actual location of the spill. The spill is located approximately 2/10 mile north of WLU 86. The leak was from a water transfer line that conducts fluid from the Lovington Deep State tank battery to the West Lovington Unit injection station. Chlorides 35,000		

Describe Area Affected and Cleanup Action Taken.*
Fluid soaked in ground. 60' x 60' area around spill and then 8' x 150' area and 8' x 50' area where fluid traveled down ruts in road. Standing fluid was picked up with a vacuum truck. Area fenced to keep cattle out. Turned site over to Ocotillo Environmental for remediation. They performed emergency one call and have removed top approximately one foot of soil. They will do a survey of the contamination and submit a plan to the OCD for approval.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION 	
Printed Name: Larry Ridenour	Approved by District Environmental Engineer	
Title: Operations Representative	Approval Date: 10.9.07	Expiration Date: 12.10.07
E-mail Address: LRidenour@chevron.com	Conditions of Approval:	Attached ☐
Date: 10/4/07	SUBMIT PLAN OR FINAL BY	

RP# 162

Appendix B
Ocotillo Report

Ocotillo ENVIRONMENTAL

Dirt Work • On-Site Remediation • Soil Testing • Excavation

December 14, 2007

Mr. Larry Johnson
New Mexico Oil Conservation Division
1625 French Drive
Hobbs, New Mexico 88240


**Re: Spill Remediation Workplan, Lovington Deep State,
Unit Letter M (SW/4, SW/4), Section 5, Township 17 South, Range 36 East,
Lea County, New Mexico
1RP #1612**

Dear Mr. Johnson:

Attached please find the Spill Remediation Workplan for the Chevron MidContinent L.P., SBU, Lovington Deep State site.

If you have any questions or need additional information, please do not hesitate to call me at (505) 441-7244 or email me at Cindy.Crain@gmail.com.


Sincerely,
Ocotillo Environmental



Cindy K. Crain, P.G.
Environmental Manager

cc: Larry Ridenour, Chevron






Ocotillo ENVIRONMENTAL

Dirt Work • On-Site Remediation • Soil Testing • Excavation

December 10, 2007

Mr. Larry Johnson
Environmental Engineer
Oil Conservation Division
New Mexico Energy, Minerals and Natural Resources Department
1625 N. French Drive
Hobbs, New Mexico 88240



**Re: Spill Remediation Workplan, Lovington Deep State,
Unit Letter M (SW/4, SW/4), Section 5, Township 17 South, Range 36 East,
Lea County, New Mexico
(Latitude: N 32 deg. 51 min. 47.53 sec. / Longitude: W 103 deg. 23 min. 8.11 sec.)
1RP #1612**

Dear Mr. Johnson:

Chevron MidContinent L.P. SBU (Chevron) has retained Ocotillo Environmental, LLC (Ocotillo) to remediate impacts to soil from a leak at a water transfer line located near the Lovington Deep State well. The leak occurred in the southeast quarter (SE/4) of the southwest quarter (SW/4), Section 5, Township 17 South, Range 36 East, Lea County, New Mexico (Site). Approximately 20 barrels of produced water and 2 barrels of oil were released from the transfer line on October 2, 2007, and approximately 14 barrels of fluid was recovered from the site. A C-141 was submitted to the New Mexico Oil Conservation Division (NMOCD) on October 4, 2007, and a Spill Investigation Workplan was submitted on October 4, 2007. Verbal approval was granted for the Spill Investigation Workplan on October 11, 2007. Figure 1 shows the site location.

Based on published literature (1961), well records of the New Mexico State Engineer, and well records of the United States Geological Survey, groundwater occurs at approximately 56 feet bgs in the well located nearest the Site. No domestic water wells are located within 1,000 feet of the site. The NMOCD has established RRALs for benzene, total BTEX and TPH resulting from spills of natural gas liquids ("Guidelines for Remediation of Leaks, Spills and Releases, August 13, 1993"). Remediation levels for benzene, total BTEX and TPH were calculated using the following NMOCD criteria:

Criteria	Result	Ranking Score
Depth-to-Groundwater	50 - 99 Feet	10
Wellhead Protection Area	No	0
Distance to Surface Water Body	>1000 Horizontal Feet	0
		Total: 10

The following RRALs have been assigned based on NMOCD criteria:

Benzene 10 mg/kg
Total BTEX 50 mg/kg
TPH 1,000 mg/kg

Mr. Larry Johnson
Page 2
December 10, 2007

Initial Investigation

On November 14 and 15, 2007, Ocotillo installed thirteen (13) soil borings (BH-1 through BH-13) at the site, using an air rotary drilling rig, in order to assess the horizontal and vertical limits of the spill. Surficially impacted soil had been previously removed from the surface and disposed at an NMOCD approved disposal facility.

Soil samples from the exploratory borings were collected in five foot intervals from the ground surface to a depth of approximately 32 feet below ground surface (bgs) in borings BH-1, BH-2, and BH-7, to a depth of approximately 27 feet bgs in borings BH-3 and BH-8, to a depth of approximately 22 feet bgs in borings BH-4, BH-5, BH-6, and BH-9, and to a depth of approximately 17 feet bgs in borings BH-10, BH-11, BH-12 and BH-13. All samples were collected using a split-spoon sampling device. The sampling equipment was thoroughly cleaned between soil boring locations with a solution of laboratory-grade detergent and potable water, and rinsed with distilled water. All soil borings were plugged with bentonite. Figure 2 shows the locations of the soil borings.

The soil samples from borings BH-1 through BH-13 were placed in clean glass sample jars, labeled, chilled in an ice chest, and delivered under chain-of-custody control to Environmental Lab of Texas (ELOT), located in Odessa, Texas. A duplicate of each sample was also placed in a clean glass sample jar for headspace analysis. The headspace jars were filled approximately $\frac{3}{4}$ full, and a layer of aluminum foil was placed over the opening of the jar before replacing the cap. The headspace samples were allowed to reach ambient temperature before a BW Technologies GasAlertMicro 5 photoionization detector (PID) was used to measure the concentration of organic vapors in the headspace of the sample jars. The PID probe was inserted into the headspace of the sample jars (through the aluminum foil) and the concentration of organic vapors was displayed by the instrument in parts per million (ppm). The PID readings are shown on the borings logs included in Appendix A.

All soil samples collected from borings BH-1 through BH-13 were analyzed for chlorides by EPA method 325.3. At a minimum, the uppermost two (2) samples from each boring were analyzed for total petroleum hydrocarbons (TPH) by EPA method SW8015 (extended) for gasoline range organics (GRO) and diesel range organics (DRO). If the PID reading for any particular sample was greater than 100 ppm, the sample was also analyzed for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX). Table 1 presents a summary of the laboratory analysis of soil samples. Laboratory analysis and chain of custody documentation are included in Appendix B.

Referring to Table 1, TPH concentrations in the following samples from borings BH-1, BH-2, BH-5, and BH-9, were reported above the RRAL of 1,000 mg/kg, or above the RRAL of 100 mg/kg if located deeper than six (6) feet bgs:

- BH-1 0-2' 13,350 mg/kg
- BH-1 5-7' 290.7 mg/kg
- BH-1 10-12' 1,129 mg/kg

Mr. Larry Johnson
Page 3
December 10, 2007

- BH-2 0-2' 12,406 mg/kg
- BH-5 0-2' 13,870 mg/kg
- BH-5 5-7' 510.3 mg/kg
- BH-9 0-2' 1,240 mg/kg
- BH-9 5-7' 390.1 mg/kg.

Concentrations of BTEX exceeded the RRAL of 50 mg/kg in the following samples:

- BH-1 0-2' 192.544 mg/kg
- BH-2 0-2' 242.5141 mg/kg
- BH-5 0-2' 202.1216 mg/kg.


Chloride concentrations were below the RRAL of 250 mg/kg in all samples from borings BH-4, BH-10, BH-11, BH-12 and BH-13. Chloride concentrations were above the RRAL of 250 mg/kg until a depth of approximately 20-22 feet bgs in boring BH-1, 15-17 feet bgs in borings BH-2 and BH-7, and 10-12 feet bgs in borings BH-3, BH-5, BH-6, BH-8 and BH-9.

Proposed Remediation

Chevron proposes to conduct excavation of the impacted soil in the vicinity of boring BH-1 to a depth of approximately 18-19 feet bgs, in the vicinity of borings BH-2 and BH-7 to a depth of approximately 13-14 feet bgs, and in the vicinity of borings BH-3, BH-5, BH-6, BH-8 and BH-9 to a depth of approximately 8-9 feet bgs, until confirmations samples at all locations report chloride and TPH concentrations below the RRALs of 250 mg/kg and 100 mg/kg, respectively. Excavated soil will be removed to an NMOCD approved disposal facility. Analytical results from final confirmation samples will be reported to the NMOCD prior to backfilling of the excavation.

If you have any questions or need additional information, please call Mr. Larry Ridenour at (505) 396-4414 x102, or myself at (505) 441-7244. We may also be reached by email at Lridenour@chevron.com or Cindy.Crain@gmail.com.


Sincerely,
Ocotillo Environmental, LLC





Cindy K. Crain, P.G.
Environmental Manager

cc: Larry Ridenour, Chevron

FIGURES




**FIGURE # 2**

LEA COUNTY, NEW MEXICO



Chevron MidContinent LP
 Lovington Deep State
 U.L.M, Sec.5, T17S, R36E



DATE: 12-9-07
 NAME: MAC
 PROJECT NO.: 1007-023B

Site Drawing With
 Soil Boring Locations

Ocotillo
 ENVIRONMENTAL

Legend

- Soil Boring Location
- Spill boundary

TABLE

Table 1:
Summary of Laboratory Analysis of Soil Samples
Chevron MidContinent Alaska, Lovington Deep State
Section 5, Township 17 South, Range 36 East
Lea County, New Mexico

Page 1 of 4

Sample Date	Soil Boring Number	Sample Depth (feet BGS)	TPH (GRO) C6 - C12 mg/kg	TPH (DRO) C12 - C28 mg/kg	TPH (ORO) C28 - C35 mg/kg	Total TPH C6 - C35 mg/kg	Benzene mg/kg	Total BTEX mg/kg	Chloride (mg/kg)
	RRAL								
11/14/07	BH-1	0-2	2,690	9,520	1,140	13,350	1.724	192.544	25,300
		5-7	51.3	201	38.4	290.7	---	---	6,420
		10-12	138	879	112	1,129	---	---	1,850
		15-17	---	---	---	---	---	---	936
		20-22	---	---	---	---	---	---	128
		25-27	---	---	---	---	---	---	85.1
		30-32	---	---	---	---	---	---	63.8
11/14/07	BH-2	0-2	3,530	7,950	926	12,406	0.9841	242.5141	13,400
		5-7	18.2	45.4	<16.7	63.6	<0.0011	0.0096	10,900
		10-12	<15.6	<15.6	<15.6	<46.8	---	---	1,290
		15-17	---	---	---	---	---	---	85.1
		20-22	---	---	---	---	---	---	42.5
		25-27	---	---	---	---	---	---	53.2
		30-32	---	---	---	---	---	---	42.5
11/14/07	BH-3	0-2	<17.2	30.5	<17.2	30.5	---	---	17,100
		5-7	<15.9	<15.9	<15.9	<47.7	---	---	6,080
		10-12	---	---	---	---	---	---	191
		15-17	---	---	---	---	---	---	117
		20-22	---	---	---	---	---	---	42.5
		25-27	---	---	---	---	---	---	160

Page 2 of 4

Sample Date	Soil Boring Number	Sample Depth (feet BGS)	TPH (GRO) C6 - C12 mg/kg	TPH (DRO) C12 - C28 mg/kg	TPH (ORO) C28 - C35 mg/kg	Total TPH C6 - C35 mg/kg	Benzene mg/kg	Total BTEX mg/kg	Chloride (mg/kg)
RRAL									
11/14/07	BH-4	0-2	<16	37.1	<16	37.1	---	50	250
		5-7	<15.2	37.8	<15.2	37.8	---	---	45.4
		10-12	---	---	---	---	---	---	64.6
		15-17	---	---	---	---	---	---	53.2
		20-22	---	---	---	---	---	---	74.4
									42.5
11/14/07	BH-5	0-2	2,590	10,100	1,180	13,870	0.0716	202.1216	15,200
		5-7	34.9	409	66.4	510.3	---	---	1,880
		10-12	---	---	---	---	---	---	42.5
		15-17	---	---	---	---	---	---	106
		20-22	---	---	---	---	---	---	74.4
11/14/07	BH-6	0-2	<16.9	86.6	17.2	103.8	---	---	12,600
		5-7	<15.6	<15.6	<15.6	<46.8	---	---	1,130
		10-12	---	---	---	---	---	---	42.5
		15-17	---	---	---	---	---	---	42.5
		20-22	---	---	---	---	---	---	234
11/15/07	BH-7	0-2	<17	<17	<17	<51	---	---	7,850
		5-7	<15.9	<15.9	<15.9	<47.7	---	---	5,060
		10-12	---	---	---	---	---	---	3,400
		15-17	---	---	---	---	---	---	213
		20-22	---	---	---	---	---	---	42.5
		25-27	---	---	---	---	---	---	42.5
		30-32	---	---	---	---	---	---	42.5

Page 3 of 4

Sample Date	Soil Boring Number	Sample Depth (feet BGS)	TPH (GRO) C6 - C12 mg/kg	TPH (DRO) C12 - C28 mg/kg	TPH (ORO) C28 - C35 mg/kg	Total TPH C6 - C35 mg/kg	Benzene mg/kg	Total BTEX mg/kg	Chloride (mg/kg)
	RRAL					100	10	50	250
11/15/07	BH-8	0-2	<17.2	22.2	<17.2	22.2	---	---	3,770
		5-7	<15.3	<15.3	<15.3	<45.9	---	---	304
		10-12	---	---	---	---	---	---	85.1
		15-17	---	---	---	---	---	---	85.1
		20-22	---	---	---	---	---	---	63.8
		25-27	---	---	---	---	---	---	106
11/15/07	BH-9	0-2	162	893	185	1,240	<0.0012	<0.0082	30,000
		5-7	73.7	285	31.4	390.1	<0.0010	0.0291	2,010
		10-12	<15.5	<15.5	<15.5	<46.5	---	---	176.0
		15-17	---	---	---	---	---	---	74.4
		20-22	---	---	---	---	---	---	74.4
11/15/07	BH-10	0-2	<15.9	<15.9	<15.9	<47.7	---	---	45
		5-7	<15.5	<15.5	<15.5	<46.5	---	---	44
		10-12	---	---	---	---	---	---	42.5
		15-17	---	---	---	---	---	---	31.9
11/15/07	BH-11	0-2	<16.8	<16.8	<16.8	<50.4	---	---	48
		5-7	<15.5	<15.5	<15.5	<46.5	---	---	33
		10-12	---	---	---	---	---	---	42.5
		15-17	---	---	---	---	---	---	31.9
11/15/07	BH-12	0-2	<15.9	48.9	<15.9	48.9	---	---	34
		5-7	<16.1	32.7	<16.1	32.7	---	---	46
		10-12	---	---	---	---	---	---	63.8
		15-17	---	---	---	---	---	---	42.5

Page 4 of 4

Sample Date	Soil Boring Number	Sample Depth (feet BGS)	TPH (GRO) C6 - C12 mg/kg	TPH (DRO) C12 - C28 mg/kg	TPH (ORO) C28 - C35 mg/kg	Total TPH C6 - C35 mg/kg	Benzene mg/kg	Total BTEX mg/kg	Chloride (mg/kg)
	RRAL					100	10	50	250
11/15/07	BH-13	0-2	<15.5	38.5	<15.5	38.5	---	---	33.1
		5-7	<15.2	<15.2	<15.2	<45.6	---	---	86.2
		10-12	---	---	---	---	---	---	42.5
		15-17	---	---	---	---	---	---	53.2

Notes:

1. BGS: Depth in feet below ground surface
2. mg/kg: Milligrams per kilogram
3. GRO: Gasoline Range Organics
4. DRO: Diesel Range Organics
5. ORO: Oil Range Organics

**APPENDIX A
SOIL BORING LOGS**

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State

Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-1

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm	Analytical Data
						500 1500	
0		Ground Surface					
0-2'		Silty Clayey Sand Dark brown, silty clayey quartz sand, fine grained, poorly sorted, damp.	1	SS	2	>2500	0-2' bgs Total TPH= 242.5141 mg/kg Chloride 13400 mg/kg
5-7'		Caliche Pinkish white quartz sand, non-indurated, dry.	2	SS	2	>2500	5-7' bgs Total TPH= .0096 mg/kg Chloride 10900 mg/kg
10-12'			3	SS	2	>2500	10-12' bgs Chloride 1290 mg/kg
15-17'			4	SS	2	1500	15-17' bgs Chloride 85.1 mg/kg
20-22'			5	SS	2	600	20-22' bgs Chloride 42.5 mg/kg
25-27'		Sand Light tan quartz sand, very fine grained, moderately well sorted, loose, dry.	6	SS	2	400	25-27' bgs Chloride 53.2 mg/kg
30-32'			7	SS	2	400	30-32' bgs Chloride 42.5 mg/kg
TD at 32' bgs							

Ocotillo Environmental, LLC

2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Elevation: NA

Drill Date: 11/14/07

Checked by: CKC

Hole Size: 4"

Drilled by: Scarborough Drilling

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State

Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-2

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm 500 1500	Analytical Data
0		Ground Surface					
0-2'		Silty Clayey Sand Dark brown, silty clayey quartz sand, fine grained, poorly sorted, damp.	1	SS	2	>2500	0-2' bgs Total TPH= 12406 mg/kg Chloride 13400 mg/kg
5-7'		Caliche Pinkish white quartz sand, non-indurated, dry.	2	SS	2	>2500	5-7' bgs Total TPH= 63.6 mg/kg Chloride 10900 mg/kg
10-12'			3	SS	2	>2500	10-12' bgs Total TPH = <46.8 mg/kg Chloride 1290 mg/kg
15-17'			4	SS	2	1500	15-17' bgs Chloride 85.1 mg/kg
20-22'			5	SS	2	600	20-22' bgs Chloride 42.5 mg/kg
25-27'		Sand Light tan quartz sand, very fine grained, moderately well sorted, loose, dry.	6	SS	2	0	25-27' bgs Chloride 53.2 mg/kg
30-32'			7	SS	2	0	30-32' bgs Chloride 42.5 mg/kg
TD at 32' bgs							
35							
40							

Ocotillo Environmental, LLC

2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Elevation: NA

Drill Date: 11/14/07

Checked by: CKC

Hole Size: 4"

Drilled by: Scarborough Drilling

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State

Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-3

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm	Analytical Data
						500 1500	
0		Ground Surface					
0		Silty Clayey Sand Dark brown, silty clayey quartz sand, fine grained, poorly sorted, damp.	1	SS	2	>2500	0-2' bgs Total TPH= 30.5 mg/kg Chloride 17100 mg/kg
5		Caliche Pinkish white quartz sand, non indurated, damp.	2	SS	2	>2500	5-7' bgs Total TPH= <47.7 Chloride 6080 mg/kg
10			3	SS	2	400	10-12' bgs Chloride 191 mg/kg
15			4	SS	2	1200	15-17' bgs Chloride 117 mg/kg
20			5	SS	2	0	20-22' bgs Chloride 42.5 mg/kg
25			6	SS	2	0	25-27' bgs Chloride 160 mg/kg
30							
32		TD@32'					
35							
40							

Ocotillo Environmental, LLC

2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Elevation: NA

Drill Date: 11/14/07

Checked by: CKC

Hole Size: 4"

Drilled by: Scarborough Drilling

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State

Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-4

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm		Analytical Data
						500	1500	
0		Ground Surface						
0-2'		Silty Clayey Sand Dark brown, silty clayey quartz sand, fine grained, poorly sorted, dry.	1	SS	2	0		0-2' bgs Total TPH= 37.1 mg/kg Chloride 45.4 mg/kg
5-7'		Caliche Pinkish white quartz sand caliche, non indurated, dry.	2	SS	2	0		5-7' bgs Total TPH= 37.8 mg/kg Chloride 64.6 mg/kg
10-12'			3	SS	2	0		10-12' bgs Chloride 53.2 mg/kg
15-17'			4	SS	2	0		15-17' bgs Chloride 74.4 mg/kg
20-22'			5	SS	2	0		20-22' bgs Chloride 42.5 mg/kg
TD@22'								
25								
30								
35								
40								

Ocotillo Environmental, LLC

2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Elevation: NA

Drill Date: 11/14/07

Checked by: CKC

Hole Size: 4"

Drilled by: Scarborough Drilling

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State

Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-5

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm		Analytical Data
						500	1500	
0		Ground Surface						
0-2'		Silty Clayey Sand Dark brown, silty clayey quartz sand, fine grained, poorly sorted, dry.	1	SS	2			0-2' bgs Total TPH= 13870 mg/kg Chloride 15200mg/kg
5-7'		Caliche Pinkish white quartz sand, non indurated, dry.	2	SS	2			5-7' bgs Total TPH= 510.3 mg/kg Chloride 1880 mg/kg
10-12'			3	SS	2			10-12' bgs Chloride 42.5 mg/kg
15-17'			4	SS	2			15-17' bgs Chloride 106 mg/kg
20-22'			5	SS	2			20-22' bgs Chloride 74.4 mg/kg
TD@22'								

Ocotillo Environmental, LLC

2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Elevation: NA

Drill Date: 11/14/07

Checked by: CKC

Hole Size: 4"

Drilled by: Scarborough Drilling

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State

Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-6

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm	Analytical Data
						500 1500	
0		Ground Surface					
0-2'		Silty Clayey Sand Dark brown, silty clayey quartz sand, fine grained, poorly sorted, dry.	1	SS	2	>2500	0-2' bgs Total TPH= 103.8 mg/kg Chloride 12,600 mg/kg
5-7'		Caliche Pinkish white quartz sand, non indurated, dry.	2	SS	2	2500	5-7' bgs Total TPH= <46.8 mg/kg Chloride 1,130 mg/kg
10-12'			3	SS	2	0	10-12' bgs Chloride 42.5 mg/kg
15-17'			4	SS	2	0	15-17' bgs Chloride 42.5 mg/kg
20-22'			5	SS	2	0	20-22' bgs Chloride 234 mg/kg
TD@22'							
25							
30							
35							
40							

Ocotillo Environmental, LLC2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Elevation: NA

Drill Date: 11/14/07

Checked by: CKC

Hole Size: 4"

Drilled by: Scarborough Drilling

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State

Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-7

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm	Analytical Data
						500 1500	
0		Ground Surface					
0		Silty Clayey Sand Dark brown, silty clayey quartz sand, poorly sorted, damp.	1	SS	2	>2500	0-2' bgs Total TPH= <51 mg/kg Chloride 7850 mg/kg
5		Caliche Pinkish white quartz sand, non indurated, dry.	2	SS	2	>2500	5-7' bgs Total TPH= <47.7 mg/kg Chloride 5060 mg/kg
10			3	SS	2	2000	10-12' bgs Chloride 3400 mg/kg
15			4	SS	2	1800	15-17' bgs Chloride 213 mg/kg
20			5	SS	2	>2500	20-22' bgs Chloride 42.5 mg/kg
25		Silty Sand Light brown silty quartz sand, moderately well sorted, moderately loose, dry.	6	SS		0	25-27' bgs Chloride 42.5 mg/kg
30			7	SS		300	30-32' bgs Chloride 42.5 mg/kg
32		TD@32'					
35							
40							

Ocotillo Environmental, LLC

2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Elevation: NA

Drill Date: 11/15/07

Checked by: CKC

Hole Size: 4"

Drilled by: Scarborough Drilling

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State

Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-8

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm	Analytical Data
						500 1500	
0		Ground Surface					
0-2'		Silty Clayey Sand Dark brown, silty clayey quartz sand, fine grained, poorly sorted, dry.	1	SS	2	>2500	0-2' bgs Total TPH= 22.2 mg/kg Chloride 3770 mg/kg
5-7'		Caliche Pinkish white quartz sand, non indurated, dry.	2	SS	2	400	5-7' bgs Total TPH= <45.9 mg/kg Chloride 304 mg/kg
10-12'			3	SS	2	0	10-12' bgs Chloride 85.1 mg/kg
15-17'			4	SS	2	250	15-17' bgs Chloride 85.1 mg/kg
20-22'			5	SS	2	100	20-22' bgs Chlorides 63.8 mg/kg
25-27'		Silty Sand Light tan silty quartz sand, fine grained moderately well sorted, moderately loose, dry.	6	SS		500	25-27' bgs Chlorides 106 mg/kg
TD@27'							

Ocotillo Environmental, LLC

2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Elevation: NA

Drill Date: 11/15/07

Checked by: CKC

Hole Size: 4"

Drilled by: Scarborough Drilling

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State

Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-9

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm 500 1500	Analytical Data
0		Ground Surface					
0		Silty Clayey Sand Dark brown, silty clayey quartz sand, fine grained, poorly sorted, dry.	1	SS	2	2500	0-2' bgs Total TPH= 1,240 mg/kg Chloride: 30,000 mg/kg
5		Caliche Pinkish white quartz sand, non indurated, dry.	2	SS	2	2200	5-7' bgs Total TPH= 390.1 mg/kg Chloride: 2.010 mg/kg
10			3	SS	2	0	10-12' bgs Chloride: 176 mg/kg
15			4	SS	2	750	15-17' bgs Chloride: 74.4 mg/kg
20			5	SS	2	0	20-22' bgs Chloride: 74.4 mg/kg
25		TD@22'					
30							
35							
40							

Ocotillo Environmental, LLC

2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Elevation: NA

Drill Date: 11/15/07

Checked by: CKC

Hole Size: 4"

Drilled by: Scarborough Drilling

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State


Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-10

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm		Analytical Data
						500	1500	
0		Ground Surface						
0		Silty Clayey Sand Dark brown, silty clayey quartz sand, fine grained, poorly sorted, dry.	1	SS	2	0		0-2' bgs Total TPH= <47.7 mg/kg Chloride 45 mg/kg
5		Caliche Pinkish white quartz sand, non indurated, dry.	2	SS	2	0		5-7' bgs Total TPH= <46.5 mg/kg Chloride 44 mg/kg
10			3	SS	2	0		10-12' bgs Chloride 42.5 mg/kg
15			4	SS	2	0		15-17' bgs Chloride 31.9 mg/kg
20		TD@17'						
25								
30								
35								
40								

Ocotillo Environmental, LLC

2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Elevation: NA

Drill Date: 11/15/07

Checked by: CKC

Hole Size: 4"

Drilled by: Scarborough Drilling

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State



Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-11

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm 500 1500	Analytical Data
0		Ground Surface					
		Silty Clayey Sand Dark brown, silty clayey quartz sand, poorly sorted, dry.	1	SS	2	0	0-2' bgs Total TPH= <50.4 mg/kg Chloride 48 mg/kg
5		Caliche Pinkish white quartz sand, non indurated, dry.	2	SS	2	0	5-7' bgs Total TPH= <46.5 mg/kg Chloride 33 mg/kg
10			3	SS	2	0	10-12' bgs Chloride 42.5 mg/kg
15			4	SS	2	0	15-17' bgs Chloride 31.9 mg/kg
20		TD@17'					
25							
30							
35							
40							

Ocotillo Environmental, LLC

2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Drill Date: 11/15/07

Hole Size: 4"

Elevation: NA

Checked by: CKC

Drilled by: Scarborough Drilling

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State

Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-12

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm 500 1500	Analytical Data
0		Ground Surface					
0		Silty Clayey Sand Dark brown, silty clayey quartz sand, poorly sorted, dry.	1	SS	2	0	0-2' bgs Total TPH= 48.9 mg/kg Chloride 34 mg/kg
5		Caliche Pinkish white quartz sand, non indurated, dry.	2	SS	2	0	5-7' bgs Total TPH= 32.7 mg/kg Chloride 46 mg/kg
10			3	SS	2	0	10-12' bgs Chloride 63.8 mg/kg
15			4	SS	2	0	15-17' bgs Chloride 42.5 mg/kg
20		TD@17'					
25							
30							
35							
40							

Ocotillo Environmental, LLC

2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Elevation: NA

Drill Date: 11/15/07

Checked by: CKC

Hole Size: 4"

Drilled by: Scarborough Drilling

Client: Chevron MidContinent L.P., SBU

Project: Lovington Deep State

Project No.: 1007-023B

Location: Sec 5, T17S, R36E

Log: BH-13

Page: 1 of 1

Geologist: C. Crain

Depth	Symbol	Description	Sample Number	Sample Type	Sample Recovery	Field Chloride ppm	Analytical Data
						500 1500	
0		Ground Surface					
0-2'		Silty Clayey Sand Dark brown, silty clayey quartz sand, fine grained, poorly sorted, dry.	1	SS	2	0	0-2' bgs Total TPH= 38.5 mg/kg Chloride 33.1 mg/kg
5-7'		Caliche Pinkish white quartz sand, non indurated, dry.	2	SS	2	0	5-7' bgs Total TPH= <45.6 mg/kg Chloride 86.2 mg/kg
10-12'			3	SS	2	0	10-12' bgs Chloride 42.5 mg/kg
15-17'			4	SS	2	0	15-17' bgs Chloride 53.2 mg/kg
TD@17'							
20							
25							
30							
35							
40							

Ocotillo Environmental, LLC

2125 French Drive
Hobbs, NM 88240
(505) 393-6371

Drill Method: Air Rotary

Drill Date: 11/15/07

Hole Size: 4"

Elevation: NA

Checked by: CKC

Drilled by: Scarborough Drilling

**APPENDIX B
LABORATORY DATA AND CHAIN OF CUSTODY
DOCUMENTATION**

Analytical Report 293282

for


Ocotillo Environmental, LLC

Project Manager: Cindy Crain

Chevron Lovington Deep State

1007-023B

30-NOV-07



12600 West I-20 East Odessa, Texas 79765

A Xenco Laboratories Company

Texas certification numbers:

Houston, TX T104704215

Florida certification numbers:

Houston, TX E871002 - Miami, FL E86678 - Tampa, FL E86675

**Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America
Midland - Corpus Christi - Atlanta**



30-NOV-07

Project Manager: **Cindy Crain**
Ocotillo Environmental, LLC
P.O. Box 1816
Hobbs, NM 88241

Reference: XENCO Report No: **293282**
Chevron Lovington Deep State
Project Address: Sec. 5, T17S, R36E, Lea Co., NM

Cindy Crain:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 293282. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. Estimation of data uncertainty for this report is found in the quality control section of this report unless otherwise noted. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 293282 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read "Brent Barron, II", written over a horizontal line.

Brent Barron, II

Odessa Laboratory Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America



Sample Cross Reference 293282

Ocotillo Environmental, LLC, Hobbs, NM

Chevron Lovington Deep State

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
BH-1 (0-2')	S	Nov-14-07 09:30	0 - 2 ft	293282-001
BH-1 (5-7')	S	Nov-14-07 09:42	5 - 7 ft	293282-002
BH-1 (10-12')	S	Nov-14-07 09:50	10 - 12 ft	293282-003
BH-1 (15-17')	S	Nov-14-07 09:58	15 - 17 ft	293282-004
BH-1 (20-22')	S	Nov-14-07 10:05	20 - 22 ft	293282-005
BH-1 (25-27')	S	Nov-14-07 10:13	25 - 27 ft	293282-006
BH-1 (30-32')	S	Nov-14-07 10:20	30 - 32 ft	293282-007
BH-2 (0-2')	S	Nov-14-07 10:38	0 - 2 ft	293282-008
BH-2 (5-7')	S	Nov-14-07 10:42	5 - 7 ft	293282-009
BH-2 (10-12')	S	Nov-14-07 10:50	10 - 12 ft	293282-010
BH-2 (15-17')	S	Nov-14-07 10:58	15 - 17 ft	293282-011
BH-2 (20-22')	S	Nov-14-07 11:02	20 - 22 ft	293282-012
BH-2 (25-27')	S	Nov-14-07 12:59	25 - 27 ft	293282-013
BH-2 (30-32')	S	Nov-14-07 13:04	30 - 32 ft	293282-014
BH-3 (0-2')	S	Nov-14-07 12:16	0 - 2 ft	293282-015
BH-3 (5-7')	S	Nov-14-07 12:21	5 - 7 ft	293282-016
BH-3 (10-12')	S	Nov-14-07 12:23	10 - 12 ft	293282-017
BH-3 (15-17')	S	Nov-14-07 12:31	15 - 17 ft	293282-018
BH-3 (20-22')	S	Nov-14-07 12:36	20 - 22 ft	293282-019
BH-3 (25-27')	S	Nov-14-07 12:46	25 - 27 ft	293282-020
BH-4 (0-2')	S	Nov-14-07 13:10	0 - 2 ft	293282-021
BH-4 (5-7')	S	Nov-14-07 13:21	5 - 7 ft	293282-022
BH-4 (10-12')	S	Nov-14-07 13:23	10 - 12 ft	293282-023
BH-4 (15-17')	S	Nov-14-07 13:25	15 - 17 ft	293282-024
BH-4 (20-22')	S	Nov-14-07 13:31	20 - 22 ft	293282-025
BH-5 (0-2')	S	Nov-14-07 13:42	0 - 2 ft	293282-026
BH-5 (5-7')	S	Nov-14-07 13:49	5 - 7 ft	293282-027
BH-5 (10-12')	S	Nov-14-07 14:01	10 - 12 ft	293282-028
BH-5 (15-17')	S	Nov-14-07 14:07	15 - 17 ft	293282-029
BH-5 (20-22')	S	Nov-14-07 14:11	20 - 22 ft	293282-030
BH-6 (0-2')	S	Nov-14-07 14:28	0 - 2 ft	293282-031
BH-6 (5-7')	S	Nov-14-07 14:31	5 - 7 ft	293282-032
BH-6 (10-12')	S	Nov-14-07 14:40	10 - 12 ft	293282-033
BH-6 (15-17')	S	Nov-14-07 14:44	15 - 17 ft	293282-034
BH-6 (20-22')	S	Nov-14-07 14:50	20 - 22 ft	293282-035
BH-7 (0-2')	S	Nov-15-07 09:25	0 - 2 ft	293282-036
BH-7 (5-7')	S	Nov-15-07 09:31	5 - 7 ft	293282-037
BH-7 (10-12')	S	Nov-15-07 09:37	10 - 12 ft	293282-038
BH-7 (15-17')	S	Nov-15-07 09:47	15 - 17 ft	293282-039
BH-7 (20-22')	S	Nov-15-07 09:53	20 - 22 ft	293282-040
BH-7 (25-27')	S	Nov-15-07 10:02	25 - 27 ft	293282-041
BH-7 (30-32')	S	Nov-15-07 10:10	30 - 32 ft	293282-042
BH-8 (0-2')	S	Nov-15-07 10:20	0 - 2 ft	293282-043



Sample Cross Reference 293282

Ocotillo Environmental, LLC, Hobbs, NM

Chevron Lovington Deep State

BH-8 (5-7')	S	Nov-15-07 10:29	5 - 7 ft	293282-044
BH-8 (10-12')	S	Nov-15-07 10:32	10 - 12 ft	293282-045
BH-8 (15-17')	S	Nov-15-07 10:36	15 - 17 ft	293282-046
BH-8 (20-22')	S	Nov-15-07 10:40	20 - 22 ft	293282-047
BH-8 (25-27')	S	Nov-15-07 10:47	25 - 27 ft	293282-048
BH-9 (0-2')	S	Nov-15-07 11:00	0 - 2 ft	293282-049
BH-9 (5-7')	S	Nov-15-07 11:06	5 - 7 ft	293282-050
BH-9 (10-12')	S	Nov-15-07 11:15	10 - 12 ft	293282-051
BH-9 (15-17')	S	Nov-15-07 11:20	15 - 17 ft	293282-052
BH-9 (20-22')	S	Nov-15-07 11:25	20 - 22 ft	293282-053
BH-10 (0-2')	S	Nov-15-07 12:04	0 - 2 ft	293282-054
BH-10 (5-7')	S	Nov-15-07 12:12	5 - 7 ft	293282-055
BH-10 (10-12')	S	Nov-15-07 12:19	10 - 12 ft	293282-056
BH-10 (15-17')	S	Nov-15-07 12:24	15 - 17 ft	293282-057
BH-11 (0-2')	S	Nov-15-07 12:31	0 - 2 ft	293282-058
BH-11 (5-7')	S	Nov-15-07 12:35	5 - 7 ft	293282-059
BH-11 (10-12')	S	Nov-15-07 12:40	10 - 12 ft	293282-060
BH-11 (15-17')	S	Nov-15-07 12:46	15 - 17 ft	293282-061
BH-12 (0-2')	S	Nov-15-07 12:56	0 - 2 ft	293282-062
BH-12 (5-7')	S	Nov-15-07 13:00	5 - 7 ft	293282-063
BH-12 (10-12')	S	Nov-15-07 13:10	10 - 12 ft	293282-064
BH-12 (15-17')	S	Nov-15-07 13:14	15 - 17 ft	293282-065
BH-13 (0-2')	S	Nov-15-07 13:18	0 - 2 ft	293282-066
BH-13 (5-7')	S	Nov-15-07 13:22	5 - 7 ft	293282-067
BH-13 (10-12')	S	Nov-15-07 13:28	10 - 12 ft	293282-068
BH-13 (15-17')	S	Nov-15-07 13:35	15 - 17 ft	293282-069



Certificate of Analysis Summary 293282

Ocotillo Environmental, LLC, Hobbs, NM

Project Name: Chevron Lovington Deep State

Project Id: 1007-023B

Contact: Cindy Crain

Project Location: Sec. 5, T17S, R36E, Lea Co., NM

Date Received in Lab: Sat Nov-17-07 11:27 am

Report Date: 30-NOV-07

Project Manager: Brent Barron, II

Analysis Requested		Lab Id:	Field Id:	Depth:	Matrix:	Sampled:	293282-001	293282-002	293282-003	293282-004	293282-005	293282-006
							BH-1 (0-2') SOIL Nov-14-07 09:30	BH-1 (5-7') SOIL Nov-14-07 09:42	BH-1 (10-12') SOIL Nov-14-07 09:50	BH-1 (15-17') SOIL Nov-14-07 09:58	BH-1 (20-22') SOIL Nov-14-07 10:05	BH-1 (25-27') SOIL Nov-14-07 10:13
BTEX by EPA 8021B		Extracted:	Nov-28-07 12:27				Nov-28-07 12:27					
		Analyzed:	Nov-29-07 13:36				Nov-29-07 13:36					
		Units/RL:	mg/kg	RL								
			1 724	0 1190								
			43.48	0.2380								
			34 43	0 1190								
			81.51	0.2380								
			31 40	0 1190								
			112.91									
			192.544									
Percent Moisture		Extracted:	Nov-19-07 15:00				Nov-19-07 15:00					
		Analyzed:	Nov-19-07 15:00									
		Units/RL:	%	RL			%	RL	%	RL	%	RL
			16 0	1 00			7 24	1 00	8 21	1 00		
TPH by SW8015 Mod		Extracted:	Nov-20-07 14:20				Nov-20-07 14:20					
		Analyzed:	Nov-25-07 17:56				Nov-25-07 18:23					
		Units/RL:	mg/kg	RL			mg/kg	RL	mg/kg	RL		
			2690	89.3			51.3	16.2	138	16.3		
			9520	89.3			201	16.2	879	16.3		
			1140	89.3			38.4	16.2	112	16.3		
			13350				290.7		1129			
Total TPH												
Total Chloride by EPA 325.3		Extracted:	Nov-20-07 08:30				Nov-20-07 08:30					
		Analyzed:	Nov-20-07 08:30									
		Units/RL:	mg/kg	RL			mg/kg	RL	mg/kg	RL	mg/kg	RL
			25300	5.95			6420	5.39	1850	5.45	936	5.00
											128	5.00
												mg/kg
												85.1
												5.00
</												



Certificate of Analysis Summary 293282

Ocotillo Environmental, LLC, Hobbs, NM

Project Name: Chevron Lovington Deep State

Project Id: 1007-023B

Contact: Cindy Crain

Project Location: Sec. 5, T17S, R36E, Lea Co., NM

Date Received in Lab: Sat Nov-17-07 11:27 am

Report Date: 30-NOV-07

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:		Field Id:		Depth:		Matrix:		Sampled:		293282-007		293282-008		293282-009		293282-010		293282-011		293282-012	
	Field Id:		Depth:		Matrix:		Sampled:		Extracted:		Analyzed:		Units/RL:		BH-1 (30-32')		BH-2 (5-7')		BH-2 (10-12')		BH-2 (15-17')	
BTEX by EPA 8021B	30-32 ft		SOIL		Nov-14-07 10:20		Nov-14-07 10:38		Nov-28-07 12:27		Nov-29-07 16:06		Nov-14-07 10:42		Nov-28-07 13:51		Nov-28-07 19:51		Nov-14-07 10:50		Nov-14-07 10:58	
	mg/kg		RL		mg/kg		RL		mg/kg		RL		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
	0.9841		0.2326		ND		0.0011		44.11		0.4653		ND		ND		0.0022		4.01		1.00	
	Toluene																					
	Ethylbenzene																					
Percent Moisture	m,p-Xylenes																					
	o-Xylene																					
	Xylenes, Total																					
	Total BTEX																					
	mg/kg		RL		mg/kg		RL		mg/kg		RL		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
TPH by SW8015 Mod	147.47		0.0077		ND		0.0011		147.47													
	242.5141		0.0096																			
	Nov-19-07 15:00		Nov-19-07 15:00		Nov-19-07 15:00		Nov-19-07 15:00		Nov-19-07 15:00		Nov-19-07 15:00		Nov-19-07 15:00		Nov-19-07 15:00		Nov-19-07 15:00		Nov-19-07 15:00		Nov-19-07 15:00	
	14.0		1.00		10.1		1.00		10.1		1.00		10.1		10.1		10.1		10.1		10.1	
	Nov-20-07 14:20		Nov-20-07 14:20		Nov-20-07 14:20		Nov-20-07 14:20		Nov-20-07 14:20		Nov-20-07 14:20		Nov-20-07 14:20		Nov-20-07 14:20		Nov-20-07 14:20		Nov-20-07 14:20		Nov-20-07 14:20	
Total Chloride by EPA 325.3	mg/kg		RL		mg/kg		RL		mg/kg		RL		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
	3530		87.2		18.2		16.7		3530		87.2		18.2		16.7		18.2		16.7		16.7	
	C6-C12 Gasoline Range Hydrocarbons																					
	C12-C28 Diesel Range Hydrocarbons																					
	C28-C35 Oil Range Hydrocarbons																					
Chloride	926		87.2		ND		16.7		926		87.2		ND		16.7		ND		ND		ND	
	Total TPH																					
	12406		63.6																			
	Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30	
	mg/kg		RL		mg/kg		RL		mg/kg		RL		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
Total Chloride by EPA 325.3	63.8		5.00		63.8		5.00		63.8		5.00		63.8		5.00		5.00		5.00		5.00	
	Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30		Nov-20-07 08:30	
	mg/kg		RL		mg/kg		RL		mg/kg		RL		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
	13400		5.82		10900		5.56		13400		5.82		10900		5.56		1290		5.21		85.1	
	Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00	
Chloride	mg/kg		RL		mg/kg		RL		mg/kg		RL		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
	42.5		5.00		42.5		5.00		42.5		5.00		42.5		5.00		42.5		5.00		5.00	
	Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00	
	mg/kg		RL		mg/kg		RL		mg/kg		RL		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg	
	42.5		5.00		42.5		5.00		42.5		5.00		42.5		5.00		42.5		5.00		5.00	

This analytical report, and the entire data package, it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America


Brent Barron
Odessa Laboratory Director



Certificate of Analysis Summary 293282

Ocotillo Environmental, LLC, Hobbs, NM

Project Name: Chevron Lovington Deep State

Project Id: 1007-023B

Contact: Cindy Crain

Project Location: Sec. 5, T17S, R36E, Lea Co., NM

Date Received in Lab: Sat Nov-17-07 11:27 am

Report Date: 30-NOV-07

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:		293282-013		293282-014		293282-015		293282-016		293282-017		293282-018	
	Field Id:	Depth:	BH-2 (25-27')	25-27 ft	BH-2 (30-32')	30-32 ft	BH-3 (0-2')	0-2 ft	BH-3 (5-7')	5-7 ft	BH-3 (10-12')	10-12 ft	BH-3 (15-17')	15-17 ft
	Matrix:		SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:		Nov-14-07 12:59		Nov-14-07 13:04		Nov-14-07 12:16		Nov-14-07 12:21		Nov-14-07 12:23		Nov-14-07 12:31	
Percent Moisture	Extracted:													
	Analyzed:													
	Units/RL:													
TPH by SW8015 Mod														
	Extracted:													
	Analyzed:													
	Units/RL:													
C6-C12 Gasoline Range Hydrocarbons														
C12-C28 Diesel Range Hydrocarbons														
C28-C35 Oil Range Hydrocarbons														
Total TPH														
Total Chloride by EPA 325.3														
	Extracted:													
	Analyzed:													
	Units/RL:													
Chloride														
			Nov-20-07 00:00	mg/kg	Nov-20-07 00:00	mg/kg	Nov-20-07 00:00	mg/kg	Nov-20-07 00:00	mg/kg	Nov-20-07 00:00	mg/kg	Nov-20-07 00:00	mg/kg
			53.2	5.00	42.5	5.00	17100	5.75	6080	5.29	191	5.00	117	5.00

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America


Brent Barron
Odessa Laboratory Director



Certificate of Analysis Summary 293282

Ocotillo Environmental, LLC, Hobbs, NM

Project Name: Chevron Lovington Deep State

Project Id: 1007-023B

Contact: Cindy Crain

Project Location: Sec. 5, T17S, R36E, Lea Co., NM

Date Received in Lab: Sat Nov-17-07 11:27 am

Report Date: 30-NOV-07

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	293282-019	293282-020	293282-021	293282-022	293282-023	293282-024
	Field Id:	BH-3 (20-22')	BH-3 (25-27')	BH-4 (0-2')	BH-4 (5-7')	BH-4 (10-12')	BH-4 (15-17')
	Depth:	20-22 ft	25-27 ft	0-2 ft	5-7 ft	10-12 ft	15-17 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	Nov-14-07 12:36	Nov-14-07 12:46	Nov-14-07 13:10	Nov-14-07 13:21	Nov-14-07 13:23	Nov-14-07 13:25
Percent Moisture	Extracted:						
	Analyzed:						
	Units/RL:						
TPH by SW8015 Mod	Extracted:						
	Analyzed:						
	Units/RL:						
C6-C12 Gasoline Range Hydrocarbons							
C12-C28 Diesel Range Hydrocarbons							
C28-C35 Oil Range Hydrocarbons							
Total TPH							
Total Chloride by EPA 325.3	Extracted:						
	Analyzed:						
	Units/RL:						
Chloride							

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America


Brent Barron
Odessa Laboratory Director

Project Name: Chevron Lovington Deep State

Contact: Cindy Crain

Project Location: Sec. 5, T17S, R36E, Lea Co., NM

Date Received in Lab: Sat Nov-17-07 11:27 am

Report Date: 30-NOV-07

Project Manager: Brent Barron, II

Analysis Requested		Lab Id:	293282-025	293282-026	293282-027	293282-028	293282-029	293282-030
		Field Id:	BH-4 (20-22')	BH-5 (0-2')	BH-5 (5-7')	BH-5 (10-12')	BH-5 (15-17')	BH-5 (20-22')
		Depth:	20-22 ft	0-2 ft	5-7 ft	10-12 ft	15-17 ft	20-22 ft
		Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
		Sampled:	Nov-14-07 13:31	Nov-14-07 13:42	Nov-14-07 13:49	Nov-14-07 14:01	Nov-14-07 14:07	Nov-14-07 14:11
BTEX by EPA 8021B		Extracted:		Nov-28-07 12:27				
		Analyzed:		Nov-29-07 16:23				
		Units/RL:		mg/kg RL				
Benzene				0.0716	0.0577			
Toluene				20.43	0.2308			
Ethylbenzene				43.65	0.1154			
m,p-Xylenes				97.00	0.2308			
o-Xylene				40.97	0.1154			
Xylenes, Total				137.97				
Total BTEX				202.1216				
Percent Moisture		Extracted:						
		Analyzed:		Nov-19-07 15:00	Nov-19-07 15:00			
		Units/RL:		% RL	% RL			
Percent Moisture				13.3	1.00			
TPH by SW8015 Mod		Extracted:		Nov-20-07 14:13	Nov-20-07 14:13			
		Analyzed:		Nov-26-07 02:37	Nov-26-07 03:03			
		Units/RL:		mg/kg RL	mg/kg RL			
C6-C12 Gasoline Range Hydrocarbons				2590	86.6			
C12-C28 Diesel Range Hydrocarbons				10100	86.6			
C28-C35 Oil Range Hydrocarbons				1180	86.6			
Total TPH				13870				
Total Chloride by EPA 325.3		Extracted:						
		Analyzed:		Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00
		Units/RL:		mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride				42.5	5.00	42.5	5.00	74.4
								5.00

This analytical report, and the entire data package, it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990
Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America


Brent Barron
Odessa Laboratory Director



Certificate of Analysis Summary 293282

Ocotillo Environmental, LLC, Hobbs, NM

Project Name: Chevron Lovington Deep State

Project Id: 1007-023B

Contact: Cindy Grain

Project Location: Sec. 5, T17S, R36E, Lea Co., NM

Date Received in Lab: Sat Nov-17-07 11:27 am

Report Date: 30-NOV-07

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	Field Id:	Depth:	Matrix:	Sampled:	293282-031	293282-032	293282-033	293282-034	293282-035	293282-036
						BH-6 (0-2') SOIL Nov-14-07 14:28	BH-6 (5-7') SOIL Nov-14-07 14:31	BH-6 (10-12') SOIL Nov-14-07 14:40	BH-6 (15-17') SOIL Nov-14-07 14:44	BH-6 (20-22') SOIL Nov-14-07 14:50	BH-7 (0-2') SOIL Nov-15-07 09:25
Percent Moisture	Extracted:	Analized:	Units/RL:			% Nov-19-07 15:00 RL 11.5 1.00	% Nov-19-07 15:00 RL 4.00 1.00				% Nov-19-07 15:00 RL 11.9 1.00
TPH by SW8015 Mod	Extracted:	Analized:	Units/RL:			Nov-20-07 14:13 mg/kg RL 16.9	Nov-20-07 14:13 mg/kg RL 15.6				Nov-20-07 14:13 mg/kg RL 17.0
						Nov-26-07 03:28 mg/kg RL 86.6 16.9	Nov-26-07 03:54 mg/kg RL 17.2 16.9				Nov-26-07 04:20 mg/kg RL 17.0
Total Chloride by EPA 325.3	Extracted:	Analized:	Units/RL:			103.8	ND				ND
Chloride	Extracted:	Analized:	Units/RL:			Nov-20-07 00:00 mg/kg RL 12600 5.65	Nov-20-07 00:00 mg/kg RL 1130 5.21	Nov-20-07 00:00 mg/kg RL 42.5 5.00	Nov-20-07 00:00 mg/kg RL 42.5 5.00	Nov-20-07 00:00 mg/kg RL 234 5.00	Nov-20-07 00:00 mg/kg RL 7850 5.68

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990, Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America


Brent Barron
Odessa Laboratory Director



Certificate of Analysis Summary 293282

Ocotillo Environmental, LLC, Hobbs, NM

Project Name: Chevron Lovington Deep State

Project Id: 1007-023B

Contact: Cindy Crain

Project Location: Sec. 5, T17S, R36E, Lea Co., NM

Date Received in Lab: Sat Nov-17-07 11:27 am

Report Date: 30-NOV-07

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	293282-037	293282-038	293282-039	293282-040	293282-041	293282-042
	Field Id:	BH-7 (5-7')	BH-7 (10-12')	BH-7 (15-17')	BH-7 (20-22')	BH-7 (25-27')	BH-7 (30-32')
	Depth:	5-7 ft	10-12 ft	15-17 ft	20-22 ft	25-27 ft	30-32 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	Sampled:	Nov-15-07 09:31	Nov-15-07 09:37	Nov-15-07 09:47	Nov-15-07 09:53	Nov-15-07 10:02	Nov-15-07 10:10
Percent Moisture	Extracted:						
	Analyzed:	Nov-19-07 16:00					
	Units/RL:	% RL					
TPH by SW8015 Mod	Percent Moisture	5.47 1.00					
	Extracted:	Nov-20-07 14:13					
	Analyzed:	Nov-26-07 04:45					
	Units/RL:	mg/kg RL					
		ND 15.9					
Total Chloride by EPA 325.3	Extracted:	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00
	Analyzed:						
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
		5060 5.29	3400 5.00	213 5.00	42.5 5.00	42.5 5.00	42.5 5.00
Chloride							

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America

Brent Barron
Odessa Laboratory Director



Certificate of Analysis Summary 293282

Ocotillo Environmental, LLC, Hobbs, NM

Project Name: Chevron Lovington Deep State

Project Id: 1007-023B
 Contact: Cindy Crain
 Project Location: Sec. 5, T17S, R36E, Lea Co., NM

Date Received in Lab: Sat Nov-17-07 11:27 am
 Report Date: 30-NOV-07

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:		293282-043		293282-044		293282-045		293282-046		293282-047		293282-048	
	Field Id:	Depth:	BH-8 (0-2')		BH-8 (5-7')		BH-8 (10-12')		BH-8 (15-17')		BH-8 (20-22')		BH-8 (25-27')	
	Matrix:		SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:		Nov-15-07 10:20		Nov-15-07 10:29		Nov-15-07 10:32		Nov-15-07 10:36		Nov-15-07 10:40		Nov-15-07 10:47	
Percent Moisture	Extracted:		Nov-19-07 16:00		Nov-19-07 16:00									
	Analyzed:		%		%									
	Units/RL:		12.6 1.00		1.91 1.00									
TPH by SW8015 Mod	Extracted:		Nov-20-07 14:13		Nov-20-07 14:13									
	Analyzed:		Nov-26-07 05:11		Nov-26-07 05:36									
	Units/RL:		mg/kg RL		mg/kg RL									
C6-C12 Gasoline Range Hydrocarbons			ND 17.2		ND 15.3									
C12-C28 Diesel Range Hydrocarbons			22.2 17.2		ND 15.3									
C28-C35 Oil Range Hydrocarbons			ND 17.2		ND 15.3									
Total TPH			22.2		ND									
Total Chloride by EPA 325.3	Extracted:		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00		Nov-20-07 00:00	
	Analyzed:		mg/kg RL		mg/kg RL		mg/kg RL		mg/kg RL		mg/kg RL		mg/kg RL	
	Units/RL:		3770 5.72		304 5.10		85.1 5.00		85.1 5.00		63.8 5.00		106 5.00	
Chloride														

This analytical report and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end user of the data hereby presented. Our liability is limited to the amount advanced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America


 Brent Barron
 Odessa Laboratory Director



Certificate of Analysis Summary 293282

Ocotillo Environmental, LLC, Hobbs, NM

Project Name: Chevron Lovington Deep State

Project Id: 1007-023B

Contact: Cindy Crain

Project Location: Sec. 5, T17S, R36E, Lea Co., NM

Date Received in Lab: Sat Nov-17-07 11:27 am


Report Date: 30-NOV-07

Project Manager: Brent Barron, II

Analysis Requested		Lab Id:	293282-049	293282-050	293282-051	293282-052	293282-053	293282-054
		Field Id:	BH-9 (0-2')	BH-9 (5-7')	BH-9 (10-12')	BH-9 (15-17')	BH-9 (20-22')	BH-10 (0-2')
		Depth:	0-2 ft	5-7 ft	10-12 ft	15-17 ft	20-22 ft	0-2 ft
		Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
		Sampled:	Nov-15-07 11:00	Nov-15-07 11:06	Nov-15-07 11:15	Nov-15-07 11:20	Nov-15-07 11:25	Nov-15-07 12:04
BTEX by EPA 8021B		Extracted:	Nov-28-07 12:27	Nov-28-07 13:51				
		Analyzed:	Nov-29-07 15:33	Nov-29-07 20:24				
		Units/RL:	mg/kg RL	mg/kg RL				
			ND 0.0012	ND 0.0010				
			ND 0.0023	ND 0.0021				
			ND 0.0012	0.0042 0.0010				
			ND 0.0023	0.0058 0.0021				
			ND 0.0012	0.0191 0.0010				
			ND	0.0249				
			ND	0.0291				
Percent Moisture		Extracted:						
		Analyzed:	Nov-19-07 16:00	Nov-19-07 16:00	Nov-19-07 16:00			Nov-19-07 16:00
		Units/RL:	% RL	% RL	% RL			% RL
			14.2 1.00	4.67 1.00	3.49 1.00			5.54 1.00
TPH by SW8015 Mod		Extracted:	Nov-20-07 14:13	Nov-20-07 14:13	Nov-20-07 14:13			Nov-20-07 14:13
		Analyzed:	Nov-26-07 06:02	Nov-26-07 06:53	Nov-26-07 07:18			Nov-26-07 07:43
		Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			mg/kg RL
			162 87.4	73.7 15.7	ND 15.5			ND 15.9
			893 87.4	285 15.7	ND 15.5			ND 15.9
			185 87.4	31.4 15.7	ND 15.5			ND 15.9
		Total TPH	1240	390.1	ND			ND
Total Chloride by EPA 325.3		Extracted:						
		Analyzed:	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00
		Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
			30000 5.83	2010 5.24	176 5.18	74.4 5.00	74.4 5.00	45.0 5.29

This analytical report and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end user of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America


Brent Barron
Odessa Laboratory Director



Certificate of Analysis Summary 293282

Ocotillo Environmental, LLC, Hobbs, NM

Project Name: Chevron Lovington Deep State

Project Id: 1007-023B

Contact: Cindy Crain

Project Location: Sec. 5, T17S, R36E, Lea Co., NM

Date Received in Lab: Sat Nov-17-07 11:27 am

Report Date: 30-NOV-07

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	293282-055	293282-056	293282-057	293282-058	293282-059	293282-060
	Field Id:	BH-10 (5-7')	BH-10 (10-12')	BH-10 (15-17')	BH-11 (0-2')	BH-11 (5-7')	BH-11 (10-12')
	Depth:	5-7 ft	10-12 ft	15-17 ft	0-2 ft	5-7 ft	10-12 ft
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
Percent Moisture	Sampled:	Nov-15-07 12.12	Nov-15-07 12.19	Nov-15-07 12.24	Nov-15-07 12.31	Nov-15-07 12.35	Nov-15-07 12.40
	Extracted:						
	Analyzed:	Nov-19-07 16:00			Nov-19-07 16:00		
	Units/RL:	%	RL		%	RL	
TPH by SW8015 Mod	Units/RL:	3.39	1.00		11.0	2.98	1.00
	Extracted:	Nov-20-07 14:13			Nov-20-07 14:13		
	Analyzed:	Nov-26-07 08:09			Nov-26-07 08:36	Nov-26-07 09:02	
	Units/RL:	mg/kg	RL		mg/kg	RL	
Total Chloride by EPA 325.3	Units/RL:	ND	15.5		ND	15.5	
	Extracted:	Nov-20-07 00:00			Nov-20-07 00:00		
	Analyzed:	Nov-20-07 00:00			Nov-20-07 00:00		
	Units/RL:	mg/kg	RL		mg/kg	RL	
Chloride	Units/RL:	44.0	5.18		47.7	32.9	42.5
	Extracted:	Nov-20-07 00:00			Nov-20-07 00:00		
	Analyzed:	Nov-20-07 00:00			Nov-20-07 00:00		
	Units/RL:	mg/kg	RL		mg/kg	RL	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end user of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America


Brent Barron
Odessa Laboratory Director

Project Name: Chevron Lovington Deep State

Project Location: Sec. 5, T17S, R36E, Lea Co., NM

Report Date: 30-NOV-07

Project Manager: Brent Barron, II

Analysis Requested		Lab Id:	293282-061	293282-062	293282-063	293282-064	293282-065	293282-066
		Field Id:	BH-11 (15-17')	BH-12 (0-2')	BH-12 (5-7')	BH-12 (10-12')	BH-12 (15-17')	BH-13 (0-2')
		Depth:	15-17 ft	0-2 ft	5-7 ft	10-12 ft	15-17 ft	0-2 ft
		Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
		Sampled:	Nov-15-07 12:46	Nov-15-07 12:56	Nov-15-07 13:00	Nov-15-07 13:10	Nov-15-07 13:14	Nov-15-07 13:18
Percent Moisture		Extracted:						
		Analyzed:		Nov-19-07 16:00	Nov-19-07 16:00			Nov-19-07 16:00
		Units/RL:		% RL	% RL			% RL
Percent Moisture				5.44 1.00	6.92 1.00			3.52 1.00
TPH by SW8015 Mod		Extracted:		Nov-20-07 14:13	Nov-20-07 14:13			Nov-20-07 14:13
		Analyzed:		Nov-26-07 09:30	Nov-26-07 09:58			Nov-26-07 10:29
		Units/RL:		mg/kg RL	mg/kg RL			mg/kg RL
C6-C12 Gasoline Range Hydrocarbons				ND 15.9	ND 16.1			ND 15.5
C12-C28 Diesel Range Hydrocarbons				48.9 15.9	32.7 16.1			38.5 15.5
C28-C35 Oil Range Hydrocarbons				ND 15.9	ND 16.1			ND 15.5
Total TPH				48.9	32.7			38.5
Total Chloride by EPA 325.3		Extracted:						
		Analyzed:	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00
		Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride			31.9 5.00	33.7 5.29	45.7 5.37	63.8 5.00	42.5 5.00	33.1 5.18

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990
Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America


Brent Barron
Odessa Laboratory Director



Certificate of Analysis Summary 293282

Ocofello Environmental, LLC, Hobbs, NM

Project Name: Chevron Lovington Deep State

Project Id: 1007-023B

Contact: Cindy Crain

Project Location: Sec. 5, T17S, R36E, Lea Co., NM

Date Received in Lab: Sat Nov-17-07 11:27 am

Report Date: 30-NOV-07

Project Manager: Brent Barron, II

Analysis Requested	Lab Id:	293282-067	293282-068	293282-069	
	Field Id:	BH-13 (5-7')	BH-13 (10-12')	BH-13 (15-17')	
	Depth:	5-7 ft	10-12 ft	15-17 ft	
	Matrix:	SOIL	SOIL	SOIL	
Percent Moisture	Sampled:	Nov-15-07 13:22	Nov-15-07 13:28	Nov-15-07 13:35	
	Extracted:				
	Analyzed:	Nov-19-07 16:00			
	Units/RL:	% RL			
TPH by SW8015 Mod		1.32 1.00			
	Extracted:	Nov-20-07 14:13			
	Analyzed:	Nov-26-07 10:59			
	Units/RL:	mg/kg RL			
C6-C12 Gasoline Range Hydrocarbons		ND 15.2			
		ND 15.2			
		ND 15.2			
		ND			
C12-C28 Diesel Range Hydrocarbons		ND 15.2			
		ND 15.2			
		ND 15.2			
		ND			
C28-C35 Oil Range Hydrocarbons		ND			
		ND			
		ND			
		ND			
Total Chloride by EPA 325.3	Extracted:				
	Analyzed:	Nov-20-07 00:00	Nov-20-07 00:00	Nov-20-07 00:00	
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	
		86.2 5.07	42.5 5.00	53.2 5.00	
Chloride					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Since 1990 Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America


Brent Barron
Odessa Laboratory Director



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to effect the recovery of the spike concentration. This condition could also effect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the MQL and above the SQL.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- * Outside XENCO'S scope of NELAC Accreditation**

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Austin - Tampa - Miami - Latin America

11381 Meadowglen Lane Suite L Houston, Tx 77082-2647
 9701 Harry Hines Blvd , Dallas, TX 75220
 5332 Blackberry Drive, Suite 104, San Antonio, TX 78238
 2505 N. Falkenburg Rd., Tampa, FL 33619
 5757 NW 158th St, Miami Lakes, FL 33014

Phone	Fax
(281) 589-0692	(281) 589-0695
(214) 902 0300	(214) 351-9139
(210) 509-3334	(201) 509-3335
(813) 620-2000	(813) 620-2033
(305) 823-8500	(305) 823-8555



Form 2 - Surrogate Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282
Project ID: 1007-023B
Lab Batch #: 709436
Sample: 293282-009 / SMP
Batch: 1 Matrix: Soil
Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0325	0.0300	108	80-120	
4-Bromofluorobenzene	0.0355	0.0300	118	80-120	

Lab Batch #: 709436
Sample: 293282-050 / SMP
Batch: 1 Matrix: Soil
Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0355	0.0300	118	80-120	
4-Bromofluorobenzene	0.0327	0.0300	109	80-120	

Lab Batch #: 709436
Sample: 501986-1-BKS / BKS
Batch: 1 Matrix: Solid
Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0329	0.0300	110	80-120	
4-Bromofluorobenzene	0.0310	0.0300	103	80-120	

Lab Batch #: 709436
Sample: 501986-1-BLK / BLK
Batch: 1 Matrix: Solid
Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0352	0.0300	117	80-120	
4-Bromofluorobenzene	0.0291	0.0300	97	80-120	

Lab Batch #: 709436
Sample: 501986-1-BSD / BSD
Batch: 1 Matrix: Solid
Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0327	0.0300	109	80-120	
4-Bromofluorobenzene	0.0316	0.0300	105	80-120	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = 100 * A / B

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Project ID: 1007-023B

Lab Batch #: 709491

Sample: 293282-001 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.3434	0.0300	1145	80-120	**
4-Bromofluorobenzene	0.0383	0.0300	128	80-120	**

Lab Batch #: 709491

Sample: 293282-008 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.2682	0.0300	894	80-120	**
4-Bromofluorobenzene	0.0399	0.0300	133	80-120	**

Lab Batch #: 709491

Sample: 293282-026 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0396	0.0300	132	80-120	**
4-Bromofluorobenzene	0.0664	0.0300	221	80-120	**

Lab Batch #: 709491

Sample: 293282-049 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0356	0.0300	119	80-120	
4-Bromofluorobenzene	0.0336	0.0300	112	80-120	

Lab Batch #: 709491

Sample: 502014-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0324	0.0300	108	80-120	
4-Bromofluorobenzene	0.0413	0.0300	138	80-120	*

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Project ID: 1007-023B

Lab Batch #: 709491

Sample: 502014-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0350	0.0300	117	80-120	
4-Bromofluorobenzene	0.0283	0.0300	94	80-120	

Lab Batch #: 709491

Sample: 502014-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY

BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1,4-Difluorobenzene	0.0326	0.0300	109	80-120	
4-Bromofluorobenzene	0.0335	0.0300	112	80-120	

Lab Batch #: 709244

Sample: 293280-001 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	119	100	119	70-135	
o-Terphenyl	53.8	50.0	108	70-135	

Lab Batch #: 709244

Sample: 293280-001 SD / MSD

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	116	100	116	70-135	
o-Terphenyl	55.2	50.0	110	70-135	

Lab Batch #: 709244

Sample: 293282-001 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	148	100	148	70-135	**
o-Terphenyl	123	50.0	246	70-135	**

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Project ID: 1007-023B

Lab Batch #: 709244

Sample: 293282-002 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	99.0	100	99	70-135	
o-Terphenyl	51.3	50.0	103	70-135	

Lab Batch #: 709244

Sample: 293282-003 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	125	100	125	70-135	
o-Terphenyl	64.8	50.0	130	70-135	

Lab Batch #: 709244

Sample: 293282-008 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	166	100	166	70-135	**
o-Terphenyl	105	50.0	210	70-135	**

Lab Batch #: 709244

Sample: 293282-009 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	101	100	101	70-135	
o-Terphenyl	51.5	50.0	103	70-135	

Lab Batch #: 709244

Sample: 293282-010 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	97.2	100	97	70-135	
o-Terphenyl	49.8	50.0	100	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 \times A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Project ID: 1007-023B

Lab Batch #: 709244

Sample: 293282-015 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	104	100	104	70-135	
o-Terphenyl	52.6	50.0	105	70-135	

Lab Batch #: 709244

Sample: 293282-016 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	103	100	103	70-135	
o-Terphenyl	52.2	50.0	104	70-135	

Lab Batch #: 709244

Sample: 293282-021 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	98.0	100	98	70-135	
o-Terphenyl	50.1	50.0	100	70-135	

Lab Batch #: 709244

Sample: 293282-022 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	96.6	100	97	70-135	
o-Terphenyl	47.6	50.0	95	70-135	

Lab Batch #: 709244

Sample: 501860-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	107	100	107	70-135	
o-Terphenyl	52.2	50.0	104	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Project ID: 1007-023B

Lab Batch #: 709244

Sample: 501860-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	101	100	101	70-135	
o-Terphenyl	51.0	50.0	102	70-135	

Lab Batch #: 709244

Sample: 501860-1-BSD / BSD

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	113	100	113	70-135	
o-Terphenyl	49.8	50.0	100	70-135	

Lab Batch #: 709250

Sample: 293282-026 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	159	100	159	70-135	**
o-Terphenyl	114	50.0	228	70-135	**

Lab Batch #: 709250

Sample: 293282-027 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	101	100	101	70-135	
o-Terphenyl	53.9	50.0	108	70-135	

Lab Batch #: 709250

Sample: 293282-031 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	100	100	100	70-135	
o-Terphenyl	51.6	50.0	103	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Project ID: 1007-023B

Lab Batch #: 709250

Sample: 293282-031 S / MS

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	99.2	100	99	70-135	
o-Terphenyl	48.1	50.0	96	70-135	

Lab Batch #: 709250

Sample: 293282-031 SD / MSD

Batch: 1 Matrix: Sludge

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	102	100	102	70-135	
o-Terphenyl	49.6	50.0	99	70-135	

Lab Batch #: 709250

Sample: 293282-032 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	101	100	101	70-135	
o-Terphenyl	51.9	50.0	104	70-135	

Lab Batch #: 709250

Sample: 293282-036 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	102	100	102	70-135	
o-Terphenyl	52.7	50.0	105	70-135	

Lab Batch #: 709250

Sample: 293282-037 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	96.7	100	97	70-135	
o-Terphenyl	49.4	50.0	99	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Project ID: 1007-023B

Lab Batch #: 709250

Sample: 293282-043 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	96.4	100	96	70-135	
o-Terphenyl	49.7	50.0	99	70-135	

Lab Batch #: 709250

Sample: 293282-044 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	88.9	100	89	70-135	
o-Terphenyl	45.8	50.0	92	70-135	

Lab Batch #: 709250

Sample: 293282-049 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	94.8	100	95	70-135	
o-Terphenyl	57.4	50.0	115	70-135	

Lab Batch #: 709250

Sample: 293282-050 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	94.3	100	94	70-135	
o-Terphenyl	48.8	50.0	98	70-135	

Lab Batch #: 709250

Sample: 293282-051 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	95.6	100	96	70-135	
o-Terphenyl	48.5	50.0	97	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Project ID: 1007-023B

Lab Batch #: 709250

Sample: 293282-054 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	97.1	100	97	70-135	
o-Terphenyl	49.5	50.0	99	70-135	

Lab Batch #: 709250

Sample: 293282-055 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	89.8	100	90	70-135	
o-Terphenyl	45.7	50.0	91	70-135	

Lab Batch #: 709250

Sample: 293282-058 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	85.8	100	86	70-135	
o-Terphenyl	44.7	50.0	89	70-135	

Lab Batch #: 709250

Sample: 293282-059 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	89.5	100	90	70-135	
o-Terphenyl	45.5	50.0	91	70-135	

Lab Batch #: 709250

Sample: 293282-062 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	92.6	100	93	70-135	
o-Terphenyl	47.0	50.0	94	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Form 2 - Surrogate Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Project ID: 1007-023B

Lab Batch #: 709250

Sample: 293282-063 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	88.6	100	89	70-135	
o-Terphenyl	45.7	50.0	91	70-135	

Lab Batch #: 709250

Sample: 293282-066 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	85.4	100	85	70-135	
o-Terphenyl	43.1	50.0	86	70-135	

Lab Batch #: 709250

Sample: 293282-067 / SMP

Batch: 1 Matrix: Soil

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	82.5	100	83	70-135	
o-Terphenyl	40.6	50.0	81	70-135	

Lab Batch #: 709250

Sample: 501858-1-BKS / BKS

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	119	100	119	70-135	
o-Terphenyl	54.5	50.0	109	70-135	

Lab Batch #: 709250

Sample: 501858-1-BLK / BLK

Batch: 1 Matrix: Solid

Units: mg/kg

SURROGATE RECOVERY STUDY					
TPH by SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
Analytes					
1-Chlorooctane	103	100	103	70-135	
o-Terphenyl	53.2	50.0	106	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.

**Form 2 - Surrogate Recoveries****Project Name: Chevron Lovington Deep State****Work Order #: 293282****Project ID: 1007-023B****Lab Batch #: 709250****Sample: 501858-1-BSD / BSD****Batch: 1 Matrix: Solid****Units: mg/kg****SURROGATE RECOVERY STUDY**

TPH by SW8015 Mod Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	106	100	106	70-135	
o-Terphenyl	51.7	50.0	103	70-135	

** Surrogates outside limits; data and surrogates confirmed by reanalysis

*** Poor recoveries due to dilution

Surrogate Recovery [D] = $100 * A / B$

All results are based on MDL and validated for QC purposes.



Blank Spike Recovery

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Project ID:

1007-023B

Lab Batch #: 708892

Sample: 708892-1-BKS

Matrix: Solid

Date Analyzed: 11/20/2007

Date Prepared: 11/20/2007

Analyst: IRO

Reporting Units: mg/kg

Batch #: 1

BLANK /BLANK SPIKE RECOVERY STUDY

Total Chloride by EPA 325.3	Blank Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Control Limits %R	Flags
Analytes						
Chloride	ND	100	93.6	94	75-125	

Lab Batch #: 708894

Sample: 708894-1-BKS

Matrix: Solid

Date Analyzed: 11/20/2007

Date Prepared: 11/20/2007

Analyst: LATCOR

Reporting Units: mg/kg

Batch #: 1

BLANK /BLANK SPIKE RECOVERY STUDY

Total Chloride by EPA 325.3	Blank Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Control Limits %R	Flags
Analytes						
Chloride	ND	100	95.7	96	75-125	

Lab Batch #: 708897

Sample: 708897-1-BKS

Matrix: Solid

Date Analyzed: 11/20/2007

Date Prepared: 11/20/2007

Analyst: LATCOR

Reporting Units: mg/kg

Batch #: 1

BLANK /BLANK SPIKE RECOVERY STUDY

Total Chloride by EPA 325.3	Blank Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Control Limits %R	Flags
Analytes						
Chloride	ND	100	93.6	94	75-125	

Lab Batch #: 708898

Sample: 708898-1-BKS

Matrix: Solid

Date Analyzed: 11/20/2007

Date Prepared: 11/20/2007

Analyst: LATCOR

Reporting Units: mg/kg

Batch #: 1

BLANK /BLANK SPIKE RECOVERY STUDY

Total Chloride by EPA 325.3	Blank Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Control Limits %R	Flags
Analytes						
Chloride	ND	100	93.6	94	75-125	

Blank Spike Recovery [D] = 100*[C]/[B]

All results are based on MDL and validated for QC purposes.



BS / BSD Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Analyst: SHE

Lab Batch ID: 709436

Sample: 501986-1-BKS

Units: mg/kg

Date Prepared: 11/28/2007

Batch #: 1

Project ID: 1007-023B

Date Analyzed: 11/28/2007

Matrix: Solid

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY													
Units: mg/kg													
Analytes	BTEX by EPA 8021B		Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
	Benzene		ND	0.1000	0.1094	109	0.1	0.1088	109	1	70-130	35	
	Toluene		ND	0.1000	0.1083	108	0.1	0.1090	109	1	70-130	35	
	Ethylbenzene		ND	0.1000	0.1094	109	0.1	0.1125	113	3	71-129	35	
	m,p-Xylenes		ND	0.2000	0.2144	107	0.2	0.2208	110	3	70-135	35	
	o-Xylene		ND	0.1000	0.1084	108	0.1	0.1122	112	3	71-133	35	

Date Prepared: 11/28/2007

Batch #: 1

Date Analyzed: 11/29/2007

Matrix: Solid

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY												
BTEX by EPA 8021B		Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes												
Benzene		ND	0.1000	0.1039	104	0.1	0.1056	106	2	70-130	35	
Toluene		ND	0.1000	0.1056	106	0.1	0.1079	108	2	70-130	35	
Ethylbenzene		ND	0.1000	0.1165	117	0.1	0.1172	117	1	71-129	35	
m,p-Xylenes		ND	0.2000	0.2323	116	0.2	0.2312	116	0	70-135	35	
o-Xylene		ND	0.1000	0.1178	118	0.1	0.1166	117	1	71-133	35	

Relative Percent Difference $RPD = 200 * |(D-F)/(D+F)|$

Blank Spike Recovery $[D] = 100 * (C)/[B]$

Blank Spike Duplicate Recovery $[G] = 100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



BS / BSD Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Analyst: SHE

Lab Batch ID: 709250

Sample: 501858-1-BKS

Date Prepared: 11/20/2007

Batch #: 1

Project ID: 1007-023B

Date Analyzed: 11/26/2007

Matrix: Solid

Units: mg/kg

BLANK/BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY											
Units: mg/kg	TPH by SW8015 Mod										
	Analytes										
	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
C6-C12 Gasoline Range Hydrocarbons	ND	1000	927	93	1000	950	95	2	70-135	35	
C12-C28 Diesel Range Hydrocarbons	ND	1000	876	88	1000	879	88	0	70-135	35	

Analyst: SHE

Lab Batch ID: 709244

Sample: 501860-1-BKS

Date Prepared: 11/20/2007

Batch #: 1

Date Analyzed: 11/25/2007

Matrix: Solid

Units: mg/kg

BLANK/BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY												
Units: mg/kg	TPH by SW8015 Mod	Analytes	Blank Sample Result	Spike Added	Blank Spike Result	Blank Spike %R	Spike Added	Blank Spike Duplicate Result	Blk. Spk Dup. %R	RPD %	Control Limits	Flag
			[A]	[B]	[C]	[D]	[E]	[F]	[G]	%R	%RPD	
		C6-C12 Gasoline Range Hydrocarbons	ND	1000	929	93	1000	911	91	2	70-135	35
		C12-C28 Diesel Range Hydrocarbons	ND	1000	814	81	1000	827	83	2	70-135	35

Relative Percent Difference RPD = $200 * [(D-F)/(D+F)]$

Blank Spike Recovery [D] = $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Lab Batch ID: 709244

Date Analyzed: 11/25/2007

Reporting Units: mg/kg

Project ID: 1007-023B

QC- Sample ID: 293280-001 S

Date Prepared: 11/20/2007

Batch #: 1 Matrix: Soil

Analyst: SHE

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY												
Reporting Units: mg/kg	TPH by SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
	C6-C12 Gasoline Range Hydrocarbons	ND	1110	1070	96	1110	1140	103	7	70-135	35	
	C12-C28 Diesel Range Hydrocarbons	ND	1110	1010	91	1110	1080	97	6	70-135	35	

Lab Batch ID: 709250

Date Analyzed: 11/26/2007

Reporting Units: mg/kg

QC- Sample ID: 293282-031 S

Date Prepared: 11/20/2007

Batch #: 1 Matrix: Soil

Analyst: SHE

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY												
Reporting Units: mg/kg	TPH by SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
	C6-C12 Gasoline Range Hydrocarbons	ND	1130	1000	88	1130	1040	92	4	70-135	35	
	C12-C28 Diesel Range Hydrocarbons	86.6	1130	949	76	1130	963	78	3	70-135	35	

Lab Batch ID: 708892

Date Analyzed: 11/20/2007

Reporting Units: mg/kg

QC- Sample ID: 293280-017 S

Date Prepared: 11/20/2007

Batch #: 1 Matrix: Soil

Analyst: IRO

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY											
Reporting Units: mg/kg											
	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Total Chloride by EPA 325.3											
Analytes											
Chloride	128	1000	1060	93	1000	1110	98	5	75-125	30	

Matrix Spike Percent Recovery [D] = 100*(C-A)/B

Relative Percent Difference RPD = 200*(D-G)/(D-G)

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not

ApplicableN = See Narrative, EQL = Estimated Quantitation Limit

Matrix Spike Duplicate Percent Recovery [G] = 100*(F-A)/E



Form 3 - MS / MSD Recoveries

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Lab Batch ID: 708894

Date Analyzed: 11/20/2007

Reporting Units: mg/kg

Project ID: 1007-023B

QC- Sample ID: 293282-016 S Batch #: 1 Matrix: Soil

Date Prepared: 11/20/2007 Analyst: LATCOR

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY											
Reporting Units: mg/kg											
Total Chloride by EPA 325.3	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spiked Sample Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	6080	10600	16000	94	10600	15300	87	8	75-125	30	

Lab Batch ID: 708897

Date Analyzed: 11/20/2007

Reporting Units: mg/kg

QC- Sample ID: 293282-037 S Batch #: 1 Matrix: Soil

Date Prepared: 11/20/2007 Analyst: LATCOR

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY											
Reporting Units: mg/kg											
	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Total Chloride by EPA 325.3											
Analytes											
Chloride	5060	10600	16200	105	10600	15600	99	6	75-125	30	

Lab Batch ID: 708898

Date Analyzed: 11/20/2007

Reporting Units: mg/kg

QC- Sample ID: 293282-059 S Batch #: 1 Matrix: Soil

Date Prepared: 11/20/2007 Analyst: LATCOR

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY												
Total Chloride by EPA 325.3		Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes												
Chloride		32.9	1030	1040	98	1030	1060	100	2	75-125	30	

Matrix Spike Percent Recovery $[D] = 100 \times (C-A)/B$
Relative Percent Difference $RPD = 200 \times (D-G)/(D+G)$

Matrix Spike Duplicate Percent Recovery $[G] = 100 \times (F-A)/E$

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable
N = See Narrative, EQL = Estimated Quantitation Limit



Sample Duplicate Recovery

Project Name: Chevron Lovington Deep State

Work Order #: 293282

Lab Batch #: 708848

Date Analyzed: 11/19/2007

QC- Sample ID: 293280-022 D

Reporting Units: %

Project ID: 1007-023B

Analyst: RBA

Date Prepared: 11/19/2007

Batch #: 1

Matrix: Soil

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Percent Moisture	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Percent Moisture	2.62	2.99	13	20	

Lab Batch #: 708850

Date Analyzed: 11/19/2007

QC- Sample ID: 293282-037 D

Reporting Units: %

Date Prepared: 11/19/2007

Analyst: RBA

Batch #: 1

Matrix: Soil

SAMPLE / SAMPLE DUPLICATE RECOVERY					
Percent Moisture	Parent Sample Result [A]	Sample Duplicate Result [B]	RPD	Control Limits %RPD	Flag
Analyte					
Percent Moisture	5.47	5.79	6	20	

Spike Relative Difference RPD $200 * |(B-A)/(B+A)|$

All Results are based on MDL and validated for QC purposes.

Page 3 of 7

Environmental Lab of Texas

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

12600 West I-20 East
Odessa, Texas 79765
Phone: 432-563-1800
Fax: 432-563-1713

Project Manager: Cindy Crain
Company Name: Odell Environmental LLC
Company Address: PO Box 1818
City/State/Zip: Hobbs, NM 88241
Telephone No.: (505) 441-7244
Fax No.: (505) 441-7244
Sampler Signature: *Cindy Crain*
e-mail: cindy.crain@gmail.com
Report Format: ☒ Standard ☐ TRRP ☐ NPDES
Project Name: Chevron Livingston Deep State
Project #: 1007-023B
Project Loc: Sec 5, T17S, R38E, Lot Co., NM
PO #: _____

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Preservation & # of Containers										Matrix	Analyze For	Standard TAT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
							None	Na ₂ SO ₃	NaOH	H ₂ SO ₄	HCl	HNO ₃	Ice	Other (Specify)	DM-Drinking Water St-Badge	GW-Gravimetric St-Badge				Non-Hazardous Specimen	TPH 418.1	TPH 1006	TPH 1008	TPH 1009	TPH 1010	TPH 1011	TPH 1012	TPH 1013	TPH 1014	TPH 1015	TPH 1016	TPH 1017	TPH 1018	TPH 1019	TPH 1020	TPH 1021	TPH 1022	TPH 1023	TPH 1024	TPH 1025	TPH 1026	TPH 1027	TPH 1028	TPH 1029	TPH 1030	TPH 1031	TPH 1032	TPH 1033	TPH 1034	TPH 1035	TPH 1036	TPH 1037	TPH 1038	TPH 1039	TPH 1040	TPH 1041	TPH 1042	TPH 1043	TPH 1044	TPH 1045	TPH 1046	TPH 1047	TPH 1048	TPH 1049	TPH 1050	TPH 1051	TPH 1052	TPH 1053	TPH 1054	TPH 1055	TPH 1056	TPH 1057	TPH 1058	TPH 1059	TPH 1060	TPH 1061	TPH 1062	TPH 1063	TPH 1064	TPH 1065	TPH 1066	TPH 1067	TPH 1068	TPH 1069	TPH 1070	TPH 1071	TPH 1072	TPH 1073	TPH 1074	TPH 1075	TPH 1076	TPH 1077	TPH 1078	TPH 1079	TPH 1080	TPH 1081	TPH 1082	TPH 1083	TPH 1084	TPH 1085	TPH 1086	TPH 1087	TPH 1088	TPH 1089	TPH 1090	TPH 1091	TPH 1092	TPH 1093	TPH 1094	TPH 1095	TPH 1096	TPH 1097	TPH 1098	TPH 1099	TPH 1100	TPH 1101	TPH 1102	TPH 1103	TPH 1104	TPH 1105	TPH 1106	TPH 1107	TPH 1108	TPH 1109	TPH 1110	TPH 1111	TPH 1112	TPH 1113	TPH 1114	TPH 1115	TPH 1116	TPH 1117	TPH 1118	TPH 1119	TPH 1120	TPH 1121	TPH 1122	TPH 1123	TPH 1124	TPH 1125	TPH 1126	TPH 1127	TPH 1128	TPH 1129	TPH 1130	TPH 1131	TPH 1132	TPH 1133	TPH 1134	TPH 1135	TPH 1136	TPH 1137	TPH 1138	TPH 1139	TPH 1140	TPH 1141	TPH 1142	TPH 1143	TPH 1144	TPH 1145	TPH 1146	TPH 1147	TPH 1148	TPH 1149	TPH 1150	TPH 1151	TPH 1152	TPH 1153	TPH 1154	TPH 1155	TPH 1156	TPH 1157	TPH 1158	TPH 1159	TPH 1160	TPH 1161	TPH 1162	TPH 1163	TPH 1164	TPH 1165	TPH 1166	TPH 1167	TPH 1168	TPH 1169	TPH 1170	TPH 1171	TPH 1172	TPH 1173	TPH 1174	TPH 1175	TPH 1176	TPH 1177	TPH 1178	TPH 1179	TPH 1180	TPH 1181	TPH 1182	TPH 1183	TPH 1184	TPH 1185	TPH 1186	TPH 1187	TPH 1188	TPH 1189	TPH 1190	TPH 1191	TPH 1192	TPH 1193	TPH 1194	TPH 1195	TPH 1196	TPH 1197	TPH 1198	TPH 1199	TPH 1200	TPH 1201	TPH 1202	TPH 1203	TPH 1204	TPH 1205	TPH 1206	TPH 1207	TPH 1208	TPH 1209	TPH 1210	TPH 1211	TPH 1212	TPH 1213	TPH 1214	TPH 1215	TPH 1216	TPH 1217	TPH 1218	TPH 1219	TPH 1220	TPH 1221	TPH 1222	TPH 1223	TPH 1224	TPH 1225	TPH 1226	TPH 1227	TPH 1228	TPH 1229	TPH 1230	TPH 1231	TPH 1232	TPH 1233	TPH 1234	TPH 1235	TPH 1236	TPH 1237	TPH 1238	TPH 1239	TPH 1240	TPH 1241	TPH 1242	TPH 1243	TPH 1244	TPH 1245	TPH 1246	TPH 1247	TPH 1248	TPH 1249	TPH 1250	TPH 1251	TPH 1252	TPH 1253	TPH 1254	TPH 1255	TPH 1256	TPH 1257	TPH 1258	TPH 1259	TPH 1260	TPH 1261	TPH 1262	TPH 1263	TPH 1264	TPH 1265	TPH 1266	TPH 1267	TPH 1268	TPH 1269	TPH 1270	TPH 1271	TPH 1272	TPH 1273	TPH 1274	TPH 1275	TPH 1276	TPH 1277	TPH 1278	TPH 1279	TPH 1280	TPH 1281	TPH 1282	TPH 1283	TPH 1284	TPH 1285	TPH 1286	TPH 1287	TPH 1288	TPH 1289	TPH 1290	TPH 1291	TPH 1292	TPH 1293	TPH 1294	TPH 1295	TPH 1296	TPH 1297	TPH 1298	TPH 1299	TPH 1300	TPH 1301	TPH 1302	TPH 1303	TPH 1304	TPH 1305	TPH 1306	TPH 1307	TPH 1308	TPH 1309	TPH 1310	TPH 1311	TPH 1312	TPH 1313	TPH 1314	TPH 1315	TPH 1316	TPH 1317	TPH 1318	TPH 1319	TPH 1320	TPH 1321	TPH 1322	TPH 1323	TPH 1324	TPH 1325	TPH 1326	TPH 1327	TPH 1328	TPH 1329	TPH 1330	TPH 1331	TPH 1332	TPH 1333	TPH 1334	TPH 1335	TPH 1336	TPH 1337	TPH 1338	TPH 1339	TPH 1340	TPH 1341	TPH 1342	TPH 1343	TPH 1344	TPH 1345	TPH 1346	TPH 1347	TPH 1348	TPH 1349	TPH 1350	TPH 1351	TPH 1352	TPH 1353	TPH 1354	TPH 1355	TPH 1356	TPH 1357	TPH 1358	TPH 1359	TPH 1360	TPH 1361	TPH 1362	TPH 1363	TPH 1364	TPH 1365	TPH 1366	TPH 1367	TPH 1368	TPH 1369	TPH 1370	TPH 1371	TPH 1372	TPH 1373	TPH 1374	TPH 1375	TPH 1376	TPH 1377	TPH 1378	TPH 1379	TPH 1380	TPH 1381	TPH 1382	TPH 1383	TPH 1384	TPH 1385	TPH 1386	TPH 1387	TPH 1388	TPH 1389	TPH 1390	TPH 1391	TPH 1392	TPH 1393	TPH 1394	TPH 1395	TPH 1396	TPH 1397	TPH 1398	TPH 1399	TPH 1400	TPH 1401	TPH 1402	TPH 1403	TPH 1404	TPH 1405	TPH 1406	TPH 1407	TPH 1408	TPH 1409	TPH 1410	TPH 1411	TPH 1412	TPH 1413	TPH 1414	TPH 1415	TPH 1416	TPH 1417	TPH 1418	TPH 1419	TPH 1420	TPH 1421	TPH 1422	TPH 1423	TPH 1424	TPH 1425	TPH 1426	TPH 1427	TPH 1428	TPH 1429	TPH 1430	TPH 1431	TPH 1432	TPH 1433	TPH 1434	TPH 1435	TPH 1436	TPH 1437	TPH 1438	TPH 1439	TPH 1440	TPH 1441	TPH 1442	TPH 1443	TPH 1444	TPH 1445	TPH 1446	TPH 1447	TPH 1448	TPH 1449	TPH 1450	TPH 1451	TPH 1452	TPH 1453	TPH 1454	TPH 1455	TPH 1456	TPH 1457	TPH 1458	TPH 1459	TPH 1460	TPH 1461	TPH 1462	TPH 1463	TPH 1464	TPH 1465	TPH 1466	TPH 1467	TPH 1468	TPH 1469	TPH 1470	TPH 1471	TPH 1472	TPH 1473	TPH 1474	TPH 1475	TPH 1476	TPH 1477	TPH 1478	TPH 1479	TPH 1480	TPH 1481	TPH 1482	TPH 1483	TPH 1484	TPH 1485	TPH 1486	TPH 1487	TPH 1488	TPH 1489	TPH 1490	TPH 1491	TPH 1492	TPH 1493	TPH 1494	TPH 1495	TPH 1496	TPH 1497	TPH 1498	TPH 1499	TPH 1500	TPH 1501	TPH 1502	TPH 1503	TPH 1504	TPH 1505	TPH 1506	TPH 1507	TPH 1508	TPH 1509	TPH 1510	TPH 1511	TPH 1512	TPH 1513	TPH 1514	TPH 1515	TPH 1516	TPH 1517	TPH 1518	TPH 1519	TPH 1520	TPH 1521	TPH 1522	TPH 1523	TPH 1524	TPH 1525	TPH 1526	TPH 1527	TPH 1528	TPH 1529	TPH 1530	TPH 1531	TPH 1532	TPH 1533	TPH 1534	TPH 1535	TPH 1536	TPH 1537	TPH 1538	TPH 1539	TPH 1540	TPH 1541	TPH 1542	TPH 1543	TPH 1544	TPH 1545	TPH 1546	TPH 1547	TPH 1548	TPH 1549	TPH 1550	TPH 1551	TPH 1552	TPH 1553	TPH 1554	TPH 1555	TPH 1556	TPH 1557	TPH 1558	TPH 1559	TPH 1560	TPH 1561	TPH 1562	TPH 1563	TPH 1564	TPH 1565	TPH 1566	TPH 1567	TPH 1568	TPH 1569	TPH 1570	TPH 1571	TPH 1572	TPH 1573	TPH 1574	TPH 1575	TPH 1576	TPH 1577	TPH 1578	TPH 1579	TPH 1580	TPH 1581	TPH 1582	TPH 1583	TPH 1584	TPH 1585	TPH 1586	TPH 1587	TPH 1588	TPH 1589	TPH 1590	TPH 1591	TPH 1592	TPH 1593	TPH 1594	TPH 1595	TPH 1596	TPH 1597	TPH 1598	TPH 1599	TPH 1600	TPH 1601	TPH 1602	TPH 1603	TPH 1604	TPH 1605	TPH 1606	TPH 1607	TPH 1608	TPH 1609	TPH 1610	TPH 1611	TPH 1612	TPH 1613	TPH 1614	TPH 1615	TPH 1616	TPH 1617	TPH 1618	TPH 1619	TPH 1620	TPH 1621	TPH 1622	TPH 1623	TPH 1624	TPH 1625	TPH 1626	TPH 1627	TPH 1628	TPH 1629	TPH 1630	TPH 1631	TPH 1632	TPH 1633	TPH 1634	TPH 1635	TPH 1636	TPH 1637	TPH 1638	TPH 1639	TPH 1640	TPH 1641	TPH 1642	TPH 1643	TPH 1644	TPH 1645	TPH 1646	TPH 1647	TPH 1648	TPH 1649	TPH 1650	TPH 1651	TPH 1652	TPH 1653	TPH 1654	TPH 1655	TPH 1656	TPH 1657	TPH 1658	TPH 1659	TPH 1660	TPH 1661	TPH 1662	TPH 1663	TPH 1664	TPH 1665	TPH 1666	TPH 1667	TPH 1668	TPH 1669	TPH 1670	TPH 1671	TPH 1672	TPH 1673	TPH 1674	TPH 1675	TPH 1676	TPH 1677	TPH 1678	TPH 1679	TPH 1680	TPH 1681	TPH 1682	TPH 1683	TPH 1684	TPH 1685	TPH 1686	TPH 1687	TPH 1688	TPH 1689	TPH 1690	TPH 1691	TPH 1692	TPH 1693	TPH 1694	TPH 1695	TPH 1696	TPH 1697	TPH 1698	TPH 1699	TPH 1700	TPH 1701	TPH 1702	TPH 1703	TPH 1704	TPH 1705	TPH 1706	TPH 1707	TPH 1708	TPH 1709	TPH 1710	TPH 1711	TPH 1712	TPH 1713	TPH 1714	TPH 1715	TPH 1716	TPH 1717	TPH 1718	TPH 1719	TPH 1720	TPH 1721	TPH 1722	TPH 1723	TPH 1724	TPH 1725	TPH 1726	TPH 1727	TPH 1728	TPH 1729	TPH 1730	TPH 1731	TPH 1732	TPH 1733	TPH 1734	TPH 1735	TPH 1736	TPH 1737	TPH 1738	TPH 1739	TPH 1740	TPH 1741	TPH 1742	TPH 1743	TPH 1744	TPH 1745	TPH 1746	TPH 1747	TPH 1748	TPH 1749	TPH 1750	TPH 1751	TPH 1752	TPH 1753	TPH 1754	TPH 1755	TPH 1756	TPH 1757	TPH 1758	TPH 1759	TPH 1760	TPH 1761	TPH 1762	TPH 1763	TPH 1764	TPH 1765	TPH 1766	TPH 1767	TPH 1768	TPH 1769	TPH 1770	TPH 1771	TPH 1772	TPH 1773	TPH 1774	TPH 1775	TPH 1776	TPH 1777	TPH 1778	TPH 1779	TPH 1780	TPH 1781	TPH 1782	TPH 1783	TPH 1784	TPH 1785	TPH 1786	TPH 1787	TPH 1788	TPH 1789	TPH 1790	TPH 1791	TPH 1792	TPH 1793	TPH 1794	TPH 1795	TPH 1796	TPH 1797	TPH 1798	TPH 1799	TPH 1800	TPH 1801	TPH 1802	TPH 1803	TPH 1804	TPH 1805	TPH 1806	TPH 1807	TPH 1808	TPH 1809	TPH 1810	TPH 1811	TPH 1812	TPH 1813	TPH 1814	TPH 1815	TPH 1816	TPH 1817	TPH 1818	TPH 1819	TPH 1820	TPH 1821	TPH 1822	TPH 1823	TPH 1824	TPH 1825	TPH 1826	TPH 1827	TPH 1828	TPH 1829	TPH 1830	TPH 1831	TPH 1832	TPH 1833	TPH 1834	TPH 1835	TPH 1836	TPH 1837	TPH 1838	TPH 1839	TPH 1840	TPH 1841	TPH 1842	TPH 1843	TPH 1844	TPH 1845	TPH 1846	TPH 1847	TPH 1848	TPH 1849	TPH 1850	TPH 1851	TPH 1852	TPH 1853	TPH 1854	TPH 1855	TPH 1856	TPH 1857	TPH 1858	TPH 1859	TPH 1860	TPH 1861	TPH 1862	TPH 1863	TPH 1864	TPH 1865	TPH 1866	TPH 1867	TPH 1868	TPH 1869	TPH 1870	TPH 1871	TPH 1872	TPH 1873	TPH 1874	TPH 1875	TPH 1876	TPH 1877	TPH 1878	TPH 1879	TPH 1880	TPH 1881	TPH 1882	TPH 1883	TPH 1884

Environmental Lab of Texas

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST
 12600 West 120 East
 Odessa, Texas 79765

Project Manager: Cindy Crain
 Company Name: Ocellio Environmental, LLC
 Company Address: PO Box 1816
 City/State/Zip: Hobbs NM 88241
 Telephone No: (505) 441-2244
 Sampler Signature: Cindy Crain
 Project Name: Chevron Livingston Deep State
 Project #: 1007-0238
 Project Loc: Sec 5 T17S R06E Lea Co. NM
 PO #:
 Report Format: ☒ Standard ☐ TRRP ☐ NPDES

ORDER #: 293282

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Total # of Containers	Field # of Containers	Matrix	Preservation & # of Containers	Analysis For
031	BH-6 (0-2')	0	2	11/14/07	1428	1455	1455	TPH 418 1	TPH 418 1	TPH 418 1
032	" (5-7')	5	7	"	1431			TPH 418 1	TPH 418 1	TPH 418 1
033	" (10-12')	10	12	"	1440			TPH 418 1	TPH 418 1	TPH 418 1
034	" (15-17')	15	17	"	1444			TPH 418 1	TPH 418 1	TPH 418 1
035	" (20-22')	20	22	"	1450			TPH 418 1	TPH 418 1	TPH 418 1
036	BH-7 (0-2')	0	2	11/15/07	0925			TPH 418 1	TPH 418 1	TPH 418 1
037	" (5-7')	5	7	"	0931			TPH 418 1	TPH 418 1	TPH 418 1
038	" (10-12')	10	12	"	0937			TPH 418 1	TPH 418 1	TPH 418 1
039	" (15-17')	15	17	"	0947			TPH 418 1	TPH 418 1	TPH 418 1
040	" (20-22')	20	22	"	0953			TPH 418 1	TPH 418 1	TPH 418 1

Special Instructions:

Relinquished by	Date	Time	Received by	Date	Time
<u>Cindy Crain</u>	<u>11/17/07</u>			<u>11/27</u>	

Relinquished by: _____ Date: _____ Time: _____
 Received by: _____ Date: _____ Time: _____
 Relinquished by: _____ Date: _____ Time: _____
 Received by: _____ Date: _____ Time: _____

Temperature Upon Receipt: 4.0 °C

Page 6 of 7

Environmental Lab of Texas

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

12600 West 120 East
Odessa, Texas 79765
Phone: 432-563-1800
Fax: 432-563-1713

Project Manager: Cindy Crain
Company Name: Oxidillo Environmental, LLC
Company Address: PO Box 1816
City/State/Zip: Hobbs, NM 88241
Telephone No: (505) 441-7244
Fax No: (432) 272-0304
e-mail: cindy.crain@gmail.com
Project Name: Chevron Livingston Deep State
Project #: 1007-0238
Project Loc: Sec. 5, T17S, R36E, Lea Co, NM
PO #: 1007-0238
Report Format: ☒ Standard ☐ TRRP ☐ NPDES

(use only)

ORDER #: 293202

Samplyr Signature: Cindy Crain

e-mail:

Fax No:

e-mail:

Fax No:

e-mail:

Fax No:

e-mail:

Fax No:

e-mail:

Fax No:

e-mail:

Fax No:

e-mail:

Fax No:

e-mail:

Fax No:

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Total # of Containers	Field Filled	Matrix	Analysis For
51	BH-9 (10-12)	10	12	11/15/07	1115	4		Matrix	Standard TAT
52	" (15-17)	15	17	"	1120			Matrix	Standard TAT
53	" (20-22)	20	22	"	1125			Matrix	Standard TAT
54	BH-10 (0-2)	0	2	"	1204			Matrix	Standard TAT
55	" (5-7)	5	7	"	1212			Matrix	Standard TAT
56	" (10-12)	10	12	"	1219			Matrix	Standard TAT
57	" (15-17)	15	17	"	1224			Matrix	Standard TAT
58	BH-11 (0-2)	0	2	"	1231			Matrix	Standard TAT
59	" (5-7)	5	7	"	1235			Matrix	Standard TAT
60	" (10-12)	10	12	"	1240			Matrix	Standard TAT

Received by	Date	Time	Received by	Date	Time	Received by	Date	Time
<u>Cindy Crain</u>	11/17/07	11:27						

LABORATORY COMMENTS:

Sample Containers Intact? ☒ YES ☐ NO

VOCs Free of Headpace? ☒ YES ☐ NO

Labels on containers? ☒ YES ☐ NO

Custody seals on container(s)? ☒ YES ☐ NO

Custody seals on container(s)? ☒ YES ☐ NO

Sample Seals Delivered? ☒ YES ☐ NO

Sample Seals Delivered? ☒ YES ☐ NO

By Carrier? ☒ YES ☐ NO

UPS ☐ DHL ☐ FedEx ☐ Lone Star ☐ N

Temperature Upon Receipt: 4.0 °C

Environmental Lab of Texas
Variance/ Corrective Action Report- Sample Log-In

Client Ocotillo
Date/ Time 11-17-07 @ 1127
Lab ID # 293282
Initials JMF

Sample Receipt Checklist

				Client Initials
#1 Temperature of container/ cooler?	<u>Yes</u>	No	4.0 °C	
#2 Shipping container in good condition?	<u>Yes</u>	No		
#3 Custody Seals intact on shipping container/ cooler?	Yes	No	<u>Not Present</u>	
#4 Custody Seals intact on sample bottles/ container?	Yes	No	<u>Not Present</u>	
#5 Chain of Custody present?	<u>Yes</u>	No		
#6 Sample instructions complete of Chain of Custody?	<u>Yes</u>	No		
#7 Chain of Custody signed when relinquished/ received?	<u>Yes</u>	No		
#8 Chain of Custody agrees with sample label(s)?	Yes	No	<u>ID written on Cont. Lid</u>	
#9 Container label(s) legible and intact?	Yes	No	<u>Not Applicable</u>	
#10 Sample matrix/ properties agree with Chain of Custody?	<u>Yes</u>	No		
#11 Containers supplied by ELDT?	<u>Yes</u>	No		
#12 Samples in proper container/ bottle?	<u>Yes</u>	No	See Below	
#13 Samples properly preserved?	<u>Yes</u>	No	See Below	
#14 Sample bottles intact?	<u>Yes</u>	No		
#15 Preservations documented on Chain of Custody?	<u>Yes</u>	No		
#16 Containers documented on Chain of Custody?	<u>Yes</u>	No		
#17 Sufficient sample amount for indicated test(s)?	<u>Yes</u>	No	See Below	
#18 All samples received within sufficient hold time?	<u>Yes</u>	No	See Below	
#19 Subcontract of sample(s)?	Yes	No	<u>Not Applicable</u>	
#20 VOC samples have zero headspace?	<u>Yes</u>	No	Not Applicable	

Variance Documentation

Contact: _____ Contacted by: _____ Date/ Time: _____

Regarding _____

Corrective Action Taken

- Check all that Apply:
- ☐ See attached e-mail/ fax
 - ☐ Client understands and would like to proceed with analysis
 - ☐ Cooling process had begun shortly after sampling event

C141 DOCUMENTATION

25 N. French Dr., Hobbs, NM 88240
 District II
 1301 W. Grand Avenue, Artesia, NM 88210
 District III
 1000 Rio Brazos Road, Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy Minerals and Natural Resources

Oil Conservation Division
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-141
 Revised October 10, 2003

Submit 2 Copies to appropriate
 District Office in accordance
 with Rule 116 on back
 side of form

Release Notification and Corrective Action

OPERATOR

☒ Initial Report

Final Report

Name of Company Chevron Midcontinent LP	Contact Larry Ridenour
Address HCR 60 Box 423 Lovington, N.M. 88260	Telephone No. 505-396-4414 X 102
Facility Name Lovington Deep State	Facility Type Water transfer line
Surface Owner State	Mineral Owner State of NM
Lease No. B-4704	

LOCATION OF RELEASE

Unit Letter M	Section 5	Township 17S	Range 36E	Feet from the 1305	South Line	Feet from the 115	East Line	County Lea
------------------	--------------	-----------------	--------------	-----------------------	------------	----------------------	-----------	---------------

Latitude N 32 deg 51 min 47.53 sec Longitude W 103 deg 23 min 8.11 sec

NATURE OF RELEASE

Type of Release Produced water with some oil	Volume of Release 20 BW - 2BO	Volume Recovered 13 BW - 1 BO
Source of Release water transfer line	Date and Hour of Occurrence 10/2/07 ??	Date and Hour of Discovery 10/2/07 9:00 am
Was Immediate Notice Given? ☒ Yes ☐ No ☐ Not Required	If YES, To Whom? Maxey Brown	
By Whom? Larry Ridenour	Date and Hour 10/2/2007 4:30 P.M.	
Was a Watercourse Reached? ☐ Yes ☒ No	If YES, Volume Impacting the Watercourse	

If a Watercourse was Impacted, Describe Fully.*

Describe Cause of Problem and Remedial Action Taken.*
 The location and API # given are for West Lovington Unit #86 which is the nearest well. The GPS coordinates are for the actual location of the spill. The spill is located approximately 2/10 mile north of WLU 86. The leak was from a water transfer line that conducts fluid from the Lovington Deep State tank battery to the West Lovington Unit injection station.

Chlorides 35,000

Describe Area Affected and Cleanup Action Taken.*
 Fluid soaked in ground. 60' x 60' area around spill and then 8' x 150' area and 8' x 50' area where fluid traveled down ruts in road. Standing fluid was picked up with a vacuum truck. Area fenced to keep cattle out. Turned site over to Ocotillo Environmental for remediation. They performed emergency one call and have removed top approximately one foot of soil. They will do a survey of the contamination and submit a plan to the OCD for approval.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOC rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOC marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOC acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Larry Ridenour</i>	OIL CONSERVATION DIVISION	
Printed Name: Larry Ridenour	Approved by District Supervisor <i>Johnson</i> ENVIRONMENTAL ENGINEER	
Title: Operations Representative	Approval Date: 10.9.07	Expiration Date: 12.10.07
E-mail Address LRidenour@chevron.com	Conditions of Approval:	Attached ☐
Date: 10/4/07	Phone: 396-4414 X 102	

SUBMIT PLAN OR FINAL BY

RP# 1662

Appendix C
Karst Risk Potential




Appendix E
Photographs



Lovington Deep State spill area viewing to the east, February 14, 2020.



Lovington Deep State spill area viewing to the west, February 14, 2020.



Lovington Deep State spill area viewing to the southwest, February 14, 2020.

Appendix D
Laboratory Reports



Project Id: 20-0107-01
Contact: Mark Larson
Project Location:

Certificate of Analysis Summary 652560

Larson and Associates, Inc., Midland, TX

Project Name: Chevron Deep State

Date Received in Lab: Mon 02.17.2020 09:30
Report Date: 02.25.2020 10:58
Project Manager: Holly Taylor

Analysis Requested		Lab Id:	652560-001	652560-002	652560-003	652560-004	652560-005	652560-006
		Field Id:	BH-3 0.5'	BH-2 0.5'	BH-2 2'	BH-2 5'	BH-2 7'	BH-1 0.5'
		Depth:						
		Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
		Sampled:	02.11.2020 10:00	02.11.2020 10:26	02.11.2020 10:27	02.11.2020 10:32	02.11.2020 10:33	02.11.2020 10:30
BTEX by EPA 8021B		Extracted:	02.19.2020 14:00	02.19.2020 14:00	02.19.2020 14:30	02.19.2020 14:30	02.19.2020 14:30	02.19.2020 14:30
	Analyzed:	02.20.2020 00:48	02.20.2020 01:09	02.20.2020 20:00	02.20.2020 20:20	02.20.2020 20:40	02.20.2020 21:00	02.20.2020 21:00
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.00200 0.00200	<0.00200 0.00200	<0.00201 0.00201	<0.00198 0.00198	<0.00199 0.00199	<0.00245 0.00202	
Toluene		<0.00200 0.00200	<0.00200 0.00200	<0.00201 0.00201	<0.00198 0.00198	<0.00199 0.00199	<0.00202 0.00202	
Ethylbenzene		<0.00200 0.00200	<0.00200 0.00200	<0.00201 0.00201	<0.00198 0.00198	<0.00199 0.00199	<0.00202 0.00202	
m,p-Xylenes		<0.00401 0.00401	<0.00400 0.00400	<0.00402 0.00402	<0.00397 0.00397	<0.00398 0.00398	<0.00403 0.00403	
o-Xylene		0.00730 XF 0.00200	<0.00200 0.00200	<0.00201 0.00201	<0.00198 0.00198	<0.00199 0.00199	<0.00202 0.00202	
Total Xylenes		0.00730 0.00200	<0.00200 0.00200	<0.00201 0.00201	<0.00198 0.00198	<0.00199 0.00199	<0.00202 0.00202	
Total BTEX		0.00730 0.00200	<0.00200 0.00200	<0.00201 0.00201	<0.00198 0.00198	<0.00199 0.00199	<0.00245 0.00202	
Chloride by EPA 300		Extracted:	02.17.2020 13:05	02.17.2020 13:05	02.17.2020 13:05	02.17.2020 13:05	02.17.2020 13:05	02.17.2020 13:05
	Analyzed:	02.17.2020 15:23	02.17.2020 15:38	02.17.2020 15:44	02.17.2020 15:49	02.17.2020 15:54	02.17.2020 15:59	02.17.2020 15:59
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		3560 24.9	2760 24.8	3150 24.9	2730 25.0	2640 25.0	1030 5.00	
TPH by SW8015 Mod		Extracted:	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00
	Analyzed:	02.17.2020 13:15	02.17.2020 14:18	02.17.2020 14:38	02.17.2020 14:59	02.17.2020 15:20	02.17.2020 15:42	02.17.2020 15:42
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		<50.0 50.0	<50.0 50.0	<50.0 50.0	<50.0 50.0	<49.9 49.9	<49.8 49.8	49.8
Diesel Range Organics (DRO)		418 50.0	<50.0 50.0	<50.0 50.0	<50.0 50.0	<49.9 49.9	55.4 49.8	49.8
Motor Oil Range Hydrocarbons (MRO)		<50.0 50.0	<50.0 50.0	<50.0 50.0	<50.0 50.0	<49.9 49.9	<49.8 49.8	49.8
Total TPH		418 50.0	<50.0 50.0	<50.0 50.0	<50.0 50.0	<49.9 49.9	55.4 49.8	49.8

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

John Builes
Project Manager



Project Id: 20-0107-01
Contact: Mark Larson
Project Location:

Certificate of Analysis Summary 652560

Larson and Associates, Inc., Midland, TX

Project Name: Chevron Deep State

Date Received in Lab: Mon 02.17.2020 09:30
Report Date: 02.25.2020 10:58
Project Manager: Holly Taylor

<i>Analysis Requested</i>	<i>Lab Id:</i>	<i>Field Id:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-007</i>	<i>652560-008</i>	<i>652560-009</i>	<i>652560-010</i>	<i>652560-011</i>	<i>652560-012</i>
	<i>Extracted:</i>	<i>Field Id:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-007</i>	<i>652560-008</i>	<i>652560-009</i>	<i>652560-010</i>	<i>652560-011</i>	<i>652560-012</i>
	<i>Analyzed:</i>	<i>Field Id:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-007</i>	<i>652560-008</i>	<i>652560-009</i>	<i>652560-010</i>	<i>652560-011</i>	<i>652560-012</i>
	<i>Units/RL:</i>	<i>Field Id:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-007</i>	<i>652560-008</i>	<i>652560-009</i>	<i>652560-010</i>	<i>652560-011</i>	<i>652560-012</i>
	<i>Units/RL:</i>	<i>Field Id:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-007</i>	<i>652560-008</i>	<i>652560-009</i>	<i>652560-010</i>	<i>652560-011</i>	<i>652560-012</i>
BTEX by EPA 8021B											
Benzene											
Toluene											
Ethylbenzene											
m,p-Xylenes											
o-Xylene											
Total Xylenes											
Total BTEX											
Chloride by EPA 300											
Chloride											
TPH by SW8015 Mod											
Gasoline Range Hydrocarbons (GRO)											
Diesel Range Organics (DRO)											
Motor Oil Range Hydrocarbons (MRO)											
Total TPH											

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

John Builes
Project Manager



Project Id: 20-0107-01
Contact: Mark Larson
Project Location:

Certificate of Analysis Summary 652560

Larson and Associates, Inc., Midland, TX

Project Name: Chevron Deep State

Date Received in Lab: Mon 02.17.2020 09:30
Report Date: 02.25.2020 10:58
Project Manager: Holly Taylor

<i>Analysis Requested</i>	<i>Lab Id:</i>	<i>Field Id:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Field Id:</i>	<i>Field Id:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Matrix:</i>	<i>Matrix:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Sampled:</i>	<i>Sampled:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Sampled:</i>	<i>Sampled:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
BTEX by EPA 8021B	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
Chloride by EPA 300	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
TPH by SW8015 Mod	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
Gasoline Range Hydrocarbons (GRO)	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
Diesel Range Organics (DRO)	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
Motor Oil Range Hydrocarbons (MRO)	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
Total TPH	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-013</i>	<i>652560-014</i>	<i>652560-015</i>	<i>652560-016</i>	<i>652560-017</i>	<i>652560-018</i>

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

John Builes
Project Manager



Project Id: 20-0107-01
Contact: Mark Larson
Project Location:

Certificate of Analysis Summary 652560

Larson and Associates, Inc., Midland, TX

Project Name: Chevron Deep State

Date Received in Lab: Mon 02.17.2020 09:30
Report Date: 02.25.2020 10:58
Project Manager: Holly Taylor

<i>Analysis Requested</i>	<i>Lab Id:</i>	652560-019	<i>Field Id:</i>	BH-9 2'	<i>Depth:</i>	SOIL	<i>Matrix:</i>	SOIL	<i>Sampled:</i>	02.12.2020 13:19	<i>Sampled:</i>	02.12.2020 13:25	<i>Sampled:</i>	02.12.2020 13:26	<i>Sampled:</i>	02.13.2020 10:21	<i>Sampled:</i>	02.13.2020 10:22	<i>Sampled:</i>	02.13.2020 10:23
	<i>Extracted:</i>	02.20.2020 10:15	<i>Extracted:</i>	02.20.2020 10:15	<i>Extracted:</i>	02.20.2020 10:15	<i>Extracted:</i>	02.20.2020 10:15	<i>Extracted:</i>	02.20.2020 10:15	<i>Extracted:</i>	02.20.2020 10:15	<i>Extracted:</i>	02.20.2020 10:15	<i>Extracted:</i>	02.20.2020 10:15	<i>Extracted:</i>	02.20.2020 10:15	<i>Extracted:</i>	02.20.2020 10:15
	<i>Analyzed:</i>	02.20.2020 23:20	<i>Analyzed:</i>	02.20.2020 23:40	<i>Analyzed:</i>	02.20.2020 23:40	<i>Analyzed:</i>	02.20.2020 23:40	<i>Analyzed:</i>	02.20.2020 00:01	<i>Analyzed:</i>	02.21.2020 00:01	<i>Analyzed:</i>	02.21.2020 00:01	<i>Analyzed:</i>	02.21.2020 00:21	<i>Analyzed:</i>	02.21.2020 00:42	<i>Analyzed:</i>	02.21.2020 01:03
	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL
		<0.00200 0.00200		<0.00200 0.00200		<0.00200 0.00200		<0.00200 0.00200		<0.00200 0.00200		<0.00200 0.00200		<0.00200 0.00200		<0.00200 0.00200		<0.00200 0.00200		<0.00199 0.00199
BTEX by EPA 8021B	Benzene																			
	Toluene																			
	Ethylbenzene																			
	m,p-Xylenes																			
	o-Xylene																			
	Total Xylenes																			
	Total BTEX																			
Chloride by EPA 300	<i>Extracted:</i>	02.17.2020 13:30	<i>Extracted:</i>	02.17.2020 13:30	<i>Extracted:</i>	02.17.2020 13:30	<i>Extracted:</i>	02.17.2020 13:30	<i>Extracted:</i>	02.17.2020 13:30	<i>Extracted:</i>	02.17.2020 13:30	<i>Extracted:</i>	02.17.2020 13:30	<i>Extracted:</i>	02.17.2020 13:30	<i>Extracted:</i>	02.17.2020 13:30	<i>Extracted:</i>	02.17.2020 13:30
	<i>Analyzed:</i>	02.17.2020 17:55	<i>Analyzed:</i>	02.17.2020 18:11	<i>Analyzed:</i>	02.17.2020 18:11	<i>Analyzed:</i>	02.17.2020 18:11	<i>Analyzed:</i>	02.17.2020 18:17	<i>Analyzed:</i>	02.17.2020 18:17	<i>Analyzed:</i>	02.17.2020 18:17	<i>Analyzed:</i>	02.17.2020 18:32	<i>Analyzed:</i>	02.17.2020 18:38	<i>Analyzed:</i>	02.17.2020 18:43
	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL
Chloride		55.3 5.05		93.2 4.99		11.2 4.97		557 5.02		1600 24.8		749 4.95								
TPH by SW8015 Mod	<i>Extracted:</i>	02.17.2020 11:00	<i>Extracted:</i>	02.17.2020 11:00	<i>Extracted:</i>	02.17.2020 11:00	<i>Extracted:</i>	02.17.2020 11:00	<i>Extracted:</i>	02.17.2020 11:00	<i>Extracted:</i>	02.17.2020 11:00	<i>Extracted:</i>	02.17.2020 11:00	<i>Extracted:</i>	02.17.2020 11:00	<i>Extracted:</i>	02.17.2020 11:00	<i>Extracted:</i>	02.17.2020 11:00
	<i>Analyzed:</i>	02.17.2020 20:37	<i>Analyzed:</i>	02.17.2020 20:58	<i>Analyzed:</i>	02.17.2020 20:58	<i>Analyzed:</i>	02.17.2020 20:58	<i>Analyzed:</i>	02.17.2020 13:15	<i>Analyzed:</i>	02.17.2020 13:15	<i>Analyzed:</i>	02.17.2020 13:15	<i>Analyzed:</i>	02.17.2020 14:18	<i>Analyzed:</i>	02.17.2020 14:38	<i>Analyzed:</i>	02.17.2020 14:59
	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL
	Gasoline Range Hydrocarbons (GRO)	<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9
	Diesel Range Organics (DRO)	<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9
Motor Oil Range Hydrocarbons (MRO)		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9
Total TPH		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9		<49.9 49.9

John Builes
Project Manager

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico



Project Id: 20-0107-01
Contact: Mark Larson
Project Location:

Certificate of Analysis Summary 652560
Larson and Associates, Inc., Midland, TX

Project Name: Chevron Deep State

Date Received in Lab: Mon 02.17.2020 09:30
Report Date: 02.25.2020 10:58
Project Manager: Holly Taylor

Analysis Requested		Lab Id:	652560-025	Field Id:	BH-4 0.5'	Depth:	SOIL	Matrix:	SOIL	Sampled:	02.13.2020 10:44	Sampled:	02.13.2020 10:45	Sampled:	02.13.2020 10:46	Sampled:	02.13.2020 11:57	Sampled:	02.13.2020 11:59	Sampled:	02.13.2020 12:14	
		Extracted:	02.20.2020 10:15	Analyzed:	02.21.2020 01:23	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
		Extracted:	02.20.2020 10:15	Analyzed:	02.21.2020 01:23	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
		Extracted:	02.20.2020 10:15	Analyzed:	02.21.2020 01:23	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
		Extracted:	02.20.2020 10:15	Analyzed:	02.21.2020 01:23	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
BTEX by EPA 8021B	Benzene																					
	Toluene																					
	Ethylbenzene																					
	m,p-Xylenes																					
	o-Xylene																					
	Total Xylenes																					
	Total BTEX																					
Chloride by EPA 300	Extracted:	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 13:30	02.17.2020 16:50	02.17.2020 16:50	02.17.2020 16:50	
	Analyzed:	02.17.2020 18:48	02.17.2020 18:48	02.17.2020 18:53	02.17.2020 18:53	02.17.2020 18:59	02.17.2020 18:59	02.17.2020 18:59	02.17.2020 18:59	02.17.2020 18:59	02.17.2020 18:59	02.17.2020 18:59	02.17.2020 18:59	02.17.2020 18:59	02.17.2020 18:59	02.17.2020 18:59	02.17.2020 18:59	02.17.2020 18:59	02.17.2020 19:48	02.17.2020 19:48	02.17.2020 19:48	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg
TPH by SW8015 Mod	Chloride		11.9	4.95	136	5.00	54.2	4.99	16.4	4.97	25.8	4.98	132	5.00	132	5.00	132	5.00	132	5.00	25.8	4.98
	Extracted:	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 16:50	02.17.2020 16:50	02.17.2020 16:50	
	Analyzed:	02.17.2020 15:20	02.17.2020 15:20	02.17.2020 15:42	02.17.2020 15:42	02.17.2020 16:03	02.17.2020 16:03	02.17.2020 16:03	02.17.2020 16:24	02.17.2020 16:24	02.17.2020 16:24	02.17.2020 16:24	02.17.2020 16:24	02.17.2020 16:24	02.17.2020 16:24	02.17.2020 16:24	02.17.2020 16:24	02.17.2020 16:24	02.17.2020 16:45	02.17.2020 16:45	02.17.2020 16:45	
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg
	Gasoline Range Hydrocarbons (GRO)		<50.0	50.0	<49.9	49.9	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	49.8	49.8	<50.0
Diesel Range Organics (DRO)		<50.0	50.0	<49.9	49.9	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	49.8	49.8	<50.0	50.0
Motor Oil Range Hydrocarbons (MRO)		<50.0	50.0	<49.9	49.9	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	49.8	49.8	<50.0	50.0
Total TPH		<50.0	50.0	<49.9	49.9	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	50.0	<50.0	49.8	49.8	<50.0	50.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

John Builes
Project Manager



Project Id: 20-0107-01
Contact: Mark Larson
Project Location:

Certificate of Analysis Summary 652560

Larson and Associates, Inc., Midland, TX

Project Name: Chevron Deep State

Date Received in Lab: Mon 02.17.2020 09:30
Report Date: 02.25.2020 10:58
Project Manager: Holly Taylor

<i>Analysis Requested</i>	<i>Lab Id:</i>	<i>Field Id:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Field Id:</i>	<i>Field Id:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Matrix:</i>	<i>Matrix:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Sampled:</i>	<i>Sampled:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Sampled:</i>	<i>Sampled:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
BTEX by EPA 8021B	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
Chloride by EPA 300	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
TPH by SW8015 Mod	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
Gasoline Range Hydrocarbons (GRO)	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
Diesel Range Organics (DRO)	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
Motor Oil Range Hydrocarbons (MRO)	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
Total TPH	<i>Extracted:</i>	<i>Extracted:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Analyzed:</i>	<i>Analyzed:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>
	<i>Units/RL:</i>	<i>Units/RL:</i>	<i>Depth:</i>	<i>Matrix:</i>	<i>Sampled:</i>	<i>652560-031</i>	<i>652560-032</i>	<i>652560-033</i>	<i>652560-034</i>	<i>652560-035</i>	<i>652560-036</i>

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

John Builes
Project Manager



Certificate of Analysis Summary 652560
Larson and Associates, Inc., Midland, TX

Project Name: Chevron Deep State

Project Id: 20-0107-01
Contact: Mark Larson
Project Location:

Date Received in Lab: Mon 02.17.2020 09:30
Report Date: 02.25.2020 10:58
Project Manager: Holly Taylor

Analysis Requested	Lab Id: Field Id: Depth: Matrix: Sampled:	652560-037 BH-13 0.5' SOIL 02.14.2020 11:09	652560-038 BH-13 2' SOIL 02.11.2020 11:10	652560-039 BH-13 5' SOIL 02.11.2020 11:11		
	BTEX by EPA 8021B	Extracted: Analyzed: Units/RL:	02.21.2020 17:00 02.21.2020 17:45 mg/kg RL <0.00200 0.00200	02.21.2020 17:00 02.21.2020 18:23 mg/kg RL <0.00200 0.00200	02.19.2020 09:00 02.19.2020 20:41 mg/kg RL <0.00200 0.00200	
	Benzene		<0.00200 0.00200	<0.00200 0.00200	<0.00200 0.00200	
	Toluene		<0.00200 0.00200	<0.00200 0.00200	<0.00200 0.00200	
	Ethylbenzene		<0.00200 0.00200	<0.00200 0.00200	<0.00200 0.00200	
	m,p-Xylenes		<0.00400 0.00400	<0.00400 0.00400	<0.00401 0.00401	
	o-Xylene		<0.00200 0.00200	<0.00200 0.00200	<0.00200 0.00200	
	Total Xylenes		<0.00200 0.00200	<0.00200 0.00200	<0.00200 0.00200	
	Total BTEX		<0.00200 0.00200	<0.00200 0.00200	<0.00200 0.00200	
Chloride by EPA 300	Extracted:	02.18.2020 15:15	02.18.2020 17:30	02.17.2020 16:50		
	Analyzed:	02.18.2020 17:13	02.18.2020 20:19	02.17.2020 21:57		
	Units/RL:	mg/kg RL 11.5 5.05	mg/kg RL 110 4.98	mg/kg RL 106 4.98		
TPH by SW8015 Mod	Extracted:	02.17.2020 11:00	02.17.2020 11:00	02.17.2020 11:00		
	Analyzed:	02.17.2020 19:55	02.17.2020 20:16	02.17.2020 20:37		
	Units/RL:	mg/kg RL <50.0 50.0	mg/kg RL <50.0 50.0	mg/kg RL <49.9 49.9		
	Gasoline Range Hydrocarbons (GRO)					
	Diesel Range Organics (DRO)					
	Motor Oil Range Hydrocarbons (MRO)					
	Total TPH					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

John Builes
Project Manager



Analytical Report 652560

for

Larson and Associates, Inc.

Project Manager: Mark Larson

Chevron Deep State

20-0107-01

02.25.2020

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):

Texas (T104704215-19-30), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (19-037-0)

Xenco-Dallas (EPA Lab Code: TX01468):

Texas (TX104704295-19-22), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-19-16)

Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-21)

Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)

Xenco-Carlsbad (LELAP): Louisiana (05092)

Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-19-5)

Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)

Xenco-Tampa: Florida (E87429), North Carolina (483)



02.25.2020

Project Manager: **Mark Larson**
Larson and Associates, Inc.
P. O. Box 50685
Midland, TX 79710

Reference: XENCO Report No(s): **652560**
Chevron Deep State
Project Address:

Mark Larson :

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 652560. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 652560 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read 'JB', is written over a light blue rectangular background.

John Builes
Project Manager

A Small Business and Minority Company

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico



Sample Cross Reference 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
BH-3 0.5'	S	02.11.2020 10:00		652560-001
BH-2 0.5'	S	02.11.2020 10:26		652560-002
BH-2 2'	S	02.11.2020 10:27		652560-003
BH-2 5'	S	02.11.2020 10:32		652560-004
BH-2 7'	S	02.11.2020 10:33		652560-005
BH-1 0.5'	S	02.11.2020 10:30		652560-006
BH-1 2'	S	02.11.2020 11:31		652560-007
BH-8 0.5'	S	02.12.2020 11:42		652560-008
BH-8 2'	S	02.12.2020 11:43		652560-009
BH-8 5'	S	02.12.2020 12:05		652560-010
BH-8 10'	S	02.12.2020 12:06		652560-011
BH-6 0.5'	S	02.12.2020 12:14		652560-012
BH-6 2'	S	02.12.2020 12:15		652560-013
BH-6 5'	S	02.12.2020 12:17		652560-014
BH-6 10'	S	02.12.2020 12:20		652560-015
BH-7 0.5'	S	02.12.2020 12:43		652560-016
BH-7 2'	S	02.12.2020 12:44		652560-017
BH-9 0.5'	S	02.12.2020 13:18		652560-018
BH-9 2'	S	02.12.2020 13:19		652560-019
BH-9 5'	S	02.12.2020 13:25		652560-020
BH-9 7'	S	02.12.2020 13:26		652560-021
BH-5 0.5'	S	02.13.2020 10:21		652560-022
BH-5 2'	S	02.13.2020 10:22		652560-023
BH-5 5'	S	02.13.2020 10:23		652560-024
BH-4 0.5'	S	02.13.2020 10:44		652560-025
BH-4 2'	S	02.13.2020 10:45		652560-026
BH-4 5'	S	02.13.2020 10:46		652560-027
BH-12 0.5'	S	02.13.2020 11:57		652560-028
BH-12 2'	S	02.13.2020 11:59		652560-029
BH-12 5'	S	02.13.2020 12:14		652560-030
BH-11 0.5'	S	02.13.2020 12:14		652560-031
BH-11 2'	S	02.13.2020 12:15		652560-032
BH-11 5'	S	02.14.2020 10:16		652560-033
BH-10 0.5'	S	02.14.2020 10:15		652560-034
BH-10 2'	S	02.14.2020 10:16		652560-035
BH-10 5'	S	02.14.2020 10:17		652560-036
BH-13 0.5'	S	02.14.2020 11:09		652560-037
BH-13 2'	S	02.11.2020 11:10		652560-038
BH-13 5'	S	02.11.2020 11:11		652560-039

**CASE NARRATIVE****Client Name: Larson and Associates, Inc.****Project Name: Chevron Deep State**Project ID: 20-0107-01
Work Order Number(s): 652560Report Date: 02.25.2020
Date Received: 02.17.2020**Sample receipt non conformances and comments:**

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3117071 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3117325 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

o-Xylene Relative Percent Difference (RPD) between matrix spike and duplicate was above quality control limits.

Samples in the analytical batch are: 652560-001, -002

Lab Sample ID 652560-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Ethylbenzene, m,p-Xylenes, o-Xylene recovered below QC limits in the Matrix Spike. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 652560-001, -002.

The Laboratory Control Sample for m,p-Xylenes, Ethylbenzene, o-Xylene is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3117357 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Surrogate 4-Bromofluorobenzene recovered below QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 652560-006,652560-015,652560-013.

Batch: LBA-3117358 BTEX by EPA 8021B

Ethylbenzene, Toluene, m,p-Xylenes, o-Xylene recovered below QC limits in the Blank Spike Duplicate indicating bias low results. Samples in the analytical batch are: 652560-019, -020, -021, -022, -023, -024, -025, -026, -027, -028, -029, -030, -031, -032, -033, -034, -035, -036.

Ethylbenzene, m,p-Xylenes, o-Xylene RPD was outside laboratory control limits.

Samples in the analytical batch are: 652560-019, -020, -021, -022, -023, -024, -025, -026, -027, -028, -029, -030, -031, -032, -033, -034, -035, -036

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

A misinjection resulted in a low BSD, however MS/MSD shows recovery for the batch.

**CASE NARRATIVE*****Client Name: Larson and Associates, Inc.******Project Name: Chevron Deep State***Project ID: 20-0107-01
Work Order Number(s): 652560Report Date: 02.25.2020
Date Received: 02.17.2020

Batch: LBA-3117416 BTEX by EPA 8021B

Benzene, Ethylbenzene, Toluene, m,p-Xylenes, o-Xylene Relative Percent Difference (RPD) between matrix spike and duplicate were above quality control limits.

Samples in the analytical batch are: 652560-037, -038

Lab Sample ID 652560-037 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Benzene, Ethylbenzene, Toluene, m,p-Xylenes, o-Xylene recovered below QC limits in the Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 652560-037, -038.

The Laboratory Control Sample for Toluene, Benzene, m,p-Xylenes, Ethylbenzene, o-Xylene is within laboratory Control Limits, therefore the data was accepted.

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-3 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-001

Date Collected: 02.11.2020 10:00

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:05

Basis: Wet Weight

Seq Number: 3116782

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	3560	24.9	mg/kg	02.17.2020 15:23		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 13:15	U	1
Diesel Range Organics (DRO)	C10C28DRO	418	50.0	mg/kg	02.17.2020 13:15		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 13:15	U	1
Total TPH	PHC635	418	50.0	mg/kg	02.17.2020 13:15		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-135	02.17.2020 13:15	
o-Terphenyl	84-15-1	89	%	70-135	02.17.2020 13:15	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-3 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-001

Date Collected: 02.11.2020 10:00

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:00

Basis: Wet Weight

Seq Number: 3117325

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.20.2020 00:48	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.20.2020 00:48	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.20.2020 00:48	UX	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	02.20.2020 00:48	UX	1
o-Xylene	95-47-6	0.00730	0.00200	mg/kg	02.20.2020 00:48	XF	1
Total Xylenes	1330-20-7	0.00730	0.00200	mg/kg	02.20.2020 00:48		1
Total BTEX		0.00730	0.00200	mg/kg	02.20.2020 00:48		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1,4-Difluorobenzene	540-36-3	94	%	70-130	02.20.2020 00:48	
4-Bromofluorobenzene	460-00-4	101	%	70-130	02.20.2020 00:48	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-2 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-002

Date Collected: 02.11.2020 10:26

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:05

Basis: Wet Weight

Seq Number: 3116782

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2760	24.8	mg/kg	02.17.2020 15:38		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 14:18	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 14:18	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 14:18	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 14:18	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	89	%	70-135	02.17.2020 14:18	
o-Terphenyl	84-15-1	106	%	70-135	02.17.2020 14:18	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-2 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-002

Date Collected: 02.11.2020 10:26

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:00

Basis: Wet Weight

Seq Number: 3117325

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.20.2020 01:09	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.20.2020 01:09	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.20.2020 01:09	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	02.20.2020 01:09	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.20.2020 01:09	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.20.2020 01:09	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.20.2020 01:09	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	89	%	70-130	02.20.2020 01:09		
1,4-Difluorobenzene	540-36-3	117	%	70-130	02.20.2020 01:09		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-2 2'**
Lab Sample Id: 652560-003

Matrix: Soil
Date Collected: 02.11.2020 10:27

Date Received: 02.17.2020 09:30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:05

Basis: Wet Weight

Seq Number: 3116782

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	3150	24.9	mg/kg	02.17.2020 15:44		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 14:38	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 14:38	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 14:38	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 14:38	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	93	%	70-135	02.17.2020 14:38	
o-Terphenyl	84-15-1	104	%	70-135	02.17.2020 14:38	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-2 2'**
Lab Sample Id: 652560-003

Matrix: Soil
Date Collected: 02.11.2020 10:27

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.20.2020 20:00	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.20.2020 20:00	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.20.2020 20:00	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.20.2020 20:00	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.20.2020 20:00	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.20.2020 20:00	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.20.2020 20:00	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	114	%	70-130	02.20.2020 20:00		
4-Bromofluorobenzene	460-00-4	87	%	70-130	02.20.2020 20:00		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-2 5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-004

Date Collected: 02.11.2020 10:32

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:05

Basis: Wet Weight

Seq Number: 3116782

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2730	25.0	mg/kg	02.17.2020 15:49		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 14:59	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 14:59	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 14:59	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 14:59	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	94	%	70-135	02.17.2020 14:59	
o-Terphenyl	84-15-1	103	%	70-135	02.17.2020 14:59	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-2 5'**
Lab Sample Id: 652560-004

Matrix: Soil
Date Collected: 02.11.2020 10:32

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	02.20.2020 20:20	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	02.20.2020 20:20	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	02.20.2020 20:20	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	02.20.2020 20:20	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	02.20.2020 20:20	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	02.20.2020 20:20	U	1
Total BTEX		<0.00198	0.00198	mg/kg	02.20.2020 20:20	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	81	%	70-130	02.20.2020 20:20		
1,4-Difluorobenzene	540-36-3	114	%	70-130	02.20.2020 20:20		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-2 7'**
Lab Sample Id: 652560-005

Matrix: Soil
Date Collected: 02.11.2020 10:33

Date Received: 02.17.2020 09:30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:05

Basis: Wet Weight

Seq Number: 3116782

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2640	25.0	mg/kg	02.17.2020 15:54		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	02.17.2020 15:20	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	02.17.2020 15:20	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	02.17.2020 15:20	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	02.17.2020 15:20	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	95	%	70-135	02.17.2020 15:20	
o-Terphenyl	84-15-1	103	%	70-135	02.17.2020 15:20	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-2 7'**
Lab Sample Id: 652560-005

Matrix: Soil
Date Collected: 02.11.2020 10:33

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.20.2020 20:40	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.20.2020 20:40	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.20.2020 20:40	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.20.2020 20:40	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.20.2020 20:40	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.20.2020 20:40	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.20.2020 20:40	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	78	%	70-130	02.20.2020 20:40		
1,4-Difluorobenzene	540-36-3	111	%	70-130	02.20.2020 20:40		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-1 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-006

Date Collected: 02.11.2020 10:30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:05

Basis: Wet Weight

Seq Number: 3116782

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1030	5.00	mg/kg	02.17.2020 15:59		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	02.17.2020 15:42	U	1
Diesel Range Organics (DRO)	C10C28DRO	55.4	49.8	mg/kg	02.17.2020 15:42		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	02.17.2020 15:42	U	1
Total TPH	PHC635	55.4	49.8	mg/kg	02.17.2020 15:42		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-135	02.17.2020 15:42	
o-Terphenyl	84-15-1	100	%	70-135	02.17.2020 15:42	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-1 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-006

Date Collected: 02.11.2020 10:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	0.00245	0.00202	mg/kg	02.20.2020 21:00		1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	02.20.2020 21:00	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	02.20.2020 21:00	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	02.20.2020 21:00	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	02.20.2020 21:00	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	02.20.2020 21:00	U	1
Total BTEX		0.00245	0.00202	mg/kg	02.20.2020 21:00		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	115	%	70-130	02.20.2020 21:00		
4-Bromofluorobenzene	460-00-4	69	%	70-130	02.20.2020 21:00	**	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-1 2'**
Lab Sample Id: 652560-007

Matrix: Soil
Date Collected: 02.11.2020 11:31

Date Received: 02.17.2020 09:30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:05

Basis: Wet Weight

Seq Number: 3116782

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	421	5.04	mg/kg	02.17.2020 16:05		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 16:03	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 16:03	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 16:03	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 16:03	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	90	%	70-135	02.17.2020 16:03	
o-Terphenyl	84-15-1	101	%	70-135	02.17.2020 16:03	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-1 2'**
Lab Sample Id: 652560-007

Matrix: Soil
Date Collected: 02.11.2020 11:31

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.20.2020 21:21	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.20.2020 21:21	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.20.2020 21:21	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	02.20.2020 21:21	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.20.2020 21:21	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.20.2020 21:21	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.20.2020 21:21	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	115	%	70-130	02.20.2020 21:21		
4-Bromofluorobenzene	460-00-4	83	%	70-130	02.20.2020 21:21		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-8 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-008

Date Collected: 02.12.2020 11:42

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:05

Basis: Wet Weight

Seq Number: 3116782

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	521	4.97	mg/kg	02.17.2020 16:10		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	02.17.2020 16:24	U	1
Diesel Range Organics (DRO)	C10C28DRO	94.4	49.9	mg/kg	02.17.2020 16:24		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	02.17.2020 16:24	U	1
Total TPH	PHC635	94.4	49.9	mg/kg	02.17.2020 16:24		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	92	%	70-135	02.17.2020 16:24	
o-Terphenyl	84-15-1	104	%	70-135	02.17.2020 16:24	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-8 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-008

Date Collected: 02.12.2020 11:42

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.20.2020 21:41	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.20.2020 21:41	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.20.2020 21:41	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.20.2020 21:41	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.20.2020 21:41	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.20.2020 21:41	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.20.2020 21:41	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	77	%	70-130	02.20.2020 21:41		
1,4-Difluorobenzene	540-36-3	114	%	70-130	02.20.2020 21:41		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-8 2'** Matrix: Soil Date Received: 02.17.2020 09:30
 Lab Sample Id: 652560-009 Date Collected: 02.12.2020 11:43
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 02.17.2020 13:30 Basis: Wet Weight
 Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	316	5.04	mg/kg	02.17.2020 16:42		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 02.17.2020 11:00 Basis: Wet Weight
 Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	02.17.2020 16:45	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	02.17.2020 16:45	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	02.17.2020 16:45	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	02.17.2020 16:45	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	92	%	70-135	02.17.2020 16:45	
o-Terphenyl	84-15-1	100	%	70-135	02.17.2020 16:45	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-8 2'**
Lab Sample Id: 652560-009

Matrix: Soil
Date Collected: 02.12.2020 11:43

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.20.2020 22:01	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.20.2020 22:01	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.20.2020 22:01	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.20.2020 22:01	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.20.2020 22:01	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.20.2020 22:01	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.20.2020 22:01	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	111	%	70-130	02.20.2020 22:01		
4-Bromofluorobenzene	460-00-4	74	%	70-130	02.20.2020 22:01		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-8 5'** Matrix: Soil Date Received: 02.17.2020 09:30
 Lab Sample Id: 652560-010 Date Collected: 02.12.2020 12:05
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 02.17.2020 13:30 Basis: Wet Weight
 Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	760	24.8	mg/kg	02.17.2020 16:57		5

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 02.17.2020 11:00 Basis: Wet Weight
 Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 17:06	U	1
Diesel Range Organics (DRO)	C10C28DRO	73.5	50.0	mg/kg	02.17.2020 17:06		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 17:06	U	1
Total TPH	PHC635	73.5	50.0	mg/kg	02.17.2020 17:06		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	83	%	70-135	02.17.2020 17:06	
o-Terphenyl	84-15-1	98	%	70-135	02.17.2020 17:06	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-8 5'**
Lab Sample Id: 652560-010

Matrix: Soil
Date Collected: 02.12.2020 12:05

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.20.2020 22:21	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.20.2020 22:21	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.20.2020 22:21	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.20.2020 22:21	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.20.2020 22:21	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.20.2020 22:21	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.20.2020 22:21	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	77	%	70-130	02.20.2020 22:21		
1,4-Difluorobenzene	540-36-3	111	%	70-130	02.20.2020 22:21		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-8 10'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-011

Date Collected: 02.12.2020 12:06

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	3090	25.0	mg/kg	02.17.2020 17:03		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 17:48	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 17:48	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 17:48	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 17:48	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	87	%	70-135	02.17.2020 17:48	
o-Terphenyl	84-15-1	101	%	70-135	02.17.2020 17:48	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-8 10'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-011

Date Collected: 02.12.2020 12:06

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	02.20.2020 22:41	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	02.20.2020 22:41	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	02.20.2020 22:41	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	02.20.2020 22:41	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	02.20.2020 22:41	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	02.20.2020 22:41	U	1
Total BTEX		<0.00201	0.00201	mg/kg	02.20.2020 22:41	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	80	%	70-130	02.20.2020 22:41		
1,4-Difluorobenzene	540-36-3	114	%	70-130	02.20.2020 22:41		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-6 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-012

Date Collected: 02.12.2020 12:14

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	8460	50.2	mg/kg	02.17.2020 17:08		10

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	02.17.2020 18:09	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	02.17.2020 18:09	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	02.17.2020 18:09	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	02.17.2020 18:09	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	91	%	70-135	02.17.2020 18:09	
o-Terphenyl	84-15-1	100	%	70-135	02.17.2020 18:09	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-6 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-012

Date Collected: 02.12.2020 12:14

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	02.20.2020 23:01	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	02.20.2020 23:01	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	02.20.2020 23:01	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	02.20.2020 23:01	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	02.20.2020 23:01	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	02.20.2020 23:01	U	1
Total BTEX		<0.00198	0.00198	mg/kg	02.20.2020 23:01	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	112	%	70-130	02.20.2020 23:01		
4-Bromofluorobenzene	460-00-4	85	%	70-130	02.20.2020 23:01		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-6 2'** Matrix: Soil Date Received: 02.17.2020 09:30
 Lab Sample Id: 652560-013 Date Collected: 02.12.2020 12:15
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 02.17.2020 13:30 Basis: Wet Weight
 Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2730	24.8	mg/kg	02.17.2020 17:13		5

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 02.17.2020 11:00 Basis: Wet Weight
 Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 18:30	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 18:30	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 18:30	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 18:30	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-135	02.17.2020 18:30	
o-Terphenyl	84-15-1	97	%	70-135	02.17.2020 18:30	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-6 2'**
Lab Sample Id: 652560-013

Matrix: Soil
Date Collected: 02.12.2020 12:15

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	02.21.2020 00:20	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	02.21.2020 00:20	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	02.21.2020 00:20	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	02.21.2020 00:20	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	02.21.2020 00:20	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	02.21.2020 00:20	U	1
Total BTEX		<0.00198	0.00198	mg/kg	02.21.2020 00:20	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	68	%	70-130	02.21.2020 00:20	**	
1,4-Difluorobenzene	540-36-3	110	%	70-130	02.21.2020 00:20		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-6 5'**
Lab Sample Id: 652560-014

Matrix: Soil
Date Collected: 02.12.2020 12:17

Date Received: 02.17.2020 09:30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	330	4.95	mg/kg	02.17.2020 17:29		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 18:51	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 18:51	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 18:51	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 18:51	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-135	02.17.2020 18:51	
o-Terphenyl	84-15-1	97	%	70-135	02.17.2020 18:51	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-6 5'**
Lab Sample Id: 652560-014

Matrix: Soil
Date Collected: 02.12.2020 12:17

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.21.2020 13:01	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.21.2020 13:01	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.21.2020 13:01	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.21.2020 13:01	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.21.2020 13:01	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.21.2020 13:01	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.21.2020 13:01	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	80	%	70-130	02.21.2020 13:01		
1,4-Difluorobenzene	540-36-3	113	%	70-130	02.21.2020 13:01		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-6 10'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-015

Date Collected: 02.12.2020 12:20

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	41.9	4.95	mg/kg	02.17.2020 17:34		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 19:12	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 19:12	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 19:12	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 19:12	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	89	%	70-135	02.17.2020 19:12	
o-Terphenyl	84-15-1	100	%	70-135	02.17.2020 19:12	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-6 10'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-015

Date Collected: 02.12.2020 12:20

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	02.21.2020 11:31	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	02.21.2020 11:31	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	02.21.2020 11:31	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	02.21.2020 11:31	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	02.21.2020 11:31	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	02.21.2020 11:31	U	1
Total BTEX		<0.00202	0.00202	mg/kg	02.21.2020 11:31	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	69	%	70-130	02.21.2020 11:31	**	
1,4-Difluorobenzene	540-36-3	110	%	70-130	02.21.2020 11:31		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-7 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-016

Date Collected: 02.12.2020 12:43

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	222	5.00	mg/kg	02.17.2020 17:40		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 19:34	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 19:34	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 19:34	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 19:34	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	87	%	70-135	02.17.2020 19:34	
o-Terphenyl	84-15-1	100	%	70-135	02.17.2020 19:34	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-7 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-016

Date Collected: 02.12.2020 12:43

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	02.21.2020 11:51	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	02.21.2020 11:51	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	02.21.2020 11:51	U	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	02.21.2020 11:51	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	02.21.2020 11:51	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	02.21.2020 11:51	U	1
Total BTEX		<0.00202	0.00202	mg/kg	02.21.2020 11:51	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	111	%	70-130	02.21.2020 11:51		
4-Bromofluorobenzene	460-00-4	75	%	70-130	02.21.2020 11:51		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-7 2'**
Lab Sample Id: 652560-017

Matrix: Soil
Date Collected: 02.12.2020 12:44

Date Received: 02.17.2020 09:30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	8530	99.8	mg/kg	02.17.2020 17:45		20

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	02.17.2020 19:55	U	1
Diesel Range Organics (DRO)	C10C28DRO	1150	49.9	mg/kg	02.17.2020 19:55		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	210	49.9	mg/kg	02.17.2020 19:55		1
Total TPH	PHC635	1360	49.9	mg/kg	02.17.2020 19:55		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	90	%	70-135	02.17.2020 19:55	
o-Terphenyl	84-15-1	99	%	70-135	02.17.2020 19:55	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-7 2'**
Lab Sample Id: 652560-017

Matrix: Soil
Date Collected: 02.12.2020 12:44

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.21.2020 12:11	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.21.2020 12:11	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.21.2020 12:11	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.21.2020 12:11	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.21.2020 12:11	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.21.2020 12:11	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.21.2020 12:11	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	112	%	70-130	02.21.2020 12:11		
4-Bromofluorobenzene	460-00-4	86	%	70-130	02.21.2020 12:11		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-9 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-018

Date Collected: 02.12.2020 13:18

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	101	5.02	mg/kg	02.17.2020 17:50		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 20:16	U	1
Diesel Range Organics (DRO)	C10C28DRO	96.2	50.0	mg/kg	02.17.2020 20:16		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 20:16	U	1
Total TPH	PHC635	96.2	50.0	mg/kg	02.17.2020 20:16		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-135	02.17.2020 20:16	
o-Terphenyl	84-15-1	97	%	70-135	02.17.2020 20:16	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-9 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-018

Date Collected: 02.12.2020 13:18

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 14:30

Basis: Wet Weight

Seq Number: 3117357

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	02.21.2020 12:31	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	02.21.2020 12:31	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	02.21.2020 12:31	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	02.21.2020 12:31	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	02.21.2020 12:31	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	02.21.2020 12:31	U	1
Total BTEX		<0.00198	0.00198	mg/kg	02.21.2020 12:31	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	82	%	70-130	02.21.2020 12:31		
1,4-Difluorobenzene	540-36-3	117	%	70-130	02.21.2020 12:31		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-9 2'** Matrix: Soil Date Received: 02.17.2020 09:30
 Lab Sample Id: 652560-019 Date Collected: 02.12.2020 13:19
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 02.17.2020 13:30 Basis: Wet Weight
 Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	55.3	5.05	mg/kg	02.17.2020 17:55		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 02.17.2020 11:00 Basis: Wet Weight
 Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	02.17.2020 20:37	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	02.17.2020 20:37	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	02.17.2020 20:37	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	02.17.2020 20:37	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	93	%	70-135	02.17.2020 20:37	
o-Terphenyl	84-15-1	97	%	70-135	02.17.2020 20:37	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-9 2'**
Lab Sample Id: 652560-019

Matrix: Soil
Date Collected: 02.12.2020 13:19

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.20.2020 23:20	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.20.2020 23:20	UL	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.20.2020 23:20	ULF	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	02.20.2020 23:20	ULF	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.20.2020 23:20	ULF	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.20.2020 23:20	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.20.2020 23:20	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	96	%	70-130	02.20.2020 23:20		
1,4-Difluorobenzene	540-36-3	99	%	70-130	02.20.2020 23:20		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-9 5'** Matrix: Soil Date Received: 02.17.2020 09:30
 Lab Sample Id: 652560-020 Date Collected: 02.12.2020 13:25
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 02.17.2020 13:30 Basis: Wet Weight
 Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	93.2	4.99	mg/kg	02.17.2020 18:11		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 02.17.2020 11:00 Basis: Wet Weight
 Seq Number: 3116819

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	02.17.2020 20:58	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	02.17.2020 20:58	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	02.17.2020 20:58	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	02.17.2020 20:58	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	89	%	70-135	02.17.2020 20:58	
o-Terphenyl	84-15-1	101	%	70-135	02.17.2020 20:58	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-9 5'**
Lab Sample Id: 652560-020

Matrix: Soil
Date Collected: 02.12.2020 13:25

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.20.2020 23:40	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.20.2020 23:40	UL	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.20.2020 23:40	ULF	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	02.20.2020 23:40	ULF	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.20.2020 23:40	ULF	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.20.2020 23:40	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.20.2020 23:40	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	97	%	70-130	02.20.2020 23:40		
4-Bromofluorobenzene	460-00-4	94	%	70-130	02.20.2020 23:40		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-9 7'**
Lab Sample Id: 652560-021

Matrix: Soil
Date Collected: 02.12.2020 13:26

Date Received: 02.17.2020 09:30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	11.2	4.97	mg/kg	02.17.2020 18:17		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 13:15	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 13:15	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 13:15	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 13:15	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	94	%	70-135	02.17.2020 13:15	
o-Terphenyl	84-15-1	97	%	70-135	02.17.2020 13:15	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-9 7'**
Lab Sample Id: 652560-021

Matrix: Soil
Date Collected: 02.12.2020 13:26

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	02.21.2020 00:01	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	02.21.2020 00:01	UL	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	02.21.2020 00:01	ULF	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	02.21.2020 00:01	ULF	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	02.21.2020 00:01	ULF	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	02.21.2020 00:01	U	1
Total BTEX		<0.00202	0.00202	mg/kg	02.21.2020 00:01	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	100	%	70-130	02.21.2020 00:01		
1,4-Difluorobenzene	540-36-3	97	%	70-130	02.21.2020 00:01		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-5 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-022

Date Collected: 02.13.2020 10:21

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	557	5.02	mg/kg	02.17.2020 18:32		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 14:18	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 14:18	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 14:18	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 14:18	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	95	%	70-135	02.17.2020 14:18	
o-Terphenyl	84-15-1	99	%	70-135	02.17.2020 14:18	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-5 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-022

Date Collected: 02.13.2020 10:21

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	02.21.2020 00:21	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	02.21.2020 00:21	UL	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	02.21.2020 00:21	ULF	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	02.21.2020 00:21	ULF	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	02.21.2020 00:21	ULF	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	02.21.2020 00:21	U	1
Total BTEX		<0.00202	0.00202	mg/kg	02.21.2020 00:21	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	100	%	70-130	02.21.2020 00:21		
4-Bromofluorobenzene	460-00-4	94	%	70-130	02.21.2020 00:21		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-5 2'**
Lab Sample Id: 652560-023

Matrix: Soil
Date Collected: 02.13.2020 10:22

Date Received: 02.17.2020 09:30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1600	24.8	mg/kg	02.17.2020 18:38		5

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 14:38	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 14:38	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 14:38	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 14:38	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	02.17.2020 14:38	
o-Terphenyl	84-15-1	98	%	70-135	02.17.2020 14:38	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-5 2'**
Lab Sample Id: 652560-023

Matrix: Soil
Date Collected: 02.13.2020 10:22

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.21.2020 00:42	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.21.2020 00:42	UL	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.21.2020 00:42	ULF	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	02.21.2020 00:42	ULF	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.21.2020 00:42	ULF	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.21.2020 00:42	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.21.2020 00:42	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	98	%	70-130	02.21.2020 00:42		
1,4-Difluorobenzene	540-36-3	100	%	70-130	02.21.2020 00:42		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-5 5'**
Lab Sample Id: 652560-024

Matrix: Soil
Date Collected: 02.13.2020 10:23

Date Received: 02.17.2020 09:30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	749	4.95	mg/kg	02.17.2020 18:43		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	02.17.2020 14:59	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	02.17.2020 14:59	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	02.17.2020 14:59	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	02.17.2020 14:59	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	97	%	70-135	02.17.2020 14:59	
o-Terphenyl	84-15-1	99	%	70-135	02.17.2020 14:59	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-5 5'**
Lab Sample Id: 652560-024

Matrix: Soil
Date Collected: 02.13.2020 10:23

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.21.2020 01:03	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.21.2020 01:03	UL	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.21.2020 01:03	ULF	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.21.2020 01:03	ULF	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.21.2020 01:03	ULF	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.21.2020 01:03	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.21.2020 01:03	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	101	%	70-130	02.21.2020 01:03		
1,4-Difluorobenzene	540-36-3	98	%	70-130	02.21.2020 01:03		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-4 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-025

Date Collected: 02.13.2020 10:44

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	11.9	4.95	mg/kg	02.17.2020 18:48		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 15:20	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 15:20	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 15:20	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 15:20	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	91	%	70-135	02.17.2020 15:20	
o-Terphenyl	84-15-1	94	%	70-135	02.17.2020 15:20	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-4 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-025

Date Collected: 02.13.2020 10:44

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.21.2020 01:23	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.21.2020 01:23	UL	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.21.2020 01:23	ULF	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	02.21.2020 01:23	ULF	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.21.2020 01:23	ULF	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.21.2020 01:23	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.21.2020 01:23	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	97	%	70-130	02.21.2020 01:23		
4-Bromofluorobenzene	460-00-4	103	%	70-130	02.21.2020 01:23		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-4 2'**
Lab Sample Id: 652560-026

Matrix: Soil
Date Collected: 02.13.2020 10:45

Date Received: 02.17.2020 09:30

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	136	5.00	mg/kg	02.17.2020 18:53		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	02.17.2020 15:42	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	02.17.2020 15:42	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	02.17.2020 15:42	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	02.17.2020 15:42	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	02.17.2020 15:42	
o-Terphenyl	84-15-1	96	%	70-135	02.17.2020 15:42	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-4 2'**
Lab Sample Id: 652560-026

Matrix: Soil
Date Collected: 02.13.2020 10:45

Date Received: 02.17.2020 09:30

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.21.2020 01:44	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.21.2020 01:44	UL	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.21.2020 01:44	ULF	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	02.21.2020 01:44	ULF	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.21.2020 01:44	ULF	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.21.2020 01:44	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.21.2020 01:44	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	104	%	70-130	02.21.2020 01:44		
1,4-Difluorobenzene	540-36-3	98	%	70-130	02.21.2020 01:44		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-4 5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-027

Date Collected: 02.13.2020 10:46

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	54.2	4.99	mg/kg	02.17.2020 18:59		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 16:03	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 16:03	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 16:03	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 16:03	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	97	%	70-135	02.17.2020 16:03	
o-Terphenyl	84-15-1	97	%	70-135	02.17.2020 16:03	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-4 5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-027

Date Collected: 02.13.2020 10:46

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.21.2020 02:05	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.21.2020 02:05	UL	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.21.2020 02:05	ULF	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.21.2020 02:05	ULF	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.21.2020 02:05	ULF	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.21.2020 02:05	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.21.2020 02:05	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	100	%	70-130	02.21.2020 02:05		
1,4-Difluorobenzene	540-36-3	100	%	70-130	02.21.2020 02:05		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-12 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-028

Date Collected: 02.13.2020 11:57

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 13:30

Basis: Wet Weight

Seq Number: 3116783

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	16.4	4.97	mg/kg	02.17.2020 19:04		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 16:24	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 16:24	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 16:24	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 16:24	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	98	%	70-135	02.17.2020 16:24	
o-Terphenyl	84-15-1	100	%	70-135	02.17.2020 16:24	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-12 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-028

Date Collected: 02.13.2020 11:57

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.20.2020 22:59	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.20.2020 22:59	UL	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.20.2020 22:59	ULF	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.20.2020 22:59	ULF	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.20.2020 22:59	ULF	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.20.2020 22:59	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.20.2020 22:59	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	97	%	70-130	02.20.2020 22:59		
4-Bromofluorobenzene	460-00-4	99	%	70-130	02.20.2020 22:59		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-12 2'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-029

Date Collected: 02.13.2020 11:59

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 16:50

Basis: Wet Weight

Seq Number: 3116779

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	132	5.00	mg/kg	02.17.2020 19:48		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	02.17.2020 16:45	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	02.17.2020 16:45	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	02.17.2020 16:45	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	02.17.2020 16:45	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	02.17.2020 16:45	
o-Terphenyl	84-15-1	97	%	70-135	02.17.2020 16:45	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-12 2'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-029

Date Collected: 02.13.2020 11:59

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	02.21.2020 03:46	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	02.21.2020 03:46	UL	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	02.21.2020 03:46	ULF	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	02.21.2020 03:46	ULF	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	02.21.2020 03:46	ULF	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	02.21.2020 03:46	U	1
Total BTEX		<0.00198	0.00198	mg/kg	02.21.2020 03:46	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	96	%	70-130	02.21.2020 03:46		
1,4-Difluorobenzene	540-36-3	94	%	70-130	02.21.2020 03:46		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-12 5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-030

Date Collected: 02.13.2020 12:14

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 16:50

Basis: Wet Weight

Seq Number: 3116779

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	25.8	4.98	mg/kg	02.17.2020 20:15		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 17:06	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 17:06	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 17:06	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 17:06	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	93	%	70-135	02.17.2020 17:06	
o-Terphenyl	84-15-1	93	%	70-135	02.17.2020 17:06	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-12 5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-030

Date Collected: 02.13.2020 12:14

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.21.2020 04:07	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.21.2020 04:07	UL	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.21.2020 04:07	ULF	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.21.2020 04:07	ULF	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.21.2020 04:07	ULF	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.21.2020 04:07	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.21.2020 04:07	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	106	%	70-130	02.21.2020 04:07		
1,4-Difluorobenzene	540-36-3	94	%	70-130	02.21.2020 04:07		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-11 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-031

Date Collected: 02.13.2020 12:14

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 16:50

Basis: Wet Weight

Seq Number: 3116779

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	29.5	5.04	mg/kg	02.17.2020 20:25		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	02.17.2020 17:48	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	02.17.2020 17:48	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	02.17.2020 17:48	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	02.17.2020 17:48	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	02.17.2020 17:48	
o-Terphenyl	84-15-1	98	%	70-135	02.17.2020 17:48	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-11 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-031

Date Collected: 02.13.2020 12:14

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.21.2020 04:28	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.21.2020 04:28	UL	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.21.2020 04:28	ULF	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.21.2020 04:28	ULF	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.21.2020 04:28	ULF	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.21.2020 04:28	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.21.2020 04:28	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	94	%	70-130	02.21.2020 04:28		
4-Bromofluorobenzene	460-00-4	96	%	70-130	02.21.2020 04:28		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-11 2'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-032

Date Collected: 02.13.2020 12:15

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 16:50

Basis: Wet Weight

Seq Number: 3116779

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	135	5.00	mg/kg	02.17.2020 20:34		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	02.17.2020 18:09	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	02.17.2020 18:09	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	02.17.2020 18:09	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	02.17.2020 18:09	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	97	%	70-135	02.17.2020 18:09	
o-Terphenyl	84-15-1	99	%	70-135	02.17.2020 18:09	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-11 2'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-032

Date Collected: 02.13.2020 12:15

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	02.21.2020 04:48	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	02.21.2020 04:48	UL	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	02.21.2020 04:48	ULF	1
m,p-Xylenes	179601-23-1	<0.00403	0.00403	mg/kg	02.21.2020 04:48	ULF	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	02.21.2020 04:48	ULF	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	02.21.2020 04:48	U	1
Total BTEX		<0.00202	0.00202	mg/kg	02.21.2020 04:48	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	94	%	70-130	02.21.2020 04:48		
4-Bromofluorobenzene	460-00-4	97	%	70-130	02.21.2020 04:48		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-11 5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-033

Date Collected: 02.14.2020 10:16

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 16:50

Basis: Wet Weight

Seq Number: 3116779

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	130	5.03	mg/kg	02.17.2020 20:43		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 18:30	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 18:30	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 18:30	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 18:30	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	02.17.2020 18:30	
o-Terphenyl	84-15-1	97	%	70-135	02.17.2020 18:30	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-11 5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-033

Date Collected: 02.14.2020 10:16

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	02.21.2020 05:09	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	02.21.2020 05:09	UL	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	02.21.2020 05:09	ULF	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	02.21.2020 05:09	ULF	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	02.21.2020 05:09	ULF	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	02.21.2020 05:09	U	1
Total BTEX		<0.00199	0.00199	mg/kg	02.21.2020 05:09	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	97	%	70-130	02.21.2020 05:09		
1,4-Difluorobenzene	540-36-3	94	%	70-130	02.21.2020 05:09		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-10 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-034

Date Collected: 02.14.2020 10:15

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 16:50

Basis: Wet Weight

Seq Number: 3116779

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	7.59	5.01	mg/kg	02.17.2020 21:11		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 18:51	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 18:51	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 18:51	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 18:51	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	02.17.2020 18:51	
o-Terphenyl	84-15-1	99	%	70-135	02.17.2020 18:51	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-10 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-034

Date Collected: 02.14.2020 10:15

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.21.2020 05:29	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.21.2020 05:29	UL	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.21.2020 05:29	ULF	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.21.2020 05:29	ULF	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.21.2020 05:29	ULF	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.21.2020 05:29	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.21.2020 05:29	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	103	%	70-130	02.21.2020 05:29		
1,4-Difluorobenzene	540-36-3	95	%	70-130	02.21.2020 05:29		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-10 2'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-035

Date Collected: 02.14.2020 10:16

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 16:50

Basis: Wet Weight

Seq Number: 3116779

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	27.1	4.96	mg/kg	02.17.2020 21:20		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	02.17.2020 19:12	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	02.17.2020 19:12	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	02.17.2020 19:12	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	02.17.2020 19:12	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	94	%	70-135	02.17.2020 19:12	
o-Terphenyl	84-15-1	95	%	70-135	02.17.2020 19:12	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-10 2'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-035

Date Collected: 02.14.2020 10:16

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.21.2020 05:50	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.21.2020 05:50	UL	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.21.2020 05:50	ULF	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	02.21.2020 05:50	ULF	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.21.2020 05:50	ULF	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.21.2020 05:50	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.21.2020 05:50	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	99	%	70-130	02.21.2020 05:50		
1,4-Difluorobenzene	540-36-3	97	%	70-130	02.21.2020 05:50		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-10 5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-036

Date Collected: 02.14.2020 10:17

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: SPC

% Moisture:

Analyst: SPC

Date Prep: 02.18.2020 17:30

Basis: Wet Weight

Seq Number: 3116902

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	57.5	4.99	mg/kg	02.18.2020 21:05		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 19:34	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 19:34	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 19:34	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 19:34	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	95	%	70-135	02.17.2020 19:34	
o-Terphenyl	84-15-1	96	%	70-135	02.17.2020 19:34	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-10 5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-036

Date Collected: 02.14.2020 10:17

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.20.2020 10:15

Basis: Wet Weight

Seq Number: 3117358

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.21.2020 06:11	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.21.2020 06:11	UL	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.21.2020 06:11	ULF	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	02.21.2020 06:11	ULF	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.21.2020 06:11	ULF	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.21.2020 06:11	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.21.2020 06:11	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	104	%	70-130	02.21.2020 06:11		
1,4-Difluorobenzene	540-36-3	95	%	70-130	02.21.2020 06:11		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-13 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-037

Date Collected: 02.14.2020 11:09

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.18.2020 15:15

Basis: Wet Weight

Seq Number: 3116901

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	11.5	5.05	mg/kg	02.18.2020 17:13		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 19:55	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 19:55	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 19:55	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 19:55	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	95	%	70-135	02.17.2020 19:55	
o-Terphenyl	84-15-1	97	%	70-135	02.17.2020 19:55	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-13 0.5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-037

Date Collected: 02.14.2020 11:09

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 02.21.2020 17:00

Basis: Wet Weight

Seq Number: 3117416

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.21.2020 17:45	UXF	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.21.2020 17:45	UXF	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.21.2020 17:45	UXF	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	02.21.2020 17:45	UXF	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.21.2020 17:45	UXF	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.21.2020 17:45	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.21.2020 17:45	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	126	%	70-130	02.21.2020 17:45		
1,4-Difluorobenzene	540-36-3	88	%	70-130	02.21.2020 17:45		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-13 2'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-038

Date Collected: 02.11.2020 11:10

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: SPC

% Moisture:

Analyst: SPC

Date Prep: 02.18.2020 17:30

Basis: Wet Weight

Seq Number: 3116902

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	110	4.98	mg/kg	02.18.2020 20:19		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	02.17.2020 20:16	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	02.17.2020 20:16	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	02.17.2020 20:16	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	02.17.2020 20:16	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	96	%	70-135	02.17.2020 20:16	
o-Terphenyl	84-15-1	97	%	70-135	02.17.2020 20:16	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-13 2'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-038

Date Collected: 02.11.2020 11:10

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: ALJ

% Moisture:

Analyst: ALJ

Date Prep: 02.21.2020 17:00

Basis: Wet Weight

Seq Number: 3117416

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.21.2020 18:23	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.21.2020 18:23	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.21.2020 18:23	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	02.21.2020 18:23	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.21.2020 18:23	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.21.2020 18:23	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.21.2020 18:23	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	91	%	70-130	02.21.2020 18:23		
4-Bromofluorobenzene	460-00-4	119	%	70-130	02.21.2020 18:23		



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-13 5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-039

Date Collected: 02.11.2020 11:11

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 02.17.2020 16:50

Basis: Wet Weight

Seq Number: 3116779

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	106	4.98	mg/kg	02.17.2020 21:57		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 02.17.2020 11:00

Basis: Wet Weight

Seq Number: 3116821

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	02.17.2020 20:37	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	02.17.2020 20:37	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	02.17.2020 20:37	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	02.17.2020 20:37	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	92	%	70-135	02.17.2020 20:37	
o-Terphenyl	84-15-1	90	%	70-135	02.17.2020 20:37	



Certificate of Analytical Results 652560

Larson and Associates, Inc., Midland, TX

Chevron Deep State

Sample Id: **BH-13 5'**

Matrix: Soil

Date Received: 02.17.2020 09:30

Lab Sample Id: 652560-039

Date Collected: 02.11.2020 11:11

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: KTL

% Moisture:

Analyst: KTL

Date Prep: 02.19.2020 09:00

Basis: Wet Weight

Seq Number: 3117071

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	02.19.2020 20:41	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	02.19.2020 20:41	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	02.19.2020 20:41	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	02.19.2020 20:41	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	02.19.2020 20:41	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	02.19.2020 20:41	U	1
Total BTEX		<0.00200	0.00200	mg/kg	02.19.2020 20:41	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	97	%	70-130	02.19.2020 20:41		
4-Bromofluorobenzene	460-00-4	92	%	70-130	02.19.2020 20:41		



Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit. **ND** Not Detected.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



Larson and Associates, Inc.
Chevron Deep State

Analytical Method: Chloride by EPA 300

Seq Number: 3116782

MB Sample Id: 7696798-1-BLK

Matrix: Solid

LCS Sample Id: 7696798-1-BKS

Prep Method: E300P

Date Prep: 02.17.2020

LCSD Sample Id: 7696798-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	256	102	245	98	90-110	4	20	mg/kg	02.17.2020 13:37	

Analytical Method: Chloride by EPA 300

Seq Number: 3116783

MB Sample Id: 7696799-1-BLK

Matrix: Solid

LCS Sample Id: 7696799-1-BKS

Prep Method: E300P

Date Prep: 02.17.2020

LCSD Sample Id: 7696799-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	251	100	251	100	90-110	0	20	mg/kg	02.17.2020 16:31	

Analytical Method: Chloride by EPA 300

Seq Number: 3116779

MB Sample Id: 7696834-1-BLK

Matrix: Solid

LCS Sample Id: 7696834-1-BKS

Prep Method: E300P

Date Prep: 02.17.2020

LCSD Sample Id: 7696834-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	267	107	264	106	90-110	1	20	mg/kg	02.17.2020 19:29	

Analytical Method: Chloride by EPA 300

Seq Number: 3116901

MB Sample Id: 7696905-1-BLK

Matrix: Solid

LCS Sample Id: 7696905-1-BKS

Prep Method: E300P

Date Prep: 02.18.2020

LCSD Sample Id: 7696905-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	251	100	249	100	90-110	1	20	mg/kg	02.18.2020 17:02	

Analytical Method: Chloride by EPA 300

Seq Number: 3116902

MB Sample Id: 7696921-1-BLK

Matrix: Solid

LCS Sample Id: 7696921-1-BKS

Prep Method: E300P

Date Prep: 02.18.2020

LCSD Sample Id: 7696921-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	248	99	249	100	90-110	0	20	mg/kg	02.18.2020 20:00	

Analytical Method: Chloride by EPA 300

Seq Number: 3116782

Parent Sample Id: 650826-051

Matrix: Soil

MS Sample Id: 650826-051 S

Prep Method: E300P

Date Prep: 02.17.2020

MSD Sample Id: 650826-051 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	721	250	934	85	932	84	90-110	0	20	mg/kg	02.17.2020 15:07	X

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Larson and Associates, Inc.
Chevron Deep State

Analytical Method: Chloride by EPA 300

Seq Number: 3116782

Parent Sample Id: 652504-008

Matrix: Soil

MS Sample Id: 652504-008 S

Prep Method: E300P

Date Prep: 02.17.2020

MSD Sample Id: 652504-008 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	115	249	363	100	363	100	90-110	0	20	mg/kg	02.17.2020 13:53	

Analytical Method: Chloride by EPA 300

Seq Number: 3116783

Parent Sample Id: 652560-009

Matrix: Soil

MS Sample Id: 652560-009 S

Prep Method: E300P

Date Prep: 02.17.2020

MSD Sample Id: 652560-009 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	316	252	559	96	560	97	90-110	0	20	mg/kg	02.17.2020 16:47	

Analytical Method: Chloride by EPA 300

Seq Number: 3116783

Parent Sample Id: 652560-019

Matrix: Soil

MS Sample Id: 652560-019 S

Prep Method: E300P

Date Prep: 02.17.2020

MSD Sample Id: 652560-019 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	55.3	253	306	99	308	100	90-110	1	20	mg/kg	02.17.2020 18:01	

Analytical Method: Chloride by EPA 300

Seq Number: 3116779

Parent Sample Id: 652560-029

Matrix: Soil

MS Sample Id: 652560-029 S

Prep Method: E300P

Date Prep: 02.17.2020

MSD Sample Id: 652560-029 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	132	250	394	105	393	104	90-110	0	20	mg/kg	02.17.2020 19:57	

Analytical Method: Chloride by EPA 300

Seq Number: 3116779

Parent Sample Id: 652560-039

Matrix: Soil

MS Sample Id: 652560-039 S

Prep Method: E300P

Date Prep: 02.17.2020

MSD Sample Id: 652560-039 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	106	249	373	107	370	106	90-110	1	20	mg/kg	02.17.2020 22:07	

Analytical Method: Chloride by EPA 300

Seq Number: 3116901

Parent Sample Id: 652560-037

Matrix: Soil

MS Sample Id: 652560-037 S

Prep Method: E300P

Date Prep: 02.18.2020

MSD Sample Id: 652560-037 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	11.5	253	262	99	260	98	90-110	1	20	mg/kg	02.18.2020 17:18	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Larson and Associates, Inc.
Chevron Deep State

Analytical Method: Chloride by EPA 300

Seq Number: 3116901

Parent Sample Id: 652766-006

Matrix: Soil

MS Sample Id: 652766-006 S

Prep Method: E300P

Date Prep: 02.18.2020

MSD Sample Id: 652766-006 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	18.5	252	276	102	276	102	90-110	0	20	mg/kg	02.18.2020 18:32	

Analytical Method: Chloride by EPA 300

Seq Number: 3116902

Parent Sample Id: 652560-038

Matrix: Soil

MS Sample Id: 652560-038 S

Prep Method: E300P

Date Prep: 02.18.2020

MSD Sample Id: 652560-038 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	110	249	380	108	379	108	90-110	0	20	mg/kg	02.18.2020 20:28	

Analytical Method: Chloride by EPA 300

Seq Number: 3116902

Parent Sample Id: 652805-003

Matrix: Soil

MS Sample Id: 652805-003 S

Prep Method: E300P

Date Prep: 02.18.2020

MSD Sample Id: 652805-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	274	252	508	93	509	93	90-110	0	20	mg/kg	02.18.2020 22:37	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3116819

MB Sample Id: 7696822-1-BLK

Matrix: Solid

LCS Sample Id: 7696822-1-BKS

Prep Method: SW8015P

Date Prep: 02.17.2020

LCSD Sample Id: 7696822-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	844	84	813	81	70-135	4	20	mg/kg	02.17.2020 12:33	
Diesel Range Organics (DRO)	<15.0	1000	925	93	908	91	70-135	2	20	mg/kg	02.17.2020 12:33	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	91		102		95		70-135	%	02.17.2020 12:33
o-Terphenyl	105		104		109		70-135	%	02.17.2020 12:33

Analytical Method: TPH by SW8015 Mod

Seq Number: 3116821

MB Sample Id: 7696823-1-BLK

Matrix: Solid

LCS Sample Id: 7696823-1-BKS

Prep Method: SW8015P

Date Prep: 02.17.2020

LCSD Sample Id: 7696823-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	917	92	930	93	70-135	1	20	mg/kg	02.17.2020 12:33	
Diesel Range Organics (DRO)	<15.0	1000	1040	104	1030	103	70-135	1	20	mg/kg	02.17.2020 12:33	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	100		109		110		70-135	%	02.17.2020 12:33
o-Terphenyl	106		107		107		70-135	%	02.17.2020 12:33

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Larson and Associates, Inc.
Chevron Deep State

Analytical Method: TPH by SW8015 Mod

Seq Number: 3116819

Matrix: Solid

Prep Method: SW8015P

Date Prep: 02.17.2020

MB Sample Id: 7696822-1-BLK

Parameter

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	02.17.2020 12:12	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3116821

Matrix: Solid

Prep Method: SW8015P

Date Prep: 02.17.2020

MB Sample Id: 7696823-1-BLK

Parameter

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	02.17.2020 12:12	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3116819

Matrix: Soil

Prep Method: SW8015P

Date Prep: 02.17.2020

Parent Sample Id: 652560-001

MS Sample Id: 652560-001 S

MSD Sample Id: 652560-001 SD

Parameter

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	31.9	997	799	77	798	77	70-135	0	20	mg/kg	02.17.2020 13:36	
Diesel Range Organics (DRO)	418	997	1510	110	1540	113	70-135	2	20	mg/kg	02.17.2020 13:36	

Surrogate

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	96		95		70-135	%	02.17.2020 13:36
o-Terphenyl	104		105		70-135	%	02.17.2020 13:36

Analytical Method: TPH by SW8015 Mod

Seq Number: 3116821

Matrix: Soil

Prep Method: SW8015P

Date Prep: 02.17.2020

Parent Sample Id: 652560-021

MS Sample Id: 652560-021 S

MSD Sample Id: 652560-021 SD

Parameter

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	997	890	89	972	97	70-135	9	20	mg/kg	02.17.2020 13:36	
Diesel Range Organics (DRO)	<15.0	997	1010	101	1110	111	70-135	9	20	mg/kg	02.17.2020 13:36	

Surrogate

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	104		113		70-135	%	02.17.2020 13:36
o-Terphenyl	104		114		70-135	%	02.17.2020 13:36

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Larson and Associates, Inc.
Chevron Deep State

Analytical Method: BTEX by EPA 8021B

Seq Number: 3117071

MB Sample Id: 7697062-1-BLK

Matrix: Solid

LCS Sample Id: 7697062-1-BKS

Prep Method: SW5030B

Date Prep: 02.19.2020

LCSD Sample Id: 7697062-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.106	106	0.102	102	70-130	4	35	mg/kg	02.19.2020 18:09	
Toluene	<0.00200	0.100	0.0951	95	0.0973	97	70-130	2	35	mg/kg	02.19.2020 18:09	
Ethylbenzene	<0.00200	0.100	0.0922	92	0.100	100	70-130	8	35	mg/kg	02.19.2020 18:09	
m,p-Xylenes	<0.00400	0.200	0.171	86	0.193	97	70-130	12	35	mg/kg	02.19.2020 18:09	
o-Xylene	<0.00200	0.100	0.0843	84	0.0961	96	70-130	13	35	mg/kg	02.19.2020 18:09	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	95		99		95		70-130	%	02.19.2020 18:09
4-Bromofluorobenzene	96		87		100		70-130	%	02.19.2020 18:09

Analytical Method: BTEX by EPA 8021B

Seq Number: 3117325

MB Sample Id: 7697064-1-BLK

Matrix: Solid

LCS Sample Id: 7697064-1-BKS

Prep Method: SW5030B

Date Prep: 02.19.2020

LCSD Sample Id: 7697064-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000385	0.100	0.0963	96	0.117	117	70-130	19	35	mg/kg	02.19.2020 22:29	
Toluene	0.000540	0.100	0.0935	94	0.116	116	70-130	21	35	mg/kg	02.19.2020 22:29	
Ethylbenzene	<0.000565	0.100	0.0860	86	0.113	113	70-130	27	35	mg/kg	02.19.2020 22:29	
m,p-Xylenes	<0.00101	0.200	0.170	85	0.224	112	70-130	27	35	mg/kg	02.19.2020 22:29	
o-Xylene	<0.000344	0.100	0.0870	87	0.111	111	70-130	24	35	mg/kg	02.19.2020 22:29	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	111		114		114		70-130	%	02.19.2020 22:29
4-Bromofluorobenzene	70		90		89		70-130	%	02.19.2020 22:29

Analytical Method: BTEX by EPA 8021B

Seq Number: 3117357

MB Sample Id: 7697068-1-BLK

Matrix: Solid

LCS Sample Id: 7697068-1-BKS

Prep Method: SW5030B

Date Prep: 02.19.2020

LCSD Sample Id: 7697068-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000385	0.100	0.110	110	0.112	112	70-130	2	35	mg/kg	02.20.2020 17:41	
Toluene	<0.000456	0.100	0.102	102	0.102	102	70-130	0	35	mg/kg	02.20.2020 17:41	
Ethylbenzene	<0.000565	0.100	0.0940	94	0.0947	95	70-130	1	35	mg/kg	02.20.2020 17:41	
m,p-Xylenes	<0.00101	0.200	0.184	92	0.185	93	70-130	1	35	mg/kg	02.20.2020 17:41	
o-Xylene	<0.000344	0.100	0.0992	99	0.0962	96	70-130	3	35	mg/kg	02.20.2020 17:41	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		104		108		70-130	%	02.20.2020 17:41
4-Bromofluorobenzene	71		91		90		70-130	%	02.20.2020 17:41

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Larson and Associates, Inc.
Chevron Deep State

Analytical Method: BTEX by EPA 8021B

Seq Number: 3117358

MB Sample Id: 7697074-1-BLK

Matrix: Solid

LCS Sample Id: 7697074-1-BKS

Prep Method: SW5030B

Date Prep: 02.20.2020

LCSD Sample Id: 7697074-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.106	106	0.0820	82	70-130	26	35	mg/kg	02.20.2020 18:43	
Toluene	<0.00200	0.100	0.0975	98	0.0686	69	70-130	35	35	mg/kg	02.20.2020 18:43	L
Ethylbenzene	<0.00200	0.100	0.0959	96	0.0579	58	70-130	49	35	mg/kg	02.20.2020 18:43	LF
m,p-Xylenes	<0.00400	0.200	0.179	90	0.108	54	70-130	49	35	mg/kg	02.20.2020 18:43	LF
o-Xylene	<0.00200	0.100	0.0894	89	0.0563	56	70-130	45	35	mg/kg	02.20.2020 18:43	LF

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	94		93		94		70-130	%	02.20.2020 18:43
4-Bromofluorobenzene	103		91		94		70-130	%	02.20.2020 18:43

Analytical Method: BTEX by EPA 8021B

Seq Number: 3117416

MB Sample Id: 7697288-1-BLK

Matrix: Solid

LCS Sample Id: 7697288-1-BKS

Prep Method: SW5030B

Date Prep: 02.21.2020

LCSD Sample Id: 7697288-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0949	95	0.0930	93	70-130	2	35	mg/kg	02.21.2020 14:58	
Toluene	<0.00200	0.100	0.100	100	0.0938	94	70-130	6	35	mg/kg	02.21.2020 14:58	
Ethylbenzene	<0.00200	0.100	0.109	109	0.100	100	70-130	9	35	mg/kg	02.21.2020 14:58	
m,p-Xylenes	<0.00400	0.200	0.218	109	0.199	100	70-130	9	35	mg/kg	02.21.2020 14:58	
o-Xylene	<0.00200	0.100	0.108	108	0.100	100	70-130	8	35	mg/kg	02.21.2020 14:58	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	95		86		90		70-130	%	02.21.2020 14:58
4-Bromofluorobenzene	94		109		108		70-130	%	02.21.2020 14:58

Analytical Method: BTEX by EPA 8021B

Seq Number: 3117325

Parent Sample Id: 652560-001

Matrix: Soil

MS Sample Id: 652560-001 S

Prep Method: SW5030B

Date Prep: 02.19.2020

MSD Sample Id: 652560-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000388	0.101	0.0886	88	0.0930	93	70-130	5	35	mg/kg	02.19.2020 23:09	
Toluene	0.000621	0.101	0.0841	83	0.0950	95	70-130	12	35	mg/kg	02.19.2020 23:09	
Ethylbenzene	<0.000569	0.101	0.0633	63	0.0737	74	70-130	15	35	mg/kg	02.19.2020 23:09	X
m,p-Xylenes	0.00131	0.202	0.120	59	0.141	70	70-130	16	35	mg/kg	02.19.2020 23:09	X
o-Xylene	0.00730	0.101	0.0575	50	0.0856	78	70-130	39	35	mg/kg	02.19.2020 23:09	XF

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	96		102		70-130	%	02.19.2020 23:09
4-Bromofluorobenzene	114		113		70-130	%	02.19.2020 23:09

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Larson and Associates, Inc.
Chevron Deep State

Analytical Method: BTEX by EPA 8021B

Seq Number: 3117357

Parent Sample Id: 652560-003

Matrix: Soil

MS Sample Id: 652560-003 S

Prep Method: SW5030B

Date Prep: 02.19.2020

MSD Sample Id: 652560-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	0.000392	0.0994	0.0997	100	0.0984	98	70-130	1	35	mg/kg	02.20.2020 18:21	
Toluene	<0.000453	0.0994	0.0867	87	0.0916	92	70-130	5	35	mg/kg	02.20.2020 18:21	
Ethylbenzene	<0.000561	0.0994	0.0784	79	0.0851	85	70-130	8	35	mg/kg	02.20.2020 18:21	
m,p-Xylenes	<0.00101	0.199	0.152	76	0.165	83	70-130	8	35	mg/kg	02.20.2020 18:21	
o-Xylene	<0.000342	0.0994	0.0783	79	0.0846	85	70-130	8	35	mg/kg	02.20.2020 18:21	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	110		111		70-130	%	02.20.2020 18:21
4-Bromofluorobenzene	88		86		70-130	%	02.20.2020 18:21

Analytical Method: BTEX by EPA 8021B

Seq Number: 3117358

Parent Sample Id: 652560-019

Matrix: Soil

MS Sample Id: 652560-019 S

Prep Method: SW5030B

Date Prep: 02.20.2020

MSD Sample Id: 652560-019 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0891	89	0.0871	87	70-130	2	35	mg/kg	02.20.2020 21:07	
Toluene	<0.00200	0.100	0.0783	78	0.0769	77	70-130	2	35	mg/kg	02.20.2020 21:07	
Ethylbenzene	<0.00200	0.100	0.0758	76	0.0750	75	70-130	1	35	mg/kg	02.20.2020 21:07	
m,p-Xylenes	<0.00401	0.200	0.141	71	0.140	70	70-130	1	35	mg/kg	02.20.2020 21:07	
o-Xylene	<0.00200	0.100	0.0706	71	0.0706	71	70-130	0	35	mg/kg	02.20.2020 21:07	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	96		96		70-130	%	02.20.2020 21:07
4-Bromofluorobenzene	88		91		70-130	%	02.20.2020 21:07

Analytical Method: BTEX by EPA 8021B

Seq Number: 3117416

Parent Sample Id: 652560-037

Matrix: Soil

MS Sample Id: 652560-037 S

Prep Method: SW5030B

Date Prep: 02.21.2020

MSD Sample Id: 652560-037 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0850	85	0.0510	51	70-130	50	35	mg/kg	02.21.2020 15:39	XF
Toluene	<0.00200	0.100	0.0793	79	0.0490	49	70-130	47	35	mg/kg	02.21.2020 15:39	XF
Ethylbenzene	<0.00200	0.100	0.0804	80	0.0493	49	70-130	48	35	mg/kg	02.21.2020 15:39	XF
m,p-Xylenes	<0.00400	0.200	0.155	78	0.0914	46	70-130	52	35	mg/kg	02.21.2020 15:39	XF
o-Xylene	<0.00200	0.100	0.0786	79	0.0471	47	70-130	50	35	mg/kg	02.21.2020 15:39	XF

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	91		94		70-130	%	02.21.2020 15:39
4-Bromofluorobenzene	100		90		70-130	%	02.21.2020 15:39

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C-A) / B$
 $RPD = 200 * |(C-E) / (C+E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Larson and Associates, Inc.
Chevron Deep State

Analytical Method: BTEX by EPA 8021B

Seq Number: 3117071

Parent Sample Id: 652560-039

Matrix: Soil

MS Sample Id: 652560-039 S

Prep Method: SW5030B

Date Prep: 02.19.2020

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	Limits	Units	Analysis Date	Flag
Benzene	<0.00199	0.0994	0.105	106	70-130	mg/kg	02.19.2020 18:50	
Toluene	<0.00199	0.0994	0.0919	92	70-130	mg/kg	02.19.2020 18:50	
Ethylbenzene	<0.00199	0.0994	0.0871	88	70-130	mg/kg	02.19.2020 18:50	
m,p-Xylenes	<0.00398	0.199	0.160	80	70-130	mg/kg	02.19.2020 18:50	
o-Xylene	<0.00199	0.0994	0.0800	80	70-130	mg/kg	02.19.2020 18:50	

Surrogate	MS %Rec	MS Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	98		70-130	%	02.19.2020 18:50
4-Bromofluorobenzene	83		70-130	%	02.19.2020 18:50

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec

Varson & Associates, Inc.
Environmental Consultants

507 N. Morienfeld, Ste. 200
Midland, TX 79701
432-687-0901

Data Reported to:

DATE: 2/17/2020 PAGE 1 OF 3
PO#: _____ LAB WORK ORDER#: _____
PROJECT LOCATION OR NAME: CHICURON NEAR STATE
LAI PROJECT #: 20-0107-01 COLLECTOR: AS/ED

TRRP report? ☐ Yes ☒ No
TIME ZONE: _____
Time zone/State: _____
W5 ✓

S=SOIL
W=WATER
A=AIR
P=PAINT
SL=SLUDGE
OT=OTHER

Field Sample I.D. _____
Lab # _____
Date _____
Time _____
Matrix _____

of Containers

HCl

HNO₃H₂SO₄ ☐ NaOH ☐

ICE

UNPRESSERVED

ANALYSES

BTEX ☐ MTBE ☐TPH 418.1 ☐ TPH 1005 ☐ TPH 1006 ☐GASOLINE MOD 8015 ☒DIESEL - MOD 8015 ☒OIL - MOD 8015 ☒VOC 8280 ☐SVOC 8270 ☐8081 PESTICIDES ☐8082 PESTICIDES ☐TCLP - METALS (RCRA) ☐TCLP - PEST ☐TOTAL METALS (RCRA) ☐LEAD - TOTAL ☐RCL ☐TDS ☐TOX ☐TSS ☐% MOISTURE ☐FLASHPOINT ☐CYANIDE ☐PECHLORATE ☐EXPLOSIVES ☐HEXAVALENT CHROMIUM ☐ALKALINITY ☐CHLORIDE ANIONS ☐

FIELD NOTES

Field Sample I.D.	Lab #	Date	Time	Matrix	# of Containers	HCl	HNO ₃	H ₂ SO ₄ ☐ NaOH ☐	ICE	UNPRESSERVED	ANALYSES	TURN AROUND TIME	LABORATORY USE ONLY
BA-3 0.5'		2/11/20	1000	S	1				X	X	TPH 418.1 ☐ TPH 1005 ☐ TPH 1006 ☐	NORMAL ☒	RECEIVING TEMP: <u>16</u> THERM# <u>26</u>
BA-2 0.5'			1026							X	GASOLINE MOD 8015 ☒	1 DAY ☐	CUSTODY SEALS - ☐ BROKEN ☐ INTACT ☐ NOT USED
BA-2 2'			1027							X	DIESEL - MOD 8015 ☒	2 DAY ☐	CARRIER BILL # _____
BA-2 5'			1032							X	OIL - MOD 8015 ☒	OTHER ☐	HAND DELIVERED ☐
BA-2 7'			1033							X	VOC 8280 ☐		
BA-1 0.5'			1130							X	SVOC 8270 ☐		
BA-1 2'			1131							X	8081 PESTICIDES ☐		
BA-8 0.5'		2/12/20	1142							X	8082 PESTICIDES ☐		
BA-8 2'			1143							X	TCLP - METALS (RCRA) ☐		
BA-8 5'			1205							X	TCLP - PEST ☐		
BA-8 10'			1206							X	TOTAL METALS (RCRA) ☐		
BA-6 0.5'			1214							X	LEAD - TOTAL ☐		
BA-6 2'			1215							X	RCL ☐		
BA-6 5'			1217							X	TDS ☐		
BA-6 10'			1220							X	TOX ☐		
TOTAL 15										X	TSS ☐		
RELINQUISHED BY: (Signature) <u>[Signature]</u>		DATE/TIME <u>2/11/20 130</u>									% MOISTURE ☐		
RELINQUISHED BY: (Signature) _____		DATE/TIME _____									FLASHPOINT ☐		
RELINQUISHED BY: (Signature) _____		DATE/TIME _____									CYANIDE ☐		
RELINQUISHED BY: (Signature) _____		DATE/TIME _____									PECHLORATE ☐		
RELINQUISHED BY: (Signature) _____		DATE/TIME _____									EXPLOSIVES ☐		
RELINQUISHED BY: (Signature) _____		DATE/TIME _____									HEXAVALENT CHROMIUM ☐		
RELINQUISHED BY: (Signature) _____		DATE/TIME _____									ALKALINITY ☐		
RELINQUISHED BY: (Signature) _____		DATE/TIME _____									CHLORIDE ANIONS ☐		
LABORATORY: <u>XCNC0</u>											FIELD NOTES		

1052540

CHAIN-OF-CUSTODY

Nº 0993

Aarson & Associates, Inc.

Environmental Consultants

507 N. Marienfeld, Ste. 200
Midland, TX 79701
432-687-0901

DATE: 2/17/20

PO#: 1052500

LAB WORK ORDER#:

PAGE 3 OF 3

CHAIN-OF-CUSTODY

№ 0995

Data Reported to:

PROJECT LOCATION OR NAME: CHEVRON DEEP STATE
LAI PROJECT #: 20-0107-01 COLLECTOR: bsl/ec

TRRP report?		S=SOIL W=WATER A=AIR		P=PAINT SL=SLUDGE OT=OTHER		TIME ZONE: Time zone/State:		PRESERVATION		ANALYSES		FIELD NOTES
Yes	No							HCl	HNO ₃	H ₂ SO ₄ ☐ NaOH ☐	ICE	
MST		Field Sample I.D.	Lab #	Date	Time	Matrix	# of Containers					
B4-11 (0.5')				2/13/20	1214	S	1					
B4-11 (2')					1215							
B4-11 (5')					1216							
B4-10 (0.5')				2/14/20	1015							
B4-10 (2')					1016							
B4-10 (5')					1017							
B4-13 (0.5')					1109							
B4-13 (2')					1110							
B4-13 (5')					1111							
TOTAL												
RELINQUISHED BY: (Signature)		DATE/TIME		RECEIVED BY: (Signature)		DATE/TIME		TURN AROUND TIME		LABORATORY USE ONLY:		
RELINQUISHED BY: (Signature)		DATE/TIME		RECEIVED BY: (Signature)		DATE/TIME		NORMAL ☒ 1 DAY ☐ 2 DAY ☐ OTHER ☐		RECEIVING TEMP: THERM#		
RELINQUISHED BY: (Signature)		DATE/TIME		RECEIVED BY: (Signature)		DATE/TIME		CUSTODY SEALS - ☐ BROKEN ☐ INTACT ☐ NOT USED		CARRIER BILL #		
LABORATORY: X 6200		DATE/TIME		RECEIVED BY: (Signature)		DATE/TIME		HAND DELIVERED		EXPLOSIVES ☐ PESTICIDES ☐ CHLORIDES ☐ ANIONS ☐ ALKALINITY ☐		



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Client: Larson and Associates, Inc.

Date/ Time Received: 02/17/2020 09:30:00 AM

Work Order #: 652560

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	1.6
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:

Brianna Teel

Date: 02/17/2020

Checklist reviewed by:

Holly Taylor

Date: 02/22/2020

Project Id: 20-0107-01
Contact: Mark Larson
Project Location:

Date Received in Lab: Fri 07.24.2020 08:13
Report Date: 07.29.2020 13:39
Project Manager: Holly Taylor

Certificate of Analysis Summary 668114

Larson and Associates, Inc., Midland, TX

Project Name: Lovington Deep State

<i>Analysis Requested</i>	<i>Lab Id:</i>	668114-001	<i>Field Id:</i>	668114-002	<i>Depth:</i>	668114-003	<i>Matrix:</i>	668114-004	<i>Sampled:</i>	668114-005	<i>Units/RL:</i>	668114-006
	<i>Field Id:</i>	BH-3 5'	<i>Depth:</i>	BH-3 10'	<i>Matrix:</i>	BH-3 15'	<i>Sampled:</i>	BH-3 20'	<i>Matrix:</i>	BH-2 5'	<i>Units/RL:</i>	SOIL
	<i>Field Id:</i>	07.27.2020 09:00	<i>Depth:</i>	07.27.2020 09:00	<i>Matrix:</i>	07.27.2020 09:00	<i>Sampled:</i>	07.27.2020 09:00	<i>Matrix:</i>	07.27.2020 09:00	<i>Units/RL:</i>	07.23.2020 10:50
	<i>Field Id:</i>	07.27.2020 17:52	<i>Depth:</i>	07.27.2020 18:13	<i>Matrix:</i>	07.27.2020 18:13	<i>Sampled:</i>	07.27.2020 18:33	<i>Matrix:</i>	07.27.2020 18:33	<i>Units/RL:</i>	07.23.2020 10:50
BTEX by EPA 8021B	<i>Units/RL:</i>	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg
	Benzene	<0.00199	0.00199	<0.00198	0.00198	<0.00198	0.00198	<0.00198	0.00198	<0.00198	0.00198	<0.00198
	Toluene	<0.00199	0.00199	<0.00198	0.00198	<0.00198	0.00198	<0.00198	0.00198	<0.00198	0.00198	<0.00198
	Ethylbenzene	<0.00199	0.00199	<0.00198	0.00198	<0.00198	0.00198	<0.00198	0.00198	<0.00198	0.00198	<0.00198
	m,p-Xylenes	<0.00398	0.00398	<0.00396	0.00396	<0.00396	0.00396	<0.00396	0.00396	<0.00397	0.00397	<0.00397
	o-Xylene	<0.00199	0.00199	<0.00198	0.00198	<0.00198	0.00198	<0.00198	0.00198	<0.00198	0.00198	<0.00198
Chloride by EPA 300	Total Xylenes	<0.00199	0.00199	<0.00198	0.00198	<0.00198	0.00198	<0.00198	0.00198	<0.00198	0.00198	<0.00198
	Total BTEX	<0.00199	0.00199	<0.00198	0.00198	<0.00198	0.00198	<0.00198	0.00198	<0.00198	0.00198	<0.00198
	<i>Units/RL:</i>	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg
	Chloride	2500	49.7	503	5.00	200	5.04	50.6	5.04	777	4.99	3120
	TPH by SW8015 Mod	07.24.2020 12:00	07.24.2020 12:00	07.24.2020 12:00	07.24.2020 12:00	07.24.2020 12:00	07.24.2020 12:00	07.24.2020 12:00	07.24.2020 12:00	07.24.2020 12:00	07.24.2020 12:00	07.24.2020 12:00
	Gasoline Range Hydrocarbons (GRO)	<50.0	50.0	<49.9	49.9	<49.9	49.9	<49.9	49.9	<50.0	50.0	<50.0
Total TPH	Diesel Range Organics (DRO)	<50.0	50.0	<49.9	49.9	<49.9	49.9	<49.9	49.9	<50.0	50.0	<50.0
	Motor Oil Range Hydrocarbons (MRO)	<50.0	50.0	<49.9	49.9	<49.9	49.9	<49.9	49.9	<50.0	50.0	<50.0
	Total TPH	<50.0	50.0	<49.9	49.9	<49.9	49.9	<49.9	49.9	<50.0	50.0	<50.0

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Project Id: 20-0107-01
Contact: Mark Larson
Project Location:

Date Received in Lab: Fri 07.24.2020 08:13
Report Date: 07.29.2020 13:39
Project Manager: Holly Taylor

Certificate of Analysis Summary 668114

Larson and Associates, Inc., Midland, TX

Project Name: Lovington Deep State

Analysis Requested	Lab Id:	Field Id:	Depth:	Matrix:	Sampled:	668114-007 BH-2 15'	668114-008 BH-2 20'	668114-009 BH-5 5'	668114-010 BH-5 10'	668114-011 BH-5 15'	668114-012 BH-5 20'
	Extracted:	Analyzed:	Units/RL:								
BTEX by EPA 8021B	Benzene							07.27.2020 09:00 07.27.2020 18:54 mg/kg RL	07.23.2020 12:00	07.23.2020 12:05	07.23.2020 12:10
	Toluene							<0.00200 0.00200			
	Ethylbenzene							<0.00200 0.00200			
	m,p-Xylenes							<0.00401 0.00401			
	o-Xylene							<0.00200 0.00200			
	Total Xylenes							<0.00200 0.00200			
Total BTEX											
Chloride by EPA 300	Extracted:	07.24.2020 14:30					07.24.2020 14:30	07.24.2020 14:30	07.24.2020 14:30	07.24.2020 14:30	07.24.2020 14:30
	Analyzed:	07.24.2020 16:30					07.24.2020 16:36	07.24.2020 16:41	07.24.2020 16:57	07.24.2020 17:02	07.24.2020 17:17
	Units/RL:	mg/kg RL 379 25.3					mg/kg RL 1060 4.99	mg/kg RL 189 5.00	mg/kg RL 1180 4.96	mg/kg RL 68.3 4.96	mg/kg RL 68.1 4.98
TPH by SW8015 Mod	Extracted:							07.24.2020 12:00			
	Analyzed:							07.24.2020 16:07			
	Units/RL:							mg/kg RL <49.8 49.8			
	Gasoline Range Hydrocarbons (GRO)							<49.8 49.8			
	Diesel Range Organics (DRO)							<49.8 49.8			
Motor Oil Range Hydrocarbons (MRO)								<49.8 49.8			
	Total TPH							<49.8 49.8			

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Project Id: 20-0107-01
Contact: Mark Larson
Project Location:

Date Received in Lab: Fri 07.24.2020 08:13
Report Date: 07.29.2020 13:39
Project Manager: Holly Taylor

Certificate of Analysis Summary 668114

Larson and Associates, Inc., Midland, TX

Project Name: Lovington Deep State

<i>Analysis Requested</i>	<i>Lab Id:</i>	668114-013	<i>Field Id:</i>	668114-014	<i>Depth:</i>	668114-015	<i>Matrix:</i>	668114-016	<i>Sampled:</i>	668114-017	<i>Units/RL:</i>	668114-018
	<i>Field Id:</i>	BH-7 5'	<i>Depth:</i>	BH-7 10'	<i>Matrix:</i>	BH-7 15'	<i>Sampled:</i>	BH-7 20'	<i>Matrix:</i>	BH-8 5'	<i>Units/RL:</i>	BH-8 10'
	<i>Matrix:</i>	SOIL	<i>Sampled:</i>	SOIL	<i>Matrix:</i>	SOIL	<i>Sampled:</i>	SOIL	<i>Matrix:</i>	SOIL	<i>Sampled:</i>	SOIL
	<i>Sampled:</i>	07.23.2020 13:00	<i>Sampled:</i>	07.23.2020 13:05	<i>Sampled:</i>	07.23.2020 13:08	<i>Sampled:</i>	07.23.2020 13:10	<i>Sampled:</i>	07.23.2020 13:35	<i>Sampled:</i>	07.23.2020 13:40
BTEX by EPA 8021B	<i>Extracted:</i>	07.27.2020 09:00	<i>Extracted:</i>	07.27.2020 09:00	<i>Extracted:</i>	07.27.2020 09:00	<i>Extracted:</i>	07.27.2020 09:00	<i>Extracted:</i>	07.27.2020 09:00	<i>Extracted:</i>	07.27.2020 09:00
	<i>Analyzed:</i>	07.27.2020 19:14	<i>Analyzed:</i>	07.27.2020 19:35	<i>Analyzed:</i>	07.27.2020 19:35	<i>Analyzed:</i>	07.27.2020 19:55	<i>Analyzed:</i>	07.27.2020 19:55	<i>Analyzed:</i>	07.27.2020 19:55
	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL
	Benzene	<0.00200 0.00200	Benzene	<0.00199 0.00199	Benzene	<0.00199 0.00199	Benzene	<0.00198 0.00198	Benzene	<0.00198 0.00198	Benzene	<0.00198 0.00198
	Toluene	<0.00200 0.00200	Toluene	<0.00199 0.00199	Toluene	<0.00199 0.00199	Toluene	<0.00198 0.00198	Toluene	<0.00198 0.00198	Toluene	<0.00198 0.00198
	Ethylbenzene	<0.00200 0.00200	Ethylbenzene	<0.00199 0.00199	Ethylbenzene	<0.00199 0.00199	Ethylbenzene	<0.00198 0.00198	Ethylbenzene	<0.00198 0.00198	Ethylbenzene	<0.00198 0.00198
Chloride by EPA 300	m,p-Xylenes	<0.00399 0.00399	m,p-Xylenes	<0.00398 0.00398	m,p-Xylenes	<0.00398 0.00398	m,p-Xylenes	<0.00397 0.00397	m,p-Xylenes	<0.00397 0.00397	m,p-Xylenes	<0.00397 0.00397
	o-Xylene	<0.00200 0.00200	o-Xylene	<0.00199 0.00199	o-Xylene	<0.00199 0.00199	o-Xylene	<0.00198 0.00198	o-Xylene	<0.00198 0.00198	o-Xylene	<0.00198 0.00198
	Total Xylenes	<0.00200 0.00200	Total Xylenes	<0.00199 0.00199	Total Xylenes	<0.00199 0.00199	Total Xylenes	<0.00198 0.00198	Total Xylenes	<0.00198 0.00198	Total Xylenes	<0.00198 0.00198
	Total BTEX	<0.00200 0.00200	Total BTEX	<0.00199 0.00199	Total BTEX	<0.00199 0.00199	Total BTEX	<0.00198 0.00198	Total BTEX	<0.00198 0.00198	Total BTEX	<0.00198 0.00198
	<i>Extracted:</i>	07.24.2020 14:30	<i>Extracted:</i>	07.24.2020 14:30	<i>Extracted:</i>	07.24.2020 14:30	<i>Extracted:</i>	07.24.2020 14:30	<i>Extracted:</i>	07.24.2020 14:30	<i>Extracted:</i>	07.24.2020 14:30
	<i>Analyzed:</i>	07.24.2020 17:23	<i>Analyzed:</i>	07.24.2020 17:28	<i>Analyzed:</i>	07.24.2020 17:33	<i>Analyzed:</i>	07.24.2020 17:38	<i>Analyzed:</i>	07.24.2020 17:44	<i>Analyzed:</i>	07.24.2020 17:49
TPH by SW8015 Mod	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL
	Chloride	32.1 5.03	Chloride	13.8 4.95	Chloride	13.4 4.96	Chloride	15.6 4.98	Chloride	12.50 24.9	Chloride	7.54 4.99
	<i>Extracted:</i>	07.24.2020 12:00	<i>Extracted:</i>	07.24.2020 12:00	<i>Extracted:</i>	07.24.2020 12:00	<i>Extracted:</i>	07.24.2020 12:00	<i>Extracted:</i>	07.24.2020 12:00	<i>Extracted:</i>	07.24.2020 12:00
	<i>Analyzed:</i>	07.24.2020 16:51	<i>Analyzed:</i>	07.24.2020 17:34	<i>Analyzed:</i>	07.24.2020 17:34	<i>Analyzed:</i>	07.24.2020 17:56	<i>Analyzed:</i>	07.24.2020 17:56	<i>Analyzed:</i>	07.24.2020 17:56
	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL	<i>Units/RL:</i>	mg/kg RL
	Gasoline Range Hydrocarbons (GRO)	<49.9 49.9	Gasoline Range Hydrocarbons (GRO)	<49.8 49.8	Gasoline Range Hydrocarbons (GRO)	<49.8 49.8	Gasoline Range Hydrocarbons (GRO)	<50.0 50.0	Gasoline Range Hydrocarbons (GRO)	<50.0 50.0	Gasoline Range Hydrocarbons (GRO)	<50.0 50.0
Total TPH	Diesel Range Organics (DRO)	<49.9 49.9	Diesel Range Organics (DRO)	<49.8 49.8	Diesel Range Organics (DRO)	<49.8 49.8	Diesel Range Organics (DRO)	<50.0 50.0	Diesel Range Organics (DRO)	<50.0 50.0	Diesel Range Organics (DRO)	<50.0 50.0
	Motor Oil Range Hydrocarbons (MRO)	<49.9 49.9	Motor Oil Range Hydrocarbons (MRO)	<49.8 49.8	Motor Oil Range Hydrocarbons (MRO)	<49.8 49.8	Motor Oil Range Hydrocarbons (MRO)	<50.0 50.0	Motor Oil Range Hydrocarbons (MRO)	<50.0 50.0	Motor Oil Range Hydrocarbons (MRO)	<50.0 50.0
	Total TPH	<49.9 49.9	Total TPH	<49.8 49.8	Total TPH	<49.8 49.8	Total TPH	<50.0 50.0	Total TPH	<50.0 50.0	Total TPH	<50.0 50.0

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Certificate of Analysis Summary 668114
Larson and Associates, Inc., Midland, TX

Project Name: Lovington Deep State

Date Received in Lab: Fri 07.24.2020 08:13
Report Date: 07.29.2020 13:39
Project Manager: Holly Taylor

Project Id: 20-0107-01
Contact: Mark Larson
Project Location:

Analysis Requested	Lab Id:	668114-019	668114-020	668114-021		
	Field Id:	BH-8 15'	BH-8 20'	BH-8 25'		
	Depth:					
	Matrix:	SOIL	SOIL	SOIL		
Chloride by EPA 300	Sampled:	07.23.2020 13:42	07.23.2020 13:43	07.23.2020 14:15		
	Extracted:	07.24.2020 14:50	07.24.2020 14:50	07.24.2020 14:50		
	Analyzed:	07.24.2020 18:20	07.24.2020 18:36	07.24.2020 18:41		
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL		
Chloride		2240 X 25.3	2690 24.8	97.7 4.99		



BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Analytical Report 668114

for

Larson and Associates, Inc.

Project Manager: Mark Larson

Lovington Deep State

20-0107-01

07.29.2020

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-20-36), Arizona (AZ0765), Florida (E871002-33), Louisiana (03054)
Oklahoma (2019-058), North Carolina (681), Arkansas (20-035-0)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-20-25), Arizona (AZ0809)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-20-17)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-20-22)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-19)
Xenco-Carlsbad (LELAP): Louisiana (05092)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-20-7)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Tampa: Florida (E87429), North Carolina (483)



07.29.2020

Project Manager: **Mark Larson**
Larson and Associates, Inc.
P. O. Box 50685
Midland, TX 79710

Reference: Eurofins Xenco, LLC Report No(s): **668114**
Lovington Deep State
Project Address:

Mark Larson :

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the Eurofins Xenco, LLC Report Number(s) 668114. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by Eurofins Xenco, LLC. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 668114 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting Eurofins Xenco, LLC to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink, appearing to read "JB", written over a light blue rectangular background.

John Builes
Project Manager

A Small Business and Minority Company

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

**Sample Cross Reference 668114****Larson and Associates, Inc., Midland, TX**

Lovington Deep State

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
BH-3 5'	S	07.23.2020 10:10		668114-001
BH-3 10'	S	07.23.2020 10:21		668114-002
BH-3 15'	S	07.23.2020 10:25		668114-003
BH-3 20'	S	07.23.2020 10:30		668114-004
BH-2 5'	S	07.23.2020 10:45		668114-005
BH-2 10'	S	07.23.2020 10:50		668114-006
BH-2 15'	S	07.23.2020 10:55		668114-007
BH-2 20'	S	07.23.2020 11:00		668114-008
BH-5 5'	S	07.23.2020 11:58		668114-009
BH-5 10'	S	07.23.2020 12:00		668114-010
BH-5 15'	S	07.23.2020 12:05		668114-011
BH-5 20'	S	07.23.2020 12:10		668114-012
BH-7 5'	S	07.23.2020 13:00		668114-013
BH-7 10'	S	07.23.2020 13:05		668114-014
BH-7 15'	S	07.23.2020 13:08		668114-015
BH-7 20'	S	07.23.2020 13:10		668114-016
BH-8 5'	S	07.23.2020 13:35		668114-017
BH-8 10'	S	07.23.2020 13:40		668114-018
BH-8 15'	S	07.23.2020 13:42		668114-019
BH-8 20'	S	07.23.2020 13:43		668114-020
BH-8 25'	S	07.23.2020 14:15		668114-021



CASE NARRATIVE

Client Name: *Larson and Associates, Inc.*

Project Name: *Lovington Deep State*

Project ID: 20-0107-01
Work Order Number(s): 668114

Report Date: 07.29.2020
Date Received: 07.24.2020

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3132618 Chloride by EPA 300

Lab Sample ID 668137-008 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 668114-019, -020, -021.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-3 5'**
Lab Sample Id: 668114-001

Matrix: Soil
Date Collected: 07.23.2020 10:10

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2500	49.7	mg/kg	07.24.2020 15:49		10

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 07.24.2020 12:00

Basis: Wet Weight

Seq Number: 3132651

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	07.24.2020 14:59	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	07.24.2020 14:59	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	07.24.2020 14:59	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	07.24.2020 14:59	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-130	07.24.2020 14:59	
o-Terphenyl	84-15-1	102	%	70-130	07.24.2020 14:59	



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-3 5'**
Lab Sample Id: 668114-001

Matrix: Soil
Date Collected: 07.23.2020 10:10

Date Received: 07.24.2020 08:13

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: AMF

% Moisture:

Analyst: AMF

Date Prep: 07.27.2020 09:00

Basis: Wet Weight

Seq Number: 3132772

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	07.27.2020 17:52	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	07.27.2020 17:52	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	07.27.2020 17:52	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	07.27.2020 17:52	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	07.27.2020 17:52	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	07.27.2020 17:52	U	1
Total BTEX		<0.00199	0.00199	mg/kg	07.27.2020 17:52	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	102	%	70-130	07.27.2020 17:52		
4-Bromofluorobenzene	460-00-4	101	%	70-130	07.27.2020 17:52		



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-3 10'**
Lab Sample Id: 668114-002

Matrix: Soil
Date Collected: 07.23.2020 10:21

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	503	5.00	mg/kg	07.24.2020 15:54		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 07.24.2020 12:00

Basis: Wet Weight

Seq Number: 3132651

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	07.24.2020 15:24	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	07.24.2020 15:24	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	07.24.2020 15:24	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	07.24.2020 15:24	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-130	07.24.2020 15:24	
o-Terphenyl	84-15-1	98	%	70-130	07.24.2020 15:24	



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-3 10'**
Lab Sample Id: 668114-002

Matrix: Soil
Date Collected: 07.23.2020 10:21

Date Received: 07.24.2020 08:13

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: AMF

% Moisture:

Analyst: AMF

Date Prep: 07.27.2020 09:00

Basis: Wet Weight

Seq Number: 3132772

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	07.27.2020 18:13	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	07.27.2020 18:13	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	07.27.2020 18:13	U	1
m,p-Xylenes	179601-23-1	<0.00396	0.00396	mg/kg	07.27.2020 18:13	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	07.27.2020 18:13	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	07.27.2020 18:13	U	1
Total BTEX		<0.00198	0.00198	mg/kg	07.27.2020 18:13	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1,4-Difluorobenzene	540-36-3	101	%	70-130	07.27.2020 18:13	
4-Bromofluorobenzene	460-00-4	102	%	70-130	07.27.2020 18:13	

**Certificate of Analytical Results 668114****Larson and Associates, Inc., Midland, TX**

Lovington Deep State

Sample Id: **BH-3 15'**
Lab Sample Id: 668114-003

Matrix: Soil
Date Collected: 07.23.2020 10:25

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	200	5.04	mg/kg	07.24.2020 15:59		1



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-3 20'**
Lab Sample Id: 668114-004

Matrix: Soil
Date Collected: 07.23.2020 10:30

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	50.6	5.04	mg/kg	07.24.2020 16:15		1



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-2 5'** Matrix: Soil Date Received: 07.24.2020 08:13
 Lab Sample Id: 668114-005 Date Collected: 07.23.2020 10:45
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 07.24.2020 14:30 Basis: Wet Weight
 Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	777	4.99	mg/kg	07.24.2020 16:20		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 07.24.2020 12:00 Basis: Wet Weight
 Seq Number: 3132651

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	07.24.2020 15:45	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	07.24.2020 15:45	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	07.24.2020 15:45	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	07.24.2020 15:45	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-130	07.24.2020 15:45	
o-Terphenyl	84-15-1	104	%	70-130	07.24.2020 15:45	



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-2 5'**
Lab Sample Id: 668114-005

Matrix: Soil
Date Collected: 07.23.2020 10:45

Date Received: 07.24.2020 08:13

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: AMF

% Moisture:

Analyst: AMF

Date Prep: 07.27.2020 09:00

Basis: Wet Weight

Seq Number: 3132772

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	07.27.2020 18:33	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	07.27.2020 18:33	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	07.27.2020 18:33	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	07.27.2020 18:33	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	07.27.2020 18:33	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	07.27.2020 18:33	U	1
Total BTEX		<0.00198	0.00198	mg/kg	07.27.2020 18:33	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1,4-Difluorobenzene	540-36-3	100	%	70-130	07.27.2020 18:33	
4-Bromofluorobenzene	460-00-4	104	%	70-130	07.27.2020 18:33	

**Certificate of Analytical Results 668114****Larson and Associates, Inc., Midland, TX**

Lovington Deep State

Sample Id: **BH-2 10'**
Lab Sample Id: 668114-006

Matrix: Soil
Date Collected: 07.23.2020 10:50

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	3120	25.2	mg/kg	07.24.2020 16:25		5

**Certificate of Analytical Results 668114****Larson and Associates, Inc., Midland, TX**

Lovington Deep State

Sample Id: **BH-2 15'**
Lab Sample Id: 668114-007

Matrix: Soil
Date Collected: 07.23.2020 10:55

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	379	25.3	mg/kg	07.24.2020 16:30		5



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-2 20'**
Lab Sample Id: 668114-008

Matrix: Soil
Date Collected: 07.23.2020 11:00

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1060	4.99	mg/kg	07.24.2020 16:36		1



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-5 5'** Matrix: Soil Date Received: 07.24.2020 08:13
 Lab Sample Id: 668114-009 Date Collected: 07.23.2020 11:58
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 07.24.2020 14:30 Basis: Wet Weight
 Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	189	5.00	mg/kg	07.24.2020 16:41		1

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 07.24.2020 12:00 Basis: Wet Weight
 Seq Number: 3132651

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	07.24.2020 16:07	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	07.24.2020 16:07	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	07.24.2020 16:07	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	07.24.2020 16:07	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-130	07.24.2020 16:07	
o-Terphenyl	84-15-1	99	%	70-130	07.24.2020 16:07	



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-5 5'**
Lab Sample Id: 668114-009

Matrix: Soil
Date Collected: 07.23.2020 11:58

Date Received: 07.24.2020 08:13

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: AMF

% Moisture:

Analyst: AMF

Date Prep: 07.27.2020 09:00

Basis: Wet Weight

Seq Number: 3132772

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	07.27.2020 18:54	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	07.27.2020 18:54	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	07.27.2020 18:54	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	07.27.2020 18:54	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	07.27.2020 18:54	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	07.27.2020 18:54	U	1
Total BTEX		<0.00200	0.00200	mg/kg	07.27.2020 18:54	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	103	%	70-130	07.27.2020 18:54		
4-Bromofluorobenzene	460-00-4	106	%	70-130	07.27.2020 18:54		



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-5 10'**
Lab Sample Id: 668114-010

Matrix: Soil
Date Collected: 07.23.2020 12:00

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1180	4.96	mg/kg	07.24.2020 16:57		1

**Certificate of Analytical Results 668114****Larson and Associates, Inc., Midland, TX**

Lovington Deep State

Sample Id: **BH-5 15'**

Matrix: Soil

Date Received: 07.24.2020 08:13

Lab Sample Id: 668114-011

Date Collected: 07.23.2020 12:05

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	68.3	4.96	mg/kg	07.24.2020 17:02		1

**Certificate of Analytical Results 668114****Larson and Associates, Inc., Midland, TX**

Lovington Deep State

Sample Id: **BH-5 20'**
Lab Sample Id: 668114-012

Matrix: Soil
Date Collected: 07.23.2020 12:10

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	68.1	4.98	mg/kg	07.24.2020 17:17		1



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-7 5'**
Lab Sample Id: 668114-013

Matrix: Soil
Date Collected: 07.23.2020 13:00

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	32.1	5.03	mg/kg	07.24.2020 17:23		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 07.24.2020 12:00

Basis: Wet Weight

Seq Number: 3132651

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.9	49.9	mg/kg	07.24.2020 16:51	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.9	49.9	mg/kg	07.24.2020 16:51	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.9	49.9	mg/kg	07.24.2020 16:51	U	1
Total TPH	PHC635	<49.9	49.9	mg/kg	07.24.2020 16:51	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	85	%	70-130	07.24.2020 16:51	
o-Terphenyl	84-15-1	101	%	70-130	07.24.2020 16:51	



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-7 5'**
Lab Sample Id: 668114-013

Matrix: Soil
Date Collected: 07.23.2020 13:00

Date Received: 07.24.2020 08:13

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: AMF

% Moisture:

Analyst: AMF

Date Prep: 07.27.2020 09:00

Basis: Wet Weight

Seq Number: 3132772

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	07.27.2020 19:14	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	07.27.2020 19:14	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	07.27.2020 19:14	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	07.27.2020 19:14	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	07.27.2020 19:14	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	07.27.2020 19:14	U	1
Total BTEX		<0.00200	0.00200	mg/kg	07.27.2020 19:14	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	101	%	70-130	07.27.2020 19:14		
4-Bromofluorobenzene	460-00-4	101	%	70-130	07.27.2020 19:14		



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-7 10'**
Lab Sample Id: 668114-014

Matrix: Soil
Date Collected: 07.23.2020 13:05

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	13.8	4.95	mg/kg	07.24.2020 17:28		1

Analytical Method: TPH by SW8015 Mod

Prep Method: SW8015P

Tech: DVM

% Moisture:

Analyst: ARM

Date Prep: 07.24.2020 12:00

Basis: Wet Weight

Seq Number: 3132651

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<49.8	49.8	mg/kg	07.24.2020 17:34	U	1
Diesel Range Organics (DRO)	C10C28DRO	<49.8	49.8	mg/kg	07.24.2020 17:34	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<49.8	49.8	mg/kg	07.24.2020 17:34	U	1
Total TPH	PHC635	<49.8	49.8	mg/kg	07.24.2020 17:34	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-130	07.24.2020 17:34	
o-Terphenyl	84-15-1	100	%	70-130	07.24.2020 17:34	



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-7 10'**
Lab Sample Id: 668114-014

Matrix: Soil
Date Collected: 07.23.2020 13:05

Date Received: 07.24.2020 08:13

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: AMF

% Moisture:

Analyst: AMF

Date Prep: 07.27.2020 09:00

Basis: Wet Weight

Seq Number: 3132772

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	07.27.2020 19:35	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	07.27.2020 19:35	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	07.27.2020 19:35	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	07.27.2020 19:35	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	07.27.2020 19:35	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	07.27.2020 19:35	U	1
Total BTEX		<0.00199	0.00199	mg/kg	07.27.2020 19:35	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	103	%	70-130	07.27.2020 19:35		
4-Bromofluorobenzene	460-00-4	100	%	70-130	07.27.2020 19:35		

**Certificate of Analytical Results 668114****Larson and Associates, Inc., Midland, TX**

Lovington Deep State

Sample Id: **BH-7 15'**
Lab Sample Id: 668114-015

Matrix: Soil
Date Collected: 07.23.2020 13:08

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	13.4	4.96	mg/kg	07.24.2020 17:33		1

**Certificate of Analytical Results 668114****Larson and Associates, Inc., Midland, TX**

Lovington Deep State

Sample Id: **BH-7 20'**
Lab Sample Id: 668114-016

Matrix: Soil
Date Collected: 07.23.2020 13:10

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	15.6	4.98	mg/kg	07.24.2020 17:38		1



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-8 5'** Matrix: Soil Date Received: 07.24.2020 08:13
 Lab Sample Id: 668114-017 Date Collected: 07.23.2020 13:35
 Analytical Method: Chloride by EPA 300 Prep Method: E300P
 Tech: CHE % Moisture:
 Analyst: CHE Date Prep: 07.24.2020 14:30 Basis: Wet Weight
 Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1250	24.9	mg/kg	07.24.2020 17:44		5

Analytical Method: TPH by SW8015 Mod Prep Method: SW8015P
 Tech: DVM % Moisture:
 Analyst: ARM Date Prep: 07.24.2020 12:00 Basis: Wet Weight
 Seq Number: 3132651

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<50.0	50.0	mg/kg	07.24.2020 17:56	U	1
Diesel Range Organics (DRO)	C10C28DRO	<50.0	50.0	mg/kg	07.24.2020 17:56	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<50.0	50.0	mg/kg	07.24.2020 17:56	U	1
Total TPH	PHC635	<50.0	50.0	mg/kg	07.24.2020 17:56	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	90	%	70-130	07.24.2020 17:56	
o-Terphenyl	84-15-1	108	%	70-130	07.24.2020 17:56	



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-8 5'**
Lab Sample Id: 668114-017

Matrix: Soil
Date Collected: 07.23.2020 13:35

Date Received: 07.24.2020 08:13

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5035A

Tech: AMF

% Moisture:

Analyst: AMF

Date Prep: 07.27.2020 09:00

Basis: Wet Weight

Seq Number: 3132772

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	07.27.2020 19:55	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	07.27.2020 19:55	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	07.27.2020 19:55	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	07.27.2020 19:55	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	07.27.2020 19:55	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	07.27.2020 19:55	U	1
Total BTEX		<0.00198	0.00198	mg/kg	07.27.2020 19:55	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	105	%	70-130	07.27.2020 19:55		
1,4-Difluorobenzene	540-36-3	102	%	70-130	07.27.2020 19:55		



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-8 10'**
Lab Sample Id: 668114-018

Matrix: Soil
Date Collected: 07.23.2020 13:40

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:30

Basis: Wet Weight

Seq Number: 3132617

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	754	4.99	mg/kg	07.24.2020 17:49		1

**Certificate of Analytical Results 668114****Larson and Associates, Inc., Midland, TX**

Lovington Deep State

Sample Id: **BH-8 15'**
Lab Sample Id: 668114-019

Matrix: Soil
Date Collected: 07.23.2020 13:42

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:50

Basis: Wet Weight

Seq Number: 3132618

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2240	25.3	mg/kg	07.24.2020 18:20	X	5



Certificate of Analytical Results 668114

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-8 20'**
Lab Sample Id: 668114-020

Matrix: Soil
Date Collected: 07.23.2020 13:43

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:50

Basis: Wet Weight

Seq Number: 3132618

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2690	24.8	mg/kg	07.24.2020 18:36		5

**Certificate of Analytical Results 668114****Larson and Associates, Inc., Midland, TX**

Lovington Deep State

Sample Id: **BH-8 25'**
Lab Sample Id: 668114-021

Matrix: Soil
Date Collected: 07.23.2020 14:15

Date Received: 07.24.2020 08:13

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

% Moisture:

Analyst: CHE

Date Prep: 07.24.2020 14:50

Basis: Wet Weight

Seq Number: 3132618

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	97.7	4.99	mg/kg	07.24.2020 18:41		1

Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit. **ND** Not Detected.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



Larson and Associates, Inc.
Lovington Deep State

Analytical Method: Chloride by EPA 300

Seq Number: 3132617

MB Sample Id: 7708035-1-BLK

Matrix: Solid

LCS Sample Id: 7708035-1-BKS

Prep Method: E300P

Date Prep: 07.24.2020

LCSD Sample Id: 7708035-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	266	106	275	110	90-110	3	20	mg/kg	07.24.2020 15:17	

Analytical Method: Chloride by EPA 300

Seq Number: 3132618

MB Sample Id: 7708036-1-BLK

Matrix: Solid

LCS Sample Id: 7708036-1-BKS

Prep Method: E300P

Date Prep: 07.24.2020

LCSD Sample Id: 7708036-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	272	109	261	104	90-110	4	20	mg/kg	07.24.2020 18:10	

Analytical Method: Chloride by EPA 300

Seq Number: 3132617

Parent Sample Id: 668113-001

Matrix: Soil

MS Sample Id: 668113-001 S

Prep Method: E300P

Date Prep: 07.24.2020

MSD Sample Id: 668113-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	25.0	251	294	107	295	108	90-110	0	20	mg/kg	07.24.2020 15:33	

Analytical Method: Chloride by EPA 300

Seq Number: 3132617

Parent Sample Id: 668114-009

Matrix: Soil

MS Sample Id: 668114-009 S

Prep Method: E300P

Date Prep: 07.24.2020

MSD Sample Id: 668114-009 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	189	250	439	100	433	98	90-110	1	20	mg/kg	07.24.2020 16:46	

Analytical Method: Chloride by EPA 300

Seq Number: 3132618

Parent Sample Id: 668114-019

Matrix: Soil

MS Sample Id: 668114-019 S

Prep Method: E300P

Date Prep: 07.24.2020

MSD Sample Id: 668114-019 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	2240	1260	3700	116	3760	121	90-110	2	20	mg/kg	07.24.2020 18:26	X

Analytical Method: Chloride by EPA 300

Seq Number: 3132618

Parent Sample Id: 668137-008

Matrix: Soil

MS Sample Id: 668137-008 S

Prep Method: E300P

Date Prep: 07.24.2020

MSD Sample Id: 668137-008 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	155	250	410	102	422	107	90-110	3	20	mg/kg	07.24.2020 19:39	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec



Larson and Associates, Inc.
Lovington Deep State

Analytical Method: TPH by SW8015 Mod

Seq Number: 3132651

MB Sample Id: 7708088-1-BLK

Matrix: Solid

LCS Sample Id: 7708088-1-BKS

Prep Method: SW8015P

Date Prep: 07.24.2020

LCSD Sample Id: 7708088-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<50.0	1000	861	86	822	82	70-130	5	20	mg/kg	07.24.2020 12:07	
Diesel Range Organics (DRO)	<50.0	1000	891	89	880	88	70-130	1	20	mg/kg	07.24.2020 12:07	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	88		89		92		70-130	%	07.24.2020 12:07
o-Terphenyl	104		101		98		70-130	%	07.24.2020 12:07

Analytical Method: TPH by SW8015 Mod

Seq Number: 3132651

Matrix: Solid

MB Sample Id: 7708088-1-BLK

Prep Method: SW8015P

Date Prep: 07.24.2020

Parameter	MB Result	Units	Analysis Date	Flag
Motor Oil Range Hydrocarbons (MRO)	<50.0	mg/kg	07.24.2020 11:45	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3132651

Matrix: Soil

Parent Sample Id: 667963-001

MS Sample Id: 667963-001 S

Prep Method: SW8015P

Date Prep: 07.24.2020

MSD Sample Id: 667963-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<49.9	998	809	81	822	82	70-130	2	20	mg/kg	07.24.2020 13:11	
Diesel Range Organics (DRO)	<49.9	998	838	84	853	86	70-130	2	20	mg/kg	07.24.2020 13:11	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	90		91		70-130	%	07.24.2020 13:11
o-Terphenyl	96		97		70-130	%	07.24.2020 13:11

Analytical Method: BTEX by EPA 8021B

Seq Number: 3132772

Matrix: Solid

MB Sample Id: 7708187-1-BLK

LCS Sample Id: 7708187-1-BKS

Prep Method: SW5035A

Date Prep: 07.27.2020

LCSD Sample Id: 7708187-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0957	96	0.0995	100	70-130	4	35	mg/kg	07.27.2020 10:15	
Toluene	<0.00200	0.100	0.0850	85	0.0881	88	70-130	4	35	mg/kg	07.27.2020 10:15	
Ethylbenzene	<0.00200	0.100	0.0955	96	0.0987	99	70-130	3	35	mg/kg	07.27.2020 10:15	
m,p-Xylenes	<0.00400	0.200	0.194	97	0.202	101	70-130	4	35	mg/kg	07.27.2020 10:15	
o-Xylene	<0.00200	0.100	0.0952	95	0.0989	99	70-130	4	35	mg/kg	07.27.2020 10:15	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		96		99		70-130	%	07.27.2020 10:15
4-Bromofluorobenzene	100		97		100		70-130	%	07.27.2020 10:15

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C-A) / B$
 $RPD = 200 * |(C-E) / (C+E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec

Larson and Associates, Inc.
 Lovington Deep State
Analytical Method: BTEX by EPA 8021B

Seq Number: 3132772

Parent Sample Id: 667963-001

Matrix: Soil

MS Sample Id: 667963-001 S

Prep Method: SW5035A

Date Prep: 07.27.2020

MSD Sample Id: 667963-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00199	0.0996	0.0818	82	0.0901	90	70-130	10	35	mg/kg	07.27.2020 10:56	
Toluene	<0.00199	0.0996	0.0815	82	0.0886	89	70-130	8	35	mg/kg	07.27.2020 10:56	
Ethylbenzene	<0.00199	0.0996	0.0809	81	0.0899	90	70-130	11	35	mg/kg	07.27.2020 10:56	
m,p-Xylenes	<0.00398	0.199	0.166	83	0.183	92	70-130	10	35	mg/kg	07.27.2020 10:56	
o-Xylene	<0.00199	0.0996	0.0808	81	0.0895	90	70-130	10	35	mg/kg	07.27.2020 10:56	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	97		98		70-130	%	07.27.2020 10:56
4-Bromofluorobenzene	101		101		70-130	%	07.27.2020 10:56

MS/MSD Percent Recovery
 Relative Percent Difference
 LCS/LCSD Recovery
 Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec

Varson & Associates, Inc.
Environmental Consultants

507 N. Marientfeld, Ste. 200
Midland, TX 79701
432-687-0901

Data Reported to:

DATE: 7/23/20 PAGE 1 OF 2
PO#: _____ LAB WORK ORDER#: _____
PROJECT LOCATION OR NAME: Louister Deep State
LAI PROJECT #: 20-0107-01 COLLECTOR: TJ + DS

TRRP report? ☐ Yes ☒ No
S=SOIL W=WATER P=PAINT
A=AIR SL=SLUDGE OT=OTHER

TIME ZONE:
Time zone/State:
MST

Field Sample I.D.	Lab #	Date	Time	Matrix	# of Containers	PRESERVATION				ANALYSES		TURN AROUND TIME		LABORATORY USE ONLY:		
						HCl	HNO ₃	H ₂ SO ₄ ☐ NaOH ☐	ICE	UNPRESERVED	BTEX ☐ MTBE ☐	TPH 418 ☐ TPH 1005 ☐ TPH 1006 ☐	1 DAY ☐	2 DAY ☐	OTHER ☐	
BH-3 5'		7/23/20	1014	S	1					X	X	X	X			
BH-3 10'			1021							X	X	X	X			
BH-3 15'			1025							X	X	X	X			
BH-3 20'			1030							X	X	X	X			
BH-2 5'			1045							X	X	X	X			
BH-2 10'			1050							X	X	X	X			
BH-2 15'			1055							X	X	X	X			
BH-2 20'			1100							X	X	X	X			
BH-5 5'			1158							X	X	X	X			
BH-5 10'			1200							X	X	X	X			
BH-5 15'			1205							X	X	X	X			
BH-5 20'			1210							X	X	X	X			
BH-7 5'			1300							X	X	X	X			
BH-7 10'			1305							X	X	X	X			
BH-7 15'			1309							X	X	X	X			
TOTAL 15																

1048114

CHAIN-OF-CUSTODY

No 1209

0608114

CHAIN-OF-CUSTODY

507 N. Marienfeld, Ste. 200
Midland, TX 79701
432-687-0901

Data Reported to:

DATE: 7/23/20 PAGE 2 OF 2

PO#: _____ LAB WORK ORDER# _____

PROJECT LOCATION OR NAME: Louisiana Deer State

LAI PROJECT #: 20-0107-01 COLLECTOR: TS+DS

TRRP report?		S=SOIL W=WATER A=AIR		P=PAINT SL=SLUDGE OT=OTHER	
TIME ZONE: Time zone/State:					
MST					
Field Sample I.D.		Lab #	Date	Time	Matrix
BH-7 20'			7/23/85	1310	5
BH-8 5'				1335	1
BH-8 10'				1340	
BH-8 15'				1342	
BH-8 20'				1343	
BH-8 25'				1415	
BH-8 30'				1458	
TOTAL 6					
RELINQUISHED BY: (Signature) C. J. Smith		DATE/TIME 7/24/85		RECEIVED BY: (Signature) [Signature]	
RELINQUISHED BY: (Signature)		DATE/TIME		RECEIVED BY: (Signature)	
RELINQUISHED BY: (Signature)		DATE/TIME		RECEIVED BY: (Signature)	
LABORATORY: Xeno					
TURN AROUND TIME NORMAL ☒ 1 DAY ☐ 2 DAY ☐ OTHER ☐		LABORATORY USE ONLY: RECEIVING TEMP: 21°C CUSTODY SEALS - ☐ BROKEN ☐ INTACT ☐ NOT USED ☐ CARRIER BILL # ☐ HAND DELIVERED			
ANALYSES		FIELD NOTES			
BTEX ☒ MTBE ☐					
TRPH 418.1 ☐ TPH 1005 ☐ TPH 1006 ☐					
GASOLINE MOD 8015 ☐					
DIESEL - MOD 8015 ☐					
OIL - MOD 8015 ☐					
VOC 8280 ☐					
SVOC 8270 ☐					
8081 PESTICIDES ☐					
8082 PCBS ☐					
TCLP - METALS (RCRA) ☐					
TCLP - PEST ☐					
TOTAL METALS (RCRA) ☐					
LEAD - TOTAL ☐					
RCI ☐					
TDS ☐					
TOX ☐					
TSS ☐					
% MOISTURE ☐					
FLASHPOINT ☐					
D.W. 200.8 ☐					
CYANIDE ☐					
OTHER LIST ☐					
Semi-VOC ☐					
HOLDPAH ☐					
8151 HERBICIDES ☐					
TCLP VOC ☐					
TCLP PCBS ☐					
TCLP - METALS (RCRA) ☐					
TCLP - PEST ☐					
TOTAL METALS (RCRA) ☐					
LEAD - TOTAL ☐					
RCI ☐					
TDS ☐					
TOX ☐					
TSS ☐					
% MOISTURE ☐					
FLASHPOINT ☐					
D.W. 200.8 ☐					
CYANIDE ☐					
OTHER LIST ☐					
Semi-VOC ☐					
HOLDPAH ☐					
8151 HERBICIDES ☐					
TCLP VOC ☐					
TCLP PCBS ☐					
TCLP - METALS (RCRA) ☐					
TCLP - PEST ☐					
TOTAL METALS (RCRA) ☐					
LEAD - TOTAL ☐					
RCI ☐					
TDS ☐					
TOX ☐					
TSS ☐					
% MOISTURE ☐					
FLASHPOINT ☐					
D.W. 200.8 ☐					
CYANIDE ☐					
OTHER LIST ☐					
Semi-VOC ☐					
HOLDPAH ☐					
8151 HERBICIDES ☐					
TCLP VOC ☐					
TCLP PCBS ☐					
TCLP - METALS (RCRA) ☐					
TCLP - PEST ☐					
TOTAL METALS (RCRA) ☐					
LEAD - TOTAL ☐					
RCI ☐					
TDS ☐					
TOX ☐					
TSS ☐					
% MOISTURE ☐					
FLASHPOINT ☐					
D.W. 200.8 ☐					
CYANIDE ☐					
OTHER LIST ☐					
Semi-VOC ☐					
HOLDPAH ☐					
8151 HERBICIDES ☐					
TCLP VOC ☐					
TCLP PCBS ☐					
TCLP - METALS (RCRA) ☐					
TCLP - PEST ☐					
TOTAL METALS (RCRA) ☐					
LEAD - TOTAL ☐					
RCI ☐					
TDS ☐					
TOX ☐					
TSS ☐					
% MOISTURE ☐					
FLASHPOINT ☐					
D.W. 200.8 ☐					
CYANIDE ☐					
OTHER LIST ☐					
Semi-VOC ☐					
HOLDPAH ☐					
8151 HERBICIDES ☐					
TCLP VOC ☐					
TCLP PCBS ☐					
TCLP - METALS (RCRA) ☐					
TCLP - PEST ☐					
TOTAL METALS (RCRA) ☐					
LEAD - TOTAL ☐					
RCI ☐					
TDS ☐					
TOX ☐					
TSS ☐					
% MOISTURE ☐					
FLASHPOINT ☐					
D.W. 200.8 ☐					
CYANIDE ☐					
OTHER LIST ☐					
Semi-VOC ☐					

Eurofins Xenco, LLC

Prelogin/Nonconformance Report- Sample Log-In

Client: Larson and Associates, Inc.

Date/ Time Received: 07.24.2020 08.13.00 AM

Work Order #: 668114

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : IR-8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes BTEX was in bulk container
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:



Brianna Teel

Date: 07.24.2020

Checklist reviewed by:



Holly Taylor

Date: 07.27.2020

Certificate of Analysis Summary 679455
Larson and Associates, Inc., Midland, TX

Project Name: Lovington Deep State

Date Received in Lab: Wed 12.02.2020 08:59
Report Date: 12.08.2020 09:46
Project Manager: Holly Taylor

Project Id: 20-0207-01
Contact: Mark Larson
Project Location:

Analysis Requested	Lab Id:	679455-001				
	Field Id:	BH-2 (25')				
	Depth:					
	Matrix:	SOIL				
	Sampled:	12.01.2020 12:56				
Chloride by EPA 300	Extracted:	12.02.2020 17:25				
	Analyzed:	12.03.2020 11:29				
	Units/RL:	mg/kg RL				
Chloride		20.7 4.96				

Holly Taylor

BRL - Below Reporting Limit

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Analytical Report 679455

for

Larson and Associates, Inc.

Project Manager: Mark Larson

Lovington Deep State

20-0207-01

12.08.2020

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-20-38), Arizona (AZ0765), Florida (E871002-33), Louisiana (03054)
Oklahoma (2020-014), North Carolina (681), Arkansas (20-035-0)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-20-26), Arizona (AZ0809)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-20-18)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-20-23)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-19-21)
Xenco-Carlsbad (LELAP): Louisiana (05092)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-20-8)
Xenco-Tampa: Florida (E87429), North Carolina (483)



12.08.2020

Project Manager: **Mark Larson**
Larson and Associates, Inc.
P. O. Box 50685
Midland, TX 79710

Reference: Eurofins Xenco, LLC Report No(s): **679455**
Lovington Deep State
Project Address:

Mark Larson:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the Eurofins Xenco, LLC Report Number(s) 679455. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by Eurofins Xenco, LLC. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 679455 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting Eurofins Xenco, LLC to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

A handwritten signature in black ink that reads "Holly Taylor".

Holly Taylor
Project Manager

A Small Business and Minority Company

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico



Sample Cross Reference 679455

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
BH-2 (25')	S	12.01.2020 12:56		679455-001



CASE NARRATIVE

Client Name: Larson and Associates, Inc.

Project Name: Lovington Deep State

Project ID: 20-0207-01
Work Order Number(s): 679455

Report Date: 12.08.2020
Date Received: 12.02.2020

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



Certificate of Analytical Results 679455

Larson and Associates, Inc., Midland, TX

Lovington Deep State

Sample Id: **BH-2 (25')**

Matrix: Soil

Date Received: 12.02.2020 08:59

Lab Sample Id: 679455-001

Date Collected: 12.01.2020 12:56

Analytical Method: Chloride by EPA 300

Prep Method: E300P

Tech: CHE

Analyst: CHE

Date Prep: 12.02.2020 17:25

% Moisture:

Seq Number: 3143843

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	20.7	4.96	mg/kg	12.03.2020 11:29		1

Flagging Criteria

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit. **ND** Not Detected.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



Larson and Associates, Inc.
Lovington Deep State

Analytical Method: Chloride by EPA 300

Seq Number: 3143843

MB Sample Id: 7716310-1-BLK

Matrix: Solid

LCS Sample Id: 7716310-1-BKS

Prep Method: E300P

Date Prep: 12.02.2020

LCSD Sample Id: 7716310-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	263	105	264	106	90-110	0	20	mg/kg	12.03.2020 09:28	

Analytical Method: Chloride by EPA 300

Seq Number: 3143843

Parent Sample Id: 679354-003

Matrix: Soil

MS Sample Id: 679354-003 S

Prep Method: E300P

Date Prep: 12.02.2020

MSD Sample Id: 679354-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	299	285	598	105	594	104	90-110	1	20	mg/kg	12.03.2020 10:58	

Analytical Method: Chloride by EPA 300

Seq Number: 3143843

Parent Sample Id: 679536-001

Matrix: Soil

MS Sample Id: 679536-001 S

Prep Method: E300P

Date Prep: 12.02.2020

MSD Sample Id: 679536-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	706	252	947	96	946	95	90-110	0	20	mg/kg	12.03.2020 09:44	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
 A = Parent Result
 C = MS/LCS Result
 E = MSD/LCSD Result

MS = Matrix Spike
 B = Spike Added
 D = MSD/LCSD % Rec

Varson & Associates, Inc.
Environmental Consultants

507 N. Marientfeld, Ste. 200
Midland, TX 79701
432-687-0901

Data Reported to:

DATE: 12/21/2020 PAGE 1 OF 1
PO#: _____ LAB WORK ORDER#: _____
PROJECT LOCATION OR NAME: WYNSTON DEEP STATE
LAI PROJECT #: 20-0107-01 COLLECTOR: Dsg

TRRP report?
☐ Yes ☒ No

S=SOIL
W=WATER
A=AIR
P=PAINT
SL=SLUDGE
OT=OTHER

TIME ZONE:
Time zone/State:

Field
Sample I.D.

Lab #

Date

Time

Matrix

of Containers

HCl

HNO₃H₂SO₄ ☐ NaOH ☐

ICE

UNPRESSERVED

ANALYSES

BTEX ☐ MTBE ☐
TRPH 418.1 ☐ TPH 1005 ☐ TPH 1006 ☐
GASOLINE MOD 8015 ☐
DIESEL - MOD 8015 ☐
OIL - MOD 8015 ☐
VOC 8260 ☐
SVOC 8270 ☐ PAH 8270 ☐ HOLDPAH ☐
8081 PESTICIDES ☐ 8151 HERBICIDES ☐
TBLP - METALS (RCRA) ☐ TCLP VOC ☐
TCLP - PEST ☐ HERB ☐ Semi-VOC ☐
TOTAL METALS (RCRA) ☐ D.W. 200.8 ☐ TCLP ☐
LEAD ☐ TOX ☐ FLASHPOINT ☐
RCL ☐ TSS ☐ % MOISTURE ☐ CYANIDE ☐
TDS ☐ pH ☐ HEXAVALENT CHROMIUM ☐
EXPLOSIVES ☐ PECHLORATE ☐
CHLORIDES ☐ ANIONS ☐ ALKALINITY ☐

FIELD NOTES

TOTAL

RELINQUISHED BY: (Signature)

DATE/TIME

RECEIVED BY: (Signature)

RELINQUISHED BY: (Signature)

DATE/TIME

RECEIVED BY: (Signature)

RELINQUISHED BY: (Signature)

DATE/TIME

RECEIVED BY: (Signature)

LABORATORY: Xeneo

TURN AROUND TIME

NORMAL ☒1 DAY ☐2 DAY ☐OTHER ☐

LABORATORY USE ONLY:

RECEIVING TEMP: 3.9THERM#: 128CUSTODY SEALS - ☐ BROKEN ☐ INTACT ☐ NOT USED

CARRIER BILL #

☐ HAND DELIVERED

679455

CHAIN-OF-CUSTODY

№1397

Eurofins Xenco, LLC

Prelogin/Nonconformance Report- Sample Log-In

Client: Larson and Associates, Inc.

Date/ Time Received: 12.02.2020 08.59.00 AM

Work Order #: 679455

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : IR8

Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?	2.9
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by:



Brianna Teel

Date: 12.02.2020

Checklist reviewed by:



Holly Taylor

Date: 12.02.2020

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 31365

CONDITIONS

Operator: CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	OGRID: 4323
	Action Number: 31365
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jnobui	Remediation Plan Approved with Conditions. The depth to groundwater has not been adequately determined. When nearby wells are used to determine depth to groundwater, the wells should be no further than ½ mile away from the site, and data should be no more than 25 years old, and well construction information should be provided in the submission. The responsible party may choose to remediate to the most stringent levels listed in Table 1 of 19.15.29 NMAC in lieu of drilling to determine the depth to groundwater.	4/18/2022