

Field:

Station Name:

Certificate of Analysis

Number: 6030-20110087-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Nov. 17, 2020

Chandler Montgomery Occidental Petroleum 1502 W Commerce Dr. Carlsbad, NM 88220

NMSW Sampled By: Jesus Escobedo
Corral Compressor Station 2 South
N/A Sample Date: Jesus Escobedo
Gas Spot
11/11/2020 01:09

Station Number: N/A Sample Date: 11/11/2020 01:09
Sample Point: N/A Sample Conditions: 1265 psig Ambient: 49 °F

Meter Number:Effective Date:11/11/2020 01:09County:EddyMethod:GPA 2286Type of Sample:Spot-CylinderCylinder No:1111-001162

Heat Trace Used: N/A Instrument: 6030_GC2 (Agilent GC-7890B)

Sampling Method: Fill and Purge Last Inst. Cal.: 08/25/2020 8:12 AM

Sampling Company: OXY Analyzed: 11/17/2020 12:40:16 by PGS

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.65 psia		
Hydrogen Sulfide	0.000	0.000	0.000		GPM TOTAL C2+	6.390
Nitrogen	1.332	1.320	1.675		GPM TOTAL C3+	3.359
Methane	76.899	76.201	55.381		GPM TOTAL iC5+	0.805
Carbon Dioxide	0.171	0.169	0.337			
Ethane	11.459	11.355	15.468	3.031		
Propane	5.781	5.728	11.443	1.575		
Iso-butane	0.846	0.838	2.207	0.274		
n-Butane	2.259	2.238	5.893	0.705		
Iso-pentane	0.642	0.636	2.079	0.232		
n-Pentane	0.766	0.759	2.481	0.275		
Hexanes Plus	0.763	0.756	3.036	0.298		
	100.918	100.000	100.000	6.390		
Calculated Physical	Calculated Physical Properties		otal	C6+		
Relative Density Real	Gas	0.76	649	3.0584		
Calculated Molecular	Weight	22	.07	88.58		
Compressibility Facto	r	0.99	960			
GPA 2172 Calculation	GPA 2172 Calculation:					
Calculated Gross B1	ΓU per ft³ @ 14.65 ps	sia & 60°F				
Real Gas Dry BTU			308	4763		
Water Sat. Gas Base	Water Sat. Gas Base BTU		285	4680		
Ideal, Gross HV - Dry	Ideal, Gross HV - Dry at 14.65 psia		2.9	4763.5		
Ideal, Gross HV - Wet	t	128	0.1	0.000		
Net BTU Dry Gas - re	al gas	11	188			
Net BTU Wet Gas - re	eal gas	11	167			

Comments: H2S Field Content 0 ppm

Hydrocarbon Laboratory Manager

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

assurance, unless otherwise

Quality Assurance:



Certificate of Analysis

Number: 6030-20110087-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Chandler Montgomery Occidental Petroleum 1502 W Commerce Dr.

Carlsbad, NM 88220

Field: **NMSW** Station Name: Corral Compressor Station 2 South

Station Number: N/A Sample Point: N/A Meter Number:

County: Eddy

Type of Sample: Spot-Cylinder

Heat Trace Used: N/A

Sampling Method: Fill and Purge

Nov. 17, 2020

Sampled By: Jesus Escobedo Sample Of: Gas Spot

Sample Date: 11/11/2020 01:09

Sample Conditions: 1265 psig Method: **GPA 2286** Cylinder No: 1111-001162

Analyzed: 11/17/2020 13:21:28 by PGS

Sampling Company: OXY

Analytical Data

Components	Mol. %	Wt. %	GPM at 14.65 psia			
Hydrogen Sulfide	NIL	NIL		GPM TOTAL C2+	6.390	
Nitrogen	1.320	1.675		GPM TOTAL C3+	3.359	
Methane	76.201	55.381		GPM TOTAL iC5+	0.805	
Carbon Dioxide	0.169	0.337				
Ethane	11.355	15.468	3.031			
Propane	5.728	11.443	1.575			
Iso-Butane	0.838	2.207	0.274			
n-Butane	2.238	5.893	0.705			
Iso-Pentane	0.636	2.079	0.232			
n-Pentane	0.759	2.481	0.275			
Hexanes	0.374	1.443	0.152			
Heptanes Plus	0.382	1.593	0.146			
	100.000	100.000	6.390			
Calculated Physica	Calculated Physical Properties		Total	C7+		
Relative Density Re-	al Gas		0.7649	3.1738		
Calculated Molecula	ır Weight		22.07	91.92		
Compressibility Fact	tor		0.9960			
GPA 2172 Calculat	ion:					
Calculated Gross E	BTU per ft ³ @	2 14.65 psi	a & 60°F			
Real Gas Dry BTU		1308	4850			
Water Sat. Gas Base BTU		1285	4766			
Ideal, Gross HV - Dr	ry at 14.65 ps	sia	1302.9	4850.4		
Ideal, Gross HV - W	et		1280.1	NIL		
Comments: H2S F	Field Content	mag 0				

Comments: H2S Field Content 0 ppm

Hydrocarbon Laboratory Manager

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality

assurance, unless otherwise stated.

Quality Assurance:



Certificate of Analysis

Number: 6030-20110087-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Chandler Montgomery Occidental Petroleum 1502 W Commerce Dr. Carlsbad, NM 88220

Field: NMSW

Station Name: Corral Compressor Station 2 South

Station Number: N/A Sample Point: N/A Meter Number:

County: Eddy

Type of Sample: Spot-Cylinder

Heat Trace Used: N/A

Sampling Method: Fill and Purge

Sampled By: Jesus Escobedo Sample Of: Gas Spot

Sample Date: 11/11/2020 01:09
Sample Conditions: 1265 psig

Sample Conditions: 1265 psig Method: GPA 2286 Cylinder No: 1111-001162

Analyzed: 11/17/2020 13:21:28 by PGS

Nov. 17, 2020

Sampling Company: OXY

Analytical Data

Components	Mol. %	Wt. %	GPM at			
			14.65 psia			
Hydrogen Sulfide	NIL	NIL		GPM TOTAL C2+	6.390	
Nitrogen	1.320	1.675				
Methane	76.201	55.381				
Carbon Dioxide	0.169	0.337				
Ethane	11.355	15.468	3.031			
Propane	5.728	11.443	1.575			
Iso-Butane	0.838	2.207	0.274			
n-Butane	2.238	5.893	0.705			
Iso-Pentane	0.636	2.079	0.232			
n-Pentane	0.759	2.481	0.275			
i-Hexanes	0.229	0.880	0.092			
n-Hexane	0.145	0.563	0.060			
Benzene	0.036	0.125	0.010			
Cyclohexane	0.091	0.348	0.031			
i-Heptanes	0.135	0.566	0.054			
n-Heptane	0.027	0.125	0.013			
Toluene	0.015	0.065	0.005			
i-Octanes	0.065	0.307	0.029			
n-Octane	0.003	0.015	0.001			
Ethylbenzene	0.001	0.002	NIL			
Xylenes	0.003	0.010	0.001			
i-Nonanes	0.005	0.025	0.002			
n-Nonane	0.001	0.003	NIL			
i-Decanes	NIL	NIL	NIL			
n-Decane	NIL	0.001	NIL			
Undecanes	NIL	0.001	NIL			
Dodecanes	NIL	NIL	NIL			
Tridecanes	NIL	NIL	NIL			
Tetradecanes Plus	NIL	NIL	NIL_			
	100.000	100.000	6.390			



Certificate of Analysis

Number: 6030-20110087-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Chandler Montgomery
Occidental Petroleum

1502 W Commerce Dr. Carlsbad, NM 88220

Field: NMSW

Station Name: Corral Compressor Station 2 South

Station Number: N/A Sample Point: N/A Meter Number:

County: Eddy

Type of Sample: Spot-Cylinder

Heat Trace Used: N/A

Sampling Method: Fill and Purge

Sampled By: Jesus Escobedo Sample Of: Gas Spot Sample Date: 11/11/2020 01:09

Sample Conditions: 1265 psig Method: GPA 2286 Cylinder No: 1111-001162

Analyzed: 11/17/2020 13:21:28 by PGS

Nov. 17, 2020

Sampling Company: OXY

Calculated Physical PropertiesTotalCalculated Molecular Weight22.073

GPA 2172 Calculation:

Calculated Gross BTU per ft³ @ 14.65 psia & 60°FReal Gas Dry BTU1308.0Water Sat. Gas Base BTU1285.2Relative Density Real Gas0.7649Compressibility Factor0.9960

Comments: H2S Field Content 0 ppm

Caly Haten

Hydrocarbon Laboratory Manager

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

Quality Assurance:

UPSET EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Corral 2S CS Date: 04/14/2022

Duration of event: 42 minutes **MCF Flared:** 262

Start Time: 12:07 PM End Time: 12:49 PM

Cause: Equipment Malfunction > Frozen Fuel Skid > Methanol Pump

Method of Flared Gas Measurement: Gas Flare Meter

Comments: This upset event was not caused by any wells associated with the facility. This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond the owner/operator's control, and did not stem from activity that could have been foreseen and avoided, and could not have been avoided or prevented by good design, operation, and preventative maintenance practices.

1. Reason why this event was beyond Operator's control:

This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond the owner/operator's control, and did not stem from activity that could have been foreseen and avoided, and could not have been avoided or prevented by good design, operation, and preventative maintenance practices. In this case, Oxy field production techs received compressor alarms notifications indicating a malfunction over at the Corral 2 South Compressor Station, which had automatically shut the compressor station down, which then prompted a flaring event, when the compressor malfunction alarms were triggered. It was determined that all the gas compressors at the facility had shut down on malfunction alarms, due to the fuel skid had frozen up, which caused a stoppage of fuel gas to all the compressors at the compressor station, and an ice plug to form. Oxy field personnel were unaware that the direct cause of the fuel skid freezing up was due to a malfunctioning methanol pump. The methanol pump for the fuel skid malfunctioned and had to be replaced by a USA compressor mechanic. USA compressor mechanic determined that methanol pump injector had internal issues (broken plunger) necessitating an immediate replacement, which the compressor mechanic had a spare part with him. The facility's compression equipment was working normally and in good working operation prior to the malfunctions automatically shutting down the compression equipment. This event could not have been foreseen, avoided or planned for as typical operating equipment design and operations are inherently dynamic and even the smallest alarms, false or true, can be sudden, reasonably unforeseeable and unexpected which can cause malfunctions to occur, cease equipment operations and impact additional process equipment, prompting unforeseeable or unpredicted shutdowns of a facility. This event is out of OXY's control yet, OXY made every effort to control and minimize emissions as much as possible.

2. Steps Taken to limit duration and magnitude of venting or flaring:

This facility is unmanned, except when Oxy production techs are gathering data daily or conducting daily walk-throughs to ensure that there are no problems, circumstances and/or assist other personnel on-site for maintenance purposes. It is OXY's policy to route all stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, as the part of the overall process or steps to take to limit duration and magnitude of flaring. Oxy personnel are in the field 24/7 and can physically see when we are flaring, which in turn, are communicated to additional Oxy field personnel. Internal OXY procedures ensure that upon gas compressor unit

and/or multiple unit shutdown, increased sensor pressure/level alarms, other process equipment issues, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible in order to take prompt corrective action and minimize emissions. Oxy production technicians must assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. The flare at this facility has a 98% combustion efficiency in order to lessen emissions as much as possible.

In this case, nearby Oxy field production techs received compressor alarms notifications indicating a malfunction over at the Corral 2 South Compressor Station, which had automatically shut the compressor station down, which then prompted a flaring event, when the compressor malfunction alarms were triggered. Upon immediate arrival to the facility, as the production tech was nearby, and after inspecting equipment, it was determined that all the gas compressors at the facility had shut down on malfunction alarms, due to the fuel skid had frozen up, which caused a stoppage of fuel gas to all the compressors at the compressor station, and an ice plug to form. The Oxy production tech quickly called for a USA Compression mechanic, who was already in the area, to troubleshoot the issue. Oxy field personnel were unaware that the direct cause of the fuel skid freezing up was due to a malfunctioning methanol pump. The methanol pump for the fuel skid malfunctioned and had to be replaced by a USA compressor mechanic. USA compressor mechanic determined that methanol pump had internal issues (broken plunger) necessitating an immediate replacement, which the compressor mechanic had a spare part with him. The facility's compression equipment was working normally and in good working operation prior to the malfunctions automatically shutting down the compression equipment. The USA Compression mechanic and Oxy production tech were able to resolve and repair the issue with the methanol pump, thaw out the fuel skid, remove the ice plug and clear all the alarms on the facility's PLC. All compression equipment were restarted and returned to maximized working service and operation, which then prompted flaring to cease. This event could not have been foreseen, avoided or planned for as typical operating equipment design and operations are inherently dynamic and even the smallest alarms, false or true, can be sudden, reasonably unforeseeable and unexpected which can cause malfunctions to occur, cease equipment operations and impact additional process equipment, prompting unforeseeable or unpredicted shutdowns of a facility. This event is out of OXY's control yet, OXY made every effort to control and minimize emissions as much as possible.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in the corrective actions available to them to eliminate the cause and potential reoccurrence of this type of equipment malfunction as notwithstanding fuel skid and methanol pump design and operations, these types of operating equipment are inherently dynamic and even the smallest alarms, false or true, can be sudden, reasonably unforeseeable and unexpected which can cause malfunctions to occur, cease equipment operations and impact additional process equipment operations, which can in turn, prompt unforeseeable or unpredicted shutdowns of a facility, without warning or advance notice. This event is out of OXY's control yet, OXY made every effort to control and minimize emissions as much as possible.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 102638

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	102638
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 102638

Prione:(505) 476-3470 Fax:(505) 476-3462	IFOTIONO.	
	ESTIONS	
Operator: OXY USA INC	OGRID:	696
P.O. Box 4294	Action Number	
Houston, TX 772104294	Action Type:	2638
		-129] Venting and/or Flaring (C-129)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	ese issues before continuing with the rest of the	questions.
Incident Well	Not answered.	
Incident Facility	[fAPP2126640958] CORRAL #2 SOUTH	COMP STATION
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers a	l may provide addional quidance.	
Was this vent or flare caused by an emergency or malfunction	Yes	
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No	
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of nate	ural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	nting and/or flaring that is or may be a major or r	ninor release under 10 15 20 7 NMAC
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	minor release under 13.15.23.7 NWAG.
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
Primary Equipment Involved	Other (Specify)	
Additional details for Equipment Involved. Please specify	Emergency Flare > Equipment Malfunction	on > Frozen Fuel Skid > Methanol Pump
Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group.		
Methane (CH4) percentage	76	
Nitrogen (N2) percentage, if greater than one percent	1	
Hydrogen Sulfide (H2S) PPM, rounded up	0	
Carbon Dioxide (C02) percentage, if greater than one percent	0	
	0	
Oxygen (02) percentage, if greater than one percent	V	
If you are venting and/or flaring because of Pipeline Specification, please provide the required spec	ications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.	
Nitrogen (N2) percentage quality requirement	Not answered.	
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.	
Carbon Dioxide (C02) percentage quality requirement	Not answered.	
Oxygen (02) percentage quality requirement	Not answered.	

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

QUESTIONS, Page 2

Action 102638

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462	ta Fe, NM 8750	05
	TIONS (continued)	Leanin
Operator: OXY USA INC		OGRID: 16696
P.O. Box 4294 Houston, TX 772104294		Action Number: 102638
110uston, 17.772104254		Action Type:
		[C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Date(s) and Time(s)		
Date vent or flare was discovered or commenced	04/14/2022	
Time vent or flare was discovered or commenced	12:07 PM	
Time vent or flare was terminated	12:49 PM	
Cumulative hours during this event	1	
Measured or Estimated Volume of Vented or Flared Natural Gas		
Natural Gas Vented (Mcf) Details		
Natural Gas Venteu (INCI) Details	Not answered.	(0. (7.))
Natural Gas Flared (Mcf) Details	Lost: 262 Mcf]	(Specify) Natural Gas Flared Released: 262 Mcf Recovered: 0 Mcf
Other Released Details	Not answered.	
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter	
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to su	applied volumes this appears to be a "gas only" report.
Venting or Flaring Resulting from Downstream Activity		
Was this vent or flare a result of downstream activity	No	
Was notification of downstream activity received by this operator	Not answered.	
Downstream OGRID that should have notified this operator	Not answered.	
Date notified of downstream activity requiring this vent or flare	Not answered.	
Time notified of downstream activity requiring this vent or flare	Not answered.	
Steps and Actions to Prevent Waste	T	
For this event, this operator could not have reasonably anticipated the current even and it was beyond this operator's control.	True	
Please explain reason for why this event was beyond this operator's control	malfunction over at the compressor station of malfunction alarms we facility had shut down caused a stoppage of plug to form. Oxy field up was due to a malfunctioned and has mechanic determinen ecessitating an immediate with him. The facility operation prior to the This event could not equipment design and false or true, can be malfunctions to occue equipment, prompting	d production techs received compressor alarms notifications indicating a ne Corral 2 South Compressor Station, which had automatically shut the lown, which then prompted a flaring event, when the compressor were triggered. It was determined that all the gas compressors at the non malfunction alarms, due to the fuel skid had frozen up, which of fuel gas to all the compressors at the compressor station, and an ice dipersonnel were unaware that the direct cause of the fuel skid freezing functioning methanol pump. The methanol pump for the fuel skid ad to be replaced by a USA compressor mechanic. USA compressor did that methanol pump injector had internal issues (broken plunger) nediate replacement, which the compressor mechanic had a spare part's compression equipment was working normally and in good working a malfunctions automatically shutting down the compression equipment have been foreseen, avoided or planned for as typical operating and operations are inherently dynamic and even the smallest alarms, sudden, reasonably unforeseeable and unexpected which can cause r, cease equipment operations and impact additional process g unforeseeable or unpredicted shutdowns of a facility. This event is out OXY made every effort to control and minimize emissions as much as
Steps taken to limit the duration and magnitude of vent or flare	indicating a malfunct automatically shut the the compressor malfithe production tech with the gas compressors had frozen up, which compressor station, a Compression mechapersonnel were unaw malfunctioning methato be replaced by a Umethanol pump had replacement, which to compression equipm malfunctions automa Compression mechawith the methanol pup on the facility's PLC. working service and for as typical operating the smallest alarms, unexpected which care	Oxy field production techs received compressor alarms notifications ion over at the Corral 2 South Compressor Station, which had e compressor station down, which then prompted a flaring event, when unction alarms were triggered. Upon immediate arrival to the facility, as was nearby, and after inspecting equipment, it was determined that all at the facility had shut down on malfunction alarms, due to the fuel skid caused a stoppage of fuel gas to all the compressors at the and an ice plug to form. The Oxy production tech quickly called for a USA nic, who was already in the area, to troubleshoot the issue. Oxy field varied that the direct cause of the fuel skid freezing up was due to a arrol pump. The methanol pump for the fuel skid malfunctioned and had JSA compressor mechanic. USA compressor mechanic determined that internal issues (broken plunger) necessitating an immediate the compressor mechanic had a spare part with him. The facility's tent was working normally and in good working operation prior to the titically shutting down the compression equipment. The USA nic and Oxy production tech were able to resolve and repair the issue mp, thaw out the fuel skid, remove the ice plug and clear all the alarms All compression equipment were restarted & returned to maximized operation. This event could not have been foreseen, avoided or planned ng equipment design and operations are inherently dynamic and even false or true, can be sudden, reasonably unforeseeable and in cause malfunctions to occur.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	reoccurrence of this methanol pump design dynamic and even the unforeseeable and u operations and impaunforeseeable or unp	corrective actions available to them to eliminate the cause and potential type of equipment malfunction as notwithstanding fuel skid and gn and operations, these types of operating equipment are inherently se smallest alarms, false or true, can be sudden, reasonably nexpected which can cause malfunctions to occur, cease equipment ct additional process equipment operations, which can in turn, prompt oredicted shutdowns of a facility, without warning or advance notice. This control yet, OXY made every effort to control and minimize emissions as

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 102638

ACKNOWLEDGMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	102638
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

V	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
V	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 102638

CONDITIONS

Operator:	OGRID:	
OXY USA INC	16696	
P.O. Box 4294	Action Number:	
Houston, TX 772104294	102638	
	Action Type:	
	[C-129] Venting and/or Flaring (C-129)	

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	4/28/2022