



## Certificate of Analysis

Number: 6030-22030294-004A

Artesia Laboratory

200 E Main St.

Artesia, NM 88210

Phone 575-746-3481

Steward Energy  
Steward Energy  
2600 Dallas Pkwy Suite 400  
Frisco, TX 75034

Mar. 18, 2022

Station Name: Combo Fee 2H  
Station Number: 57270170  
Station Location: Steward  
Sample Point: Meter run  
Instrument: 6030\_GC2 (Agilent GC-7890B)  
Last Inst. Cal.: 03/07/2022 16:14 PM  
Analyzed: 03/18/2022 06:37:59 by KNF

Sampled By: Javier Lazo  
Sample Of: Gas Spot  
Sample Date: No sample date provided  
Sample Conditions: 71 psig, @ 83 °F Ambient: 52 °F  
Effective Date: No sample date provided  
Method: GPA 2286  
Cylinder No: 5030-02226

## Analytical Data

| Components       | Un-normalized<br>Mol % | Mol. %    | Wt. %   | GPM at<br>14.696 psia |                      |
|------------------|------------------------|-----------|---------|-----------------------|----------------------|
| Hydrogen Sulfide | 0.000                  | 10.03500  | 12.942  |                       | GPM TOTAL C2+ 6.982  |
| Nitrogen         | 3.982                  | 3.64300   | 3.862   |                       | GPM TOTAL C3+ 3.771  |
| Methane          | 61.608                 | 56.36400  | 34.215  |                       | GPM TOTAL iC5+ 0.978 |
| Carbon Dioxide   | 6.357                  | 5.81600   | 9.686   |                       |                      |
| Ethane           | 13.090                 | 11.97600  | 13.627  | 3.211                 |                      |
| Propane          | 7.220                  | 6.60600   | 11.023  | 1.825                 |                      |
| Iso-butane       | 0.998                  | 0.91300   | 2.008   | 0.300                 |                      |
| n-Butane         | 2.312                  | 2.11500   | 4.652   | 0.668                 |                      |
| Iso-pentane      | 0.640                  | 0.58600   | 1.600   | 0.215                 |                      |
| n-Pentane        | 0.612                  | 0.56000   | 1.529   | 0.204                 |                      |
| Hexanes Plus     | 1.515                  | 1.38600   | 4.856   | 0.559                 |                      |
|                  | 98.334                 | 100.00000 | 100.000 | 6.982                 |                      |

| Calculated Physical Properties | Total  | C6+    |
|--------------------------------|--------|--------|
| Relative Density Real Gas      | 0.9169 | 3.2105 |
| Calculated Molecular Weight    | 26.43  | 92.98  |
| Compressibility Factor         | 0.9949 |        |

## GPA 2172 Calculation:

Calculated Gross BTU per ft<sup>3</sup> @ 14.696 psia & 60°F

|                                      |        |        |
|--------------------------------------|--------|--------|
| Real Gas Dry BTU                     | 1231   | 4947   |
| Water Sat. Gas Base BTU              | 1209   | 4860   |
| Ideal, Gross HV - Dry at 14.696 psia | 1224.5 | 4946.6 |
| Ideal, Gross HV - Wet                | 1203.1 | 0.000  |

Comments: H2S Field Content 10,0346 ppm  
Mcf/day 528

Data reviewed by: Krystle Fitzwater, Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



## Certificate of Analysis

Number: 6030-22030294-004A

Artesia Laboratory

200 E Main St.

Artesia, NM 88210

Phone 575-746-3481

Steward Energy  
Steward Energy  
2600 Dallas Pkwy Suite 400  
Frisco, TX 75034

Mar. 18, 2022

Station Name: Combo Fee 2H  
Station Number: 57270170  
Station Location: Steward  
Sample Point: Meter run  
Analyzed: 03/18/2022 06:54:43 by KNF

Sampled By: Javier Lazo  
Sample Of: Gas Spot  
Sample Date: No sample date provided  
Sample Conditions: 71 psig, @ 83 °F  
Method: GPA 2286  
Cylinder No: 5030-02226

## Analytical Data

| Components       | Mol. %  | Wt. %   | GPM at<br>14.696 psia |
|------------------|---------|---------|-----------------------|
| Hydrogen Sulfide | 10.035  | 12.942  |                       |
| Nitrogen         | 3.643   | 3.862   |                       |
| Methane          | 56.364  | 34.215  |                       |
| Carbon Dioxide   | 5.816   | 9.686   |                       |
| Ethane           | 11.976  | 13.627  | 3.211                 |
| Propane          | 6.606   | 11.023  | 1.825                 |
| Iso-Butane       | 0.913   | 2.008   | 0.300                 |
| n-Butane         | 2.115   | 4.652   | 0.668                 |
| Iso-Pentane      | 0.586   | 1.600   | 0.215                 |
| n-Pentane        | 0.560   | 1.529   | 0.204                 |
| i-Hexanes        | 0.312   | 0.996   | 0.125                 |
| n-Hexane         | 0.183   | 0.590   | 0.075                 |
| Benzene          | 0.153   | 0.452   | 0.043                 |
| Cyclohexane      | 0.074   | 0.236   | 0.025                 |
| i-Heptanes       | 0.232   | 0.813   | 0.094                 |
| n-Heptane        | 0.065   | 0.249   | 0.030                 |
| Toluene          | 0.078   | 0.272   | 0.026                 |
| i-Octanes        | 0.139   | 0.564   | 0.064                 |
| n-Octane         | 0.023   | 0.098   | 0.012                 |
| Ethylbenzene     | 0.026   | 0.102   | 0.010                 |
| Xylenes          | 0.017   | 0.075   | 0.007                 |
| i-Nonanes        | 0.042   | 0.181   | 0.021                 |
| n-Nonane         | 0.012   | 0.055   | 0.007                 |
| Decanes Plus     | 0.030   | 0.173   | 0.020                 |
|                  | 100.000 | 100.000 | 6.982                 |



## Certificate of Analysis

Number: 6030-22030294-004A

Artesia Laboratory

200 E Main St.  
Artesia, NM 88210  
Phone 575-746-3481Steward Energy  
Steward Energy  
2600 Dallas Pkwy Suite 400  
Frisco, TX 75034

Mar. 18, 2022

Station Name: Combo Fee 2H  
Station Number: 57270170  
Station Location: Steward  
Sample Point: Meter run  
Analyzed: 03/18/2022 06:54:43 by KNFSampled By: Javier Lazo  
Sample Of: Gas Spot  
Sample Date: No sample date provided  
Sample Conditions: 71 psig, @ 83 °F  
Method: GPA 2286  
Cylinder No: 5030-02226

---

| Calculated Physical Properties                                          | Total  | C10+   |
|-------------------------------------------------------------------------|--------|--------|
| Calculated Molecular Weight                                             | 26.43  | 150.19 |
| <b>GPA 2172 Calculation:</b>                                            |        |        |
| <b>Calculated Gross BTU per ft<sup>3</sup> @ 14.696 psia &amp; 60°F</b> |        |        |
| Real Gas Dry BTU                                                        | 1230.7 | 8065.8 |
| Water Sat. Gas Base BTU                                                 | 1209.3 | 7885.1 |
| Relative Density Real Gas                                               | 0.9169 | 5.1855 |
| Compressibility Factor                                                  | 0.9949 |        |
| Ideal, Gross HV - Wet                                                   | 1203.1 |        |
| Ideal, Gross HV - Dry at 14.696 psia                                    | 1224.5 |        |
| Net BTU Dry Gas - real gas                                              | 1121   |        |
| Net BTU Wet Gas - real gas                                              | 1102   |        |

**Comments:** H2S Field Content 10,0346 ppm  
Mcf/day 528

Data reviewed by: Krystle Fitzwater, Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

| <u>Date</u> | <u>Gas Flare</u> | <u>Gas Prod</u> | <u>Approx Hrs</u> | <u>Midstream (Stakeholder) Plant/Gathering Upset Documentation</u> |
|-------------|------------------|-----------------|-------------------|--------------------------------------------------------------------|
| 3/1/2022    | 153              | 501.00          | 7.33              | Loss of inlet compression causing loss of plant                    |
| 3/2/2022    | 169              | 495.00          | 8.20              | Loss of inlet compression causing loss of plant                    |
| 3/3/2022    | 182              | 526.00          | 8.31              | Loss of inlet compression causing loss of plant                    |
| 3/4/2022    | 142              | 523.00          | 6.53              | Loss of inlet compression causing loss of plant                    |
| 3/5/2022    | 191              | 567.00          | 8.08              | Loss of inlet compression causing loss of plant                    |
| 3/6/2022    | 279              | 540.00          | 12.41             | Loss of inlet compression causing loss of plant                    |
| 3/7/2022    | 198              | 531.00          | 8.96              | 1/2 Compressor PM's                                                |
| 3/8/2022    | 185              | 544.00          | 8.14              | 1/2 Compressor PM's                                                |
| 3/9/2022    | 249              | 527.00          | 11.33             | 1/2 Compressor PM's                                                |
| 3/10/2022   | 207              | 525.00          | 9.45              | 1/2 Compressor PM's                                                |
| 3/11/2022   | 110              | 519.00          | 5.10              | 1/2 Compressor PM's                                                |
| 3/12/2022   | 54               | 524.00          | 2.49              | 1/2 Compressor PM's                                                |
| 3/13/2022   | 91               | 516.00          | 4.22              | 1/2 Compressor PM's                                                |
| 3/14/2022   | 114              | 514.00          | 5.30              | Cornell down for for Targa Maintenance                             |
| 3/15/2022   | 112              | 511.00          | 5.25              | Cornell down for for Targa Maintenance                             |
| 3/16/2022   | 107              | 499.00          | 5.16              | Cornell down for for Targa Maintenance                             |
| 3/17/2022   | 124              | 491.00          | 6.05              | Cornell down for for Targa Maintenance                             |
| 3/18/2022   | 104              | 461.00          | 5.39              | Cornell down for for Targa Maintenance                             |
| 3/19/2022   | 58               | 460.00          | 3.03              | Cornell down for for Targa Maintenance                             |
| 3/20/2022   | 64               | 454.00          | 3.39              | Cornell down for for Targa Maintenance                             |
| 3/21/2022   | 65               | 439.00          | 3.53              | Cornell down for for Targa Maintenance                             |
| 3/22/2022   | 56               | 446.00          | 3.03              | Cornell down for for Targa Maintenance                             |
| 3/23/2022   | 101              | 458.00          | 5.32              | Cornell down for for Targa Maintenance                             |
| 3/24/2022   | 117              | 445.00          | 6.31              | Cornell down for for Targa Maintenance                             |
| 3/25/2022   | 104              | 444.00          | 5.64              | Cornell down for for Targa Maintenance                             |
| 3/26/2022   | 110              | 462.00          | 5.71              | Cornell down for for Targa Maintenance                             |
| 3/27/2022   | 76               | 443.00          | 4.13              | Cornell down for for Targa Maintenance                             |
| 3/28/2022   | 28               | 295.00          | 2.29              | Cornell down for for Targa Maintenance                             |
| 3/29/2022   | 51               | 390.00          | 3.11              | Cornell down for for Targa Maintenance                             |
| 3/30/2022   | 55               | 452.00          | 2.93              | Cornell down for for Targa Maintenance                             |
| 3/31/2022   | 52               | 470.00          | 2.68              | Cornell down for for Targa Maintenance                             |
|             | <b>3708</b>      | <b>14972</b>    | <b>171.44</b>     |                                                                    |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

DEFINITIONS

Action 103168

DEFINITIONS

|                                                                                |                                                        |
|--------------------------------------------------------------------------------|--------------------------------------------------------|
| Operator:<br>STEWARD ENERGY II, LLC<br>2600 Dallas Parkway<br>Frisco, TX 75034 | OGRID:<br>371682                                       |
|                                                                                | Action Number:<br>103168                               |
|                                                                                | Action Type:<br>[C-129] Venting and/or Flaring (C-129) |

DEFINITIONS

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: <ul style="list-style-type: none"><li>• this application's operator, hereinafter "this operator";</li><li>• venting and/or flaring, hereinafter "vent or flare";</li><li>• any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";</li><li>• the statements in (and/or attached to) this, hereinafter "the statements in this";</li><li>• and the past tense will be used in lieu of mixed past/present tense questions and statements.</li></ul> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 103168

**QUESTIONS**

|                                                                                |                                                        |
|--------------------------------------------------------------------------------|--------------------------------------------------------|
| Operator:<br>STEWART ENERGY II, LLC<br>2600 Dallas Parkway<br>Frisco, TX 75034 | OGRID:<br>371682                                       |
|                                                                                | Action Number:<br>103168                               |
|                                                                                | Action Type:<br>[C-129] Venting and/or Flaring (C-129) |

**QUESTIONS**

|                                                                                                                                                                           |                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| <b>Prerequisites</b>                                                                                                                                                      |                                |
| <i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i> |                                |
| Incident Well                                                                                                                                                             | [30-025-49480] COMBO FEE #002H |
| Incident Facility                                                                                                                                                         | Not answered.                  |

|                                                                                                                                                                                                                                                                                            |                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| <b>Determination of Reporting Requirements</b>                                                                                                                                                                                                                                             |                                                   |
| <i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>                                                                                                                                                 |                                                   |
| Was this vent or flare caused by an emergency or malfunction                                                                                                                                                                                                                               | Yes                                               |
| Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event                                                                                                                                                                                 | Yes                                               |
| Is this considered a submission for a vent or flare event                                                                                                                                                                                                                                  | Yes, major venting and/or flaring of natural gas. |
| <i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>                                                                                     |                                                   |
| Was there at least 50 MCF of natural gas vented and/or flared during this event                                                                                                                                                                                                            | Yes                                               |
| Did this vent or flare result in the release of <b>ANY</b> liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No                                                |
| Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence                                                                                                              | No                                                |

|                                                           |                                                                                                                                                                                                 |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Equipment Involved</b>                                 |                                                                                                                                                                                                 |
| Primary Equipment Involved                                | Separator                                                                                                                                                                                       |
| Additional details for Equipment Involved. Please specify | All gas is connected to Stakeholder Midstream Gas Pipeline. Any flaring is from gas off the separator and sent to flare and is due to an upset at their plant or within their gathering system. |

|                                                                                                                                      |               |
|--------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>Representative Compositional Analysis of Vented or Flared Natural Gas</b>                                                         |               |
| <i>Please provide the mole percent for the percentage questions in this group.</i>                                                   |               |
| Methane (CH4) percentage                                                                                                             | 56            |
| Nitrogen (N2) percentage, if greater than one percent                                                                                | 4             |
| Hydrogen Sulfide (H2S) PPM, rounded up                                                                                               | 10            |
| Carbon Dioxide (CO2) percentage, if greater than one percent                                                                         | 6             |
| Oxygen (O2) percentage, if greater than one percent                                                                                  | 0             |
| <i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i> |               |
| Methane (CH4) percentage quality requirement                                                                                         | Not answered. |
| Nitrogen (N2) percentage quality requirement                                                                                         | Not answered. |
| Hydrogen Sulfide (H2S) PPM quality requirement                                                                                       | Not answered. |
| Carbon Dioxide (CO2) percentage quality requirement                                                                                  | Not answered. |
| Oxygen (O2) percentage quality requirement                                                                                           | Not answered. |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 103168

QUESTIONS (continued)

|                                                                                |                                                        |
|--------------------------------------------------------------------------------|--------------------------------------------------------|
| Operator:<br>STEWARD ENERGY II, LLC<br>2600 Dallas Parkway<br>Frisco, TX 75034 | OGRID:<br>371682                                       |
|                                                                                | Action Number:<br>103168                               |
|                                                                                | Action Type:<br>[C-129] Venting and/or Flaring (C-129) |

QUESTIONS

| Date(s) and Time(s)                            |            |
|------------------------------------------------|------------|
| Date vent or flare was discovered or commenced | 03/01/2022 |
| Time vent or flare was discovered or commenced | 07:00 AM   |
| Time vent or flare was terminated              | 07:00 PM   |
| Cumulative hours during this event             | 171        |

| Measured or Estimated Volume of Vented or Flared Natural Gas              |                                                                                                                                      |
|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Natural Gas Vented (Mcf) Details                                          | Not answered.                                                                                                                        |
| Natural Gas Flared (Mcf) Details                                          | Cause: Midstream Emergency Maintenance   Separator   Natural Gas Flared   Released: 3,708 Mcf   Recovered: 0 Mcf   Lost: 3,708 Mcf ] |
| Other Released Details                                                    | Not answered.                                                                                                                        |
| Additional details for Measured or Estimated Volume(s). Please specify    | Not answered.                                                                                                                        |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report.                                                           |

| Venting or Flaring Resulting from Downstream Activity             |                                       |
|-------------------------------------------------------------------|---------------------------------------|
| Was this vent or flare a result of downstream activity            | Yes                                   |
| Was notification of downstream activity received by this operator | Yes                                   |
| Downstream OGRID that should have notified this operator          | [329800] Stakeholder Gas Utility, LLC |
| Date notified of downstream activity requiring this vent or flare | 03/01/2022                            |
| Time notified of downstream activity requiring this vent or flare | 07:00 AM                              |

| Steps and Actions to Prevent Waste                                                                                               |                                                                                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control. | True                                                                                                                                                                                                                       |
| Please explain reason for why this event was beyond this operator's control                                                      | All gas is connected to Stakeholder Midstream Gas Pipeline. Any flaring is due to an upset at their plant or within their gathering system.                                                                                |
| Steps taken to limit the duration and magnitude of vent or flare                                                                 | This is out of our control. Stakeholder attempts to rectify every situation as quickly as possible.                                                                                                                        |
| Corrective actions taken to eliminate the cause and reoccurrence of vent or flare                                                | Stakeholder is proceeding with the expansion of the Campo Viejo Gas Processing Plant. Steward Energy II has agreed to certain producer commitments in order to support this expansion expected to be completed April 2022. |

**District I**

1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 103168

**ACKNOWLEDGMENTS**

|                                                                                |                                                        |
|--------------------------------------------------------------------------------|--------------------------------------------------------|
| Operator:<br>STEWARD ENERGY II, LLC<br>2600 Dallas Parkway<br>Frisco, TX 75034 | OGRID:<br>371682                                       |
|                                                                                | Action Number:<br>103168                               |
|                                                                                | Action Type:<br>[C-129] Venting and/or Flaring (C-129) |

**ACKNOWLEDGMENTS**

|                                     |                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a <b>complete</b> C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.                                                                                      |
| <input checked="" type="checkbox"/> | I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively. |
| <input checked="" type="checkbox"/> | I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.                                                                                                        |
| <input checked="" type="checkbox"/> | I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.                       |
| <input checked="" type="checkbox"/> | I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.                                                                                                                          |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 103168

CONDITIONS

|                                                                                |                                                        |
|--------------------------------------------------------------------------------|--------------------------------------------------------|
| Operator:<br>STEWARD ENERGY II, LLC<br>2600 Dallas Parkway<br>Frisco, TX 75034 | OGRID:<br>371682                                       |
|                                                                                | Action Number:<br>103168                               |
|                                                                                | Action Type:<br>[C-129] Venting and/or Flaring (C-129) |

CONDITIONS

| Created By | Condition                                                                                                                                                                          | Condition Date |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| nwhite     | If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 5/2/2022       |